

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 June 2001 (07.06.2001)

PCT

(10) International Publication Number
WO 01/40466 A2

(51) International Patent Classification ⁷ :	C12N 15/12, C07K 14/47, 14/705, C12N 15/62, C07K 16/18, 16/28, G01N 33/53, A61K 38/17, C12Q 1/68	PCT/US99/30999	20 December 1999 (20.12.1999)	US
		PCT/US99/31243	30 December 1999 (30.12.1999)	US
(21) International Application Number:	PCT/US00/32678	PCT/US99/31274	30 December 1999 (30.12.1999)	US
(22) International Filing Date:	1 December 2000 (01.12.2000)	PCT/US00/00219	5 January 2000 (05.01.2000)	US
		PCT/US00/00277	6 January 2000 (06.01.2000)	US
(25) Filing Language:	English	PCT/US00/00376	6 January 2000 (06.01.2000)	US
		PCT/US00/03565	11 February 2000 (11.02.2000)	US
(26) Publication Language:	English	PCT/US00/04341	18 February 2000 (18.02.2000)	US
(30) Priority Data:		PCT/US00/04342	18 February 2000 (18.02.2000)	US
PCT/US99/28301	1 December 1999 (01.12.1999)	US	PCT/US00/04414	22 February 2000 (22.02.2000)
PCT/US99/28634	1 December 1999 (01.12.1999)	US	PCT/US00/04914	24 February 2000 (24.02.2000)
PCT/US99/28551	2 December 1999 (02.12.1999)	US	PCT/US00/05004	24 February 2000 (24.02.2000)
PCT/US99/28564	2 December 1999 (02.12.1999)	US	PCT/US00/05601	1 March 2000 (01.03.2000)
PCT/US99/28565	2 December 1999 (02.12.1999)	US	PCT/US00/05841	2 March 2000 (02.03.2000)
60/170,262	9 December 1999 (09.12.1999)	US	60/187,202	3 March 2000 (03.03.2000)
PCT/US99/30095	16 December 1999 (16.12.1999)	US	PCT/US00/06319	10 March 2000 (10.03.2000)
PCT/US99/30911	20 December 1999 (20.12.1999)	US	PCT/US00/06884	15 March 2000 (15.03.2000)
			PCT/US00/07377	20 March 2000 (20.03.2000)
			PCT/US00/07532	21 March 2000 (21.03.2000)

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

MSTMFADTLLIVFISVCTALLAEGITWVLVYRTDKYKRLKAEVEKQSKKLEKKKETITESAGR
QQKKKIERQEEKLNNDLSMVRMKSMAFGCFTALMGMFNSIFDGRVAKLPFTPLSYIQ
GLSHRNLLGDDTTDCSFIFLYILCTMSIRQNIQKILGLAPSRATKQAGGFLGPPPPSGKFS

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites.

amino acids 103-109, 163-169

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 53-57

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

WO 01/40466 A2



PCT/US00/08439 30 March 2000 (30.03.2000) US
PCT/US00/13705 17 May 2000 (17.05.2000) US
PCT/US00/14042 22 May 2000 (22.05.2000) US
PCT/US00/14941 30 May 2000 (30.05.2000) US
PCT/US00/15264 2 June 2000 (02.06.2000) US
60/209,832 5 June 2000 (05.06.2000) US
PCT/US00/20710 28 July 2000 (28.07.2000) US
PCT/US00/22031 11 August 2000 (11.08.2000) US
PCT/US00/23522 23 August 2000 (23.08.2000) US
PCT/US00/23328 24 August 2000 (24.08.2000) US
60/000,000 15 September 2000 (15.09.2000) US
PCT/US00/30952 8 November 2000 (08.11.2000) US
PCT/US00/30873 10 November 2000 (10.11.2000) US

(71) Applicant (for all designated States except US): **GENENTECH, INC.** [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BAKER, Kevin, P.** [GB/US]; 14006 Indian Run Drive, Darnestown, MD 20878 (US). **BERESINI, Maureen** [US/US]; 611 Stetson Street, Moss Beach, CA 94038 (US). **DEFORGE, Laura** [US/US]; 1175 Manzanita Drive, Pacifica, CA 94044 (US). **DESNOYERS, Luc** [CA/US]; 2050 Stockton Street, San Francisco, CA 94133 (US). **FILVAROFF, Ellen** [US/US]; 538 18th Avenue, San Francisco, CA 94121 (US). **GAO, Wei-Qiang** [CN/US]; 641 Pilgrim Drive, Foster City, CA 94404 (US). **GERRITSEN, Mary, E.** [CA/US]; 541 Parrott Drive, San Mateo, CA 94402 (US). **GODDARD, Audrey** [CA/US]; 110 Congo Street, San Francisco, CA 94131 (US). **GODOWSKI, Paul, J.** [US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US). **GURNEY, Austin, L.** [US/US]; 1 Debbie Lane, Belmont, CA 94002 (US). **SHERWOOD, Steven** [US/US]; 995 Lundy Lane,

Los Altos, CA 94024 (US). **SMITH, Victoria** [AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US). **STEWART, Timothy, A.** [US/US]; 465 Douglass Street, San Francisco, CA 94114 (US). **TUMAS, Daniel** [US/US]; 3 Rae Avenue, Orinda, CA 94563 (US). **WATANABE, Colin, K.** [US/US]; 128 Corliss Drive, Moraga, CA 94556 (US). **WOOD, William, L.** [US/US]; 35 Southdown Court, Hillsborough, CA 94010 (US). **ZHANG, Zemin** [CN/US]; 876 Taurus Drive, Foster City, CA 94404 (US).

(74) Agents: **KRESNAK, Mark, T.** et al.; Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-4990 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

FIELD OF THE INVENTION

5 The present invention relates generally to the identification and isolation of novel DNA and to the recombinant production of novel polypeptides.

BACKGROUND OF THE INVENTION

10 Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of
15 action in the extracellular environment.

Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts
20 are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature [see, for example, Klein et al., *Proc. Natl. Acad. Sci.* 93:7108-7113 (1996); U.S. Patent No. 5,536,637].

Membrane-bound proteins and receptors can play important roles in, among other things, the formation,
25 differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins.
30 Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesion molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and

nerve growth factor receptor.

Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction.

- 5 Efforts are being undertaken by both industry and academia to identify new, native receptor or membrane-bound proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel receptor or membrane-bound proteins.

SUMMARY OF THE INVENTION

- 10 In one embodiment, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a PRO polypeptide.

- 15 In one aspect, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule encoding a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

- 25 In other aspects, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94%

nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule comprising the coding sequence of a full-length PRO polypeptide cDNA as disclosed herein, the coding sequence of a PRO polypeptide lacking the signal peptide as disclosed herein, the coding sequence of an extracellular domain of a transmembrane PRO polypeptide, with or without the signal peptide, as disclosed herein or the coding sequence of any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

In a further aspect, the invention concerns an isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule that encodes the same mature polypeptide encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein, or (b) the complement of the DNA molecule of (a).

Another aspect the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence encoding a PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated, or is complementary to such encoding nucleotide sequence, wherein the transmembrane domain(s) of such polypeptide are disclosed herein. Therefore, soluble extracellular domains of the herein described PRO polypeptides are contemplated.

Another embodiment is directed to fragments of a PRO polypeptide coding sequence, or the complement thereof, that may find use as, for example, hybridization probes, for encoding fragments of a PRO polypeptide that may optionally encode a polypeptide comprising a binding site for an anti-PRO antibody or as antisense oligonucleotide probes. Such nucleic acid fragments are usually at least about 10 nucleotides in length, alternatively at least about 15 nucleotides in length, alternatively at least about 20 nucleotides in length, alternatively at least about 30 nucleotides in length, alternatively at least about 40 nucleotides in length, alternatively at least about 50 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 70 nucleotides in length, alternatively at least about 80 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 100 nucleotides in length, alternatively at least about 110 nucleotides in length, alternatively at least about 120 nucleotides in length,

alternatively at least about 130 nucleotides in length, alternatively at least about 140 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 160 nucleotides in length, alternatively at least about 170 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 190 nucleotides in length, alternatively at least about 200 nucleotides in length, alternatively at least about 250 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 350 nucleotides in length, alternatively at least about 400 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 500 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 700 nucleotides in length, alternatively at least about 800 nucleotides in length, alternatively at least about 900 nucleotides in length and alternatively at least about 1000 nucleotides in length, wherein in this context the term "about" means the referenced nucleotide sequence length plus or minus 10% of that referenced length. It is noted that novel fragments of a PRO polypeptide-encoding nucleotide sequence may be determined in a routine manner by aligning the PRO polypeptide-encoding nucleotide sequence with other known nucleotide sequences using any of a number of well known sequence alignment programs and determining which PRO polypeptide-encoding nucleotide sequence fragment(s) are novel. All of such PRO polypeptide-encoding nucleotide sequences are contemplated herein. Also contemplated are the PRO polypeptide fragments encoded by these nucleotide molecule fragments, preferably those PRO polypeptide fragments that comprise a binding site for an anti-PRO antibody.

In another embodiment, the invention provides isolated PRO polypeptide encoded by any of the isolated nucleic acid sequences hereinabove identified.

In a certain aspect, the invention concerns an isolated PRO polypeptide, comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein.

In a further aspect, the invention concerns an isolated PRO polypeptide comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid

sequence identity, alternatively at least about 82 % amino acid sequence identity, alternatively at least about 83 % amino acid sequence identity, alternatively at least about 84 % amino acid sequence identity, alternatively at least about 85 % amino acid sequence identity, alternatively at least about 86 % amino acid sequence identity, alternatively at least about 87 % amino acid sequence identity, alternatively at least about 88 % amino acid sequence identity, alternatively at least about 89 % amino acid sequence identity, alternatively at least about 90 % amino acid sequence identity, alternatively at least about 91 % amino acid sequence identity, alternatively at least about 92 % amino acid sequence identity, alternatively at least about 93 % amino acid sequence identity, alternatively at least about 94 % amino acid sequence identity, alternatively at least about 95 % amino acid sequence identity, alternatively at least about 96 % amino acid sequence identity, alternatively at least about 97 % amino acid sequence identity, alternatively at least about 98 % amino acid sequence identity and alternatively at least about 99 % amino acid sequence identity to an amino acid sequence encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein.

In a specific aspect, the invention provides an isolated PRO polypeptide without the N-terminal signal sequence and/or the initiating methionine and is encoded by a nucleotide sequence that encodes such an amino acid sequence as hereinbefore described. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

Another aspect the invention provides an isolated PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

In yet another embodiment, the invention concerns agonists and antagonists of a native PRO polypeptide as defined herein. In a particular embodiment, the agonist or antagonist is an anti-PRO antibody or a small molecule.

In a further embodiment, the invention concerns a method of identifying agonists or antagonists to a PRO polypeptide which comprise contacting the PRO polypeptide with a candidate molecule and monitoring a biological activity mediated by said PRO polypeptide. Preferably, the PRO polypeptide is a native PRO polypeptide.

In a still further embodiment, the invention concerns a composition of matter comprising a PRO polypeptide, or an agonist or antagonist of a PRO polypeptide as herein described, or an anti-PRO antibody, in combination with a carrier. Optionally, the carrier is a pharmaceutically acceptable carrier.

Another embodiment of the present invention is directed to the use of a PRO polypeptide, or an agonist or antagonist thereof as hereinbefore described, or an anti-PRO antibody, for the preparation of a medicament useful in the treatment of a condition which is responsive to the PRO polypeptide, an agonist or antagonist thereof or an anti-PRO antibody.

In other embodiments of the present invention, the invention provides vectors comprising DNA encoding any of the herein described polypeptides. Host cell comprising any such vector are also provided. By way of example, the host cells may be CHO cells, *E. coli*, or yeast. A process for producing any of the herein described polypeptides is further provided and comprises culturing host cells under conditions suitable for expression of the desired polypeptide and recovering the desired polypeptide from the cell culture.

5 In other embodiments, the invention provides chimeric molecules comprising any of the herein described polypeptides fused to a heterologous polypeptide or amino acid sequence. Example of such chimeric molecules comprise any of the herein described polypeptides fused to an epitope tag sequence or a Fc region of an immunoglobulin.

10 In another embodiment, the invention provides an antibody which binds, preferably specifically, to any of the above or below described polypeptides. Optionally, the antibody is a monoclonal antibody, humanized antibody, antibody fragment or single-chain antibody.

In yet other embodiments, the invention provides oligonucleotide probes which may be useful for isolating genomic and cDNA nucleotide sequences, measuring or detecting expression of an associated gene or as antisense probes, wherein those probes may be derived from any of the above or below described nucleotide sequences. Preferred probe lengths are described above.

15 In yet other embodiments, the present invention is directed to methods of using the PRO polypeptides of the present invention for a variety of uses based upon the functional biological assay data presented in the Examples below.

20 BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a nucleotide sequence (SEQ ID NO:1) of a native sequence PRO177 cDNA, wherein SEQ ID NO:1 is a clone designated herein as "DNA16438-1387".

Figure 2 shows the amino acid sequence (SEQ ID NO:2) derived from the coding sequence of SEQ ID NO:1 shown in Figure 1.

25 Figure 3 shows a nucleotide sequence (SEQ ID NO:3) of a native sequence PRO3574 cDNA, wherein SEQ ID NO:3 is a clone designated herein as "DNA19360-2552".

Figure 4 shows the amino acid sequence (SEQ ID NO:4) derived from the coding sequence of SEQ ID NO:3 shown in Figure 3.

30 Figure 5 shows a nucleotide sequence (SEQ ID NO:5) of a native sequence PRO1280 cDNA, wherein SEQ ID NO:5 is a clone designated herein as "DNA33455-1548".

Figure 6 shows the amino acid sequence (SEQ ID NO:6) derived from the coding sequence of SEQ ID NO:5 shown in Figure 5.

Figure 7 shows a nucleotide sequence (SEQ ID NO:7) of a native sequence PRO4984 cDNA, wherein SEQ ID NO:7 is a clone designated herein as "DNA37155-2651".

35 Figure 8 shows the amino acid sequence (SEQ ID NO:8) derived from the coding sequence of SEQ ID NO:7 shown in Figure 7.

Figure 9 shows a nucleotide sequence (SEQ ID NO:9) of a native sequence PRO4988 cDNA, wherein SEQ ID NO:9 is a clone designated herein as "DNA38269-2654".

Figure 10 shows the amino acid sequence (SEQ ID NO:10) derived from the coding sequence of SEQ ID NO:9 shown in Figure 9.

5 Figure 11 shows a nucleotide sequence (SEQ ID NO:11) of a native sequence PRO305 cDNA, wherein SEQ ID NO:11 is a clone designated herein as "DNA40619-1220".

Figure 12 shows the amino acid sequence (SEQ ID NO:12) derived from the coding sequence of SEQ ID NO:11 shown in Figure 11.

Figure 13 shows a nucleotide sequence (SEQ ID NO:13) of a native sequence PRO1866 cDNA, wherein SEQ ID NO:13 is a clone designated herein as "DNA44174-2513".

10 Figure 14 shows the amino acid sequence (SEQ ID NO:14) derived from the coding sequence of SEQ ID NO:13 shown in Figure 13.

Figure 15 shows a nucleotide sequence (SEQ ID NO:15) of a native sequence PRO4996 cDNA, wherein SEQ ID NO:15 is a clone designated herein as "DNA44675-2662".

15 Figure 16 shows the amino acid sequence (SEQ ID NO:16) derived from the coding sequence of SEQ ID NO:15 shown in Figure 15.

Figure 17 shows a nucleotide sequence (SEQ ID NO:17) of a native sequence PRO4406 cDNA, wherein SEQ ID NO:17 is a clone designated herein as "DNA45408-2615".

Figure 18 shows the amino acid sequence (SEQ ID NO:18) derived from the coding sequence of SEQ ID NO:17 shown in Figure 17.

20 Figure 19 shows a nucleotide sequence (SEQ ID NO:19) of a native sequence PRO1120 cDNA, wherein SEQ ID NO:19 is a clone designated herein as "DNA48606-1479".

Figure 20 shows the amino acid sequence (SEQ ID NO:20) derived from the coding sequence of SEQ ID NO:19 shown in Figure 19.

25 Figure 21 shows a nucleotide sequence (SEQ ID NO:21) of a native sequence PRO4990 cDNA, wherein SEQ ID NO:21 is a clone designated herein as "DNA52753-2656".

Figure 22 shows the amino acid sequence (SEQ ID NO:22) derived from the coding sequence of SEQ ID NO:21 shown in Figure 21.

Figure 23 shows a nucleotide sequence (SEQ ID NO:23) of a native sequence PRO738 cDNA, wherein SEQ ID NO:23 is a clone designated herein as "DNA53915-1258".

30 Figure 24 shows the amino acid sequence (SEQ ID NO:24) derived from the coding sequence of SEQ ID NO:23 shown in Figure 23.

Figure 25 shows a nucleotide sequence (SEQ ID NO:25) of a native sequence PRO3577 cDNA, wherein SEQ ID NO:25 is a clone designated herein as "DNA53991-2553".

35 Figure 26 shows the amino acid sequence (SEQ ID NO:26) derived from the coding sequence of SEQ ID NO:25 shown in Figure 25.

Figure 27 shows a nucleotide sequence (SEQ ID NO:27) of a native sequence PRO1879 cDNA, wherein SEQ ID NO:27 is a clone designated herein as "DNA54009-2517".

Figure 28 shows the amino acid sequence (SEQ ID NO:28) derived from the coding sequence of SEQ ID NO:27 shown in Figure 27.

Figure 29 shows a nucleotide sequence (SEQ ID NO:29) of a native sequence PRO1471 cDNA, wherein SEQ ID NO:29 is a clone designated herein as "DNA56055-1643".

5 Figure 30 shows the amino acid sequence (SEQ ID NO:30) derived from the coding sequence of SEQ ID NO:29 shown in Figure 29.

Figure 31 shows a nucleotide sequence (SEQ ID NO:31) of a native sequence PRO1114 cDNA, wherein SEQ ID NO:31 is a clone designated herein as "DNA57033-1403".

Figure 32 shows the amino acid sequence (SEQ ID NO:32) derived from the coding sequence of SEQ ID NO:31 shown in Figure 31.

10 Figure 33 shows a nucleotide sequence (SEQ ID NO:33) of a native sequence PRO1076 cDNA, wherein SEQ ID NO:33 is a clone designated herein as "DNA57252-1453".

Figure 34 shows the amino acid sequence (SEQ ID NO:34) derived from the coding sequence of SEQ ID NO:33 shown in Figure 33.

15 Figure 35 shows a nucleotide sequence (SEQ ID NO:35) of a native sequence PRO1483 cDNA, wherein SEQ ID NO:35 is a clone designated herein as "DNA58799-1652".

Figure 36 shows the amino acid sequence (SEQ ID NO:36) derived from the coding sequence of SEQ ID NO:35 shown in Figure 35.

Figure 37 shows a nucleotide sequence (SEQ ID NO:37) of a native sequence PRO4985 cDNA, wherein SEQ ID NO:37 is a clone designated herein as "DNA59770-2652".

20 Figure 38 shows the amino acid sequence (SEQ ID NO:38) derived from the coding sequence of SEQ ID NO:37 shown in Figure 37.

Figure 39 shows a nucleotide sequence (SEQ ID NO:39) of a native sequence PRO5000 cDNA, wherein SEQ ID NO:39 is a clone designated herein as "DNA59774-2665".

25 Figure 40 shows the amino acid sequence (SEQ ID NO:40) derived from the coding sequence of SEQ ID NO:39 shown in Figure 39.

Figure 41 shows a nucleotide sequence (SEQ ID NO:41) of a native sequence PRO1881 cDNA, wherein SEQ ID NO:41 is a clone designated herein as "DNA60281-2518".

Figure 42 shows the amino acid sequence (SEQ ID NO:42) derived from the coding sequence of SEQ ID NO:41 shown in Figure 41.

30 Figure 43 shows a nucleotide sequence (SEQ ID NO:43) of a native sequence PRO4314 cDNA, wherein SEQ ID NO:43 is a clone designated herein as "DNA60736-2559".

Figure 44 shows the amino acid sequence (SEQ ID NO:44) derived from the coding sequence of SEQ ID NO:43 shown in Figure 43.

35 Figure 45 shows a nucleotide sequence (SEQ ID NO:45) of a native sequence PRO4987 cDNA, wherein SEQ ID NO:45 is a clone designated herein as "DNA61875-2653".

Figure 46 shows the amino acid sequence (SEQ ID NO:46) derived from the coding sequence of SEQ ID NO:45 shown in Figure 45.

Figure 47 shows a nucleotide sequence (SEQ ID NO:47) of a native sequence PRO4313 cDNA, wherein SEQ ID NO:47 is a clone designated herein as "DNA62312-2558".

Figure 48 shows the amino acid sequence (SEQ ID NO:48) derived from the coding sequence of SEQ ID NO:47 shown in Figure 47.

5 Figure 49 shows a nucleotide sequence (SEQ ID NO:49) of a native sequence PRO4799 cDNA, wherein SEQ ID NO:49 is a clone designated herein as "DNA62849-1604".

Figure 50 shows the amino acid sequence (SEQ ID NO:50) derived from the coding sequence of SEQ ID NO:49 shown in Figure 49.

Figure 51 shows a nucleotide sequence (SEQ ID NO:51) of a native sequence PRO4995 cDNA, wherein SEQ ID NO:51 is a clone designated herein as "DNA66307-2661".

10 Figure 52 shows the amino acid sequence (SEQ ID NO:52) derived from the coding sequence of SEQ ID NO:51 shown in Figure 51.

Figure 53 shows a nucleotide sequence (SEQ ID NO:53) of a native sequence PRO1341 cDNA, wherein SEQ ID NO:53 is a clone designated herein as "DNA66677-2535".

15 Figure 54 shows the amino acid sequence (SEQ ID NO:54) derived from the coding sequence of SEQ ID NO:53 shown in Figure 53.

Figure 55 shows a nucleotide sequence (SEQ ID NO:55) of a native sequence PRO1777 cDNA, wherein SEQ ID NO:55 is a clone designated herein as "DNA71235-1706".

Figure 56 shows the amino acid sequence (SEQ ID NO:56) derived from the coding sequence of SEQ ID NO:55 shown in Figure 55.

20 Figure 57 shows a nucleotide sequence (SEQ ID NO:57) of a native sequence PRO3580 cDNA, wherein SEQ ID NO:57 is a clone designated herein as "DNA71289-2547".

Figure 58 shows the amino acid sequence (SEQ ID NO:58) derived from the coding sequence of SEQ ID NO:57 shown in Figure 57.

25 Figure 59 shows a nucleotide sequence (SEQ ID NO:59) of a native sequence PRO1779 cDNA, wherein SEQ ID NO:59 is a clone designated herein as "DNA73775-1707".

Figure 60 shows the amino acid sequence (SEQ ID NO:60) derived from the coding sequence of SEQ ID NO:59 shown in Figure 59.

Figure 61 shows a nucleotide sequence (SEQ ID NO:61) of a native sequence PRO1754 cDNA, wherein SEQ ID NO:61 is a clone designated herein as "DNA76385-1692".

30 Figure 62 shows the amino acid sequence (SEQ ID NO:62) derived from the coding sequence of SEQ ID NO:61 shown in Figure 61.

Figure 63 shows a nucleotide sequence (SEQ ID NO:63) of a native sequence PRO1906 cDNA, wherein SEQ ID NO:63 is a clone designated herein as "DNA76395-2527".

35 Figure 64 shows the amino acid sequence (SEQ ID NO:64) derived from the coding sequence of SEQ ID NO:63 shown in Figure 63.

Figure 65 shows a nucleotide sequence (SEQ ID NO:65) of a native sequence PRO1870 cDNA, wherein SEQ ID NO:65 is a clone designated herein as "DNA77622-2516".

Figure 66 shows the amino acid sequence (SEQ ID NO:66) derived from the coding sequence of SEQ ID NO:65 shown in Figure 65.

Figure 67 shows a nucleotide sequence (SEQ ID NO:67) of a native sequence PRO4329 cDNA, wherein SEQ ID NO:67 is a clone designated herein as "DNA77629-2573".

5 Figure 68 shows the amino acid sequence (SEQ ID NO:68) derived from the coding sequence of SEQ ID NO:67 shown in Figure 67.

Figure 69 shows a nucleotide sequence (SEQ ID NO:69) of a native sequence PRO4979 cDNA, wherein SEQ ID NO:69 is a clone designated herein as "DNA77645-2648".

Figure 70 shows the amino acid sequence (SEQ ID NO:70) derived from the coding sequence of SEQ ID NO:69 shown in Figure 69.

10 Figure 71 shows a nucleotide sequence (SEQ ID NO:71) of a native sequence PRO1885 cDNA, wherein SEQ ID NO:71 is a clone designated herein as "DNA79302-2521".

Figure 72 shows the amino acid sequence (SEQ ID NO:72) derived from the coding sequence of SEQ ID NO:71 shown in Figure 71.

15 Figure 73 shows a nucleotide sequence (SEQ ID NO:73) of a native sequence PRO1882 cDNA, wherein SEQ ID NO:73 is a clone designated herein as "DNA79865-2519".

Figure 74 shows the amino acid sequence (SEQ ID NO:74) derived from the coding sequence of SEQ ID NO:73 shown in Figure 73.

Figure 75 shows a nucleotide sequence (SEQ ID NO:75) of a native sequence PRO4989 cDNA, wherein SEQ ID NO:75 is a clone designated herein as "DNA80135-2655".

20 Figure 76 shows the amino acid sequence (SEQ ID NO:76) derived from the coding sequence of SEQ ID NO:75 shown in Figure 75.

Figure 77 shows a nucleotide sequence (SEQ ID NO:77) of a native sequence PRO4323 cDNA, wherein SEQ ID NO:77 is a clone designated herein as "DNA80794-2568".

25 Figure 78 shows the amino acid sequence (SEQ ID NO:78) derived from the coding sequence of SEQ ID NO:77 shown in Figure 77.

Figure 79 shows a nucleotide sequence (SEQ ID NO:79) of a native sequence PRO1886 cDNA, wherein SEQ ID NO:79 is a clone designated herein as "DNA80796-2523".

Figure 80 shows the amino acid sequence (SEQ ID NO:80) derived from the coding sequence of SEQ ID NO:79 shown in Figure 79.

30 Figure 81 shows a nucleotide sequence (SEQ ID NO:81) of a native sequence PRO4395 cDNA, wherein SEQ ID NO:81 is a clone designated herein as "DNA80840-2605".

Figure 82 shows the amino acid sequence (SEQ ID NO:82) derived from the coding sequence of SEQ ID NO:81 shown in Figure 81.

35 Figure 83 shows a nucleotide sequence (SEQ ID NO:83) of a native sequence PRO1782 cDNA, wherein SEQ ID NO:83 is a clone designated herein as "DNA80899-2501".

Figure 84 shows the amino acid sequence (SEQ ID NO:84) derived from the coding sequence of SEQ ID NO:83 shown in Figure 83.

Figure 85 shows a nucleotide sequence (SEQ ID NO:85) of a native sequence PRO4338 cDNA, wherein SEQ ID NO:85 is a clone designated herein as "DNA81228-2580".

Figure 86 shows the amino acid sequence (SEQ ID NO:86) derived from the coding sequence of SEQ ID NO:85 shown in Figure 85.

5 Figure 87 shows a nucleotide sequence (SEQ ID NO:87) of a native sequence PRO4341 cDNA, wherein SEQ ID NO:87 is a clone designated herein as "DNA81761-2583".

Figure 88 shows the amino acid sequence (SEQ ID NO:88) derived from the coding sequence of SEQ ID NO:87 shown in Figure 87.

Figure 89 shows a nucleotide sequence (SEQ ID NO:89) of a native sequence PRO5990 cDNA, wherein SEQ ID NO:89 is a clone designated herein as "DNA96042-2682".

10 Figure 90 shows the amino acid sequence (SEQ ID NO:90) derived from the coding sequence of SEQ ID NO:89 shown in Figure 89.

Figure 91 shows a nucleotide sequence (SEQ ID NO:91) of a native sequence PRO3438 cDNA, wherein SEQ ID NO:91 is a clone designated herein as "DNA82364-2538".

15 Figure 92 shows the amino acid sequence (SEQ ID NO:92) derived from the coding sequence of SEQ ID NO:91 shown in Figure 91.

Figure 93 shows a nucleotide sequence (SEQ ID NO:93) of a native sequence PRO4321 cDNA, wherein SEQ ID NO:93 is a clone designated herein as "DNA82424-2566".

Figure 94 shows the amino acid sequence (SEQ ID NO:94) derived from the coding sequence of SEQ ID NO:93 shown in Figure 93.

20 Figure 95 shows a nucleotide sequence (SEQ ID NO:95) of a native sequence PRO4304 cDNA, wherein SEQ ID NO:95 is a clone designated herein as "DNA82430-2557".

Figure 96 shows the amino acid sequence (SEQ ID NO:96) derived from the coding sequence of SEQ ID NO:95 shown in Figure 95.

25 Figure 97 shows a nucleotide sequence (SEQ ID NO:97) of a native sequence PRO1801 cDNA, wherein SEQ ID NO:97 is a clone designated herein as "DNA83500-2506".

Figure 98 shows the amino acid sequence (SEQ ID NO:98) derived from the coding sequence of SEQ ID NO:97 shown in Figure 97.

Figure 99 shows a nucleotide sequence (SEQ ID NO:99) of a native sequence PRO4403 cDNA, wherein SEQ ID NO:99 is a clone designated herein as "DNA83509-2612".

30 Figure 100 shows the amino acid sequence (SEQ ID NO:100) derived from the coding sequence of SEQ ID NO:99 shown in Figure 99.

Figure 101 shows a nucleotide sequence (SEQ ID NO:101) of a native sequence PRO4324 cDNA, wherein SEQ ID NO:101 is a clone designated herein as "DNA83560-2569".

35 Figure 102 shows the amino acid sequence (SEQ ID NO:102) derived from the coding sequence of SEQ ID NO:101 shown in Figure 101.

Figure 103 shows a nucleotide sequence (SEQ ID NO:103) of a native sequence PRO4303 cDNA, wherein SEQ ID NO:103 is a clone designated herein as "DNA84139-2555".

Figure 104 shows the amino acid sequence (SEQ ID NO:104) derived from the coding sequence of SEQ ID NO:103 shown in Figure 103.

Figure 105 shows a nucleotide sequence (SEQ ID NO:105) of a native sequence PRO4305 cDNA, wherein SEQ ID NO:105 is a clone designated herein as "DNA84141-2556".

5 Figure 106 shows the amino acid sequence (SEQ ID NO:106) derived from the coding sequence of SEQ ID NO:105 shown in Figure 105.

Figure 107 shows a nucleotide sequence (SEQ ID NO:107) of a native sequence PRO4404 cDNA, wherein SEQ ID NO:107 is a clone designated herein as "DNA84142-2613".

Figure 108 shows the amino acid sequence (SEQ ID NO:108) derived from the coding sequence of SEQ ID NO:107 shown in Figure 107.

10 Figure 109 shows a nucleotide sequence (SEQ ID NO:109) of a native sequence PRO1884 cDNA, wherein SEQ ID NO:109 is a clone designated herein as "DNA84318-2520".

Figure 110 shows the amino acid sequence (SEQ ID NO:110) derived from the coding sequence of SEQ ID NO:109 shown in Figure 109.

15 Figure 111 shows a nucleotide sequence (SEQ ID NO:111) of a native sequence PRO4349 cDNA, wherein SEQ ID NO:111 is a clone designated herein as "DNA84909-2590".

Figure 112 shows the amino acid sequence (SEQ ID NO:112) derived from the coding sequence of SEQ ID NO:111 shown in Figure 111.

Figure 113 shows a nucleotide sequence (SEQ ID NO:113) of a native sequence PRO4401 cDNA, wherein SEQ ID NO:113 is a clone designated herein as "DNA84912-2610".

20 Figure 114 shows the amino acid sequence (SEQ ID NO:114) derived from the coding sequence of SEQ ID NO:113 shown in Figure 113.

Figure 115 shows a nucleotide sequence (SEQ ID NO:115) of a native sequence PRO1867 cDNA, wherein SEQ ID NO:115 is a clone designated herein as "DNA84925-2514".

25 Figure 116 shows the amino acid sequence (SEQ ID NO:116) derived from the coding sequence of SEQ ID NO:115 shown in Figure 115.

Figure 117 shows a nucleotide sequence (SEQ ID NO:117) of a native sequence PRO4319 cDNA, wherein SEQ ID NO:117 is a clone designated herein as "DNA84928-2564".

Figure 118 shows the amino acid sequence (SEQ ID NO:118) derived from the coding sequence of SEQ ID NO:117 shown in Figure 117.

30 Figure 119 shows a nucleotide sequence (SEQ ID NO:119) of a native sequence PRO4991 cDNA, wherein SEQ ID NO:119 is a clone designated herein as "DNA84932-2657".

Figure 120 shows the amino acid sequence (SEQ ID NO:120) derived from the coding sequence of SEQ ID NO:119 shown in Figure 119.

35 Figure 121 shows a nucleotide sequence (SEQ ID NO:121) of a native sequence PRO4398 cDNA, wherein SEQ ID NO:121 is a clone designated herein as "DNA86592-2607".

Figure 122 shows the amino acid sequence (SEQ ID NO:122) derived from the coding sequence of SEQ ID NO:121 shown in Figure 121.

Figure 123 shows a nucleotide sequence (SEQ ID NO:123) of a native sequence PRO4346 cDNA, wherein SEQ ID NO:123 is a clone designated herein as "DNA86594-2587".

Figure 124 shows the amino acid sequence (SEQ ID NO:124) derived from the coding sequence of SEQ ID NO:123 shown in Figure 123.

5 Figure 125 shows a nucleotide sequence (SEQ ID NO:125) of a native sequence PRO4350 cDNA, wherein SEQ ID NO:125 is a clone designated herein as "DNA86647-2591".

Figure 126 shows the amino acid sequence (SEQ ID NO:126) derived from the coding sequence of SEQ ID NO:125 shown in Figure 125.

Figure 127 shows a nucleotide sequence (SEQ ID NO:127) of a native sequence PRO4318 cDNA, wherein SEQ ID NO:127 is a clone designated herein as "DNA87185-2563".

10 Figure 128 shows the amino acid sequence (SEQ ID NO:128) derived from the coding sequence of SEQ ID NO:127 shown in Figure 127.

Figure 129 shows a nucleotide sequence (SEQ ID NO:129) of a native sequence PRO4340 cDNA, wherein SEQ ID NO:129 is a clone designated herein as "DNA87656-2582".

15 Figure 130 shows the amino acid sequence (SEQ ID NO:130) derived from the coding sequence of SEQ ID NO:129 shown in Figure 129.

Figure 131 shows a nucleotide sequence (SEQ ID NO:131) of a native sequence PRO4400 cDNA, wherein SEQ ID NO:131 is a clone designated herein as "DNA87974-2609".

Figure 132 shows the amino acid sequence (SEQ ID NO:132) derived from the coding sequence of SEQ ID NO:131 shown in Figure 131.

20 Figure 133 shows a nucleotide sequence (SEQ ID NO:133) of a native sequence PRO4320 cDNA, wherein SEQ ID NO:133 is a clone designated herein as "DNA88001-2565".

Figure 134 shows the amino acid sequence (SEQ ID NO:134) derived from the coding sequence of SEQ ID NO:133 shown in Figure 133.

25 Figure 135 shows a nucleotide sequence (SEQ ID NO:135) of a native sequence PRO4409 cDNA, wherein SEQ ID NO:135 is a clone designated herein as "DNA88004-2575".

Figure 136 shows the amino acid sequence (SEQ ID NO:136) derived from the coding sequence of SEQ ID NO:135 shown in Figure 135.

Figure 137 shows a nucleotide sequence (SEQ ID NO:137) of a native sequence PRO4399 cDNA, wherein SEQ ID NO:137 is a clone designated herein as "DNA89220-2608".

30 Figure 138 shows the amino acid sequence (SEQ ID NO:138) derived from the coding sequence of SEQ ID NO:137 shown in Figure 137.

Figure 139 shows a nucleotide sequence (SEQ ID NO:139) of a native sequence PRO4418 cDNA, wherein SEQ ID NO:139 is a clone designated herein as "DNA89947-2618".

35 Figure 140 shows the amino acid sequence (SEQ ID NO:140) derived from the coding sequence of SEQ ID NO:139 shown in Figure 139.

Figure 141 shows a nucleotide sequence (SEQ ID NO:141) of a native sequence PRO4330 cDNA, wherein SEQ ID NO:141 is a clone designated herein as "DNA90842-2574".

Figure 142 shows the amino acid sequence (SEQ ID NO:142) derived from the coding sequence of SEQ ID NO:141 shown in Figure 141.

Figure 143 shows a nucleotide sequence (SEQ ID NO:143) of a native sequence PRO4339 cDNA, wherein SEQ ID NO:143 is a clone designated herein as "DNA91775-2581".

5 Figure 144 shows the amino acid sequence (SEQ ID NO:144) derived from the coding sequence of SEQ ID NO:143 shown in Figure 143.

Figure 145 shows a nucleotide sequence (SEQ ID NO:145) of a native sequence PRO4326 cDNA, wherein SEQ ID NO:145 is a clone designated herein as "DNA91779-2571".

Figure 146 shows the amino acid sequence (SEQ ID NO:146) derived from the coding sequence of SEQ ID NO:145 shown in Figure 145.

10 Figure 147 shows a nucleotide sequence (SEQ ID NO:147) of a native sequence PRO6014 cDNA, wherein SEQ ID NO:147 is a clone designated herein as "DNA92217-2697".

Figure 148 shows the amino acid sequence (SEQ ID NO:148) derived from the coding sequence of SEQ ID NO:147 shown in Figure 147.

15 Figure 149 shows a nucleotide sequence (SEQ ID NO:149) of a native sequence PRO3446 cDNA, wherein SEQ ID NO:149 is a clone designated herein as "DNA92219-2541".

Figure 150 shows the amino acid sequence (SEQ ID NO:150) derived from the coding sequence of SEQ ID NO:149 shown in Figure 149.

Figure 151 shows a nucleotide sequence (SEQ ID NO:151) of a native sequence PRO4322 cDNA, wherein SEQ ID NO:151 is a clone designated herein as "DNA92223-2567".

20 Figure 152 shows the amino acid sequence (SEQ ID NO:152) derived from the coding sequence of SEQ ID NO:151 shown in Figure 151.

Figure 153 shows a nucleotide sequence (SEQ ID NO:153) of a native sequence PRO4381 cDNA, wherein SEQ ID NO:153 is a clone designated herein as "DNA92225-2603".

25 Figure 154 shows the amino acid sequence (SEQ ID NO:154) derived from the coding sequence of SEQ ID NO:153 shown in Figure 153.

Figure 155 shows a nucleotide sequence (SEQ ID NO:155) of a native sequence PRO4348 cDNA, wherein SEQ ID NO:155 is a clone designated herein as "DNA92232-2589".

Figure 156 shows the amino acid sequence (SEQ ID NO:156) derived from the coding sequence of SEQ ID NO:155 shown in Figure 155.

30 Figure 157 shows a nucleotide sequence (SEQ ID NO:157) of a native sequence PRO4371 cDNA, wherein SEQ ID NO:157 is a clone designated herein as "DNA92233-2599".

Figure 158 shows the amino acid sequence (SEQ ID NO:158) derived from the coding sequence of SEQ ID NO:157 shown in Figure 157.

35 Figure 159 shows a nucleotide sequence (SEQ ID NO:159) of a native sequence PRO3742 cDNA, wherein SEQ ID NO:159 is a clone designated herein as "DNA92243-2549".

Figure 160 shows the amino acid sequence (SEQ ID NO:160) derived from the coding sequence of SEQ ID NO:159 shown in Figure 159.

Figure 161 shows a nucleotide sequence (SEQ ID NO:161) of a native sequence PRO5773 cDNA, wherein SEQ ID NO:161 is a clone designated herein as "DNA92253-2671".

Figure 162 shows the amino acid sequence (SEQ ID NO:162) derived from the coding sequence of SEQ ID NO:161 shown in Figure 161.

5 Figure 163 shows a nucleotide sequence (SEQ ID NO:163) of a native sequence PRO5774 cDNA, wherein SEQ ID NO:163 is a clone designated herein as "DNA92254-2672".

Figure 164 shows the amino acid sequence (SEQ ID NO:164) derived from the coding sequence of SEQ ID NO:163 shown in Figure 163.

Figure 165 shows a nucleotide sequence (SEQ ID NO:165) of a native sequence PRO4343 cDNA, wherein SEQ ID NO:165 is a clone designated herein as "DNA92255-2584".

10 Figure 166 shows the amino acid sequence (SEQ ID NO:166) derived from the coding sequence of SEQ ID NO:165 shown in Figure 165.

Figure 167 shows a nucleotide sequence (SEQ ID NO:167) of a native sequence PRO4325 cDNA, wherein SEQ ID NO:167 is a clone designated herein as "DNA92269-2570".

15 Figure 168 shows the amino acid sequence (SEQ ID NO:168) derived from the coding sequence of SEQ ID NO:167 shown in Figure 167.

Figure 169 shows a nucleotide sequence (SEQ ID NO:169) of a native sequence PRO4347 cDNA, wherein SEQ ID NO:169 is a clone designated herein as "DNA92288-2588".

Figure 170 shows the amino acid sequence (SEQ ID NO:170) derived from the coding sequence of SEQ ID NO:169 shown in Figure 169.

20 Figure 171 shows a nucleotide sequence (SEQ ID NO:171) of a native sequence PRO3743 cDNA, wherein SEQ ID NO:171 is a clone designated herein as "DNA92290-2550".

Figure 172 shows the amino acid sequence (SEQ ID NO:172) derived from the coding sequence of SEQ ID NO:171 shown in Figure 171.

25 Figure 173 shows a nucleotide sequence (SEQ ID NO:173) of a native sequence PRO4426 cDNA, wherein SEQ ID NO:173 is a clone designated herein as "DNA93012-2622".

Figure 174 shows the amino acid sequence (SEQ ID NO:174) derived from the coding sequence of SEQ ID NO:173 shown in Figure 173.

Figure 175 shows a nucleotide sequence (SEQ ID NO:175) of a native sequence PRO4500 cDNA, wherein SEQ ID NO:175 is a clone designated herein as "DNA93020-2642".

30 Figure 176 shows the amino acid sequence (SEQ ID NO:176) derived from the coding sequence of SEQ ID NO:175 shown in Figure 175.

Figure 177 shows a nucleotide sequence (SEQ ID NO:177) of a native sequence PRO4389 cDNA, wherein SEQ ID NO:177 is a clone designated herein as "DNA94830-2604".

35 Figure 178 shows the amino acid sequence (SEQ ID NO:178) derived from the coding sequence of SEQ ID NO:177 shown in Figure 177.

Figure 179 shows a nucleotide sequence (SEQ ID NO:179) of a native sequence PRO4337 cDNA, wherein SEQ ID NO:179 is a clone designated herein as "DNA94833-2579".

Figure 180 shows the amino acid sequence (SEQ ID NO:180) derived from the coding sequence of SEQ ID NO:179 shown in Figure 179.

Figure 181 shows a nucleotide sequence (SEQ ID NO:181) of a native sequence PRO4992 cDNA, wherein SEQ ID NO:181 is a clone designated herein as "DNA94838-2658".

5 Figure 182 shows the amino acid sequence (SEQ ID NO:182) derived from the coding sequence of SEQ ID NO:181 shown in Figure 181.

Figure 183 shows a nucleotide sequence (SEQ ID NO:183) of a native sequence PRO5996 cDNA, wherein SEQ ID NO:183 is a clone designated herein as "DNA94844-2686".

Figure 184 shows the amino acid sequence (SEQ ID NO:184) derived from the coding sequence of SEQ ID NO:183 shown in Figure 183.

10 Figure 185 shows a nucleotide sequence (SEQ ID NO:185) of a native sequence PRO4345 cDNA, wherein SEQ ID NO:185 is a clone designated herein as "DNA94854-2586".

Figure 186 shows the amino acid sequence (SEQ ID NO:186) derived from the coding sequence of SEQ ID NO:185 shown in Figure 185.

15 Figure 187 shows a nucleotide sequence (SEQ ID NO:187) of a native sequence PRO4978 cDNA, wherein SEQ ID NO:187 is a clone designated herein as "DNA95930".

Figure 188 shows the amino acid sequence (SEQ ID NO:188) derived from the coding sequence of SEQ ID NO:187 shown in Figure 187.

Figure 189 shows a nucleotide sequence (SEQ ID NO:189) of a native sequence PRO5780 cDNA, wherein SEQ ID NO:189 is a clone designated herein as "DNA96868-2677".

20 Figure 190 shows the amino acid sequence (SEQ ID NO:190) derived from the coding sequence of SEQ ID NO:189 shown in Figure 189.

Figure 191 shows a nucleotide sequence (SEQ ID NO:191) of a native sequence PRO5992 cDNA, wherein SEQ ID NO:191 is a clone designated herein as "DNA96871-2683".

25 Figure 192 shows the amino acid sequence (SEQ ID NO:192) derived from the coding sequence of SEQ ID NO:191 shown in Figure 191.

Figure 193 shows a nucleotide sequence (SEQ ID NO:193) of a native sequence PRO4428 cDNA, wherein SEQ ID NO:193 is a clone designated herein as "DNA96880-2624".

Figure 194 shows the amino acid sequence (SEQ ID NO:194) derived from the coding sequence of SEQ ID NO:193 shown in Figure 193.

30 Figure 195 shows a nucleotide sequence (SEQ ID NO:195) of a native sequence PRO4994 cDNA, wherein SEQ ID NO:195 is a clone designated herein as "DNA96986-2660".

Figure 196 shows the amino acid sequence (SEQ ID NO:196) derived from the coding sequence of SEQ ID NO:195 shown in Figure 195.

35 Figure 197 shows a nucleotide sequence (SEQ ID NO:197) of a native sequence PRO5995 cDNA, wherein SEQ ID NO:197 is a clone designated herein as "DNA96988-2685".

Figure 198 shows the amino acid sequence (SEQ ID NO:198) derived from the coding sequence of SEQ ID NO:197 shown in Figure 197.

Figure 199 shows a nucleotide sequence (SEQ ID NO:199) of a native sequence PRO6094 cDNA, wherein SEQ ID NO:199 is a clone designated herein as "DNA96995-2709".

Figure 200 shows the amino acid sequence (SEQ ID NO:200) derived from the coding sequence of SEQ ID NO:199 shown in Figure 199.

5 Figure 201 shows a nucleotide sequence (SEQ ID NO:201) of a native sequence PRO4317 cDNA, wherein SEQ ID NO:201 is a clone designated herein as "DNA97004-2562".

Figure 202 shows the amino acid sequence (SEQ ID NO:202) derived from the coding sequence of SEQ ID NO:201 shown in Figure 201.

Figure 203 shows a nucleotide sequence (SEQ ID NO:203) of a native sequence PRO5997 cDNA, wherein SEQ ID NO:203 is a clone designated herein as "DNA97005-2687".

10 Figure 204 shows the amino acid sequence (SEQ ID NO:204) derived from the coding sequence of SEQ ID NO:203 shown in Figure 203.

Figure 205 shows a nucleotide sequence (SEQ ID NO:205) of a native sequence PRO5005 cDNA, wherein SEQ ID NO:205 is a clone designated herein as "DNA97009-2668".

15 Figure 206 shows the amino acid sequence (SEQ ID NO:206) derived from the coding sequence of SEQ ID NO:205 shown in Figure 205.

Figure 207 shows a nucleotide sequence (SEQ ID NO:207) of a native sequence PRO5004 cDNA, wherein SEQ ID NO:207 is a clone designated herein as "DNA97013-2667".

Figure 208 shows the amino acid sequence (SEQ ID NO:208) derived from the coding sequence of SEQ ID NO:207 shown in Figure 207.

20 Figure 209 shows a nucleotide sequence (SEQ ID NO:209) of a native sequence PRO6001 cDNA, wherein SEQ ID NO:209 is a clone designated herein as "DNA98380-2690".

Figure 210 shows the amino acid sequence (SEQ ID NO:210) derived from the coding sequence of SEQ ID NO:209 shown in Figure 209.

25 Figure 211 shows a nucleotide sequence (SEQ ID NO:211) of a native sequence PRO6013 cDNA, wherein SEQ ID NO:211 is a clone designated herein as "DNA98561-2696".

Figure 212 shows the amino acid sequence (SEQ ID NO:212) derived from the coding sequence of SEQ ID NO:211 shown in Figure 211.

Figure 213 shows a nucleotide sequence (SEQ ID NO:213) of a native sequence PRO4502 cDNA, wherein SEQ ID NO:213 is a clone designated herein as "DNA98575-2644".

30 Figure 214 shows the amino acid sequence (SEQ ID NO:214) derived from the coding sequence of SEQ ID NO:213 shown in Figure 213.

Figure 215 shows a nucleotide sequence (SEQ ID NO:215) of a native sequence PRO6007 cDNA, wherein SEQ ID NO:215 is a clone designated herein as "DNA98593-2694".

35 Figure 216 shows the amino acid sequence (SEQ ID NO:216) derived from the coding sequence of SEQ ID NO:215 shown in Figure 215.

Figure 217 shows a nucleotide sequence (SEQ ID NO:217) of a native sequence PRO6028 cDNA, wherein SEQ ID NO:217 is a clone designated herein as "DNA98600-2703".

Figure 218 shows the amino acid sequence (SEQ ID NO:218) derived from the coding sequence of SEQ ID NO:217 shown in Figure 217.

Figure 219 shows a nucleotide sequence (SEQ ID NO:219) of a native sequence PRO100 cDNA, wherein SEQ ID NO:219 is a clone designated herein as "DNA99333".

5 Figure 220 shows the amino acid sequence (SEQ ID NO:220) derived from the coding sequence of SEQ ID NO:219 shown in Figure 219.

Figure 221 shows a nucleotide sequence (SEQ ID NO:221) of a native sequence PRO4327 cDNA, wherein SEQ ID NO:221 is a clone designated herein as "DNA99391-2572".

Figure 222 shows the amino acid sequence (SEQ ID NO:222) derived from the coding sequence of SEQ ID NO:221 shown in Figure 221.

10 Figure 223 shows a nucleotide sequence (SEQ ID NO:223) of a native sequence PRO4315 cDNA, wherein SEQ ID NO:223 is a clone designated herein as "DNA99393-2560".

Figure 224 shows the amino acid sequence (SEQ ID NO:224) derived from the coding sequence of SEQ ID NO:223 shown in Figure 223.

15 Figure 225 shows a nucleotide sequence (SEQ ID NO:225) of a native sequence PRO5993 cDNA, wherein SEQ ID NO:225 is a clone designated herein as "DNA100276-2684".

Figure 226 shows the amino acid sequence (SEQ ID NO:226) derived from the coding sequence of SEQ ID NO:225 shown in Figure 225.

Figure 227 shows a nucleotide sequence (SEQ ID NO:227) of a native sequence PRO4503 cDNA, wherein SEQ ID NO:227 is a clone designated herein as "DNA100312-2645".

20 Figure 228 shows the amino acid sequence (SEQ ID NO:228) derived from the coding sequence of SEQ ID NO:227 shown in Figure 227.

Figure 229 shows a nucleotide sequence (SEQ ID NO:229) of a native sequence PRO4976 cDNA, wherein SEQ ID NO:229 is a clone designated herein as "DNA100902-2646".

25 Figure 230 shows the amino acid sequence (SEQ ID NO:230) derived from the coding sequence of SEQ ID NO:229 shown in Figure 229.

Figure 231 shows a nucleotide sequence (SEQ ID NO:231) of a native sequence PRO5798 cDNA, wherein SEQ ID NO:231 is a clone designated herein as "DNA102899-2679".

Figure 232 shows the amino acid sequence (SEQ ID NO:232) derived from the coding sequence of SEQ ID NO:231 shown in Figure 231.

30 Figure 233 shows a nucleotide sequence (SEQ ID NO:233) of a native sequence PRO6242 cDNA, wherein SEQ ID NO:233 is a clone designated herein as "DNA104875-2720".

Figure 234 shows the amino acid sequence (SEQ ID NO:234) derived from the coding sequence of SEQ ID NO:233 shown in Figure 233.

35 Figure 235 shows a nucleotide sequence (SEQ ID NO:235) of a native sequence PRO6095 cDNA, wherein SEQ ID NO:235 is a clone designated herein as "DNA105680-2710".

Figure 236 shows the amino acid sequence (SEQ ID NO:236) derived from the coding sequence of SEQ ID NO:235 shown in Figure 235.

Figure 237 shows a nucleotide sequence (SEQ ID NO:237) of a native sequence PRO6093 cDNA, wherein SEQ ID NO:237 is a clone designated herein as "DNA105779-2708".

Figure 238 shows the amino acid sequence (SEQ ID NO:238) derived from the coding sequence of SEQ ID NO:237 shown in Figure 237.

5 Figure 239 shows a nucleotide sequence (SEQ ID NO:239) of a native sequence PRO6012 cDNA, wherein SEQ ID NO:239 is a clone designated herein as "DNA105794-2695".

Figure 240 shows the amino acid sequence (SEQ ID NO:240) derived from the coding sequence of SEQ ID NO:239 shown in Figure 239.

Figure 241 shows a nucleotide sequence (SEQ ID NO:241) of a native sequence PRO6027 cDNA, wherein SEQ ID NO:241 is a clone designated herein as "DNA105838-2702".

10 Figure 242 shows the amino acid sequence (SEQ ID NO:242) derived from the coding sequence of SEQ ID NO:241 shown in Figure 241.

Figure 243 shows a nucleotide sequence (SEQ ID NO:243) of a native sequence PRO6181 cDNA, wherein SEQ ID NO:243 is a clone designated herein as "DNA107698-2715".

15 Figure 244 shows the amino acid sequence (SEQ ID NO:244) derived from the coding sequence of SEQ ID NO:243 shown in Figure 243.

Figure 245 shows a nucleotide sequence (SEQ ID NO:245) of a native sequence PRO6097 cDNA, wherein SEQ ID NO:245 is a clone designated herein as "DNA107701-2711".

Figure 246 shows the amino acid sequence (SEQ ID NO:246) derived from the coding sequence of SEQ ID NO:245 shown in Figure 245.

20 Figure 247 shows a nucleotide sequence (SEQ ID NO:247) of a native sequence PRO6090 cDNA, wherein SEQ ID NO:247 is a clone designated herein as "DNA107781-2707".

Figure 248 shows the amino acid sequence (SEQ ID NO:248) derived from the coding sequence of SEQ ID NO:247 shown in Figure 247.

25 Figure 249 shows a nucleotide sequence (SEQ ID NO:249) of a native sequence PRO7171 cDNA, wherein SEQ ID NO:249 is a clone designated herein as "DNA108670-2744".

Figure 250 shows the amino acid sequence (SEQ ID NO:250) derived from the coding sequence of SEQ ID NO:249 shown in Figure 249.

Figure 251 shows a nucleotide sequence (SEQ ID NO:251) of a native sequence PRO6258 cDNA, wherein SEQ ID NO:251 is a clone designated herein as "DNA108688-2725".

30 Figure 252 shows the amino acid sequence (SEQ ID NO:252) derived from the coding sequence of SEQ ID NO:251 shown in Figure 251.

Figure 253 shows a nucleotide sequence (SEQ ID NO:253) of a native sequence PRO9820 cDNA, wherein SEQ ID NO:253 is a clone designated herein as "DNA108769-2765".

35 Figure 254 shows the amino acid sequence (SEQ ID NO:254) derived from the coding sequence of SEQ ID NO:253 shown in Figure 253.

Figure 255 shows a nucleotide sequence (SEQ ID NO:255) of a native sequence PRO6243 cDNA, wherein SEQ ID NO:255 is a clone designated herein as "DNA108935-2721".

Figure 256 shows the amino acid sequence (SEQ ID NO:256) derived from the coding sequence of SEQ ID NO:255 shown in Figure 255.

Figure 257 shows a nucleotide sequence (SEQ ID NO:257) of a native sequence PRO6182 cDNA, wherein SEQ ID NO:257 is a clone designated herein as "DNA110700-2716".

5 Figure 258 shows the amino acid sequence (SEQ ID NO:258) derived from the coding sequence of SEQ ID NO:257 shown in Figure 257.

Figure 259 shows a nucleotide sequence (SEQ ID NO:259) of a native sequence PRO6079 cDNA, wherein SEQ ID NO:259 is a clone designated herein as "DNA111750-2706".

Figure 260 shows the amino acid sequence (SEQ ID NO:260) derived from the coding sequence of SEQ ID NO:259 shown in Figure 259.

10 Figure 261 shows a nucleotide sequence (SEQ ID NO:261) of a native sequence PRO7434 cDNA, wherein SEQ ID NO:261 is a clone designated herein as "DNA123430-2755".

Figure 262 shows the amino acid sequence (SEQ ID NO:262) derived from the coding sequence of SEQ ID NO:261 shown in Figure 261.

15 Figure 263 shows a nucleotide sequence (SEQ ID NO:263) of a native sequence PRO9865 cDNA, wherein SEQ ID NO:263 is a clone designated herein as "DNA125154-2785".

Figure 264 shows the amino acid sequence (SEQ ID NO:264) derived from the coding sequence of SEQ ID NO:263 shown in Figure 263.

Figure 265 shows a nucleotide sequence (SEQ ID NO:265) of a native sequence PRO9828 cDNA, wherein SEQ ID NO:265 is a clone designated herein as "DNA142238-2768".

20 Figure 266 shows the amino acid sequence (SEQ ID NO:266) derived from the coding sequence of SEQ ID NO:265 shown in Figure 265.

Figure 267 shows a nucleotide sequence (SEQ ID NO:267) of a native sequence PRO196 cDNA, wherein SEQ ID NO:267 is a clone designated herein as "DNA22779-1130".

25 Figure 268 shows the amino acid sequence (SEQ ID NO:268) derived from the coding sequence of SEQ ID NO:267 shown in Figure 267.

Figure 269 shows a nucleotide sequence (SEQ ID NO:269) of a native sequence PRO197 cDNA, wherein SEQ ID NO:269 is a clone designated herein as "DNA22780-1078".

Figure 270 shows the amino acid sequence (SEQ ID NO:270) derived from the coding sequence of SEQ ID NO:269 shown in Figure 269.

30 Figure 271 shows a nucleotide sequence (SEQ ID NO:271) of a native sequence PRO195 cDNA, wherein SEQ ID NO:271 is a clone designated herein as "DNA26847-1395".

Figure 272 shows the amino acid sequence (SEQ ID NO:272) derived from the coding sequence of SEQ ID NO:271 shown in Figure 271.

35 Figure 273 shows a nucleotide sequence (SEQ ID NO:273) of a native sequence PRO187 cDNA, wherein SEQ ID NO:273 is a clone designated herein as "DNA27864-1155".

Figure 274 shows the amino acid sequence (SEQ ID NO:274) derived from the coding sequence of SEQ ID NO:273 shown in Figure 273.

Figure 275 shows a nucleotide sequence (SEQ ID NO:275) of a native sequence PRO182 cDNA, wherein SEQ ID NO:275 is a clone designated herein as "DNA27865-1091".

Figure 276 shows the amino acid sequence (SEQ ID NO:276) derived from the coding sequence of SEQ ID NO:275 shown in Figure 275.

5 Figure 277 shows a nucleotide sequence (SEQ ID NO:277) of a native sequence PRO188 cDNA, wherein SEQ ID NO:277 is a clone designated herein as "DNA28497-1130".

Figure 278 shows the amino acid sequence (SEQ ID NO:278) derived from the coding sequence of SEQ ID NO:277 shown in Figure 277.

Figure 279 shows a nucleotide sequence (SEQ ID NO:279) of a native sequence PRO183 cDNA, wherein SEQ ID NO:279 is a clone designated herein as "DNA28498".

10 Figure 280 shows the amino acid sequence (SEQ ID NO:280) derived from the coding sequence of SEQ ID NO:279 shown in Figure 279.

Figure 281 shows a nucleotide sequence (SEQ ID NO:281) of a native sequence PRO184 cDNA, wherein SEQ ID NO:281 is a clone designated herein as "DNA28500".

15 Figure 282 shows the amino acid sequence (SEQ ID NO:282) derived from the coding sequence of SEQ ID NO:281 shown in Figure 281.

Figure 283 shows a nucleotide sequence (SEQ ID NO:283) of a native sequence PRO185 cDNA, wherein SEQ ID NO:283 is a clone designated herein as "DNA28503".

Figure 284 shows the amino acid sequence (SEQ ID NO:284) derived from the coding sequence of SEQ ID NO:283 shown in Figure 283.

20 Figure 285 shows a nucleotide sequence (SEQ ID NO:285) of a native sequence PRO200 cDNA, wherein SEQ ID NO:285 is a clone designated herein as "DNA29101-1122".

Figure 286 shows the amino acid sequence (SEQ ID NO:286) derived from the coding sequence of SEQ ID NO:285 shown in Figure 285.

25 Figure 287 shows a nucleotide sequence (SEQ ID NO:287) of a native sequence PRO202 cDNA, wherein SEQ ID NO:287 is a clone designated herein as "DNA30869".

Figure 288 shows the amino acid sequence (SEQ ID NO:288) derived from the coding sequence of SEQ ID NO:287 shown in Figure 287.

Figure 289 shows a nucleotide sequence (SEQ ID NO:289) of a native sequence PRO214 cDNA, wherein SEQ ID NO:289 is a clone designated herein as "DNA32286-1191".

30 Figure 290 shows the amino acid sequence (SEQ ID NO:290) derived from the coding sequence of SEQ ID NO:289 shown in Figure 289.

Figure 291 shows a nucleotide sequence (SEQ ID NO:291) of a native sequence PRO215 cDNA, wherein SEQ ID NO:291 is a clone designated herein as "DNA32288-1132".

35 Figure 292 shows the amino acid sequence (SEQ ID NO:292) derived from the coding sequence of SEQ ID NO:291 shown in Figure 291.

Figure 293 shows a nucleotide sequence (SEQ ID NO:293) of a native sequence PRO219 cDNA, wherein SEQ ID NO:293 is a clone designated herein as "DNA32290-1164".

Figure 294 shows the amino acid sequence (SEQ ID NO:294) derived from the coding sequence of SEQ ID NO:293 shown in Figure 293.

Figure 295 shows a nucleotide sequence (SEQ ID NO:295) of a native sequence PRO211 cDNA, wherein SEQ ID NO:295 is a clone designated herein as "DNA32292-1131".

5 Figure 296 shows the amino acid sequence (SEQ ID NO:296) derived from the coding sequence of SEQ ID NO:295 shown in Figure 295.

Figure 297 shows a nucleotide sequence (SEQ ID NO:297) of a native sequence PRO220 cDNA, wherein SEQ ID NO:297 is a clone designated herein as "DNA32298-1132".

Figure 298 shows the amino acid sequence (SEQ ID NO:298) derived from the coding sequence of SEQ ID NO:297 shown in Figure 297.

10 Figure 299 shows a nucleotide sequence (SEQ ID NO:299) of a native sequence PRO366 cDNA, wherein SEQ ID NO:299 is a clone designated herein as "DNA33085-1110".

Figure 300 shows the amino acid sequence (SEQ ID NO:300) derived from the coding sequence of SEQ ID NO:299 shown in Figure 299.

15 Figure 301 shows a nucleotide sequence (SEQ ID NO:301) of a native sequence PRO216 cDNA, wherein SEQ ID NO:301 is a clone designated herein as "DNA33087-1158".

Figure 302 shows the amino acid sequence (SEQ ID NO:302) derived from the coding sequence of SEQ ID NO:301 shown in Figure 301.

Figure 303 shows a nucleotide sequence (SEQ ID NO:303) of a native sequence PRO221 cDNA, wherein SEQ ID NO:303 is a clone designated herein as "DNA33089-1132".

20 Figure 304 shows the amino acid sequence (SEQ ID NO:304) derived from the coding sequence of SEQ ID NO:303 shown in Figure 303.

Figure 305 shows a nucleotide sequence (SEQ ID NO:305) of a native sequence PRO228 cDNA, wherein SEQ ID NO:305 is a clone designated herein as "DNA33092-1202".

25 Figure 306 shows the amino acid sequence (SEQ ID NO:306) derived from the coding sequence of SEQ ID NO:305 shown in Figure 305.

Figure 307 shows a nucleotide sequence (SEQ ID NO:307) of a native sequence PRO217 cDNA, wherein SEQ ID NO:307 is a clone designated herein as "DNA33094-1131".

Figure 308 shows the amino acid sequence (SEQ ID NO:308) derived from the coding sequence of SEQ ID NO:307 shown in Figure 307.

30 Figure 309 shows a nucleotide sequence (SEQ ID NO:309) of a native sequence PRO222 cDNA, wherein SEQ ID NO:309 is a clone designated herein as "DNA33107-1135".

Figure 310 shows the amino acid sequence (SEQ ID NO:310) derived from the coding sequence of SEQ ID NO:309 shown in Figure 309.

35 Figure 311 shows a nucleotide sequence (SEQ ID NO:311) of a native sequence PRO224 cDNA, wherein SEQ ID NO:311 is a clone designated herein as "DNA33221-1133".

Figure 312 shows the amino acid sequence (SEQ ID NO:312) derived from the coding sequence of SEQ ID NO:311 shown in Figure 311.

Figure 313 shows a nucleotide sequence (SEQ ID NO:313) of a native sequence PRO230 cDNA, wherein SEQ ID NO:313 is a clone designated herein as "DNA33223-1136".

Figure 314 shows the amino acid sequence (SEQ ID NO:314) derived from the coding sequence of SEQ ID NO:313 shown in Figure 313.

5 Figure 315 shows a nucleotide sequence (SEQ ID NO:315) of a native sequence PRO198 cDNA, wherein SEQ ID NO:315 is a clone designated herein as "DNA33457-1078".

Figure 316 shows the amino acid sequence (SEQ ID NO:316) derived from the coding sequence of SEQ ID NO:315 shown in Figure 315.

Figure 317 shows a nucleotide sequence (SEQ ID NO:317) of a native sequence PRO226 cDNA, wherein SEQ ID NO:317 is a clone designated herein as "DNA33460-1166".

10 Figure 318 shows the amino acid sequence (SEQ ID NO:318) derived from the coding sequence of SEQ ID NO:317 shown in Figure 317.

Figure 319 shows a nucleotide sequence (SEQ ID NO:319) of a native sequence PRO261 cDNA, wherein SEQ ID NO:319 is a clone designated herein as "DNA33473-1176".

15 Figure 320 shows the amino acid sequence (SEQ ID NO:320) derived from the coding sequence of SEQ ID NO:319 shown in Figure 319.

Figure 321 shows a nucleotide sequence (SEQ ID NO:321) of a native sequence PRO242 cDNA, wherein SEQ ID NO:321 is a clone designated herein as "DNA33785-1143".

Figure 322 shows the amino acid sequence (SEQ ID NO:322) derived from the coding sequence of SEQ ID NO:321 shown in Figure 321.

20 Figure 323 shows a nucleotide sequence (SEQ ID NO:323) of a native sequence PRO227 cDNA, wherein SEQ ID NO:323 is a clone designated herein as "DNA33786-1132".

Figure 324 shows the amino acid sequence (SEQ ID NO:324) derived from the coding sequence of SEQ ID NO:323 shown in Figure 323.

25 Figure 325 shows a nucleotide sequence (SEQ ID NO:325) of a native sequence PRO237 cDNA, wherein SEQ ID NO:325 is a clone designated herein as "DNA34353-1428".

Figure 326 shows the amino acid sequence (SEQ ID NO:326) derived from the coding sequence of SEQ ID NO:325 shown in Figure 325.

Figure 327 shows a nucleotide sequence (SEQ ID NO:327) of a native sequence PRO241 cDNA, wherein SEQ ID NO:327 is a clone designated herein as "DNA34392-1170".

30 Figure 328 shows the amino acid sequence (SEQ ID NO:328) derived from the coding sequence of SEQ ID NO:327 shown in Figure 327.

Figure 329 shows a nucleotide sequence (SEQ ID NO:329) of a native sequence PRO231 cDNA, wherein SEQ ID NO:329 is a clone designated herein as "DNA34434-1139".

35 Figure 330 shows the amino acid sequence (SEQ ID NO:330) derived from the coding sequence of SEQ ID NO:329 shown in Figure 329.

Figure 331 shows a nucleotide sequence (SEQ ID NO:331) of a native sequence PRO235 cDNA, wherein SEQ ID NO:331 is a clone designated herein as "DNA35558-1167".

Figure 332 shows the amino acid sequence (SEQ ID NO:332) derived from the coding sequence of SEQ ID NO:331 shown in Figure 331.

Figure 333 shows a nucleotide sequence (SEQ ID NO:333) of a native sequence PRO323 cDNA, wherein SEQ ID NO:333 is a clone designated herein as "DNA35595-1228".

5 Figure 334 shows the amino acid sequence (SEQ ID NO:334) derived from the coding sequence of SEQ ID NO:333 shown in Figure 333.

Figure 335 shows a nucleotide sequence (SEQ ID NO:335) of a native sequence PRO245 cDNA, wherein SEQ ID NO:335 is a clone designated herein as "DNA35638-1216".

Figure 336 shows the amino acid sequence (SEQ ID NO:336) derived from the coding sequence of SEQ ID NO:335 shown in Figure 335.

10 Figure 337 shows a nucleotide sequence (SEQ ID NO:337) of a native sequence PRO246 cDNA, wherein SEQ ID NO:337 is a clone designated herein as "DNA35639-1172".

Figure 338 shows the amino acid sequence (SEQ ID NO:338) derived from the coding sequence of SEQ ID NO:337 shown in Figure 337.

15 Figure 339 shows a nucleotide sequence (SEQ ID NO:339) of a native sequence PRO288 cDNA, wherein SEQ ID NO:339 is a clone designated herein as "DNA35663-1129".

Figure 340 shows the amino acid sequence (SEQ ID NO:340) derived from the coding sequence of SEQ ID NO:339 shown in Figure 339.

Figure 341 shows a nucleotide sequence (SEQ ID NO:341) of a native sequence PRO248 cDNA, wherein SEQ ID NO:341 is a clone designated herein as "DNA35674-1142".

20 Figure 342 shows the amino acid sequence (SEQ ID NO:342) derived from the coding sequence of SEQ ID NO:341 shown in Figure 341.

Figure 343 shows a nucleotide sequence (SEQ ID NO:343) of a native sequence PRO257 cDNA, wherein SEQ ID NO:343 is a clone designated herein as "DNA35841-1173".

25 Figure 344 shows the amino acid sequence (SEQ ID NO:344) derived from the coding sequence of SEQ ID NO:343 shown in Figure 343.

Figure 345 shows a nucleotide sequence (SEQ ID NO:345) of a native sequence PRO172 cDNA, wherein SEQ ID NO:345 is a clone designated herein as "DNA35916-1161".

Figure 346 shows the amino acid sequence (SEQ ID NO:346) derived from the coding sequence of SEQ ID NO:345 shown in Figure 345.

30 Figure 347 shows a nucleotide sequence (SEQ ID NO:347) of a native sequence PRO258 cDNA, wherein SEQ ID NO:347 is a clone designated herein as "DNA35918-1174".

Figure 348 shows the amino acid sequence (SEQ ID NO:348) derived from the coding sequence of SEQ ID NO:347 shown in Figure 347.

35 Figure 349 shows a nucleotide sequence (SEQ ID NO:349) of a native sequence PRO265 cDNA, wherein SEQ ID NO:349 is a clone designated herein as "DNA36350-1158".

Figure 350 shows the amino acid sequence (SEQ ID NO:350) derived from the coding sequence of SEQ ID NO:349 shown in Figure 349.

Figure 351 shows a nucleotide sequence (SEQ ID NO:351) of a native sequence PRO326 cDNA, wherein SEQ ID NO:351 is a clone designated herein as "DNA37140-1234".

Figure 352 shows the amino acid sequence (SEQ ID NO:352) derived from the coding sequence of SEQ ID NO:351 shown in Figure 351.

5 Figure 353 shows a nucleotide sequence (SEQ ID NO:353) of a native sequence PRO266 cDNA, wherein SEQ ID NO:353 is a clone designated herein as "DNA37150-1178".

Figure 354 shows the amino acid sequence (SEQ ID NO:354) derived from the coding sequence of SEQ ID NO:353 shown in Figure 353.

Figure 355 shows a nucleotide sequence (SEQ ID NO:355) of a native sequence PRO269 cDNA, wherein SEQ ID NO:355 is a clone designated herein as "DNA38260-1180".

10 Figure 356 shows the amino acid sequence (SEQ ID NO:356) derived from the coding sequence of SEQ ID NO:355 shown in Figure 355.

Figure 357 shows a nucleotide sequence (SEQ ID NO:357) of a native sequence PRO285 cDNA, wherein SEQ ID NO:357 is a clone designated herein as "DNA40021-1154".

15 Figure 358 shows the amino acid sequence (SEQ ID NO:358) derived from the coding sequence of SEQ ID NO:357 shown in Figure 357.

Figure 359 shows a nucleotide sequence (SEQ ID NO:359) of a native sequence PRO328 cDNA, wherein SEQ ID NO:359 is a clone designated herein as "DNA40587-1231".

Figure 360 shows the amino acid sequence (SEQ ID NO:360) derived from the coding sequence of SEQ ID NO:359 shown in Figure 359.

20 Figure 361 shows a nucleotide sequence (SEQ ID NO:361) of a native sequence PRO344 cDNA, wherein SEQ ID NO:361 is a clone designated herein as "DNA40592-1242".

Figure 362 shows the amino acid sequence (SEQ ID NO:362) derived from the coding sequence of SEQ ID NO:361 shown in Figure 361.

25 Figure 363 shows a nucleotide sequence (SEQ ID NO:363) of a native sequence PRO272 cDNA, wherein SEQ ID NO:363 is a clone designated herein as "DNA40620-1183".

Figure 364 shows the amino acid sequence (SEQ ID NO:364) derived from the coding sequence of SEQ ID NO:363 shown in Figure 363.

Figure 365 shows a nucleotide sequence (SEQ ID NO:365) of a native sequence PRO301 cDNA, wherein SEQ ID NO:365 is a clone designated herein as "DNA40628-1216".

30 Figure 366 shows the amino acid sequence (SEQ ID NO:366) derived from the coding sequence of SEQ ID NO:365 shown in Figure 365.

Figure 367 shows a nucleotide sequence (SEQ ID NO:367) of a native sequence PRO331 cDNA, wherein SEQ ID NO:367 is a clone designated herein as "DNA40981-1234".

35 Figure 368 shows the amino acid sequence (SEQ ID NO:368) derived from the coding sequence of SEQ ID NO:367 shown in Figure 367.

Figure 369 shows a nucleotide sequence (SEQ ID NO:369) of a native sequence PRO332 cDNA, wherein SEQ ID NO:369 is a clone designated herein as "DNA40982-1235".

Figure 370 shows the amino acid sequence (SEQ ID NO:370) derived from the coding sequence of SEQ ID NO:369 shown in Figure 369.

Figure 371 shows a nucleotide sequence (SEQ ID NO:371) of a native sequence PRO353 cDNA, wherein SEQ ID NO:371 is a clone designated herein as "DNA41234-1242".

5 Figure 372 shows the amino acid sequence (SEQ ID NO:372) derived from the coding sequence of SEQ ID NO:371 shown in Figure 371.

Figure 373 shows a nucleotide sequence (SEQ ID NO:373) of a native sequence PRO310 cDNA, wherein SEQ ID NO:373 is a clone designated herein as "DNA43046-1225".

Figure 374 shows the amino acid sequence (SEQ ID NO:374) derived from the coding sequence of SEQ ID NO:373 shown in Figure 373.

10 Figure 375 shows a nucleotide sequence (SEQ ID NO:375) of a native sequence PRO337 cDNA, wherein SEQ ID NO:375 is a clone designated herein as "DNA43316-1237".

Figure 376 shows the amino acid sequence (SEQ ID NO:376) derived from the coding sequence of SEQ ID NO:375 shown in Figure 375.

15 Figure 377 shows a nucleotide sequence (SEQ ID NO:377) of a native sequence PRO346 cDNA, wherein SEQ ID NO:377 is a clone designated herein as "DNA44167-1243".

Figure 378 shows the amino acid sequence (SEQ ID NO:378) derived from the coding sequence of SEQ ID NO:377 shown in Figure 377.

Figure 379 shows a nucleotide sequence (SEQ ID NO:379) of a native sequence PRO350 cDNA, wherein SEQ ID NO:379 is a clone designated herein as "DNA44175-1314".

20 Figure 380 shows the amino acid sequence (SEQ ID NO:380) derived from the coding sequence of SEQ ID NO:379 shown in Figure 379.

Figure 381 shows a nucleotide sequence (SEQ ID NO:381) of a native sequence PRO526 cDNA, wherein SEQ ID NO:381 is a clone designated herein as "DNA44184-1319".

25 Figure 382 shows the amino acid sequence (SEQ ID NO:382) derived from the coding sequence of SEQ ID NO:381 shown in Figure 381.

Figure 383 shows a nucleotide sequence (SEQ ID NO:383) of a native sequence PRO381 cDNA, wherein SEQ ID NO:383 is a clone designated herein as "DNA44194-1317".

Figure 384 shows the amino acid sequence (SEQ ID NO:384) derived from the coding sequence of SEQ ID NO:383 shown in Figure 383.

30 Figure 385 shows a nucleotide sequence (SEQ ID NO:385) of a native sequence PRO846 cDNA, wherein SEQ ID NO:385 is a clone designated herein as "DNA44196-1353".

Figure 386 shows the amino acid sequence (SEQ ID NO:386) derived from the coding sequence of SEQ ID NO:385 shown in Figure 385.

35 Figure 387 shows a nucleotide sequence (SEQ ID NO:387) of a native sequence PRO363 cDNA, wherein SEQ ID NO:387 is a clone designated herein as "DNA45419-1252".

Figure 388 shows the amino acid sequence (SEQ ID NO:388) derived from the coding sequence of SEQ ID NO:387 shown in Figure 387.

Figure 389 shows a nucleotide sequence (SEQ ID NO:389) of a native sequence PRO365 cDNA, wherein SEQ ID NO:389 is a clone designated herein as "DNA46777-1253".

Figure 390 shows the amino acid sequence (SEQ ID NO:390) derived from the coding sequence of SEQ ID NO:389 shown in Figure 389.

5 Figure 391 shows a nucleotide sequence (SEQ ID NO:391) of a native sequence PRO1310 cDNA, wherein SEQ ID NO:391 is a clone designated herein as "DNA47394-1572".

Figure 392 shows the amino acid sequence (SEQ ID NO:392) derived from the coding sequence of SEQ ID NO:391 shown in Figure 391.

Figure 393 shows a nucleotide sequence (SEQ ID NO:393) of a native sequence PRO731 cDNA, wherein SEQ ID NO:393 is a clone designated herein as "DNA48331-1329".

10 Figure 394 shows the amino acid sequence (SEQ ID NO:394) derived from the coding sequence of SEQ ID NO:393 shown in Figure 393.

Figure 395 shows a nucleotide sequence (SEQ ID NO:395) of a native sequence PRO322 cDNA, wherein SEQ ID NO:395 is a clone designated herein as "DNA48336-1309".

15 Figure 396 shows the amino acid sequence (SEQ ID NO:396) derived from the coding sequence of SEQ ID NO:395 shown in Figure 395.

Figure 397 shows a nucleotide sequence (SEQ ID NO:397) of a native sequence PRO536 cDNA, wherein SEQ ID NO:397 is a clone designated herein as "DNA49142-1430".

Figure 398 shows the amino acid sequence (SEQ ID NO:398) derived from the coding sequence of SEQ ID NO:397 shown in Figure 397.

20 Figure 399 shows a nucleotide sequence (SEQ ID NO:399) of a native sequence PRO719 cDNA, wherein SEQ ID NO:399 is a clone designated herein as "DNA49646-1327".

Figure 400 shows the amino acid sequence (SEQ ID NO:400) derived from the coding sequence of SEQ ID NO:399 shown in Figure 399.

25 Figure 401 shows a nucleotide sequence (SEQ ID NO:401) of a native sequence PRO619 cDNA, wherein SEQ ID NO:401 is a clone designated herein as "DNA49821-1562".

Figure 402 shows the amino acid sequence (SEQ ID NO:402) derived from the coding sequence of SEQ ID NO:401 shown in Figure 401.

Figure 403 shows a nucleotide sequence (SEQ ID NO:403) of a native sequence PRO771 cDNA, wherein SEQ ID NO:403 is a clone designated herein as "DNA49829-1346".

30 Figure 404 shows the amino acid sequence (SEQ ID NO:404) derived from the coding sequence of SEQ ID NO:403 shown in Figure 403.

Figure 405 shows a nucleotide sequence (SEQ ID NO:405) of a native sequence PRO1083 cDNA, wherein SEQ ID NO:405 is a clone designated herein as "DNA50921-1458".

35 Figure 406 shows the amino acid sequence (SEQ ID NO:406) derived from the coding sequence of SEQ ID NO:405 shown in Figure 405.

Figure 407 shows a nucleotide sequence (SEQ ID NO:407) of a native sequence PRO862 cDNA, wherein SEQ ID NO:407 is a clone designated herein as "DNA52187-1354".

Figure 408 shows the amino acid sequence (SEQ ID NO:408) derived from the coding sequence of SEQ ID NO:407 shown in Figure 407.

Figure 409 shows a nucleotide sequence (SEQ ID NO:409) of a native sequence PRO733 cDNA, wherein SEQ ID NO:409 is a clone designated herein as "DNA52196-1348".

5 Figure 410 shows the amino acid sequence (SEQ ID NO:410) derived from the coding sequence of SEQ ID NO:409 shown in Figure 409.

Figure 411 shows a nucleotide sequence (SEQ ID NO:411) of a native sequence PRO1188 cDNA, wherein SEQ ID NO:411 is a clone designated herein as "DNA52598-1518".

Figure 412 shows the amino acid sequence (SEQ ID NO:412) derived from the coding sequence of SEQ ID NO:411 shown in Figure 411.

10 Figure 413 shows a nucleotide sequence (SEQ ID NO:413) of a native sequence PRO770 cDNA, wherein SEQ ID NO:413 is a clone designated herein as "DNA54228-1366".

Figure 414 shows the amino acid sequence (SEQ ID NO:414) derived from the coding sequence of SEQ ID NO:413 shown in Figure 413.

15 Figure 415 shows a nucleotide sequence (SEQ ID NO:415) of a native sequence PRO1080 cDNA, wherein SEQ ID NO:415 is a clone designated herein as "DNA56047-1456".

Figure 416 shows the amino acid sequence (SEQ ID NO:416) derived from the coding sequence of SEQ ID NO:415 shown in Figure 415.

Figure 417 shows a nucleotide sequence (SEQ ID NO:417) of a native sequence PRO1017 cDNA, wherein SEQ ID NO:417 is a clone designated herein as "DNA56112-1379".

20 Figure 418 shows the amino acid sequence (SEQ ID NO:418) derived from the coding sequence of SEQ ID NO:417 shown in Figure 417.

Figure 419 shows a nucleotide sequence (SEQ ID NO:419) of a native sequence PRO1016 cDNA, wherein SEQ ID NO:419 is a clone designated herein as "DNA56113-1378".

25 Figure 420 shows the amino acid sequence (SEQ ID NO:420) derived from the coding sequence of SEQ ID NO:419 shown in Figure 419.

Figure 421 shows a nucleotide sequence (SEQ ID NO:421) of a native sequence PRO792 cDNA, wherein SEQ ID NO:421 is a clone designated herein as "DNA56352-1358".

Figure 422 shows the amino acid sequence (SEQ ID NO:422) derived from the coding sequence of SEQ ID NO:421 shown in Figure 421.

30 Figure 423 shows a nucleotide sequence (SEQ ID NO:423) of a native sequence PRO938 cDNA, wherein SEQ ID NO:423 is a clone designated herein as "DNA56433-1406".

Figure 424 shows the amino acid sequence (SEQ ID NO:424) derived from the coding sequence of SEQ ID NO:423 shown in Figure 423.

35 Figure 425 shows a nucleotide sequence (SEQ ID NO:425) of a native sequence PRO1012 cDNA, wherein SEQ ID NO:425 is a clone designated herein as "DNA56439-1376".

Figure 426 shows the amino acid sequence (SEQ ID NO:426) derived from the coding sequence of SEQ ID NO:425 shown in Figure 425.

Figure 427 shows a nucleotide sequence (SEQ ID NO:427) of a native sequence PRO1008 cDNA, wherein SEQ ID NO:427 is a clone designated herein as "DNA57530-1375".

Figure 428 shows the amino acid sequence (SEQ ID NO:428) derived from the coding sequence of SEQ ID NO:427 shown in Figure 427.

5 Figure 429 shows a nucleotide sequence (SEQ ID NO:429) of a native sequence PRO1075 cDNA, wherein SEQ ID NO:429 is a clone designated herein as "DNA57689-1385".

Figure 430 shows the amino acid sequence (SEQ ID NO:430) derived from the coding sequence of SEQ ID NO:429 shown in Figure 429.

Figure 431 shows a nucleotide sequence (SEQ ID NO:431) of a native sequence PRO1007 cDNA, wherein SEQ ID NO:431 is a clone designated herein as "DNA57690-1374".

10 Figure 432 shows the amino acid sequence (SEQ ID NO:432) derived from the coding sequence of SEQ ID NO:431 shown in Figure 431.

Figure 433 shows a nucleotide sequence (SEQ ID NO:433) of a native sequence PRO1056 cDNA, wherein SEQ ID NO:433 is a clone designated herein as "DNA57693-1424".

15 Figure 434 shows the amino acid sequence (SEQ ID NO:434) derived from the coding sequence of SEQ ID NO:433 shown in Figure 433.

Figure 435 shows a nucleotide sequence (SEQ ID NO:435) of a native sequence PRO791 cDNA, wherein SEQ ID NO:435 is a clone designated herein as "DNA57838-1337".

Figure 436 shows the amino acid sequence (SEQ ID NO:436) derived from the coding sequence of SEQ ID NO:435 shown in Figure 435.

20 Figure 437 shows a nucleotide sequence (SEQ ID NO:437) of a native sequence PRO1111 cDNA, wherein SEQ ID NO:437 is a clone designated herein as "DNA58721-1475".

Figure 438 shows the amino acid sequence (SEQ ID NO:438) derived from the coding sequence of SEQ ID NO:437 shown in Figure 437.

25 Figure 439 shows a nucleotide sequence (SEQ ID NO:439) of a native sequence PRO812 cDNA, wherein SEQ ID NO:439 is a clone designated herein as "DNA59205-1421".

Figure 440 shows the amino acid sequence (SEQ ID NO:440) derived from the coding sequence of SEQ ID NO:439 shown in Figure 439.

Figure 441 shows a nucleotide sequence (SEQ ID NO:441) of a native sequence PRO1066 cDNA, wherein SEQ ID NO:441 is a clone designated herein as "DNA59215-1425".

30 Figure 442 shows the amino acid sequence (SEQ ID NO:442) derived from the coding sequence of SEQ ID NO:441 shown in Figure 441.

Figure 443 shows a nucleotide sequence (SEQ ID NO:443) of a native sequence PRO1185 cDNA, wherein SEQ ID NO:443 is a clone designated herein as "DNA59220-1514".

35 Figure 444 shows the amino acid sequence (SEQ ID NO:444) derived from the coding sequence of SEQ ID NO:443 shown in Figure 443.

Figure 445 shows a nucleotide sequence (SEQ ID NO:445) of a native sequence PRO1031 cDNA, wherein SEQ ID NO:445 is a clone designated herein as "DNA59294-1381".

Figure 446 shows the amino acid sequence (SEQ ID NO:446) derived from the coding sequence of SEQ ID NO:445 shown in Figure 445.

Figure 447 shows a nucleotide sequence (SEQ ID NO:447) of a native sequence PRO1360 cDNA, wherein SEQ ID NO:447 is a clone designated herein as "DNA59488-1603".

5 Figure 448 shows the amino acid sequence (SEQ ID NO:448) derived from the coding sequence of SEQ ID NO:447 shown in Figure 447.

Figure 449 shows a nucleotide sequence (SEQ ID NO:449) of a native sequence PRO1309 cDNA, wherein SEQ ID NO:449 is a clone designated herein as "DNA59588-1571".

Figure 450 shows the amino acid sequence (SEQ ID NO:450) derived from the coding sequence of SEQ ID NO:449 shown in Figure 449.

10 Figure 451 shows a nucleotide sequence (SEQ ID NO:451) of a native sequence PRO1107 cDNA, wherein SEQ ID NO:451 is a clone designated herein as "DNA59606-1471".

Figure 452 shows the amino acid sequence (SEQ ID NO:452) derived from the coding sequence of SEQ ID NO:451 shown in Figure 451.

15 Figure 453 shows a nucleotide sequence (SEQ ID NO:453) of a native sequence PRO836 cDNA, wherein SEQ ID NO:453 is a clone designated herein as "DNA59620-1463".

Figure 454 shows the amino acid sequence (SEQ ID NO:454) derived from the coding sequence of SEQ ID NO:453 shown in Figure 453.

Figure 455 shows a nucleotide sequence (SEQ ID NO:455) of a native sequence PRO1132 cDNA, wherein SEQ ID NO:455 is a clone designated herein as "DNA59767-1489".

20 Figure 456 shows the amino acid sequence (SEQ ID NO:456) derived from the coding sequence of SEQ ID NO:455 shown in Figure 455.

Figure 457 shows a nucleotide sequence (SEQ ID NO:457) of a native sequence PRO1131 cDNA, wherein SEQ ID NO:457 is a clone designated herein as "DNA59777-1480".

25 Figure 458 shows the amino acid sequence (SEQ ID NO:458) derived from the coding sequence of SEQ ID NO:457 shown in Figure 457.

Figure 459 shows a nucleotide sequence (SEQ ID NO:459) of a native sequence PRO1130 cDNA, wherein SEQ ID NO:459 is a clone designated herein as "DNA59814-1486".

Figure 460 shows the amino acid sequence (SEQ ID NO:460) derived from the coding sequence of SEQ ID NO:459 shown in Figure 459.

30 Figure 461 shows a nucleotide sequence (SEQ ID NO:461) of a native sequence PRO844 cDNA, wherein SEQ ID NO:461 is a clone designated herein as "DNA59839-1461".

Figure 462 shows the amino acid sequence (SEQ ID NO:462) derived from the coding sequence of SEQ ID NO:461 shown in Figure 461.

35 Figure 463 shows a nucleotide sequence (SEQ ID NO:463) of a native sequence PRO1154 cDNA, wherein SEQ ID NO:463 is a clone designated herein as "DNA59846-1503".

Figure 464 shows the amino acid sequence (SEQ ID NO:464) derived from the coding sequence of SEQ ID NO:463 shown in Figure 463.

Figure 465 shows a nucleotide sequence (SEQ ID NO:465) of a native sequence PRO1181 cDNA, wherein SEQ ID NO:465 is a clone designated herein as "DNA59847-1511".

Figure 466 shows the amino acid sequence (SEQ ID NO:466) derived from the coding sequence of SEQ ID NO:465 shown in Figure 465.

5 Figure 467 shows a nucleotide sequence (SEQ ID NO:467) of a native sequence PRO1126 cDNA, wherein SEQ ID NO:467 is a clone designated herein as "DNA60615-1483".

Figure 468 shows the amino acid sequence (SEQ ID NO:468) derived from the coding sequence of SEQ ID NO:467 shown in Figure 467.

Figure 469 shows a nucleotide sequence (SEQ ID NO:469) of a native sequence PRO1186 cDNA, wherein SEQ ID NO:469 is a clone designated herein as "DNA60621-1516".

10 Figure 470 shows the amino acid sequence (SEQ ID NO:470) derived from the coding sequence of SEQ ID NO:469 shown in Figure 469.

Figure 471 shows a nucleotide sequence (SEQ ID NO:471) of a native sequence PRO1198 cDNA, wherein SEQ ID NO:471 is a clone designated herein as "DNA60622-1525".

15 Figure 472 shows the amino acid sequence (SEQ ID NO:472) derived from the coding sequence of SEQ ID NO:471 shown in Figure 471.

Figure 473 shows a nucleotide sequence (SEQ ID NO:473) of a native sequence PRO1159 cDNA, wherein SEQ ID NO:473 is a clone designated herein as "DNA60627-1508".

Figure 474 shows the amino acid sequence (SEQ ID NO:474) derived from the coding sequence of SEQ ID NO:473 shown in Figure 473.

20 Figure 475 shows a nucleotide sequence (SEQ ID NO:475) of a native sequence PRO1265 cDNA, wherein SEQ ID NO:475 is a clone designated herein as "DNA60764-1533".

Figure 476 shows the amino acid sequence (SEQ ID NO:476) derived from the coding sequence of SEQ ID NO:475 shown in Figure 475.

25 Figure 477 shows a nucleotide sequence (SEQ ID NO:477) of a native sequence PRO1250 cDNA, wherein SEQ ID NO:477 is a clone designated herein as "DNA60775-1532".

Figure 478 shows the amino acid sequence (SEQ ID NO:478) derived from the coding sequence of SEQ ID NO:477 shown in Figure 477.

Figure 479 shows a nucleotide sequence (SEQ ID NO:479) of a native sequence PRO1475 cDNA, wherein SEQ ID NO:479 is a clone designated herein as "DNA61185-1646".

30 Figure 480 shows the amino acid sequence (SEQ ID NO:480) derived from the coding sequence of SEQ ID NO:479 shown in Figure 479.

Figure 481 shows a nucleotide sequence (SEQ ID NO:481) of a native sequence PRO1312 cDNA, wherein SEQ ID NO:481 is a clone designated herein as "DNA61873-1574".

35 Figure 482 shows the amino acid sequence (SEQ ID NO:482) derived from the coding sequence of SEQ ID NO:481 shown in Figure 481.

Figure 483 shows a nucleotide sequence (SEQ ID NO:483) of a native sequence PRO1308 cDNA, wherein SEQ ID NO:483 is a clone designated herein as "DNA62306-1570".

Figure 484 shows the amino acid sequence (SEQ ID NO:484) derived from the coding sequence of SEQ ID NO:483 shown in Figure 483.

Figure 485 shows a nucleotide sequence (SEQ ID NO:485) of a native sequence PRO1326 cDNA, wherein SEQ ID NO:485 is a clone designated herein as "DNA62808-1582".

5 Figure 486 shows the amino acid sequence (SEQ ID NO:486) derived from the coding sequence of SEQ ID NO:485 shown in Figure 485.

Figure 487 shows a nucleotide sequence (SEQ ID NO:487) of a native sequence PRO1192 cDNA, wherein SEQ ID NO:487 is a clone designated herein as "DNA62814-1521".

Figure 488 shows the amino acid sequence (SEQ ID NO:488) derived from the coding sequence of SEQ ID NO:487 shown in Figure 487.

10 Figure 489 shows a nucleotide sequence (SEQ ID NO:489) of a native sequence PRO1246 cDNA, wherein SEQ ID NO:489 is a clone designated herein as "DNA64885-1529".

Figure 490 shows the amino acid sequence (SEQ ID NO:490) derived from the coding sequence of SEQ ID NO:489 shown in Figure 489.

15 Figure 491 shows a nucleotide sequence (SEQ ID NO:491) of a native sequence PRO1356 cDNA, wherein SEQ ID NO:491 is a clone designated herein as "DNA64886-1601".

Figure 492 shows the amino acid sequence (SEQ ID NO:492) derived from the coding sequence of SEQ ID NO:491 shown in Figure 491.

Figure 493 shows a nucleotide sequence (SEQ ID NO:493) of a native sequence PRO1275 cDNA, wherein SEQ ID NO:493 is a clone designated herein as "DNA64888-1542".

20 Figure 494 shows the amino acid sequence (SEQ ID NO:494) derived from the coding sequence of SEQ ID NO:493 shown in Figure 493.

Figure 495 shows a nucleotide sequence (SEQ ID NO:495) of a native sequence PRO1274 cDNA, wherein SEQ ID NO:495 is a clone designated herein as "DNA64889-1541".

25 Figure 496 shows the amino acid sequence (SEQ ID NO:496) derived from the coding sequence of SEQ ID NO:495 shown in Figure 495.

Figure 497 shows a nucleotide sequence (SEQ ID NO:497) of a native sequence PRO1358 cDNA, wherein SEQ ID NO:497 is a clone designated herein as "DNA64890-1612".

Figure 498 shows the amino acid sequence (SEQ ID NO:498) derived from the coding sequence of SEQ ID NO:497 shown in Figure 497.

30 Figure 499 shows a nucleotide sequence (SEQ ID NO:499) of a native sequence PRO1286 cDNA, wherein SEQ ID NO:499 is a clone designated herein as "DNA64903-1553".

Figure 500 shows the amino acid sequence (SEQ ID NO:500) derived from the coding sequence of SEQ ID NO:499 shown in Figure 499.

35 Figure 501 shows a nucleotide sequence (SEQ ID NO:501) of a native sequence PRO1294 cDNA, wherein SEQ ID NO:501 is a clone designated herein as "DNA64905-1558".

Figure 502 shows the amino acid sequence (SEQ ID NO:502) derived from the coding sequence of SEQ ID NO:501 shown in Figure 501.

Figure 503 shows a nucleotide sequence (SEQ ID NO:503) of a native sequence PRO1273 cDNA, wherein SEQ ID NO:503 is a clone designated herein as "DNA65402-1540".

Figure 504 shows the amino acid sequence (SEQ ID NO:504) derived from the coding sequence of SEQ ID NO:503 shown in Figure 503.

5 Figure 505 shows a nucleotide sequence (SEQ ID NO:505) of a native sequence PRO1279 cDNA, wherein SEQ ID NO:505 is a clone designated herein as "DNA65405-1547".

Figure 506 shows the amino acid sequence (SEQ ID NO:506) derived from the coding sequence of SEQ ID NO:505 shown in Figure 505.

Figure 507 shows a nucleotide sequence (SEQ ID NO:507) of a native sequence PRO1195 cDNA, wherein SEQ ID NO:507 is a clone designated herein as "DNA65412-1523".

10 Figure 508 shows the amino acid sequence (SEQ ID NO:508) derived from the coding sequence of SEQ ID NO:507 shown in Figure 507.

Figure 509 shows a nucleotide sequence (SEQ ID NO:509) of a native sequence PRO1271 cDNA, wherein SEQ ID NO:509 is a clone designated herein as "DNA66309-1538".

15 Figure 510 shows the amino acid sequence (SEQ ID NO:510) derived from the coding sequence of SEQ ID NO:509 shown in Figure 509.

Figure 511 shows a nucleotide sequence (SEQ ID NO:511) of a native sequence PRO1338 cDNA, wherein SEQ ID NO:511 is a clone designated herein as "DNA66667-1596".

Figure 512 shows the amino acid sequence (SEQ ID NO:512) derived from the coding sequence of SEQ ID NO:511 shown in Figure 511.

20 Figure 513 shows a nucleotide sequence (SEQ ID NO:513) of a native sequence PRO1343 cDNA, wherein SEQ ID NO:513 is a clone designated herein as "DNA66675-1587".

Figure 514 shows the amino acid sequence (SEQ ID NO:514) derived from the coding sequence of SEQ ID NO:513 shown in Figure 513.

25 Figure 515 shows a nucleotide sequence (SEQ ID NO:515) of a native sequence PRO1434 cDNA, wherein SEQ ID NO:515 is a clone designated herein as "DNA68818-2536".

Figure 516 shows the amino acid sequence (SEQ ID NO:516) derived from the coding sequence of SEQ ID NO:515 shown in Figure 515.

Figure 517 shows a nucleotide sequence (SEQ ID NO:517) of a native sequence PRO1418 cDNA, wherein SEQ ID NO:517 is a clone designated herein as "DNA68864-1629".

30 Figure 518 shows the amino acid sequence (SEQ ID NO:518) derived from the coding sequence of SEQ ID NO:517 shown in Figure 517.

Figure 519 shows a nucleotide sequence (SEQ ID NO:519) of a native sequence PRO1387 cDNA, wherein SEQ ID NO:519 is a clone designated herein as "DNA68872-1620".

35 Figure 520 shows the amino acid sequence (SEQ ID NO:520) derived from the coding sequence of SEQ ID NO:519 shown in Figure 519.

Figure 521 shows a nucleotide sequence (SEQ ID NO:521) of a native sequence PRO1384 cDNA, wherein SEQ ID NO:521 is a clone designated herein as "DNA71159-1617".

Figure 522 shows the amino acid sequence (SEQ ID NO:522) derived from the coding sequence of SEQ ID NO:521 shown in Figure 521.

Figure 523 shows a nucleotide sequence (SEQ ID NO:523) of a native sequence PRO1565 cDNA, wherein SEQ ID NO:523 is a clone designated herein as "DNA73727-1673".

5 Figure 524 shows the amino acid sequence (SEQ ID NO:524) derived from the coding sequence of SEQ ID NO:523 shown in Figure 523.

Figure 525 shows a nucleotide sequence (SEQ ID NO:525) of a native sequence PRO1474 cDNA, wherein SEQ ID NO:525 is a clone designated herein as "DNA73739-1645".

Figure 526 shows the amino acid sequence (SEQ ID NO:526) derived from the coding sequence of SEQ ID NO:525 shown in Figure 525.

10 Figure 527 shows a nucleotide sequence (SEQ ID NO:527) of a native sequence PRO1917 cDNA, wherein SEQ ID NO:527 is a clone designated herein as "DNA76400-2528".

Figure 528 shows the amino acid sequence (SEQ ID NO:528) derived from the coding sequence of SEQ ID NO:527 shown in Figure 527.

15 Figure 529 shows a nucleotide sequence (SEQ ID NO:529) of a native sequence PRO1787 cDNA, wherein SEQ ID NO:529 is a clone designated herein as "DNA76510-2504".

Figure 530 shows the amino acid sequence (SEQ ID NO:530) derived from the coding sequence of SEQ ID NO:529 shown in Figure 529.

Figure 531 shows a nucleotide sequence (SEQ ID NO:531) of a native sequence PRO1556 cDNA, wherein SEQ ID NO:531 is a clone designated herein as "DNA76529-1666".

20 Figure 532 shows the amino acid sequence (SEQ ID NO:532) derived from the coding sequence of SEQ ID NO:531 shown in Figure 531.

Figure 533 shows a nucleotide sequence (SEQ ID NO:533) of a native sequence PRO1561 cDNA, wherein SEQ ID NO:533 is a clone designated herein as "DNA76538-1670".

25 Figure 534 shows the amino acid sequence (SEQ ID NO:534) derived from the coding sequence of SEQ ID NO:533 shown in Figure 533.

Figure 535 shows a nucleotide sequence (SEQ ID NO:535) of a native sequence PRO1693 cDNA, wherein SEQ ID NO:535 is a clone designated herein as "DNA77301-1708".

Figure 536 shows the amino acid sequence (SEQ ID NO:536) derived from the coding sequence of SEQ ID NO:535 shown in Figure 535.

30 Figure 537 shows a nucleotide sequence (SEQ ID NO:537) of a native sequence PRO1868 cDNA, wherein SEQ ID NO:537 is a clone designated herein as "DNA77624-2515".

Figure 538 shows the amino acid sequence (SEQ ID NO:538) derived from the coding sequence of SEQ ID NO:537 shown in Figure 537.

35 Figure 539 shows a nucleotide sequence (SEQ ID NO:539) of a native sequence PRO1890 cDNA, wherein SEQ ID NO:539 is a clone designated herein as "DNA79230-2525".

Figure 540 shows the amino acid sequence (SEQ ID NO:540) derived from the coding sequence of SEQ ID NO:539 shown in Figure 539.

Figure 541 shows a nucleotide sequence (SEQ ID NO:541) of a native sequence PRO1887 cDNA, wherein SEQ ID NO:541 is a clone designated herein as "DNA79862-2522".

Figure 542 shows the amino acid sequence (SEQ ID NO:542) derived from the coding sequence of SEQ ID NO:541 shown in Figure 541.

5 Figure 543 shows a nucleotide sequence (SEQ ID NO:543) of a native sequence PRO4353 cDNA, wherein SEQ ID NO:543 is a clone designated herein as "DNA80145-2594".

Figure 544 shows the amino acid sequence (SEQ ID NO:544) derived from the coding sequence of SEQ ID NO:543 shown in Figure 543.

Figure 545 shows a nucleotide sequence (SEQ ID NO:545) of a native sequence PRO1801 cDNA, wherein SEQ ID NO:545 is a clone designated herein as "DNA83500-2506".

10 Figure 546 shows the amino acid sequence (SEQ ID NO:546) derived from the coding sequence of SEQ ID NO:545 shown in Figure 545.

Figure 547 shows a nucleotide sequence (SEQ ID NO:547) of a native sequence PRO4357 cDNA, wherein SEQ ID NO:547 is a clone designated herein as "DNA84917-2597".

15 Figure 548 shows the amino acid sequence (SEQ ID NO:548) derived from the coding sequence of SEQ ID NO:547 shown in Figure 547.

Figure 549 shows a nucleotide sequence (SEQ ID NO:549) of a native sequence PRO4302 cDNA, wherein SEQ ID NO:549 is a clone designated herein as "DNA92218-2554".

20 Figure 550 shows the amino acid sequence (SEQ ID NO:550) derived from the coding sequence of SEQ ID NO:549 shown in Figure 549.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

I. Definitions

25 The terms "PRO polypeptide" and "PRO" as used herein and when immediately followed by a numerical designation refer to various polypeptides, wherein the complete designation (i.e., PRO/number) refers to specific polypeptide sequences as described herein. The terms "PRO/number polypeptide" and "PRO/number" wherein the term "number" is provided as an actual numerical designation as used herein encompass native sequence polypeptides and polypeptide variants (which are further defined herein). The PRO polypeptides described herein may be isolated from a variety of sources, such as from human tissue types or from another source, or prepared by recombinant or synthetic methods. The term "PRO polypeptide" refers to
30 each individual PRO/number polypeptide disclosed herein. All disclosures in this specification which refer to the "PRO polypeptide" refer to each of the polypeptides individually as well as jointly. For example, descriptions of the preparation of, purification of, derivation of, formation of antibodies to or against, administration of, compositions containing, treatment of a disease with, etc., pertain to each polypeptide of the invention individually. The term "PRO polypeptide" also includes variants of the PRO/number polypeptides
35 disclosed herein.

A "native sequence PRO polypeptide" comprises a polypeptide having the same amino acid sequence as the corresponding PRO polypeptide derived from nature. Such native sequence PRO polypeptides can be

isolated from nature or can be produced by recombinant or synthetic means. The term "native sequence PRO polypeptide" specifically encompasses naturally-occurring truncated or secreted forms of the specific PRO polypeptide (*e.g.*, an extracellular domain sequence), naturally-occurring variant forms (*e.g.*, alternatively spliced forms) and naturally-occurring allelic variants of the polypeptide. In various embodiments of the invention, the native sequence PRO polypeptides disclosed herein are mature or full-length native sequence polypeptides comprising the full-length amino acids sequences shown in the accompanying figures. Start and stop codons are shown in bold font and underlined in the figures. However, while the PRO polypeptide disclosed in the accompanying figures are shown to begin with methionine residues designated herein as amino acid position 1 in the figures, it is conceivable and possible that other methionine residues located either upstream or downstream from the amino acid position 1 in the figures may be employed as the starting amino acid residue for the PRO polypeptides.

The PRO polypeptide "extracellular domain" or "ECD" refers to a form of the PRO polypeptide which is essentially free of the transmembrane and cytoplasmic domains. Ordinarily, a PRO polypeptide ECD will have less than 1% of such transmembrane and/or cytoplasmic domains and preferably, will have less than 0.5% of such domains. It will be understood that any transmembrane domains identified for the PRO polypeptides of the present invention are identified pursuant to criteria routinely employed in the art for identifying that type of hydrophobic domain. The exact boundaries of a transmembrane domain may vary but most likely by no more than about 5 amino acids at either end of the domain as initially identified herein. Optionally, therefore, an extracellular domain of a PRO polypeptide may contain from about 5 or fewer amino acids on either side of the transmembrane domain/extracellular domain boundary as identified in the Examples or specification and such polypeptides, with or without the associated signal peptide, and nucleic acid encoding them, are contemplated by the present invention.

The approximate location of the "signal peptides" of the various PRO polypeptides disclosed herein are shown in the present specification and/or the accompanying figures. It is noted, however, that the C-terminal boundary of a signal peptide may vary, but most likely by no more than about 5 amino acids on either side of the signal peptide C-terminal boundary as initially identified herein, wherein the C-terminal boundary of the signal peptide may be identified pursuant to criteria routinely employed in the art for identifying that type of amino acid sequence element (*e.g.*, Nielsen et al., Prot. Eng. 10:1-6 (1997) and von Heinje et al., Nucl. Acids. Res. 14:4683-4690 (1986)). Moreover, it is also recognized that, in some cases, cleavage of a signal sequence from a secreted polypeptide is not entirely uniform, resulting in more than one secreted species. These mature polypeptides, where the signal peptide is cleaved within no more than about 5 amino acids on either side of the C-terminal boundary of the signal peptide as identified herein, and the polynucleotides encoding them, are contemplated by the present invention.

"PRO polypeptide variant" means an active PRO polypeptide as defined above or below having at least about 80% amino acid sequence identity with a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Such PRO polypeptide variants include, for

instance, PRO polypeptides wherein one or more amino acid residues are added, or deleted, at the N- or C-terminus of the full-length native amino acid sequence. Ordinarily, a PRO polypeptide variant will have at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, PRO variant polypeptides are at least about 10 amino acids in length, alternatively at least about 20 amino acids in length, alternatively at least about 30 amino acids in length, alternatively at least about 40 amino acids in length, alternatively at least about 50 amino acids in length, alternatively at least about 60 amino acids in length, alternatively at least about 70 amino acids in length, alternatively at least about 80 amino acids in length, alternatively at least about 90 amino acids in length, alternatively at least about 100 amino acids in length, alternatively at least about 150 amino acids in length, alternatively at least about 200 amino acids in length, alternatively at least about 300 amino acids in length, or more.

"Percent (%) amino acid sequence identity" with respect to the PRO polypeptide sequences identified herein is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in the specific PRO polypeptide sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly

available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. As examples of % amino acid sequence identity calculations using this method, Tables 2 and 3 demonstrate how to calculate the % amino acid sequence identity of the amino acid sequence designated "Comparison Protein" to the amino acid sequence designated "PRO", wherein "PRO" represents the amino acid sequence of a hypothetical PRO polypeptide of interest, "Comparison Protein" represents the amino acid sequence of a polypeptide against which the "PRO" polypeptide of interest is being compared, and "X", "Y" and "Z" each represent different hypothetical amino acid residues.

Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % amino acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % amino acid sequence identity value is determined by dividing (a) the number of matching identical amino acid residues between the amino acid sequence of the PRO polypeptide of interest having a sequence derived from the native PRO polypeptide and the comparison amino acid sequence of interest (i.e., the sequence against which the PRO polypeptide of interest is being compared which may be a PRO variant polypeptide) as determined by WU-BLAST-2 by (b) the total number of amino acid residues of the PRO polypeptide of interest. For example, in the statement "a polypeptide comprising an the amino acid sequence A which has or having at least 80% amino acid sequence identity to the amino acid sequence B", the amino acid sequence A is the comparison amino acid sequence of interest and the amino acid sequence B is the amino acid sequence of the PRO polypeptide of interest.

Percent amino acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence

comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

5 In situations where NCBI-BLAST2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

10 100 times the fraction X/Y

where X is the number of amino acid residues scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A.

"PRO variant polynucleotide" or "PRO variant nucleic acid sequence" means a nucleic acid molecule which encodes an active PRO polypeptide as defined below and which has at least about 80% nucleic acid sequence identity with a nucleotide acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, a PRO variant polynucleotide will have at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity with a nucleic acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal sequence, as disclosed herein or any other fragment of a full-

length PRO polypeptide sequence as disclosed herein. Variants do not encompass the native nucleotide sequence.

Ordinarily, PRO variant polynucleotides are at least about 30 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 120 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 210 nucleotides in length, alternatively at least about 240 nucleotides in length, alternatively at least about 270 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 900 nucleotides in length, or more.

"Percent (%) nucleic acid sequence identity" with respect to PRO-encoding nucleic acid sequences identified herein is defined as the percentage of nucleotides in a candidate sequence that are identical with the nucleotides in the PRO nucleic acid sequence of interest, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity. Alignment for purposes of determining percent nucleic acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. For purposes herein, however, % nucleic acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for nucleic acid sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C. As examples of % nucleic acid sequence identity calculations, Tables 4 and 5, demonstrate how to calculate the % nucleic acid sequence identity of the nucleic acid sequence designated "Comparison DNA" to the nucleic acid sequence designated "PRO-DNA", wherein "PRO-DNA" represents a hypothetical PRO-encoding nucleic

acid sequence of interest, "Comparison DNA" represents the nucleotide sequence of a nucleic acid molecule against which the "PRO-DNA" nucleic acid molecule of interest is being compared, and "N", "L" and "V" each represent different hypothetical nucleotides.

Unless specifically stated otherwise, all % nucleic acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, %
5 nucleic acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % nucleic acid sequence identity value
10 is determined by dividing (a) the number of matching identical nucleotides between the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest having a sequence derived from the native sequence PRO polypeptide-encoding nucleic acid and the comparison nucleic acid molecule of interest (i.e., the sequence against which the PRO polypeptide-encoding nucleic acid molecule of interest is being compared which may be a variant PRO polynucleotide) as determined by WU-BLAST-2 by (b) the total number of nucleotides
15 of the PRO polypeptide-encoding nucleic acid molecule of interest. For example, in the statement "an isolated nucleic acid molecule comprising a nucleic acid sequence A which has or having at least 80% nucleic acid sequence identity to the nucleic acid sequence B", the nucleic acid sequence A is the comparison nucleic acid molecule of interest and the nucleic acid sequence B is the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest.

20 Percent nucleic acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected
25 occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid
30 sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will
35 be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to

C.

In other embodiments, PRO variant polynucleotides are nucleic acid molecules that encode an active PRO polypeptide and which are capable of hybridizing, preferably under stringent hybridization and wash conditions, to nucleotide sequences encoding a full-length PRO polypeptide as disclosed herein. PRO variant polypeptides may be those that are encoded by a PRO variant polynucleotide.

5 "Isolated," when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In preferred embodiments, the polypeptide will be purified (1) to a degree sufficient to obtain at least 10 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (2) to homogeneity by SDS-PAGE under non-reducing or reducing conditions using Coomassie blue or, preferably, silver stain. Isolated polypeptide includes polypeptide *in situ* within recombinant cells, since at least one component of the PRO polypeptide natural environment will not be present. Ordinarily, however, isolated polypeptide will be prepared by at least one purification step.

15 An "isolated" PRO polypeptide-encoding nucleic acid or other polypeptide-encoding nucleic acid is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the polypeptide-encoding nucleic acid. An isolated polypeptide-encoding nucleic acid molecule is other than in the form or setting in which it is found in nature. Isolated polypeptide-encoding nucleic acid molecules therefore are distinguished from the specific polypeptide- 20 encoding nucleic acid molecule as it exists in natural cells. However, an isolated polypeptide-encoding nucleic acid molecule includes polypeptide-encoding nucleic acid molecules contained in cells that ordinarily express the polypeptide where, for example, the nucleic acid molecule is in a chromosomal location different from that of natural cells.

25 The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

30 Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is 35 accomplished by ligation at convenient restriction sites. If such sites do not exist, the synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice.

The term "antibody" is used in the broadest sense and specifically covers, for example, single anti-PRO monoclonal antibodies (including agonist, antagonist, and neutralizing antibodies), anti-PRO antibody compositions with polyepitopic specificity, single chain anti-PRO antibodies, and fragments of anti-PRO antibodies (see below). The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

"Stringency" of hybridization reactions is readily determinable by one of ordinary skill in the art, and generally is an empirical calculation dependent upon probe length, washing temperature, and salt concentration. In general, longer probes require higher temperatures for proper annealing, while shorter probes need lower temperatures. Hybridization generally depends on the ability of denatured DNA to reanneal when complementary strands are present in an environment below their melting temperature. The higher the degree of desired homology between the probe and hybridizable sequence, the higher the relative temperature which can be used. As a result, it follows that higher relative temperatures would tend to make the reaction conditions more stringent, while lower temperatures less so. For additional details and explanation of stringency of hybridization reactions, see Ausubel et al., Current Protocols in Molecular Biology, Wiley Interscience Publishers, (1995).

"Stringent conditions" or "high stringency conditions", as defined herein, may be identified by those that: (1) employ low ionic strength and high temperature for washing, for example 0.015 M sodium chloride/0.0015 M sodium citrate/0.1% sodium dodecyl sulfate at 50°C; (2) employ during hybridization a denaturing agent, such as formamide, for example, 50% (v/v) formamide with 0.1% bovine serum albumin/0.1% Ficoll/0.1% polyvinylpyrrolidone/50mM sodium phosphate buffer at pH 6.5 with 750 mM sodium chloride, 75 mM sodium citrate at 42°C; or (3) employ 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

"Moderately stringent conditions" may be identified as described by Sambrook et al., Molecular Cloning: A Laboratory Manual, New York: Cold Spring Harbor Press, 1989, and include the use of washing solution and hybridization conditions (e.g., temperature, ionic strength and %SDS) less stringent than those described above. An example of moderately stringent conditions is overnight incubation at 37°C in a solution comprising: 20% formamide, 5 x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5 x Denhardt's solution, 10% dextran sulfate, and 20 mg/ml denatured sheared salmon sperm DNA, followed by washing the filters in 1 x SSC at about 37-50°C. The skilled artisan will recognize how to adjust the temperature, ionic strength, etc. as necessary to accommodate factors such as probe length and the like.

The term "epitope tagged" when used herein refers to a chimeric polypeptide comprising a PRO polypeptide fused to a "tag polypeptide". The tag polypeptide has enough residues to provide an epitope against which an antibody can be made, yet is short enough such that it does not interfere with activity of the polypeptide to which it is fused. The tag polypeptide preferably also is fairly unique so that the antibody does not

substantially cross-react with other epitopes. Suitable tag polypeptides generally have at least six amino acid residues and usually between about 8 and 50 amino acid residues (preferably, between about 10 and 20 amino acid residues).

As used herein, the term "immunoadhesin" designates antibody-like molecules which combine the binding specificity of a heterologous protein (an "adhesin") with the effector functions of immunoglobulin constant domains. Structurally, the immunoadhesins comprise a fusion of an amino acid sequence with the desired binding specificity which is other than the antigen recognition and binding site of an antibody (i.e., is "heterologous"), and an immunoglobulin constant domain sequence. The adhesin part of an immunoadhesin molecule typically is a contiguous amino acid sequence comprising at least the binding site of a receptor or a ligand. The immunoglobulin constant domain sequence in the immunoadhesin may be obtained from any immunoglobulin, such as IgG-1, IgG-2, IgG-3, or IgG-4 subtypes, IgA (including IgA-1 and IgA-2), IgE, IgD or IgM.

"Active" or "activity" for the purposes herein refers to form(s) of a PRO polypeptide which retain a biological and/or an immunological activity of native or naturally-occurring PRO, wherein "biological" activity refers to a biological function (either inhibitory or stimulatory) caused by a native or naturally-occurring PRO other than the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO and an "immunological" activity refers to the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO.

The term "antagonist" is used in the broadest sense, and includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native PRO polypeptide disclosed herein. In a similar manner, the term "agonist" is used in the broadest sense and includes any molecule that mimics a biological activity of a native PRO polypeptide disclosed herein. Suitable agonist or antagonist molecules specifically include agonist or antagonist antibodies or antibody fragments, fragments or amino acid sequence variants of native PRO polypeptides, peptides, antisense oligonucleotides, small organic molecules, etc. Methods for identifying agonists or antagonists of a PRO polypeptide may comprise contacting a PRO polypeptide with a candidate agonist or antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the PRO polypeptide.

"Treatment" refers to both therapeutic treatment and prophylactic or preventative measures, wherein the object is to prevent or slow down (lessen) the targeted pathologic condition or disorder. Those in need of treatment include those already with the disorder as well as those prone to have the disorder or those in whom the disorder is to be prevented.

"Chronic" administration refers to administration of the agent(s) in a continuous mode as opposed to an acute mode, so as to maintain the initial therapeutic effect (activity) for an extended period of time. "Intermittent" administration is treatment that is not consecutively done without interruption, but rather is cyclic in nature.

"Mammal" for purposes of treatment refers to any animal classified as a mammal, including humans, domestic and farm animals, and zoo, sports, or pet animals, such as dogs, cats, cattle, horses, sheep, pigs, goats, rabbits, etc. Preferably, the mammal is human.

Administration "in combination with" one or more further therapeutic agents includes simultaneous (concurrent) and consecutive administration in any order.

"Carriers" as used herein include pharmaceutically acceptable carriers, excipients, or stabilizers which are nontoxic to the cell or mammal being exposed thereto at the dosages and concentrations employed. Often the physiologically acceptable carrier is an aqueous pH buffered solution. Examples of physiologically acceptable carriers include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptide; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrins; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEEN™, polyethylene glycol (PEG), and PLURONICS™.

"Antibody fragments" comprise a portion of an intact antibody, preferably the antigen binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al., Protein Eng. 8(10): 1057-1062 [1995]); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments.

Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

"Fv" is the minimum antibody fragment which contains a complete antigen-recognition and -binding site. This region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H-V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy chain CH1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments which have hinge cysteines between them. Other chemical couplings of antibody fragments are also known.

The "light chains" of antibodies (immunoglobulins) from any vertebrate species can be assigned to one of two clearly distinct types, called kappa and lambda, based on the amino acid sequences of their constant domains.

Depending on the amino acid sequence of the constant domain of their heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and

IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA, and IgA2.

"Single-chain Fv" or "sFv" antibody fragments comprise the V_H and V_L domains of antibody, wherein these domains are present in a single polypeptide chain. Preferably, the Fv polypeptide further comprises a polypeptide linker between the V_H and V_L domains which enables the sFv to form the desired structure for antigen binding. For a review of sFv, see Pluckthun in The Pharmacology of Monoclonal Antibodies, vol. 113, Rosenberg and Moore eds., Springer-Verlag, New York, pp. 269-315 (1994).

The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) in the same polypeptide chain (V_H - V_L). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

An "isolated" antibody is one which has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials which would interfere with diagnostic or therapeutic uses for the antibody, and may include enzymes, hormones, and other proteinaceous or nonproteinaceous solutes. In preferred embodiments, the antibody will be purified (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated antibody includes the antibody in situ within recombinant cells since at least one component of the antibody's natural environment will not be present. Ordinarily, however, isolated antibody will be prepared by at least one purification step.

An antibody that "specifically binds to" or is "specific for" a particular polypeptide or an epitope on a particular polypeptide is one that binds to that particular polypeptide or epitope on a particular polypeptide without substantially binding to any other polypeptide or polypeptide epitope.

The word "label" when used herein refers to a detectable compound or composition which is conjugated directly or indirectly to the antibody so as to generate a "labeled" antibody. The label may be detectable by itself (e.g. radioisotope labels or fluorescent labels) or, in the case of an enzymatic label, may catalyze chemical alteration of a substrate compound or composition which is detectable.

By "solid phase" is meant a non-aqueous matrix to which the antibody of the present invention can adhere. Examples of solid phases encompassed herein include those formed partially or entirely of glass (e.g., controlled pore glass), polysaccharides (e.g., agarose), polyacrylamides, polystyrene, polyvinyl alcohol and silicones. In certain embodiments, depending on the context, the solid phase can comprise the well of an assay plate; in others it is a purification column (e.g., an affinity chromatography column). This term also includes a discontinuous solid phase of discrete particles, such as those described in U.S. Patent No. 4,275,149.

A "liposome" is a small vesicle composed of various types of lipids, phospholipids and/or surfactant which is useful for delivery of a drug (such as a PRO polypeptide or antibody thereto) to a mammal. The

components of the liposome are commonly arranged in a bilayer formation, similar to the lipid arrangement of biological membranes.

A "small molecule" is defined herein to have a molecular weight below about 500 Daltons.

An "effective amount" of a polypeptide disclosed herein or an agonist or antagonist thereof is an amount sufficient to carry out a specifically stated purpose. An "effective amount" may be determined empirically and
5 in a routine manner, in relation to the stated purpose.

Table 1

```

/*
 *
 * C-C increased from 12 to 15
 * Z is average of EQ
5  * B is average of ND
 * match with stop is _M; stop-stop = 0; J (joker) match = 0
 */
#define _M      -8      /* value of a match with a stop */

10 int      _day[26][26] = {
/*      A B C D E F G H I J K L M N O P Q R S T U V W X Y Z */
/* A */      { 2, 0, -2, 0, 0, -4, 1, -1, -1, 0, -1, -2, -1, 0, _M, 1, 0, -2, 1, 1, 0, 0, -6, 0, -3, 0 },
/* B */      { 0, 3, -4, 3, 2, -5, 0, 1, -2, 0, 0, -3, -2, 2, _M, -1, 1, 0, 0, 0, 0, -2, -5, 0, -3, 1 },
/* C */      { -2, -4, 15, -5, -5, -4, -3, -3, -2, 0, -5, -6, -5, -4, _M, -3, -5, -4, 0, -2, 0, -2, -8, 0, 0, -5 },
15 /* D */      { 0, 3, -5, 4, 3, -6, 1, 1, -2, 0, 0, -4, -3, 2, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 2 },
/* E */      { 0, 2, -5, 3, 4, -5, 0, 1, -2, 0, 0, -3, -2, 1, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 3 },
/* F */      { -4, -5, -4, -6, -5, 9, -5, -2, 1, 0, -5, 2, 0, -4, _M, -5, -5, -4, -3, -3, 0, -1, 0, 0, 7, -5 },
/* G */      { 1, 0, -3, 1, 0, -5, 5, -2, -3, 0, -2, -4, -3, 0, _M, -1, -1, -3, 1, 0, 0, -1, -7, 0, -5, 0 },
/* H */      { -1, 1, -3, 1, 1, -2, -2, 6, -2, 0, 0, -2, -2, 2, _M, 0, 3, 2, -1, -1, 0, -2, -3, 0, 0, 2 },
20 /* I */      { -1, -2, -2, -2, -2, 1, -3, -2, 5, 0, -2, 2, 2, -2, _M, -2, -2, -2, -1, 0, 0, 4, -5, 0, -1, -2 },
/* J */      { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0 },
/* K */      { -1, 0, -5, 0, 0, -5, -2, 0, -2, 0, 5, -3, 0, 1, _M, -1, 1, 3, 0, 0, 0, -2, -3, 0, -4, 0 },
/* L */      { -2, -3, -6, -4, -3, 2, -4, -2, 2, 0, -3, 6, 4, -3, _M, -3, -2, -3, -3, -1, 0, 2, -2, 0, -1, -2 },
/* M */      { -1, -2, -5, -3, -2, 0, -3, -2, 2, 0, 0, 4, 6, -2, _M, -2, -1, 0, -2, -1, 0, 2, -4, 0, -2, -1 },
25 /* N */      { 0, 2, -4, 2, 1, -4, 0, 2, -2, 0, 1, -3, -2, 2, _M, -1, 1, 0, 1, 0, 0, -2, -4, 0, -2, 1 },
/* O */      { _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M },
/* P */      { 1, -1, -3, -1, -1, -5, -1, 0, -2, 0, -1, -3, -2, -1, _M, 6, 0, 0, 1, 0, 0, -1, -6, 0, -5, 0 },
/* Q */      { 0, 1, -5, 2, 2, -5, -1, 3, -2, 0, 1, -2, -1, 1, _M, 0, 4, 1, -1, -1, 0, -2, -5, 0, -4, 3 },
/* R */      { -2, 0, -4, -1, -1, -4, -3, 2, -2, 0, 3, -3, 0, 0, _M, 0, 1, 6, 0, -1, 0, -2, 2, 0, -4, 0 },
30 /* S */      { 1, 0, 0, 0, 0, -3, 1, -1, -1, 0, 0, -3, -2, 1, _M, 1, -1, 0, 2, 1, 0, -1, -2, 0, -3, 0 },
/* T */      { 1, 0, -2, 0, 0, -3, 0, -1, 0, 0, 0, -1, -1, 0, _M, 0, -1, -1, 1, 3, 0, 0, -5, 0, -3, 0 },
/* U */      { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0 },
/* V */      { 0, -2, -2, -2, -2, -1, -1, -2, 4, 0, -2, 2, 2, -2, _M, -1, -2, -2, -1, 0, 0, 4, -6, 0, -2, -2 },
35 /* W */      { -6, -5, -8, -7, -7, 0, -7, -3, -5, 0, -3, -2, -4, -4, _M, -6, -5, 2, -2, -5, 0, -6, 17, 0, 0, -6 },
/* X */      { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0 },
/* Y */      { -3, -3, 0, -4, -4, 7, -5, 0, -1, 0, -4, -1, -2, -2, _M, -5, -4, -4, -3, -3, 0, -2, 0, 0, 10, -4 },
/* Z */      { 0, 1, -5, 2, 3, -5, 0, 2, -2, 0, 0, -2, -1, 1, _M, 0, 3, 0, 0, 0, 0, -2, -6, 0, -4, 4 }
};

40

45

50

55

```


Table 1 (cont')

```

/*
*/
#include <stdio.h>
#include <ctype.h>

5
#define MAXJMP      16      /* max jumps in a diag */
#define MAXGAP      24      /* don't continue to penalize gaps larger than this */
#define JMPS        1024    /* max jmps in an path */
10
#define MX          4       /* save if there's at least MX-1 bases since last jmp */

#define DMAT        3       /* value of matching bases */
#define DMIS        0       /* penalty for mismatched bases */
#define DINS0       8       /* penalty for a gap */
#define DINS1       1       /* penalty per base */
15
#define PINS0       8       /* penalty for a gap */
#define PINS1       4       /* penalty per residue */

struct jmp {
20
    short            n[MAXJMP]; /* size of jmp (neg for dely) */
    unsigned short   x[MAXJMP]; /* base no. of jmp in seq x */
}; /* limits seq to 2^16 -1 */

struct diag {
25
    int              score;      /* score at last jmp */
    long             offset;     /* offset of prev block */
    short            jmp;        /* current jmp index */
    struct jmp        jp;        /* list of jmps */
};

30
struct path {
    int              spc;        /* number of leading spaces */
    short            n[JMPS]; /* size of jmp (gap) */
    int              x[JMPS]; /* loc of jmp (last elem before gap) */
35
};

char              *ofile;      /* output file name */
char              *name[2];    /* seq names: getseqs() */
char              *prog;       /* prog name for err msgs */
char              *seq[2];     /* seqs: getseqs() */
40
int               dmax;        /* best diag: nw() */
int               dmax0;       /* final diag */
int               dna;         /* set if dna: main() */
int               endgaps;     /* set if penalizing end gaps */
int               gapx, gapy;   /* total gaps in seqs */
45
int               len0, len1;   /* seq lens */
int               ngapx, ngapy; /* total size of gaps */
int               smax;        /* max score: nw() */
int               *xbm;        /* bitmap for matching */
long              offset;      /* current offset in jmp file */
50
struct            diag         *dx; /* holds diagonals */
struct            path         pp[2]; /* holds path for seqs */

char              *calloc(), *malloc(), *index(), *strcpy();
55
char              *getseq(), *g_calloc();

```

60

Table 1 (cont')

```

/* Needleman-Wunsch alignment program
*
* usage: progs file1 file2
* where file1 and file2 are two dna or two protein sequences.
* The sequences can be in upper- or lower-case and may contain ambiguity
* Any lines beginning with ';', '>' or '<' are ignored
* Max file length is 65535 (limited by unsigned short x in the jmp struct)
* A sequence with 1/3 or more of its elements ACGTU is assumed to be DNA
* Output is in the file "align.out"
*
* The program may create a tmp file in /tmp to hold info about traceback.
* Original version developed under BSD 4.3 on a vax 8650
*/
#include "nw.h"
#include "day.h"

static _dbval[26] = {
    1,14,2,13,0,0,4,11,0,0,12,0,3,15,0,0,0,5,6,8,8,7,9,0,10,0
};

static _pbval[26] = {
    1, 2|(1<<('D'-'A'))|(1<<('N'-'A')), 4, 8, 16, 32, 64,
    128, 256, 0xFFFFFFFF, 1<<10, 1<<11, 1<<12, 1<<13, 1<<14,
    1<<15, 1<<16, 1<<17, 1<<18, 1<<19, 1<<20, 1<<21, 1<<22,
    1<<23, 1<<24, 1<<25|(1<<('E'-'A'))|(1<<('Q'-'A'))
};

main(ac, av)
int      ac;
char     *av[];
{
    prog = av[0];
    if (ac != 3) {
        fprintf(stderr, "usage: %s file1 file2\n", prog);
        fprintf(stderr, "where file1 and file2 are two dna or two protein sequences.\n");
        fprintf(stderr, "The sequences can be in upper- or lower-case\n");
        fprintf(stderr, "Any lines beginning with ';', '>' or '<' are ignored\n");
        fprintf(stderr, "Output is in the file \"align.out\"\n");
        exit(1);
    }
    namex[0] = av[1];
    namex[1] = av[2];
    seqx[0] = getseq(namex[0], &len0);
    seqx[1] = getseq(namex[1], &len1);
    xbm = (dna)? _dbval : _pbval;

    endgaps = 0;                /* 1 to penalize endgaps */
    ofile = "align.out";        /* output file */

    nw();                       /* fill in the matrix, get the possible jumps */
    readjumps();                /* get the actual jumps */
    print();                    /* print stats, alignment */

    cleanup(0);                 /* unlink any tmp files */
}

```

Table 1 (cont')

```

/* do the alignment, return best score: main()
* dna: values in Fitch and Smith, PNAS, 80, 1382-1386, 1983
* pro: PAM 250 values
* When scores are equal, we prefer mismatches to any gap, prefer
5 * a new gap to extending an ongoing gap, and prefer a gap in seqx
  * to a gap in seq y.
  */
nw()
{
10     char          *px, *py;          /* seqs and ptrs */
    int             *ndely, *dely;      /* keep track of dely */
    int             ndelx, delx;        /* keep track of delx */
    int             *tmp;              /* for swapping row0, row1 */
    int             mis;               /* score for each type */
15     int             ins0, ins1;       /* insertion penalties */
    register        id;                /* diagonal index */
    register        ij;                /* jmp index */
    register        *col0, *col1;      /* score for curr, last row */
    register        xx, yy;            /* index into seqs */
20
    dx = (struct diag *)g_calloc("to get diags", len0 + len1 + 1, sizeof(struct diag));

    ndely = (int *)g_calloc("to get ndely", len1 + 1, sizeof(int));
    dely = (int *)g_calloc("to get dely", len1 + 1, sizeof(int));
25     col0 = (int *)g_calloc("to get col0", len1 + 1, sizeof(int));
    col1 = (int *)g_calloc("to get col1", len1 + 1, sizeof(int));
    ins0 = (dna)? DINS0 : PINS0;
    ins1 = (dna)? DINS1 : PINS1;

30     smax = -10000;
    if (endgaps) {
        for (col0[0] = dely[0] = -ins0, yy = 1; yy <= len1; yy++) {
            col0[yy] = dely[yy] = col0[yy-1] - ins1;
            ndely[yy] = yy;
35         }
        col0[0] = 0;      /* Waterman Bull Math Biol 84 */
    }
    else
40         for (yy = 1; yy <= len1; yy++)
            dely[yy] = -ins0;

    /* fill in match matrix
    */
45     for (px = seqx[0], xx = 1; xx <= len0; px++, xx++) {
        /* initialize first entry in col
        */
        if (endgaps) {
            if (xx == 1)
50                 col1[0] = delx = -(ins0 + ins1);
            else
                col1[0] = delx = col0[0] - ins1;
            ndelx = xx;
        }
        else {
55             col1[0] = 0;
            delx = -ins0;
            ndelx = 0;
        }
    }
60

```

Table 1 (cont')

...nw

```

5   for (py = seqx[1], yy = 1; yy <= len1; py++, yy++) {
      mis = col0[yy-1];
      if (dna)
10      mis += (xbm[*px-'A']&xbm[*py-'A'])? DMAT : DMIS;
      else
          mis += _day[*px-'A'][*py-'A'];

      /* update penalty for del in x seq;
      * favor new del over ongong del
      * ignore MAXGAP if weighting endgaps
      */
15      if (endgaps || ndely[yy] < MAXGAP) {
          if (col0[yy] - ins0 >= dely[yy]) {
              dely[yy] = col0[yy] - (ins0 + ins1);
              ndely[yy] = 1;
          } else {
              dely[yy] -= ins1;
              ndely[yy]++;
20          }
      } else {
          if (col0[yy] - (ins0 + ins1) >= dely[yy]) {
              dely[yy] = col0[yy] - (ins0 + ins1);
              ndely[yy] = 1;
25          } else
              ndely[yy]++;
      }

      /* update penalty for del in y seq;
      * favor new del over ongong del
      */
      if (endgaps || ndelx < MAXGAP) {
          if (col1[yy-1] - ins0 >= delx) {
30              delx = col1[yy-1] - (ins0 + ins1);
              ndelx = 1;
          } else {
              delx -= ins1;
              ndelx++;
35          }
      } else {
          if (col1[yy-1] - (ins0 + ins1) >= delx) {
              delx = col1[yy-1] - (ins0 + ins1);
              ndelx = 1;
40          } else
              ndelx++;
45      }

      /* pick the maximum score; we're favoring
      * mis over any del and delx over dely
      */
50
55
60

```

Table 1 (cont')

...nw

```

id = xx - yy + len1 - 1;
if (mis >= delx && mis >= dely[yy])
    coll[yy] = mis;
5   else if (delx >= dely[yy]) {
    coll[yy] = delx;
    ij = dx[id].ijmp;
    if (dx[id].jp.n[0] && (!dna || (ndelx >= MAXJMP
10   && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
        dx[id].ijmp++;
        if (++ij >= MAXJMP) {
            writeimps(id);
            ij = dx[id].ijmp = 0;
            dx[id].offset = offset;
            offset += sizeof(struct jmp) + sizeof(offset);
        }
        dx[id].jp.n[ij] = ndelx;
        dx[id].jp.x[ij] = xx;
        dx[id].score = delx;
    }
    else {
        coll[yy] = dely[yy];
        ij = dx[id].ijmp;
25   if (dx[id].jp.n[0] && (!dna || (ndely[yy] >= MAXJMP
        && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
            dx[id].ijmp++;
            if (++ij >= MAXJMP) {
                writeimps(id);
                ij = dx[id].ijmp = 0;
                dx[id].offset = offset;
                offset += sizeof(struct jmp) + sizeof(offset);
            }
        }
        dx[id].jp.n[ij] = -ndely[yy];
        dx[id].jp.x[ij] = xx;
        dx[id].score = dely[yy];
    }
    if (xx == len0 && yy < len1) {
40   /* last col
        */
        if (endgaps)
            coll[yy] -= ins0+ins1*(len1-yy);
        if (coll[yy] > smax) {
45   smax = coll[yy];
            dmax = id;
        }
    }
}
50   if (endgaps && xx < len0)
        coll[yy-1] -= ins0+ins1*(len0-xx);
    if (coll[yy-1] > smax) {
        smax = coll[yy-1];
        dmax = id;
55   }
    tmp = col0; col0 = coll; coll = tmp;
}
(void) free((char *)ndely);
(void) free((char *)dely);
60   (void) free((char *)col0);
    (void) free((char *)coll);
}

```

Table 1 (cont')

```

/*
 *
 * print() -- only routine visible outside this module
 *
5  * static:
 * getmat() -- trace back best path, count matches: print()
 * pr_align() -- print alignment of described in array p[]: print()
 * dumpblock() -- dump a block of lines with numbers, stars: pr_align()
10 * nums() -- put out a number line: dumpblock()
 * putline() -- put out a line (name, [num], seq, [num]): dumpblock()
 * stars() -- put a line of stars: dumpblock()
 * stripname() -- strip any path and prefix from a seqname
 */

15 #include "nw.h"

#define SPC      3
#define P_LINE  256    /* maximum output line */
#define P_SPC    3      /* space between name or num and seq */

20 extern _day[26][26];
int olen;              /* set output line length */
FILE *fx;              /* output file */

25 print()
{
    int    lx, ly, firstgap, lastgap;    /* overlap */

    if ((fx = fopen(ofile, "w")) == 0) {
30         fprintf(stderr, "%s: can't write %s\n", prog, ofile);
        cleanup(1);
    }
    fprintf(fx, "<first sequence: %s (length = %d)\n", namex[0], len0);
    fprintf(fx, "<second sequence: %s (length = %d)\n", namex[1], len1);
35     olen = 60;
    lx = len0;
    ly = len1;
    firstgap = lastgap = 0;
    if (dmax < len1 - 1) { /* leading gap in x */
40         pp[0].spc = firstgap = len1 - dmax - 1;
        ly -= pp[0].spc;
    }
    else if (dmax > len1 - 1) { /* leading gap in y */
45         pp[1].spc = firstgap = dmax - (len1 - 1);
        lx -= pp[1].spc;
    }
    if (dmax0 < len0 - 1) { /* trailing gap in x */
50         lastgap = len0 - dmax0 - 1;
        lx -= lastgap;
    }
    else if (dmax0 > len0 - 1) { /* trailing gap in y */
        lastgap = dmax0 - (len0 - 1);
        ly -= lastgap;
    }
55     getmat(lx, ly, firstgap, lastgap);
    pr_align();
}

60

```

print

Table 1 (cont')

```

/*
 * trace back the best path, count matches
 */
static
5 getmat(lx, ly, firstgap, lastgap)                                getmat
    int    lx, ly;                                /* "core" (minus endgaps) */
    int    firstgap, lastgap;                      /* leading trailing overlap */
{
    int    nm, i0, i1, siz0, siz1;
10    char    outx[32];
    double    pct;
    register    n0, n1;
    register char    *p0, *p1;

15    /* get total matches, score
    */
    i0 = i1 = siz0 = siz1 = 0;
    p0 = seqx[0] + pp[1].spc;
    p1 = seqx[1] + pp[0].spc;
20    n0 = pp[1].spc + 1;
    n1 = pp[0].spc + 1;

    nm = 0;
    while ( *p0 && *p1 ) {
25        if (siz0) {
            p1++;
            n1++;
            siz0--;
        }
        else if (siz1) {
30            p0++;
            n0++;
            siz1--;
        }
        else {
35            if (xbm[*p0-'A'] & xbm[*p1-'A'])
                nm++;
            if (n0++ == pp[0].x[i0])
                siz0 = pp[0].n[i0++];
40            if (n1++ == pp[1].x[i1])
                siz1 = pp[1].n[i1++];
            p0++;
            p1++;
        }
45    }

    /* pct homology:
    * if penalizing endgaps, base is the shorter seq
    * else, knock off overhangs and take shorter core
    */
50    if (endgaps)
        lx = (len0 < len1)? len0 : len1;
    else
        lx = (lx < ly)? lx : ly;
55    pct = 100.*(double)nm/(double)lx;
    fprintf(fx, "\n");
    fprintf(fx, "< %d match%s in an overlap of %d: %.2f percent similarity\n",
        nm, (nm == 1)? "" : "es", lx, pct);
60

```

Table 1 (cont')

```

fprintf(fx, "< gaps in first sequence: %d", gapx);
if (gapx) {
    (void) sprintf(outx, "(%d %s%s)",
        gapx, (dna)? "base":"residue", (gapx == 1)? "" : "s");
    fprintf(fx, "%s", outx);

    fprintf(fx, ", gaps in second sequence: %d", gapy);
    if (gapy) {
        (void) sprintf(outx, "(%d %s%s)",
            gapy, (dna)? "base":"residue", (gapy == 1)? "" : "s");
        fprintf(fx, "%s", outx);
    }
    if (dna)
        fprintf(fx,
            "\n<score: %d (match = %d, mismatch = %d, gap penalty = %d + %d per base)\n",
            smax, DMAT, DMIS, DINS0, DINS1);
    else
        fprintf(fx,
            "\n<score: %d (Dayhoff PAM 250 matrix, gap penalty = %d + %d per residue)\n",
            smax, PINS0, PINS1);
    if (endgaps)
        fprintf(fx,
            "<endgaps penalized. left endgap: %d %s%s, right endgap: %d %s%s\n",
            firstgap, (dna)? "base" : "residue", (firstgap == 1)? "" : "s",
            lastgap, (dna)? "base" : "residue", (lastgap == 1)? "" : "s");
    else
        fprintf(fx, "<endgaps not penalized\n");
}

static nm; /* matches in core -- for checking */
static lmax; /* lengths of stripped file names */
static ij[2]; /* jmp index for a path */
static nc[2]; /* number at start of current line */
static ni[2]; /* current elem number -- for gapping */
static siz[2];
static char *ps[2]; /* ptr to current element */
static char *po[2]; /* ptr to next output char slot */
static char out[2][P_LINE]; /* output line */
static char star[P_LINE]; /* set by stars() */

/*
 * print alignment of described in struct path pp[]
 */
static
pr_align()
{
    int nn; /* char count */
    int more;
    register i;

    for (i = 0, lmax = 0; i < 2; i++) {
        nn = stripname(namex[i]);
        if (nn > lmax)
            lmax = nn;

        nc[i] = 1;
        ni[i] = 1;
        siz[i] = ij[i] = 0;
        ps[i] = seqx[i];
        po[i] = out[i];
    }
}

```

...getmat

pr_align

Table 1 (cont')

```

for (nn = nm = 0, more = 1; more; ) {
    for (i = more = 0; i < 2; i++) {
        /*
5         * do we have more of this sequence?
        */
        if (!*ps[i])
            continue;

10         more++;

        if (pp[i].spc) { /* leading space */
            *po[i]++ = ' ';
            pp[i].spc--;
15         }
        else if (siz[i]) { /* in a gap */
            *po[i]++ = '-';
            siz[i]--;
20         }
        else { /* we're putting a seq element
            */
            *po[i] = *ps[i];
            if (islower(*ps[i]))
                *ps[i] = toupper(*ps[i]);
25             po[i]++;
            ps[i]++;

            /*
30             * are we at next gap for this seq?
            */
            if (ni[i] == pp[i].x[ij[i]]) {
                /*
                * we need to merge all gaps
                * at this location
35                 */
                siz[i] = pp[i].n[ij[i] + +];
                while (ni[i] == pp[i].x[ij[i]])
                    siz[i] += pp[i].n[ij[i] + +];
40                 }
                ni[i]++;
            }
        }
        if (++nn == olen || !more && nn) {
45             dumpblock();
            for (i = 0; i < 2; i++)
                po[i] = out[i];
            nn = 0;
        }
50     }

    /*
    * dump a block of lines, including numbers, stars: pr_align()
    */
55     static
    dumpblock()
    {
        register i;

60         for (i = 0; i < 2; i++)
            *po[i] = '\0';
    }
}

```

...pr_align

dumpblock

Table 1 (cont')

...dumpblock

```

5      (void) putc('\n', fx);
      for (i = 0; i < 2; i++) {
          if (*out[i] && (*out[i] != ' ' || *(po[i]) != ' ')) {
              if (i == 0)
                  nums(i);
              if (i == 0 && *out[1])
                  stars();
10         putline(i);
              if (i == 0 && *out[1])
                  fprintf(fx, star);
              if (i == 1)
                  nums(i);
15         }
      }
  }

/*
20  * put out a number line: dumpblock()
  */
  static
  nums(ix)
25  {
      int    ix;      /* index in out[] holding seq line */

      char    nline[P_LINE];
      register i, j;
      register char *pn, *px, *py;

30      for (pn = nline, i = 0; i < lmax + P_SPC; i++, pn++)
          *pn = ' ';
      for (i = nc[ix], py = out[ix]; *py; py++, pn++) {
          if (*py == ' ' || *py == '-')
35              *pn = ' ';
          else {
              if (i % 10 == 0 || (i == 1 && nc[ix] != 1)) {
                  j = (i < 0) ? -i : i;
                  for (px = pn; j /= 10, px--)
40                      *px = j % 10 + '0';
                  if (i < 0)
                      *px = '-';
              }
              else
45                  *pn = ' ';
              i++;
          }
      }
      *pn = '\0';
      nc[ix] = i;
50      for (pn = nline; *pn; pn++)
          (void) putc(*pn, fx);
      (void) putc('\n', fx);
  }

/*
55  * put out a line (name, [num], seq, [num]): dumpblock()
  */
  static
  putline(ix)
60  {
      int    ix;

```

nums

putline

Table 1 (cont')

...putline

```

5      int          i;
      register char *px;

      for (px = namex[ix], i = 0; *px && *px != ':'; px++, i++)
          (void) putc(*px, fx);
      for (; i < lmax + P_SPC; i++)
          (void) putc(' ', fx);

10     /* these count from 1:
       * ni[] is current element (from 1)
       * nc[] is number at start of current line
       */
15     for (px = out[ix]; *px; px++)
          (void) putc(*px & 0x7F, fx);
      (void) putc('\n', fx);
  }

20  /*
   * put a line of stars (seqs always in out[0], out[1]): dumpblock()
   */
   static
25  stars()
  {
      int          i;
      register char *p0, *p1, cx, *px;

30     if (!*out[0] || (*out[0] == ' ' && *(p0[0]) == ' ') ||
        !*out[1] || (*out[1] == ' ' && *(p0[1]) == ' '))
          return;
      px = star;
      for (i = lmax + P_SPC; i--;)
35         *px++ = ' ';

      for (p0 = out[0], p1 = out[1]; *p0 && *p1; p0++, p1++) {
          if (isalpha(*p0) && isalpha(*p1)) {
40             if (xbm[*p0-'A'] & xbm[*p1-'A']) {
                 cx = '*';
                 nm++;
             }
             else if (!dna && _day[*p0-'A'][*p1-'A'] > 0)
45                 cx = '.';
             else
                 cx = ' ';
          }
          else
50             cx = ' ';
          *px++ = cx;
      }
      *px++ = '\n';
      *px = '\0';
55  }

```

stars

Table 1 (cont')

```

/*
 * strip path or prefix from pn, return len: pr_align()
 */
static
5 stripname(pn)
    char    *pn;    /* file name (may be path) */
{
    register char    *px, *py;
10    py = 0;
    for (px = pn; *px; px++)
        if (*px == '/')
            py = px + 1;
15    if (py)
        (void) strcpy(pn, py);
    return(strlen(pn));
}

```

stripname

20

25

30

35

40

45

50

55

60

Table 1 (cont')

```

/*
 * cleanup() -- cleanup any tmp file
 * getseq() -- read in seq, set dna, len, maxlen
 * g_calloc() -- calloc() with error checkin
5  * readjimps() -- get the good jimps, from tmp file if necessary
 * writejimps() -- write a filled array of jimps to a tmp file: nw()
 */
#include "nw.h"
#include <sys/file.h>

10 char    *jname = "/tmp/homgXXXXXX";          /* tmp file for jimps */
FILE      *fj;

int        cleanup();                          /* cleanup tmp file */
15 long     lseek();

/*
 * remove any tmp file if we blow
 */
20 cleanup(i)
    int     i;
{
    if (fj)
        (void) unlink(jname);
25     exit(i);
}

/*
 * read, return ptr to seq, set dna, len, maxlen
 * skip lines starting with ';', '<', or '>'
 * seq in upper or lower case
 */
30 char      *
getseq(file, len)
35     char    *file;    /* file name */
    int      *len;      /* seq len */
{
    char      line[1024], *pseq;
    register char *px, *py;
    int       natgc, tlen;
    FILE      *fp;

    if ((fp = fopen(file, "r")) == 0) {
        fprintf(stderr, "%s: can't read %s\n", prog, file);
45     exit(1);
    }
    tlen = natgc = 0;
    while (fgets(line, 1024, fp)) {
        if (*line == ';' || *line == '<' || *line == '>')
            continue;
50     for (px = line; *px != '\n'; px++)
        if (isupper(*px) || islower(*px))
            tlen++;
    }
    if ((pseq = malloc((unsigned)(tlen+6))) == 0) {
        fprintf(stderr, "%s: malloc() failed to get %d bytes for %s\n", prog, tlen+6, file);
55     exit(1);
    }
    pseq[0] = pseq[1] = pseq[2] = pseq[3] = '\0';
60

```

cleanup

getseq

Table 1 (cont')

...getseq

```

5      py = pseq + 4;
      *len = tlen;
      rewind(fp);

      while (fgets(line, 1024, fp)) {
          if (*line == ';' || *line == '<' || *line == '>')
              continue;
          for (px = line; *px != '\n'; px++) {
10              if (isupper(*px))
                  *py++ = *px;
                  else if (islower(*px))
                      *py++ = toupper(*px);
                  if (index("ATGCU", *(py-1)))
15                      natgc++;
          }
      }
      *py++ = '\0';
      *py = '\0';
20      (void) fclose(fp);
      dna = natgc > (tlen/3);
      return(pseq+4);
}

25 char *
g_calloc(msg, nx, sz)
      char *msg;          /* program, calling routine */
      int nx, sz;          /* number and size of elements */
      {
30      char *px, *calloc();

      if ((px = calloc((unsigned)nx, (unsigned)sz)) == 0) {
          if (*msg) {
35              fprintf(stderr, "%s: g_calloc() failed %s (n=%d, sz=%d)\n", prog, msg, nx, sz);
              exit(1);
          }
      }
      return(px);
40 }

/*
 * get final jmps from dx[] or tmp file, set pp[], reset dmax: main()
 */
readjmps()
45 {
      int fd = -1;
      int siz, i0, i1;
      register i, j, xx;

50      if (fj) {
          (void) fclose(fj);
          if ((fd = open(jname, O_RDONLY, 0)) < 0) {
              fprintf(stderr, "%s: can't open() %s\n", prog, jname);
              cleanup(1);
55          }
      }
      for (i = i0 = i1 = 0, dmax0 = dmax, xx = len0; ; i++) {
          while (1) {
60              for (j = dx[dmax].ijmp; j >= 0 && dx[dmax].jp.x[j] >= xx; j--)
                  ;

```

g_calloc

readjmps

Table 1 (cont')

...readjumps

```

5         if (j < 0 && dx[dmax].offset && fj) {
            (void) lseek(fd, dx[dmax].offset, 0);
            (void) read(fd, (char *)&dx[dmax].jp, sizeof(struct jmp));
            (void) read(fd, (char *)&dx[dmax].offset, sizeof(dx[dmax].offset));
            dx[dmax].ijmp = MAXJMP-1;
        }
        else
            break;
10    }
    if (i >= JMPS) {
        fprintf(stderr, "%s: too many gaps in alignment\n", prog);
        cleanup(1);
    }
15    if (j >= 0) {
        siz = dx[dmax].jp.n[j];
        xx = dx[dmax].jp.x[j];
        dmax += siz;
        if (siz < 0) { /* gap in second seq */
20            pp[1].n[i1] = -siz;
            xx += siz;
            /* id = xx - yy + len1 - 1 */
            /*
25            pp[1].x[i1] = xx - dmax + len1 - 1;
            gapy++;
            ngapy -= siz;
            /* ignore MAXGAP when doing endgaps */
            siz = (-siz < MAXGAP || endgaps)? -siz : MAXGAP;
            i1++;
30        }
        else if (siz > 0) { /* gap in first seq */
            pp[0].n[i0] = siz;
            pp[0].x[i0] = xx;
            gapx++;
            ngapx += siz;
35            /* ignore MAXGAP when doing endgaps */
            siz = (siz < MAXGAP || endgaps)? siz : MAXGAP;
            i0++;
        }
40    }
    else
        break;
}

45    /* reverse the order of jumps
    */
    for (j = 0, i0--; j < i0; j++, i0--) {
        i = pp[0].n[j]; pp[0].n[j] = pp[0].n[i0]; pp[0].n[i0] = i;
        i = pp[0].x[j]; pp[0].x[j] = pp[0].x[i0]; pp[0].x[i0] = i;
50    }
    for (j = 0, i1--; j < i1; j++, i1--) {
        i = pp[1].n[j]; pp[1].n[j] = pp[1].n[i1]; pp[1].n[i1] = i;
        i = pp[1].x[j]; pp[1].x[j] = pp[1].x[i1]; pp[1].x[i1] = i;
    }
55    if (fd >= 0)
        (void) close(fd);
    if (fj) {
        (void) unlink(jname);
        fj = 0;
        offset = 0;
60    }
}

```

Table 1 (cont')

```

/*
 * write a filled jmp struct offset of the prev one (if any): nw()
 */
5  writejumps(ix)                                writejumps
    int      ix;
    {
        char  *mktemp();
10         if (!fj) {
            if (mktemp(jname) < 0) {
                fprintf(stderr, "%s: can't mktemp() %s\n", prog, jname);
                cleanup(1);
            }
15         if ((fj = fopen(jname, "w")) == 0) {
            fprintf(stderr, "%s: can't write %s\n", prog, jname);
            exit(1);
        }
20         (void) fwrite((char *)&dx[ix].jp, sizeof(struct jmp), 1, fj);
        (void) fwrite((char *)&dx[ix].offset, sizeof(dx[ix].offset), 1, fj);
    }
25
30
35
40
45
50
55
60

```


Table 2

PRO	XXXXXXXXXXXXXXXXXX	(Length = 15 amino acids)
Comparison Protein	XXXXXXXXYYYYYY	(Length = 12 amino acids)

5 % amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

10 5 divided by 15 = 33.3%

Table 3

15 PRO	XXXXXXXXXX	(Length = 10 amino acids)
Comparison Protein	XXXXXXXXYYYYYYZZYZ	(Length = 15 amino acids)

% amino acid sequence identity =

20 (the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

5 divided by 10 = 50%

Table 4

PRO-DNA	NNNNNNNNNNNNNN	(Length = 14 nucleotides)
Comparison DNA	NNNNNNLLLLLLLLLL	(Length = 16 nucleotides)

5 % nucleic acid sequence identity =

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

10 6 divided by 14 = 42.9%

Table 5

15 PRO-DNA	NNNNNNNNNNNN	(Length = 12 nucleotides)
Comparison DNA	NNNNLLLVV	(Length = 9 nucleotides)

% nucleic acid sequence identity =

20 (the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

4 divided by 12 = 33.3%

II. Compositions and Methods of the Invention

A. Full-Length PRO Polypeptides

The present invention provides newly identified and isolated nucleotide sequences encoding polypeptides referred to in the present application as PRO polypeptides. In particular, cDNAs encoding various PRO polypeptides have been identified and isolated, as disclosed in further detail in the Examples below. It is noted that proteins produced in separate expression rounds may be given different PRO numbers but the UNQ number is unique for any given DNA and the encoded protein, and will not be changed. However, for sake of simplicity, in the present specification the protein encoded by the full length native nucleic acid molecules disclosed herein as well as all further native homologues and variants included in the foregoing definition of PRO, will be referred to as "PRO/number", regardless of their origin or mode of preparation.

As disclosed in the Examples below, various cDNA clones have been deposited with the ATCC. The actual nucleotide sequences of those clones can readily be determined by the skilled artisan by sequencing of the deposited clone using routine methods in the art. The predicted amino acid sequence can be determined from the nucleotide sequence using routine skill. For the PRO polypeptides and encoding nucleic acids described herein, Applicants have identified what is believed to be the reading frame best identifiable with the sequence information available at the time.

B. PRO Polypeptide Variants

In addition to the full-length native sequence PRO polypeptides described herein, it is contemplated that PRO variants can be prepared. PRO variants can be prepared by introducing appropriate nucleotide changes into the PRO DNA, and/or by synthesis of the desired PRO polypeptide. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the PRO, such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

Variations in the native full-length sequence PRO or in various domains of the PRO described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative mutations set forth, for instance, in U.S. Patent No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the PRO that results in a change in the amino acid sequence of the PRO as compared with the native sequence PRO. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains of the PRO. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by comparing the sequence of the PRO with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence.

PRO polypeptide fragments are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full length native protein. Certain fragments lack amino acid residues that are not essential for a desired biological activity of the PRO polypeptide.

PRO fragments may be prepared by any of a number of conventional techniques. Desired peptide fragments may be chemically synthesized. An alternative approach involves generating PRO fragments by enzymatic digestion, e.g., by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the desired fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide fragment, by polymerase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR. Preferably, PRO polypeptide fragments share at least one biological and/or immunological activity with the native PRO polypeptide disclosed herein.

In particular embodiments, conservative substitutions of interest are shown in Table 6 under the heading of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 6, or as further described below in reference to amino acid classes, are introduced and the products screened.

Table 6

	<u>Original Residue</u>	<u>Exemplary Substitutions</u>	<u>Preferred Substitutions</u>
20	Ala (A)	val; leu; ile	val
	Arg (R)	lys; gln; asn	lys
25	Asn (N)	gln; his; lys; arg	gln
	Asp (D)	glu	glu
	Cys (C)	ser	ser
	Gln (Q)	asn	asn
	Glu (E)	asp	asp
30	Gly (G)	pro; ala	ala
	His (H)	asn; gln; lys; arg	arg
	Ile (I)	leu; val; met; ala; phe; norleucine	leu
	Leu (L)	norleucine; ile; val; met; ala; phe	ile
35	Lys (K)	arg; gln; asn	arg
	Met (M)	leu; phe; ile	leu
	Phe (F)	leu; val; ile; ala; tyr	leu
	Pro (P)	ala	ala
40	Ser (S)	thr	thr
	Thr (T)	ser	ser
	Trp (W)	tyr; phe	tyr
	Tyr (Y)	trp; phe; thr; ser	phe
45	Val (V)	ile; leu; met; phe; ala; norleucine	leu

Substantial modifications in function or immunological identity of the PRO polypeptide are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

- 5 (1) hydrophobic: norleucine, met, ala, val, leu, ile;
- (2) neutral hydrophilic: cys, ser, thr;
- (3) acidic: asp, glu;
- (4) basic: asn, gln, his, lys, arg;
- (5) residues that influence chain orientation: gly, pro; and
- 10 (6) aromatic: trp, tyr, phe.

Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis [Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)], cassette mutagenesis [Wells et al., Gene, 34:315 (1985)], restriction selection mutagenesis [Wells et al., Philos. Trans. R. Soc. London SerA, 317:415 (1986)] or other known techniques can be performed on the cloned DNA to produce the PRO variant DNA.

20 Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-chain conformation of the variant [Cunningham and Wells, Science, 244: 1081-1085 (1989)]. Alanine is also

25 typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions [Creighton, The Proteins, (W.H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1 (1976)]. If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

C. Modifications of PRO

30 Covalent modifications of PRO are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a PRO polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C- terminal residues of the PRO. Derivatization with bifunctional agents is useful, for instance, for crosslinking PRO to a water-insoluble support matrix or surface for use in the method for purifying anti-PRO antibodies, and vice-versa. Commonly used

35 crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-

octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

Other modifications include deamidation of glutamyl and asparagyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, Proteins: Structure and Molecular Properties, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the PRO polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence PRO (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means), and/or adding one or more glycosylation sites that are not present in the native sequence PRO. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.

Addition of glycosylation sites to the PRO polypeptide may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence PRO (for O-linked glycosylation sites). The PRO amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the PRO polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the PRO polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the PRO polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of PRO comprises linking the PRO polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

The PRO of the present invention may also be modified in a way to form a chimeric molecule comprising PRO fused to another, heterologous polypeptide or amino acid sequence.

In one embodiment, such a chimeric molecule comprises a fusion of the PRO with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino- or carboxyl- terminus of the PRO. The presence of such epitope-tagged forms of the PRO can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the PRO to

be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; an α -tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

In an alternative embodiment, the chimeric molecule may comprise a fusion of the PRO with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule (also referred to as an "immunoadhesin"), such a fusion could be to the Fc region of an IgG molecule. The Ig fusions preferably include the substitution of a soluble (transmembrane domain deleted or inactivated) form of a PRO polypeptide in place of at least one variable region within an Ig molecule. In a particularly preferred embodiment, the immunoglobulin fusion includes the hinge, CH2 and CH3, or the hinge, CH1, CH2 and CH3 regions of an IgG1 molecule. For the production of immunoglobulin fusions see also US Patent No. 5,428,130 issued June 27, 1995.

D. Preparation of PRO

The description below relates primarily to production of PRO by culturing cells transformed or transfected with a vector containing PRO nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed to prepare PRO. For instance, the PRO sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques [see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W.H. Freeman Co., San Francisco, CA (1969); Merrifield, J. Am. Chem. Soc., 85:2149-2154 (1963)]. *In vitro* protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, CA) using manufacturer's instructions. Various portions of the PRO may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length PRO.

1. Isolation of DNA Encoding PRO

DNA encoding PRO may be obtained from a cDNA library prepared from tissue believed to possess the PRO mRNA and to express it at a detectable level. Accordingly, human PRO DNA can be conveniently obtained from a cDNA library prepared from human tissue, such as described in the Examples. The PRO-encoding gene may also be obtained from a genomic library or by known synthetic procedures (e.g., automated nucleic acid synthesis).

Libraries can be screened with probes (such as antibodies to the PRO or oligonucleotides of at least about 20-80 bases) designed to identify the gene of interest or the protein encoded by it. Screening the cDNA or genomic library with the selected probe may be conducted using standard procedures, such as described in Sambrook et al., Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory Press, 1989). An alternative means to isolate the gene encoding PRO is to use PCR methodology [Sambrook et al., supra; Dieffenbach et al., PCR Primer: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1995)].

The Examples below describe techniques for screening a cDNA library. The oligonucleotide sequences selected as probes should be of sufficient length and sufficiently unambiguous that false positives are minimized. The oligonucleotide is preferably labeled such that it can be detected upon hybridization to DNA in the library being screened. Methods of labeling are well known in the art, and include the use of radiolabels like ³²P-labeled ATP, biotinylation or enzyme labeling. Hybridization conditions, including moderate stringency and high stringency, are provided in Sambrook et al., supra.

Sequences identified in such library screening methods can be compared and aligned to other known sequences deposited and available in public databases such as GenBank or other private sequence databases. Sequence identity (at either the amino acid or nucleotide level) within defined regions of the molecule or across the full-length sequence can be determined using methods known in the art and as described herein.

Nucleic acid having protein coding sequence may be obtained by screening selected cDNA or genomic libraries using the deduced amino acid sequence disclosed herein for the first time, and, if necessary, using conventional primer extension procedures as described in Sambrook et al., supra, to detect precursors and processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

2. Selection and Transformation of Host Cells

Host cells are transfected or transformed with expression or cloning vectors described herein for PRO production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example, CaCl₂, CaPO₄, liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with *Agrobacterium tumefaciens* is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859 published 29 June 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Patent No. 4,399,216. Transformations into yeast are typically carried out according to the

method of Van Solingen et al., J. Bact., 130:946 (1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene, polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

5 Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as *E. coli*. Various *E. coli* strains are publicly available, such as *E. coli* K12 strain MM294 (ATCC 31,446); *E. coli* X1776 (ATCC 31,537); *E. coli* strain W3110 (ATCC 27,325) and K5 772 (ATCC 53,635). Other suitable prokaryotic host cells include
10 Enterobacteriaceae such as *Escherichia*, e.g., *E. coli*, *Enterobacter*, *Erwinia*, *Klebsiella*, *Proteus*, *Salmonella*, e.g., *Salmonella typhimurium*, *Serratia*, e.g., *Serratia marcescans*, and *Shigella*, as well as *Bacilli* such as *B. subtilis* and *B. licheniformis* (e.g., *B. licheniformis* 41P disclosed in DD 266,710 published 12 April 1989), *Pseudomonas* such as *P. aeruginosa*, and *Streptomyces*. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant
15 DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including *E. coli* W3110 strain 1A2, which has the complete genotype *tonA*; *E. coli* W3110 strain 9E4, which has the complete genotype *tonA ptr3*; *E. coli* W3110 strain 27C7 (ATCC 55,244), which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT kan'*; *E. coli*
20 W3110 strain 37D6, which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG kan'*; *E. coli* W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant *degP* deletion mutation; and an *E. coli* strain having mutant periplasmic protease disclosed in U.S. Patent No. 4,946,783 issued 7 August 1990. Alternatively, *in vitro* methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

25 In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for PRO-encoding vectors. *Saccharomyces cerevisiae* is a commonly used lower eukaryotic host microorganism. Others include *Schizosaccharomyces pombe* (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published 2 May 1985); *Kluyveromyces* hosts (U.S. Patent No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., *K. lactis* (MW98-8C, CBS683, CBS4574; Louvencourt et al.,
30 J. Bacteriol., 154(2):737-742 [1983]), *K. fragilis* (ATCC 12,424), *K. bulgaricus* (ATCC 16,045), *K. wickerhamii* (ATCC 24,178), *K. waltii* (ATCC 56,500), *K. drosophilae* (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), *K. thermotolerans*, and *K. marxianus*; *yarrowia* (EP 402,226); *Pichia pastoris* (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); *Candida*; *Trichoderma reesia* (EP 244,234); *Neurospora crassa* (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); *Schwanniomyces*
35 such as *Schwanniomyces occidentalis* (EP 394,538 published 31 October 1990); and filamentous fungi such as, e.g., *Neurospora*, *Penicillium*, *Tolypocladium* (WO 91/00357 published 10 January 1991), and *Aspergillus* hosts such as *A. nidulans* (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 [1983]; Tilburn et al.,

Gene, 26:205-221 [1983]; Yelton et al., Proc. Natl. Acad. Sci. USA, 81: 1470-1474 [1984]) and *A. niger* (Kelly and Hynes, EMBO J., 4:475-479 [1985]). Methylotropic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of *Hansenula*, *Candida*, *Kloeckera*, *Pichia*, *Saccharomyces*, *Torulopsis*, and *Rhodotorula*. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylotrophs, 269 (1982).

5 Suitable host cells for the expression of glycosylated PRO are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as *Drosophila* S2 and *Spodoptera* Sf9, as well as plant cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., J.
10 Gen Virol., 36:59 (1977)); Chinese hamster ovary cells/-DHFR (CHO, Urlaub and Chasin, Proc. Natl. Acad. Sci. USA, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, Biol. Reprod., 23:243-251 (1980)); human lung cells (W138, ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

15 3. Selection and Use of a Replicable Vector

The nucleic acid (e.g., cDNA or genomic DNA) encoding PRO may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an
20 appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

25 The PRO may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the PRO-encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g.,
30 the yeast invertase leader, alpha factor leader (including *Saccharomyces* and *Kluyveromyces* α -factor leaders, the latter described in U.S. Patent No. 5,010,182), or acid phosphatase leader, the *C. albicans* glucoamylase leader (EP 362,179 published 4 April 1990), or the signal described in WO 90/13646 published 15 November 1990. In mammalian cell expression, mammalian signal sequences may be used to direct secretion of the
35 protein, such as signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2 μ plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for cloning vectors in mammalian cells.

5 Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for *Bacilli*.

10 An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the PRO-encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., Proc. Natl. Acad. Sci. USA, 77:4216 (1980). A suitable selection gene for use in yeast is the *trp1* gene present in the yeast plasmid YRp7 [Stinchcomb et al., Nature, 282:39 (1979); Kingsman et al., Gene, 7:141 (1979); Tschemper et al., Gene, 10:157 (1980)]. The *trp1* gene
15 provides a selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 [Jones, Genetics, 85:12 (1977)].

 Expression and cloning vectors usually contain a promoter operably linked to the PRO-encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well known. Promoters suitable for use with prokaryotic hosts include the β -lactamase and lactose promoter systems
20 [Chang et al., Nature, 275:615 (1978); Goeddel et al., Nature, 281:544 (1979)], alkaline phosphatase, a tryptophan (*trp*) promoter system [Goeddel, Nucleic Acids Res., 8:4057 (1980); EP 36,776], and hybrid promoters such as the *tac* promoter [deBoer et al., Proc. Natl. Acad. Sci. USA, 80:21-25 (1983)]. Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S.D.) sequence operably linked to the DNA encoding PRO.

25 Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase [Hitzeman et al., J. Biol. Chem., 255:2073 (1980)] or other glycolytic enzymes [Hess et al., J. Adv. Enzyme Reg., 7:149 (1968); Holland, Biochemistry, 17:4900 (1978)], such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose
30 isomerase, and glucokinase.

 Other yeast promoters, which are inducible promoters having the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and
35 promoters for use in yeast expression are further described in EP 73,657.

 PRO transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published 5 July

1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

Transcription of a DNA encoding the PRO by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin, α -fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or 3' to the PRO coding sequence, but is preferably located at a site 5' from the promoter.

Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding PRO.

Still other methods, vectors, and host cells suitable for adaptation to the synthesis of PRO in recombinant vertebrate cell culture are described in Gething et al., Nature, 293:620-625 (1981); Mantei et al., Nature, 281:40-46 (1979); EP 117,060; and EP 117,058.

4. Detecting Gene Amplification/Expression

Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)], dot blotting (DNA analysis), or *in situ* hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence PRO polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to PRO DNA and encoding a specific antibody epitope.

5. Purification of Polypeptide

Forms of PRO may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of PRO can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

5 It may be desired to purify PRO from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns
10 to bind epitope-tagged forms of the PRO. Various methods of protein purification may be employed and such methods are known in the art and described for example in Deutscher, Methods in Enzymology, 182 (1990); Scopes, Protein Purification: Principles and Practice, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular PRO produced.

15

E. Uses for PRO

Nucleotide sequences (or their complement) encoding PRO have various applications in the art of molecular biology, including uses as hybridization probes, in chromosome and gene mapping and in the generation of anti-sense RNA and DNA. PRO nucleic acid will also be useful for the preparation of PRO
20 polypeptides by the recombinant techniques described herein.

The full-length native sequence PRO gene, or portions thereof, may be used as hybridization probes for a cDNA library to isolate the full-length PRO cDNA or to isolate still other cDNAs (for instance, those encoding naturally-occurring variants of PRO or PRO from other species) which have a desired sequence identity to the native PRO sequence disclosed herein. Optionally, the length of the probes will be about 20 to about 50
25 bases. The hybridization probes may be derived from at least partially novel regions of the full length native nucleotide sequence wherein those regions may be determined without undue experimentation or from genomic sequences including promoters, enhancer elements and introns of native sequence PRO. By way of example, a screening method will comprise isolating the coding region of the PRO gene using the known DNA sequence to synthesize a selected probe of about 40 bases. Hybridization probes may be labeled by a variety of labels,
30 including radionucleotides such as ^{32}P or ^{35}S , or enzymatic labels such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems. Labeled probes having a sequence complementary to that of the PRO gene of the present invention can be used to screen libraries of human cDNA, genomic DNA or mRNA to determine which members of such libraries the probe hybridizes to. Hybridization techniques are described in further detail in the Examples below.

35 Any EST sequences disclosed in the present application may similarly be employed as probes, using the methods disclosed herein.

Other useful fragments of the PRO nucleic acids include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target PRO mRNA (sense) or PRO DNA (antisense) sequences. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment of the coding region of PRO DNA. Such a fragment generally comprises at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen (Cancer Res. 48:2659, 1988) and van der Krol et al. (BioTechniques 6:958, 1988).

Binding of antisense or sense oligonucleotides to target nucleic acid sequences results in the formation of duplexes that block transcription or translation of the target sequence by one of several means, including enhanced degradation of the duplexes, premature termination of transcription or translation, or by other means. The antisense oligonucleotides thus may be used to block expression of PRO proteins. Antisense or sense oligonucleotides further comprise oligonucleotides having modified sugar-phosphodiester backbones (or other sugar linkages, such as those described in WO 91/06629) and wherein such sugar linkages are resistant to endogenous nucleases. Such oligonucleotides with resistant sugar linkages are stable *in vivo* (i.e., capable of resisting enzymatic degradation) but retain sequence specificity to be able to bind to target nucleotide sequences.

Other examples of sense or antisense oligonucleotides include those oligonucleotides which are covalently linked to organic moieties, such as those described in WO 90/10048, and other moieties that increase affinity of the oligonucleotide for a target nucleic acid sequence, such as poly-(L-lysine). Further still, intercalating agents, such as ellipticine, and alkylating agents or metal complexes may be attached to sense or antisense oligonucleotides to modify binding specificities of the antisense or sense oligonucleotide for the target nucleotide sequence.

Antisense or sense oligonucleotides may be introduced into a cell containing the target nucleic acid sequence by any gene transfer method, including, for example, CaPO₄-mediated DNA transfection, electroporation, or by using gene transfer vectors such as Epstein-Barr virus. In a preferred procedure, an antisense or sense oligonucleotide is inserted into a suitable retroviral vector. A cell containing the target nucleic acid sequence is contacted with the recombinant retroviral vector, either *in vivo* or *ex vivo*. Suitable retroviral vectors include, but are not limited to, those derived from the murine retrovirus M-MuLV, N2 (a retrovirus derived from M-MuLV), or the double copy vectors designated DCT5A, DCT5B and DCT5C (see WO 90/13641).

Sense or antisense oligonucleotides also may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell.

Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. The sense or antisense oligonucleotide-lipid complex is preferably dissociated within the cell by an endogenous lipase.

Antisense or sense RNA or DNA molecules are generally at least about 5 bases in length, about 10 bases in length, about 15 bases in length, about 20 bases in length, about 25 bases in length, about 30 bases in length, about 35 bases in length, about 40 bases in length, about 45 bases in length, about 50 bases in length, about 55 bases in length, about 60 bases in length, about 65 bases in length, about 70 bases in length, about 75 bases in length, about 80 bases in length, about 85 bases in length, about 90 bases in length, about 95 bases in length, about 100 bases in length, or more.

The probes may also be employed in PCR techniques to generate a pool of sequences for identification of closely related PRO coding sequences.

Nucleotide sequences encoding a PRO can also be used to construct hybridization probes for mapping the gene which encodes that PRO and for the genetic analysis of individuals with genetic disorders. The nucleotide sequences provided herein may be mapped to a chromosome and specific regions of a chromosome using known techniques, such as *in situ* hybridization, linkage analysis against known chromosomal markers, and hybridization screening with libraries.

When the coding sequences for PRO encode a protein which binds to another protein (example, where the PRO is a receptor), the PRO can be used in assays to identify the other proteins or molecules involved in the binding interaction. By such methods, inhibitors of the receptor/ligand binding interaction can be identified. Proteins involved in such binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction. Also, the receptor PRO can be used to isolate correlative ligand(s). Screening assays can be designed to find lead compounds that mimic the biological activity of a native PRO or a receptor for PRO. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates. Small molecules contemplated include synthetic organic or inorganic compounds. The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays and cell based assays, which are well characterized in the art.

Nucleic acids which encode PRO or its modified forms can also be used to generate either transgenic animals or "knock out" animals which, in turn, are useful in the development and screening of therapeutically useful reagents. A transgenic animal (e.g., a mouse or rat) is an animal having cells that contain a transgene, which transgene was introduced into the animal or an ancestor of the animal at a prenatal, e.g., an embryonic stage. A transgene is a DNA which is integrated into the genome of a cell from which a transgenic animal develops. In one embodiment, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques and the genomic sequences used to generate transgenic animals that contain cells which express DNA encoding PRO. Methods for generating transgenic animals, particularly animals such as mice or rats, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009. Typically, particular cells would be targeted for PRO transgene incorporation with tissue-specific enhancers. Transgenic animals that include a copy of a transgene encoding PRO introduced into the germ line of the animal at an embryonic stage can be used to examine the effect of increased expression of DNA encoding PRO. Such animals can be used as tester animals for reagents thought to confer protection from, for example, pathological conditions associated with its overexpression. In accordance with this facet of

the invention, an animal is treated with the reagent and a reduced incidence of the pathological condition, compared to untreated animals bearing the transgene, would indicate a potential therapeutic intervention for the pathological condition.

Alternatively, non-human homologues of PRO can be used to construct a PRO "knock out" animal which has a defective or altered gene encoding PRO as a result of homologous recombination between the endogenous gene encoding PRO and altered genomic DNA encoding PRO introduced into an embryonic stem cell of the animal. For example, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques. A portion of the genomic DNA encoding PRO can be deleted or replaced with another gene, such as a gene encoding a selectable marker which can be used to monitor integration. Typically, several kilobases of unaltered flanking DNA (both at the 5' and 3' ends) are included in the vector [see e.g., Thomas and Capecchi, *Cell*, 51:503 (1987) for a description of homologous recombination vectors]. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced DNA has homologously recombined with the endogenous DNA are selected [see e.g., Li et al., *Cell*, 69:915 (1992)]. The selected cells are then injected into a blastocyst of an animal (e.g., a mouse or rat) to form aggregation chimeras [see e.g., Bradley, in *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, E. J. Robertson, ed. (IRL, Oxford, 1987), pp. 113-152]. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term to create a "knock out" animal. Progeny harboring the homologously recombined DNA in their germ cells can be identified by standard techniques and used to breed animals in which all cells of the animal contain the homologously recombined DNA. Knockout animals can be characterized for instance, for their ability to defend against certain pathological conditions and for their development of pathological conditions due to absence of the PRO polypeptide.

Nucleic acid encoding the PRO polypeptides may also be used in gene therapy. In gene therapy applications, genes are introduced into cells in order to achieve *in vivo* synthesis of a therapeutically effective genetic product, for example for replacement of a defective gene. "Gene therapy" includes both conventional gene therapy where a lasting effect is achieved by a single treatment, and the administration of gene therapeutic agents, which involves the one time or repeated administration of a therapeutically effective DNA or mRNA. Antisense RNAs and DNAs can be used as therapeutic agents for blocking the expression of certain genes *in vivo*. It has already been shown that short antisense oligonucleotides can be imported into cells where they act as inhibitors, despite their low intracellular concentrations caused by their restricted uptake by the cell membrane. (Zamecnik *et al.*, *Proc. Natl. Acad. Sci. USA* 83:4143-4146 [1986]). The oligonucleotides can be modified to enhance their uptake, e.g. by substituting their negatively charged phosphodiester groups by uncharged groups.

There are a variety of techniques available for introducing nucleic acids into viable cells. The techniques vary depending upon whether the nucleic acid is transferred into cultured cells *in vitro*, or *in vivo* in the cells of the intended host. Techniques suitable for the transfer of nucleic acid into mammalian cells *in vitro* include the use of liposomes, electroporation, microinjection, cell fusion, DEAE-dextran, the calcium phosphate precipitation method, etc. The currently preferred *in vivo* gene transfer techniques include transfection with viral

(typically retroviral) vectors and viral coat protein-liposome mediated transfection (Dzau et al., Trends in Biotechnology 11, 205-210 [1993]). In some situations it is desirable to provide the nucleic acid source with an agent that targets the target cells, such as an antibody specific for a cell surface membrane protein or the target cell, a ligand for a receptor on the target cell, etc. Where liposomes are employed, proteins which bind to a cell surface membrane protein associated with endocytosis may be used for targeting and/or to facilitate uptake, e.g. capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half-life. The technique of receptor-mediated endocytosis is described, for example, by Wu et al., J. Biol. Chem. 262, 4429-4432 (1987); and Wagner et al., Proc. Natl. Acad. Sci. USA 87, 3410-3414 (1990). For review of gene marking and gene therapy protocols see Anderson et al., Science 256, 808-813 (1992).

The PRO polypeptides described herein may also be employed as molecular weight markers for protein electrophoresis purposes and the isolated nucleic acid sequences may be used for recombinantly expressing those markers.

The nucleic acid molecules encoding the PRO polypeptides or fragments thereof described herein are useful for chromosome identification. In this regard, there exists an ongoing need to identify new chromosome markers, since relatively few chromosome marking reagents, based upon actual sequence data are presently available. Each PRO nucleic acid molecule of the present invention can be used as a chromosome marker.

The PRO polypeptides and nucleic acid molecules of the present invention may also be used diagnostically for tissue typing, wherein the PRO polypeptides of the present invention may be differentially expressed in one tissue as compared to another, preferably in a diseased tissue as compared to a normal tissue of the same tissue type. PRO nucleic acid molecules will find use for generating probes for PCR, Northern analysis, Southern analysis and Western analysis.

The PRO polypeptides described herein may also be employed as therapeutic agents. The PRO polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the PRO product hereof is combined in admixture with a pharmaceutically acceptable carrier vehicle. Therapeutic formulations are prepared for storage by mixing the active ingredient having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers (Remington's Pharmaceutical Sciences 16th edition, Osol, A. Ed. (1980)), in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone, amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEENTM, PLURONICSTM or PEG.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes, prior to or following lyophilization and reconstitution.

Therapeutic compositions herein generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

The route of administration is in accord with known methods, e.g. injection or infusion by intravenous, intraperitoneal, intracerebral, intramuscular, intraocular, intraarterial or intralesional routes, topical administration, or by sustained release systems.

5 Dosages and desired drug concentrations of pharmaceutical compositions of the present invention may vary depending on the particular use envisioned. The determination of the appropriate dosage or route of administration is well within the skill of an ordinary physician. Animal experiments provide reliable guidance for the determination of effective doses for human therapy. Interspecies scaling of effective doses can be performed following the principles laid down by Mordenti, J. and Chappell, W. "The use of interspecies scaling
10 in toxicokinetics" In Toxicokinetics and New Drug Development, Yacobi et al., Eds., Pergamon Press, New York 1989, pp. 42-96.

When *in vivo* administration of a PRO polypeptide or agonist or antagonist thereof is employed, normal dosage amounts may vary from about 10 ng/kg to up to 100 mg/kg of mammal body weight or more per day, preferably about 1 µg/kg/day to 10 mg/kg/day, depending upon the route of administration. Guidance as to
15 particular dosages and methods of delivery is provided in the literature; see, for example, U.S. Pat. Nos. 4,657,760; 5,206,344; or 5,225,212. It is anticipated that different formulations will be effective for different treatment compounds and different disorders, that administration targeting one organ or tissue, for example, may necessitate delivery in a manner different from that to another organ or tissue.

Where sustained-release administration of a PRO polypeptide is desired in a formulation with release characteristics suitable for the treatment of any disease or disorder requiring administration of the PRO polypeptide, microencapsulation of the PRO polypeptide is contemplated. Microencapsulation of recombinant proteins for sustained release has been successfully performed with human growth hormone (rhGH), interferon-
20 (rhIFN-), interleukin-2, and MN rgp120. Johnson et al., Nat. Med., 2:795-799 (1996); Yasuda, Biomed. Ther., 27:1221-1223 (1993); Hora et al., Bio/Technology, 8:755-758 (1990); Cleland, "Design and Production of Single Immunization Vaccines Using Polylactide Polyglycolide Microsphere Systems," in Vaccine Design: The Subunit and Adjuvant Approach, Powell and Newman, eds, (Plenum Press: New York, 1995), pp. 439-462;
25 WO 97/03692, WO 96/40072, WO 96/07399; and U.S. Pat. No. 5,654,010.

The sustained-release formulations of these proteins were developed using poly-lactic-glycolic acid (PLGA) polymer due to its biocompatibility and wide range of biodegradable properties. The degradation
30 products of PLGA, lactic and glycolic acids, can be cleared quickly within the human body. Moreover, the degradability of this polymer can be adjusted from months to years depending on its molecular weight and composition. Lewis, "Controlled release of bioactive agents from lactide/glycolide polymer," in: M. Chasin and R. Langer (Eds.), Biodegradable Polymers as Drug Delivery Systems (Marcel Dekker: New York, 1990), pp. 1-41.

35 This invention encompasses methods of screening compounds to identify those that mimic the PRO polypeptide (agonists) or prevent the effect of the PRO polypeptide (antagonists). Screening assays for antagonist drug candidates are designed to identify compounds that bind or complex with the PRO polypeptides

encoded by the genes identified herein, or otherwise interfere with the interaction of the encoded polypeptides with other cellular proteins. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates.

The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays, and cell-based assays, which are well characterized in the art.

5 All assays for antagonists are common in that they call for contacting the drug candidate with a PRO polypeptide encoded by a nucleic acid identified herein under conditions and for a time sufficient to allow these two components to interact.

In binding assays, the interaction is binding and the complex formed can be isolated or detected in the reaction mixture. In a particular embodiment, the PRO polypeptide encoded by the gene identified herein or the
10 drug candidate is immobilized on a solid phase, e.g., on a microtiter plate, by covalent or non-covalent attachments. Non-covalent attachment generally is accomplished by coating the solid surface with a solution of the PRO polypeptide and drying. Alternatively, an immobilized antibody, e.g., a monoclonal antibody, specific for the PRO polypeptide to be immobilized can be used to anchor it to a solid surface. The assay is performed by adding the non-immobilized component, which may be labeled by a detectable label, to the immobilized
15 component, e.g., the coated surface containing the anchored component. When the reaction is complete, the non-reacted components are removed, e.g., by washing, and complexes anchored on the solid surface are detected. When the originally non-immobilized component carries a detectable label, the detection of label immobilized on the surface indicates that complexing occurred. Where the originally non-immobilized component does not carry a label, complexing can be detected, for example, by using a labeled antibody
20 specifically binding the immobilized complex.

If the candidate compound interacts with but does not bind to a particular PRO polypeptide encoded by a gene identified herein, its interaction with that polypeptide can be assayed by methods well known for detecting protein-protein interactions. Such assays include traditional approaches, such as, e.g., cross-linking, co-immunoprecipitation, and co-purification through gradients or chromatographic columns. In addition, protein-
25 protein interactions can be monitored by using a yeast-based genetic system described by Fields and co-workers (Fields and Song, Nature (London), 340:245-246 (1989); Chien et al., Proc. Natl. Acad. Sci. USA, 88:9578-9582 (1991)) as disclosed by Chevray and Nathans, Proc. Natl. Acad. Sci. USA, 89: 5789-5793 (1991). Many transcriptional activators, such as yeast GAL4, consist of two physically discrete modular domains, one acting as the DNA-binding domain, the other one functioning as the transcription-activation domain. The yeast
30 expression system described in the foregoing publications (generally referred to as the "two-hybrid system") takes advantage of this property, and employs two hybrid proteins, one in which the target protein is fused to the DNA-binding domain of GAL4, and another, in which candidate activating proteins are fused to the activation domain. The expression of a GAL1-*lacZ* reporter gene under control of a GAL4-activated promoter depends on reconstitution of GAL4 activity via protein-protein interaction. Colonies containing interacting
35 polypeptides are detected with a chromogenic substrate for β -galactosidase. A complete kit (MATCHMAKER™) for identifying protein-protein interactions between two specific proteins using the two-hybrid technique is commercially available from Clontech. This system can also be extended to map protein

domains involved in specific protein interactions as well as to pinpoint amino acid residues that are crucial for these interactions.

Compounds that interfere with the interaction of a gene encoding a PRO polypeptide identified herein and other intra- or extracellular components can be tested as follows: usually a reaction mixture is prepared containing the product of the gene and the intra- or extracellular component under conditions and for a time
5 allowing for the interaction and binding of the two products. To test the ability of a candidate compound to inhibit binding, the reaction is run in the absence and in the presence of the test compound. In addition, a placebo may be added to a third reaction mixture, to serve as positive control. The binding (complex formation) between the test compound and the intra- or extracellular component present in the mixture is monitored as described hereinabove. The formation of a complex in the control reaction(s) but not in the reaction mixture
10 containing the test compound indicates that the test compound interferes with the interaction of the test compound and its reaction partner.

To assay for antagonists, the PRO polypeptide may be added to a cell along with the compound to be screened for a particular activity and the ability of the compound to inhibit the activity of interest in the presence of the PRO polypeptide indicates that the compound is an antagonist to the PRO polypeptide. Alternatively,
15 antagonists may be detected by combining the PRO polypeptide and a potential antagonist with membrane-bound PRO polypeptide receptors or recombinant receptors under appropriate conditions for a competitive inhibition assay. The PRO polypeptide can be labeled, such as by radioactivity, such that the number of PRO polypeptide molecules bound to the receptor can be used to determine the effectiveness of the potential antagonist. The gene encoding the receptor can be identified by numerous methods known to those of skill in the art, for example,
20 ligand panning and FACS sorting. Coligan et al., Current Protocols in Immun., 1(2): Chapter 5 (1991). Preferably, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the PRO polypeptide and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the PRO polypeptide. Transfected cells that are grown on glass slides are exposed to labeled PRO polypeptide. The PRO polypeptide can be labeled by a variety of means
25 including iodination or inclusion of a recognition site for a site-specific protein kinase. Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an interactive sub-pooling and re-screening process, eventually yielding a single clone that encodes the putative receptor.

As an alternative approach for receptor identification, labeled PRO polypeptide can be photoaffinity-
30 linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE and exposed to X-ray film. The labeled complex containing the receptor can be excised, resolved into peptide fragments, and subjected to protein micro-sequencing. The amino acid sequence obtained from micro-sequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the gene encoding the putative receptor.

35 In another assay for antagonists, mammalian cells or a membrane preparation expressing the receptor would be incubated with labeled PRO polypeptide in the presence of the candidate compound. The ability of the compound to enhance or block this interaction could then be measured.

More specific examples of potential antagonists include an oligonucleotide that binds to the fusions of immunoglobulin with PRO polypeptide, and, in particular, antibodies including, without limitation, poly- and monoclonal antibodies and antibody fragments, single-chain antibodies, anti-idiotypic antibodies, and chimeric or humanized versions of such antibodies or fragments, as well as human antibodies and antibody fragments. Alternatively, a potential antagonist may be a closely related protein, for example, a mutated form of the PRO polypeptide that recognizes the receptor but imparts no effect, thereby competitively inhibiting the action of the PRO polypeptide.

Another potential PRO polypeptide antagonist is an antisense RNA or DNA construct prepared using antisense technology, where, e.g., an antisense RNA or DNA molecule acts to block directly the translation of mRNA by hybridizing to targeted mRNA and preventing protein translation. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes the mature PRO polypeptides herein, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al., Science, 241: 456 (1988); Dervan et al., Science, 251:1360 (1991)), thereby preventing transcription and the production of the PRO polypeptide. The antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into the PRO polypeptide (antisense - Okano, Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression (CRC Press: Boca Raton, FL, 1988). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed *in vivo* to inhibit production of the PRO polypeptide. When antisense DNA is used, oligodeoxyribonucleotides derived from the translation-initiation site, e.g., between about -10 and +10 positions of the target gene nucleotide sequence, are preferred.

Potential antagonists include small molecules that bind to the active site, the receptor binding site, or growth factor or other relevant binding site of the PRO polypeptide, thereby blocking the normal biological activity of the PRO polypeptide. Examples of small molecules include, but are not limited to, small peptides or peptide-like molecules, preferably soluble peptides, and synthetic non-peptidyl organic or inorganic compounds.

Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA. Ribozymes act by sequence-specific hybridization to the complementary target RNA, followed by endonucleolytic cleavage. Specific ribozyme cleavage sites within a potential RNA target can be identified by known techniques. For further details see, e.g., Rossi, Current Biology, 4:469-471 (1994), and PCT publication No. WO 97/33551 (published September 18, 1997).

Nucleic acid molecules in triple-helix formation used to inhibit transcription should be single-stranded and composed of deoxynucleotides. The base composition of these oligonucleotides is designed such that it promotes triple-helix formation via Hoogsteen base-pairing rules, which generally require sizeable stretches of purines or pyrimidines on one strand of a duplex. For further details see, e.g., PCT publication No. WO 97/33551, *supra*.

These small molecules can be identified by any one or more of the screening assays discussed hereinabove and/or by any other screening techniques well known for those skilled in the art.

Diagnostic and therapeutic uses of the herein disclosed molecules may also be based upon the positive functional assay hits disclosed and described below.

5 F. Anti-PRO Antibodies

The present invention further provides anti-PRO antibodies. Exemplary antibodies include polyclonal, monoclonal, humanized, bispecific, and heteroconjugate antibodies.

1. Polyclonal Antibodies

10 The anti-PRO antibodies may comprise polyclonal antibodies. Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include the PRO polypeptide or a fusion protein thereof. It may be useful to conjugate
15 the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

2. Monoclonal Antibodies

The anti-PRO antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an
25 immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*.

The immunizing agent will typically include the PRO polypeptide or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then
30 fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103]. Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or
35 survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of

HGPRT-deficient cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies [Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63].

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against PRO. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an *in vitro* binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980).

After the desired hybridoma cells are identified, the clones may be subcloned by limiting dilution procedures and grown by standard methods [Goding, supra]. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells may be grown *in vivo* as ascites in a mammal.

The monoclonal antibodies secreted by the subclones may be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

The monoclonal antibodies may also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA may be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also may be modified, for example, by substituting the coding sequence for human heavy and light chain constant domains in place of the homologous murine sequences [U.S. Patent No. 4,816,567; Morrison et al., supra] or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

The antibodies may be monovalent antibodies. Methods for preparing monovalent antibodies are well known in the art. For example, one method involves recombinant expression of immunoglobulin light chain and modified heavy chain. The heavy chain is truncated generally at any point in the Fc region so as to prevent

heavy chain crosslinking. Alternatively, the relevant cysteine residues are substituted with another amino acid residue or are deleted so as to prevent crosslinking.

In vitro methods are also suitable for preparing monovalent antibodies. Digestion of antibodies to produce fragments thereof, particularly, Fab fragments, can be accomplished using routine techniques known in the art.

5

3. Human and Humanized Antibodies

The anti-PRO antibodies of the invention may further comprise humanized antibodies or human antibodies. Humanized forms of non-human (e.g., murine) antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol., 2:593-596 (1992)].

Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as "import" residues, which are typically taken from an "import" variable domain. Humanization can be essentially performed following the method of Winter and co-workers [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeven et al., Science, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such "humanized" antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, J. Mol. Biol., 227:381 (1991); Marks et al., J. Mol. Biol., 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, p. 77 (1985) and

Boerner et al., J. Immunol., **147**(1):86-95 (1991)]. Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks *et al.*, Bio/Technology **10**, 779-783 (1992); Lonberg *et al.*, Nature **368** 856-859 (1994); Morrison, Nature **368**, 812-13 (1994); Fishwild *et al.*, Nature Biotechnology **14**, 845-51 (1996); Neuberger, Nature Biotechnology **14**, 826 (1996); Lonberg and Huszar, Intern. Rev. Immunol. **13** 65-93 (1995).

The antibodies may also be affinity matured using known selection and/or mutagenesis methods as described above. Preferred affinity matured antibodies have an affinity which is five times, more preferably 10 times, even more preferably 20 or 30 times greater than the starting antibody (generally murine, humanized or human) from which the matured antibody is prepared.

4. Bispecific Antibodies

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for the PRO, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities [Milstein and Cuello, Nature, **305**:537-539 (1983)]. Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker *et al.*, EMBO J., **10**:3655-3659 (1991).

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh *et al.*, Methods in Enzymology, **121**:210 (1986).

According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain.

In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan). Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

5 Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')₂ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan *et al.*, Science 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')₂ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

10 Fab' fragments may be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby *et al.*, J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody F(ab')₂ molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to directed chemical coupling *in vitro* to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

20 Various technique for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny *et al.*, J. Immunol. 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger *et al.*, Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber *et al.*, J. Immunol. 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared.

35 Tutt *et al.*, J. Immunol. 147:60 (1991).

Exemplary bispecific antibodies may bind to two different epitopes on a given PRO polypeptide herein. Alternatively, an anti-PRO polypeptide arm may be combined with an arm which binds to a triggering molecule

on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (FcγR), such as FcγRI (CD64), FcγRII (CD32) and FcγRIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular PRO polypeptide. Bispecific antibodies may also be used to localize cytotoxic agents to cells which express a particular PRO polypeptide. These antibodies possess a PRO-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the PRO polypeptide and further binds tissue factor (TF).

5. Heteroconjugate Antibodies

Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells [U.S. Patent No. 4,676,980], and for treatment of HIV infection [WO 91/00360; WO 92/200373; EP 03089]. It is contemplated that the antibodies may be prepared *in vitro* using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example, immunotoxins may be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

6. Effector Function Engineering

It may be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) may be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated may have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron *et al.*, J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-tumor activity may also be prepared using heterobifunctional cross-linkers as described in Wolff *et al.* Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and may thereby have enhanced complement lysis and ADCC capabilities. See Stevenson *et al.*, Anti-Cancer Drug Design, 3: 219-230 (1989).

7. Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent such as a chemotherapeutic agent, toxin (e.g., an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (i.e., a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, *Aleurites fordii* proteins, dianthin proteins, *Phytolaca americana* proteins

(PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin, crotin, sapaonaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include ^{212}Bi , ^{131}I , ^{131}In , ^{90}Y , and ^{186}Re .

Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl) hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta *et al.*, Science, 238: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026.

In another embodiment, the antibody may be conjugated to a "receptor" (such streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the circulation using a clearing agent and then administration of a "ligand" (e.g., avidin) that is conjugated to a cytotoxic agent (e.g., a radionucleotide).

8. Immunoliposomes

The antibodies disclosed herein may also be formulated as immunoliposomes. Liposomes containing the antibody are prepared by methods known in the art, such as described in Epstein *et al.*, Proc. Natl. Acad. Sci. USA, 82: 3688 (1985); Hwang *et al.*, Proc. Natl. Acad. Sci. USA, 77: 4030 (1980); and U.S. Pat. Nos. 4,485,045 and 4,544,545. Liposomes with enhanced circulation time are disclosed in U.S. Patent No. 5,013,556.

Particularly useful liposomes can be generated by the reverse-phase evaporation method with a lipid composition comprising phosphatidylcholine, cholesterol, and PEG-derivatized phosphatidylethanolamine (PEG-PE). Liposomes are extruded through filters of defined pore size to yield liposomes with the desired diameter. Fab' fragments of the antibody of the present invention can be conjugated to the liposomes as described in Martin *et al.*, J. Biol. Chem., 257: 286-288 (1982) via a disulfide-interchange reaction. A chemotherapeutic agent (such as Doxorubicin) is optionally contained within the liposome. See Gabizon *et al.*, J. National Cancer Inst., 81(19): 1484 (1989).

9. Pharmaceutical Compositions of Antibodies

Antibodies specifically binding a PRO polypeptide identified herein, as well as other molecules identified by the screening assays disclosed hereinbefore, can be administered for the treatment of various disorders in the form of pharmaceutical compositions.

If the PRO polypeptide is intracellular and whole antibodies are used as inhibitors, internalizing antibodies are preferred. However, lipofections or liposomes can also be used to deliver the antibody, or an antibody fragment, into cells. Where antibody fragments are used, the smallest inhibitory fragment that

specifically binds to the binding domain of the target protein is preferred. For example, based upon the variable-region sequences of an antibody, peptide molecules can be designed that retain the ability to bind the target protein sequence. Such peptides can be synthesized chemically and/or produced by recombinant DNA technology. See, *e.g.*, Marasco *et al.*, Proc. Natl. Acad. Sci. USA, 90: 7889-7893 (1993). The formulation herein may also contain more than one active compound as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. Alternatively, or in addition, the composition may comprise an agent that enhances its function, such as, for example, a cytotoxic agent, cytokine, chemotherapeutic agent, or growth-inhibitory agent. Such molecules are suitably present in combination in amounts that are effective for the purpose intended.

The active ingredients may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles, and nanocapsules) or in macroemulsions. Such techniques are disclosed in Remington's Pharmaceutical Sciences, *supra*.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes.

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, *e.g.*, films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and γ ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOTTM (injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D-(-)-3-hydroxybutyric acid. While polymers such as ethylene-vinyl acetate and lactic acid-glycolic acid enable release of molecules for over 100 days, certain hydrogels release proteins for shorter time periods. When encapsulated antibodies remain in the body for a long time, they may denature or aggregate as a result of exposure to moisture at 37°C, resulting in a loss of biological activity and possible changes in immunogenicity. Rational strategies can be devised for stabilization depending on the mechanism involved. For example, if the aggregation mechanism is discovered to be intermolecular S-S bond formation through thio-disulfide interchange, stabilization may be achieved by modifying sulfhydryl residues, lyophilizing from acidic solutions, controlling moisture content, using appropriate additives, and developing specific polymer matrix compositions.

G. Uses for anti-PRO Antibodies

The anti-PRO antibodies of the invention have various utilities. For example, anti-PRO antibodies may be used in diagnostic assays for PRO, *e.g.*, detecting its expression (and in some cases, differential expression) in specific cells, tissues, or serum. Various diagnostic assay techniques known in the art may be used, such as competitive binding assays, direct or indirect sandwich assays and immunoprecipitation assays conducted in either heterogeneous or homogeneous phases [Zola, Monoclonal Antibodies: A Manual of Techniques, CRC

Press, Inc. (1987) pp. 147-158]. The antibodies used in the diagnostic assays can be labeled with a detectable moiety. The detectable moiety should be capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety may be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I , a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the detectable moiety may be employed, including those methods described by Hunter et al., *Nature*, 144:945 (1962); David et al., *Biochemistry*, 13:1014 (1974); Pain et al., *J. Immunol. Meth.*, 40:219 (1981); and Nygren, *J. Histochem. and Cytochem.*, 30:407 (1982).

Anti-PRO antibodies also are useful for the affinity purification of PRO from recombinant cell culture or natural sources. In this process, the antibodies against PRO are immobilized on a suitable support, such as Sephadex resin or filter paper, using methods well known in the art. The immobilized antibody then is contacted with a sample containing the PRO to be purified, and thereafter the support is washed with a suitable solvent that will remove substantially all the material in the sample except the PRO, which is bound to the immobilized antibody. Finally, the support is washed with another suitable solvent that will release the PRO from the antibody.

The following examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

All patent and literature references cited in the present specification are hereby incorporated by reference in their entirety.

EXAMPLES

Commercially available reagents referred to in the examples were used according to manufacturer's instructions unless otherwise indicated. The source of those cells identified in the following examples, and throughout the specification, by ATCC accession numbers is the American Type Culture Collection, Manassas, VA.

EXAMPLE 1: Extracellular Domain Homology Screening to Identify Novel Polypeptides and cDNA Encoding Therefor

The extracellular domain (ECD) sequences (including the secretion signal sequence, if any) from about 950 known secreted proteins from the Swiss-Prot public database were used to search EST databases. The EST databases included public databases (e.g., Dayhoff, GenBank), and proprietary databases (e.g. LIFESEQ™, Incyte Pharmaceuticals, Palo Alto, CA). The search was performed using the computer program BLAST or BLAST-2 (Altschul et al., *Methods in Enzymology* 266:460-480 (1996)) as a comparison of the ECD protein sequences to a 6 frame translation of the EST sequences. Those comparisons with a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into consensus DNA sequences with the program "phrap" (Phil Green, University of Washington, Seattle, WA).

Using this extracellular domain homology screen, consensus DNA sequences were assembled relative to the other identified EST sequences using phrap. In addition, the consensus DNA sequences obtained were

often (but not always) extended using repeated cycles of BLAST or BLAST-2 and phrap to extend the consensus sequence as far as possible using the sources of EST sequences discussed above.

Based upon the consensus sequences obtained as described above, oligonucleotides were then synthesized and used to identify by PCR a cDNA library that contained the sequence of interest and for use as probes to isolate a clone of the full-length coding sequence for a PRO polypeptide. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5 kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel et al., Current Protocols in Molecular Biology, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

The cDNA libraries used to isolate the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, CA. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; see, Holmes et al., Science, 253:1278-1280 (1991)) in the unique XhoI and NotI sites.

EXAMPLE 2: Isolation of cDNA clones by Amylase Screening

1. Preparation of oligo dT primed cDNA library

mRNA was isolated from a human tissue of interest using reagents and protocols from Invitrogen, San Diego, CA (Fast Track 2). This RNA was used to generate an oligo dT primed cDNA library in the vector pRK5D using reagents and protocols from Life Technologies, Gaithersburg, MD (Super Script Plasmid System). In this procedure, the double stranded cDNA was sized to greater than 1000 bp and the SalI/NotI linked cDNA was cloned into XhoI/NotI cleaved vector. pRK5D is a cloning vector that has an sp6 transcription initiation site followed by an SfiI restriction enzyme site preceding the XhoI/NotI cDNA cloning sites.

2. Preparation of random primed cDNA library

A secondary cDNA library was generated in order to preferentially represent the 5' ends of the primary cDNA clones. Sp6 RNA was generated from the primary library (described above), and this RNA was used to generate a random primed cDNA library in the vector pSST-AMY.0 using reagents and protocols from Life Technologies (Super Script Plasmid System, referenced above). In this procedure the double stranded cDNA was sized to 500-1000 bp, linked with blunt to NotI adaptors, cleaved with SfiI, and cloned into SfiI/NotI cleaved vector. pSST-AMY.0 is a cloning vector that has a yeast alcohol dehydrogenase promoter preceding the cDNA cloning sites and the mouse amylase sequence (the mature sequence without the secretion signal) followed by the yeast alcohol dehydrogenase terminator, after the cloning sites. Thus, cDNAs cloned into this vector that are fused in frame with amylase sequence will lead to the secretion of amylase from appropriately transfected yeast colonies.

3. Transformation and Detection

DNA from the library described in paragraph 2 above was chilled on ice to which was added electrocompetent DH10B bacteria (Life Technologies, 20 ml). The bacteria and vector mixture was then electroporated as recommended by the manufacturer. Subsequently, SOC media (Life Technologies, 1 ml) was added and the mixture was incubated at 37°C for 30 minutes. The transformants were then plated onto 20 standard 150 mm LB plates containing ampicillin and incubated for 16 hours (37°C). Positive colonies were scraped off the plates and the DNA was isolated from the bacterial pellet using standard protocols, e.g. CsCl-gradient. The purified DNA was then carried on to the yeast protocols below.

The yeast methods were divided into three categories: (1) Transformation of yeast with the plasmid/cDNA combined vector; (2) Detection and isolation of yeast clones secreting amylase; and (3) PCR amplification of the insert directly from the yeast colony and purification of the DNA for sequencing and further analysis.

The yeast strain used was HD56-5A (ATCC-90785). This strain has the following genotype: MAT alpha, ura3-52, leu2-3, leu2-112, his3-11, his3-15, MAL⁺, SUC⁺, GAL⁺. Preferably, yeast mutants can be employed that have deficient post-translational pathways. Such mutants may have translocation deficient alleles in *sec71*, *sec72*, *sec62*, with truncated *sec71* being most preferred. Alternatively, antagonists (including antisense nucleotides and/or ligands) which interfere with the normal operation of these genes, other proteins implicated in this post translation pathway (e.g., SEC61p, SEC72p, SEC62p, SEC63p, TDJ1p or SSA1p-4p) or the complex formation of these proteins may also be preferably employed in combination with the amylase-expressing yeast.

Transformation was performed based on the protocol outlined by Gietz et al., Nucl. Acid. Res., 20:1425 (1992). Transformed cells were then inoculated from agar into YEPD complex media broth (100 ml) and grown overnight at 30°C. The YEPD broth was prepared as described in Kaiser et al., Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 207 (1994). The overnight culture was then diluted to about 2×10^6 cells/ml (approx. OD₆₀₀=0.1) into fresh YEPD broth (500 ml) and regrown to 1×10^7 cells/ml (approx. OD₆₀₀=0.4-0.5).

The cells were then harvested and prepared for transformation by transfer into GS3 rotor bottles in a Sorval GS3 rotor at 5,000 rpm for 5 minutes, the supernatant discarded, and then resuspended into sterile water, and centrifuged again in 50 ml falcon tubes at 3,500 rpm in a Beckman GS-6KR centrifuge. The supernatant was discarded and the cells were subsequently washed with LiAc/TE (10 ml, 10 mM Tris-HCl, 1 mM EDTA pH 7.5, 100 mM Li₂OOCCH₃), and resuspended into LiAc/TE (2.5 ml).

Transformation took place by mixing the prepared cells (100 µl) with freshly denatured single stranded salmon testes DNA (Lofstrand Labs, Gaithersburg, MD) and transforming DNA (1 µg, vol. < 10 µl) in microfuge tubes. The mixture was mixed briefly by vortexing; then 40% PEG/TE (600 µl, 40% polyethylene glycol-4000, 10 mM Tris-HCl, 1 mM EDTA, 100 mM Li₂OOCCH₃, pH 7.5) was added. This mixture was gently mixed and incubated at 30°C while agitating for 30 minutes. The cells were then heat shocked at 42°C for 15 minutes, and the reaction vessel centrifuged in a microfuge at 12,000 rpm for 5-10 seconds, decanted and resuspended into TE (500 µl, 10 mM Tris-HCl, 1 mM EDTA pH 7.5) followed by recentrifugation. The cells

were then diluted into TE (1 ml) and aliquots (200 μ l) were spread onto the selective media previously prepared in 150 mm growth plates (VWR).

Alternatively, instead of multiple small reactions, the transformation was performed using a single, large scale reaction, wherein reagent amounts were scaled up accordingly.

The selective media used was a synthetic complete dextrose agar lacking uracil (SCD-Ura) prepared as described in Kaiser et al., Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 208-210 (1994). Transformants were grown at 30°C for 2-3 days.

The detection of colonies secreting amylase was performed by including red starch in the selective growth media. Starch was coupled to the red dye (Reactive Red-120, Sigma) as per the procedure described by Biely et al., Anal. Biochem., 172:176-179 (1988). The coupled starch was incorporated into the SCD-Ura agar plates at a final concentration of 0.15% (w/v), and was buffered with potassium phosphate to a pH of 7.0 (50-100 mM final concentration).

The positive colonies were picked and streaked across fresh selective media (onto 150 mm plates) in order to obtain well isolated and identifiable single colonies. Well isolated single colonies positive for amylase secretion were detected by direct incorporation of red starch into buffered SCD-Ura agar. Positive colonies were determined by their ability to break down starch resulting in a clear halo around the positive colony visualized directly.

4. Isolation of DNA by PCR Amplification

When a positive colony was isolated, a portion of it was picked by a toothpick and diluted into sterile water (30 μ l) in a 96 well plate. At this time, the positive colonies were either frozen and stored for subsequent analysis or immediately amplified. An aliquot of cells (5 μ l) was used as a template for the PCR reaction in a 25 μ l volume containing: 0.5 μ l KlenTaq (Clontech, Palo Alto, CA); 4.0 μ l 10 mM dNTP's (Perkin Elmer-Cetus); 2.5 μ l Kentaq buffer (Clontech); 0.25 μ l forward oligo 1; 0.25 μ l reverse oligo 2; 12.5 μ l distilled water. The sequence of the forward oligonucleotide 1 was:

5'-TGTAACGACGGCCAGTTAAATAGACCTGCAATTATTAATCT-3' (SEQ ID NO:553)

The sequence of reverse oligonucleotide 2 was:

5'-CAGGAAACAGCTATGACCACCTGCACACCTGCAAATCCATT-3' (SEQ ID NO:554)

PCR was then performed as follows:

30	a.	Denature	92°C, 5 minutes
	b.	3 cycles of:	Denature 92°C, 30 seconds Anneal 59°C, 30 seconds Extend 72°C, 60 seconds
35	c.	3 cycles of:	Denature 92°C, 30 seconds Anneal 57°C, 30 seconds Extend 72°C, 60 seconds
40	d.	25 cycles of:	Denature 92°C, 30 seconds Anneal 55°C, 30 seconds Extend 72°C, 60 seconds

e. Hold 4°C

The underlined regions of the oligonucleotides annealed to the ADH promoter region and the amylase region, respectively, and amplified a 307 bp region from vector pSST-AMY.0 when no insert was present. Typically, the first 18 nucleotides of the 5' end of these oligonucleotides contained annealing sites for the sequencing primers. Thus, the total product of the PCR reaction from an empty vector was 343 bp. However, signal sequence-fused cDNA resulted in considerably longer nucleotide sequences.

Following the PCR, an aliquot of the reaction (5 µl) was examined by agarose gel electrophoresis in a 1% agarose gel using a Tris-Borate-EDTA (TBE) buffering system as described by Sambrook et al., *supra*. Clones resulting in a single strong PCR product larger than 400 bp were further analyzed by DNA sequencing after purification with a 96 Qiaquick PCR clean-up column (Qiagen Inc., Chatsworth, CA).

EXAMPLE 3: Isolation of cDNA Clones Using Signal Algorithm Analysis

Various polypeptide-encoding nucleic acid sequences were identified by applying a proprietary signal sequence finding algorithm developed by Genentech, Inc. (South San Francisco, CA) upon ESTs as well as clustered and assembled EST fragments from public (e.g., GenBank) and/or private (LIFESEQ®, Incyte Pharmaceuticals, Inc., Palo Alto, CA) databases. The signal sequence algorithm computes a secretion signal score based on the character of the DNA nucleotides surrounding the first and optionally the second methionine codon(s) (ATG) at the 5'-end of the sequence or sequence fragment under consideration. The nucleotides following the first ATG must code for at least 35 unambiguous amino acids without any stop codons. If the first ATG has the required amino acids, the second is not examined. If neither meets the requirement, the candidate sequence is not scored. In order to determine whether the EST sequence contains an authentic signal sequence, the DNA and corresponding amino acid sequences surrounding the ATG codon are scored using a set of seven sensors (evaluation parameters) known to be associated with secretion signals. Use of this algorithm resulted in the identification of numerous polypeptide-encoding nucleic acid sequences.

EXAMPLE 4: Isolation of cDNA clones Encoding Human PRO Polypeptides

Using the techniques described in Examples 1 to 3 above, numerous full-length cDNA clones were identified as encoding PRO polypeptides as disclosed herein. These cDNAs were then deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA 20110-2209, USA (ATCC) as shown in Table 7 below.

Table 7

<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
DNA16438-1387	209771	April 14, 1998
DNA19360-2552	203654	February 9, 1999
DNA33455-1548	PTA-127	May 25, 1999
DNA37155-2651	PTA-429	July 27, 1999
DNA38269-2654	PTA-432	July 27, 1999
DNA40619-1220	209525	December 10, 1997

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA44174-2513	203577	January 12, 1999
	DNA44675-2662	PTA-430	July 27, 1999
	DNA45408-2615	PTA-203	June 8, 1999
5	DNA48606-1479	203040	July 1, 1998
	DNA52753-2656	PTA-611	August 31, 1999
	DNA53915-1258	209593	January 21, 1998
	DNA53991-2553	203649	February 9, 1999
	DNA54009-2517	203574	January 12, 1999
10	DNA56055-1643	PTA-129	May 25, 1999
	DNA57033-1403	209905	May 27, 1998
	DNA57252-1453	203585	January 12, 1999
	DNA58799-1652	203665	February 9, 1999
	DNA59770-2652	PTA-427	July 27, 1999
15	DNA59774-2665	PTA-615	August 31, 1999
	DNA60281-2518	203582	January 12, 1999
	DNA60736-2559	203838	March 9, 1999
	DNA61875-2653	PTA-428	July 27, 1999
	DNA62312-2558	203836	March 9, 1999
20	DNA62849-1604	PTA-205	June 8, 1999
	DNA66307-2661	PTA-431	July 27, 1999
	DNA66677-2535	203659	February 9, 1999
	DNA71235-1706	203584	January 12, 1999
	DNA71289-2547	PTA-126	May 25, 1999
25	DNA73775-1707	PTA-128	May 25, 1999
	DNA76385-1692	203664	February 9, 1999
	DNA76395-2527	203578	January 12, 1999
	DNA77622-2516	203554	December 22, 1998
	DNA77629-2573	203850	March 16, 1999
30	DNA77645-2648	PTA-45	May 11, 1999
	DNA79302-2521	203545	December 22, 1998
	DNA79865-2519	203544	December 22, 1998
	DNA80135-2655	PTA-234	June 15, 1999
	DNA80794-2568	203848	March 16, 1999
35	DNA80796-2523	203555	December 22, 1998
	DNA80840-2605	203949	April 20, 1999
	DNA80899-2501	203539	December 15, 1998
	DNA81228-2580	203871	March 23, 1999
	DNA81761-2583	203862	March 23, 1999
40	DNA82358-2738	PTA-510	August 10, 1999
	DNA82364-2538	203603	January 20, 1999
	DNA82424-2566	203813	March 2, 1999
	DNA82430-2557	203812	March 2, 1999
	DNA83500-2506	203391	October 29, 1998
45	DNA83509-2612	203965	April 27, 1999
	DNA83560-2569	203816	March 2, 1999
	DNA84139-2555	203814	March 2, 1999
	DNA84141-2556	203810	March 2, 1999
	DNA84142-2613	PTA-22	May 4, 1999
50	DNA84318-2520	203580	January 12, 1999
	DNA84909-2590	203889	March 30, 1999
	DNA84912-2610	203964	April 27, 1999
	DNA84925-2514	203548	December 22, 1998
	DNA84928-2564	203817	March 2, 1999
55	DNA84932-2657	PTA-235	June 15, 1999

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA86592-2607	203968	April 27, 1999
	DNA86594-2587	203894	March 30, 1999
	DNA86647-2591	203893	March 30, 1999
5	DNA87185-2563	203811	March 2, 1999
	DNA87656-2582	203867	March 23, 1999
	DNA87974-2609	203963	April 27, 1999
	DNA88001-2565	203815	March 2, 1999
	DNA88004-2575	203890	March 30, 1999
10	DNA89220-2608	PTA-130	May 25, 1999
	DNA89947-2618	203970	April 27, 1999
	DNA90842-2574	203845	March 16, 1999
	DNA91775-2581	203861	March 23, 1999
	DNA91779-2571	203844	March 16, 1999
15	DNA92217-2697	PTA-513	August 10, 1999
	DNA92219-2541	203663	February 9, 1999
	DNA92223-2567	203851	March 16, 1999
	DNA92225-2603	203950	April 20, 1999
	DNA92232-2589	203895	March 30, 1999
20	DNA92233-2599	PTA-134	May 25, 1999
	DNA92243-2549	203852	March 16, 1999
	DNA92253-2671	PTA-258	June 22, 1999
	DNA92254-2672	PTA-259	June 22, 1999
	DNA92255-2584	203866	March 23, 1999
25	DNA92269-2570	203853	March 16, 1999
	DNA92288-2588	203892	March 30, 1999
	DNA92290-2550	203847	March 16, 1999
	DNA93012-2622	PTA-21	May 4, 1999
	DNA93020-2642	PTA-121	May 25, 1999
30	DNA94830-2604	203951	April 20, 1999
	DNA94833-2579	203869	March 23, 1999
	DNA94838-2658	PTA-232	June 15, 1999
	DNA94844-2686	PTA-385	July 20, 1999
	DNA94854-2586	203864	March 23, 1999
35	DNA96868-2677	PTA-262	June 22, 1999
	DNA96871-2683	PTA-381	July 20, 1999
	DNA96880-2624	PTA-15	May 4, 1999
	DNA96986-2660	PTA-239	June 15, 1999
	DNA96988-2685	PTA-384	July 20, 1999
40	DNA96995-2709	PTA-475	August 3, 1999
	DNA97004-2562	203854	March 16, 1999
	DNA97005-2687	PTA-378	July 20, 1999
	DNA97009-2668	PTA-257	June 22, 1999
	DNA97013-2667	PTA-231	June 15, 1999
45	DNA98380-2690	PTA-388	July 20, 1999
	DNA98561-2696	PTA-620	August 31, 1999
	DNA98575-2644	PTA-118	May 25, 1999
	DNA98593-2694	PTA-477	August 3, 1999
	DNA98600-2703	PTA-488	August 3, 1999
50	DNA99391-2572	203849	March 16, 1999
	DNA99393-2560	203837	March 9, 1999
	DNA100276-2684	PTA-380	July 20, 1999
	DNA100312-2645	PTA-44	May 11, 1999
	DNA100902-2646	PTA-42	May 11, 1999
55	DNA102899-2679	PTA-123	May 25, 1999

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA104875-2720	PTA-482	August 3, 1999
	DNA105680-2710	PTA-483	August 3, 1999
	DNA105779-2708	PTA-485	August 3, 1999
5	DNA105794-2695	PTA-480	August 3, 1999
	DNA105838-2702	PTA-476	August 3, 1999
	DNA107698-2715	PTA-472	August 3, 1999
	DNA107701-2711	PTA-487	August 3, 1999
	DNA107781-2707	PTA-484	August 3, 1999
10	DNA108670-2744	PTA-546	August 17, 1999
	DNA108688-2725	PTA-515	August 10, 1999
	DNA108769-2765	PTA-861	October 19, 1999
	DNA108935-2721	PTA-518	August 10, 1999
	DNA110700-2716	PTA-512	August 10, 1999
15	DNA111750-2706	PTA-489	August 3, 1999
	DNA123430-2755	PTA-614	August 31, 1999
	DNA125154-2785	PTA-957	November 16, 1999
	DNA142238-2768	PTA-819	October 5, 1999
	DNA22779-1130	209280	September 18, 1997
20	DNA26847-1395	209772	April 14, 1998
	DNA27864-1155	209375	October 16, 1997
	DNA27865-1091	209296	September 23, 1997
	DNA28497-1130	209279	September 18, 1997
	DNA29101-1122	209653	March 5, 1998
25	DNA32286-1191	209385	October 16, 1997
	DNA32288-1132	209261	September 16, 1997
	DNA32290-1164	209384	October 16, 1997
	DNA32292-1131	209258	September 16, 1997
	DNA32298-1132	209257	September 16, 1997
30	DNA33085-1110	209087	May 30, 1997
	DNA33087-1158	209381	October 16, 1997
	DNA33089-1132	209262	September 16, 1997
	DNA33092-1202	209420	October 28, 1997
	DNA33094-1131	209256	September 16, 1997
35	DNA33107-1135	209251	September 16, 1997
	DNA33221-1133	209263	September 16, 1997
	DNA33223-1136	209264	September 16, 1997
	DNA33460-1166	209376	October 16, 1997
	DNA33473-1176	209391	October 17, 1997
40	DNA33785-1143	209417	October 28, 1997
	DNA33786-1132	209253	September 16, 1997
	DNA34353-1428	209855	May 12, 1998
	DNA34392-1170	209526	December 10, 1997
	DNA34434-1139	209252	September 16, 1997
45	DNA35558-1167	209374	October 16, 1997
	DNA35595-1228	209528	December 10, 1997
	DNA35638-1216	209265	September 16, 1997
	DNA35639-1172	209396	October 17, 1997
	DNA35663-1129	209201	August 18, 1997
50	DNA35674-1142	209416	October 28, 1997
	DNA35841-1173	209403	October 17, 1997
	DNA35916-1161	209419	October 28, 1997
	DNA35918-1174	209402	October 17, 1997
	DNA36350-1158	209378	October 16, 1997
55	DNA37140-1234	209489	November 21, 1997

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA37150-1178	209401	October 17, 1997
	DNA38260-1180	209397	October 17, 1997
	DNA40021-1154	209389	October 17, 1997
5	DNA40587-1231	209438	November 7, 1997
	DNA40592-1242	209492	November 21, 1997
	DNA40620-1183	209388	October 17, 1997
	DNA40628-1216	209432	November 7, 1997
	DNA40981-1234	209439	November 7, 1997
10	DNA40982-1235	209433	November 7, 1997
	DNA41234-1242	209618	February 5, 1998
	DNA43046-1225	209484	November 21, 1997
	DNA43316-1237	209487	November 21, 1997
	DNA44167-1243	209434	November 7, 1997
15	DNA44184-1319	209704	March 26, 1998
	DNA44194-1317	209808	April 28, 1998
	DNA44196-1353	209847	May 6, 1998
	DNA45419-1252	209616	February 5, 1998
	DNA46777-1253	209619	February 5, 1998
20	DNA47394-1572	203109	August 11, 1998
	DNA48331-1329	209715	March 31, 1998
	DNA48336-1309	209669	March 11, 1998
	DNA49142-1430	203002	June 23, 1998
	DNA49646-1327	209705	March 26, 1998
25	DNA49821-1562	209981	June 16, 1998
	DNA49829-1346	209749	April 7, 1998
	DNA50921-1458	209859	May 12, 1998
	DNA52187-1354	209845	May 6, 1998
	DNA52196-1348	209748	April 7, 1998
30	DNA52598-1518	203107	August 11, 1998
	DNA54228-1366	209801	April 23, 1998
	DNA56047-1456	209948	June 9, 1998
	DNA56112-1379	209883	May 20, 1998
	DNA56113-1378	203049	July 1, 1998
35	DNA56352-1358	209846	May 6, 1998
	DNA56433-1406	209857	May 12, 1998
	DNA56439-1376	209864	May 14, 1998
	DNA57530-1375	209880	May 20, 1998
	DNA57689-1385	209869	May 14, 1998
40	DNA57690-1374	209950	June 9, 1998
	DNA57693-1424	203008	June 23, 1998
	DNA57838-1337	203014	June 23, 1998
	DNA58721-1475	203110	August 11, 1998
	DNA59205-1421	203009	June 23, 1998
45	DNA59215-1425	209961	June 9, 1998
	DNA59220-1514	209962	June 9, 1998
	DNA59294-1381	209866	May 14, 1998
	DNA59488-1603	203157	August 25, 1998
	DNA59588-1571	203106	August 11, 1998
50	DNA59606-1471	209945	June 9, 1998
	DNA59620-1463	209989	June 16, 1998
	DNA59767-1489	203108	August 11, 1998
	DNA59777-1480	203111	August 11, 1998
	DNA59814-1486	203359	October 20, 1998
55	DNA59839-1461	209988	June 16, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA59846-1503	209978	June 16, 1998
	DNA59847-1511	203098	August 4, 1998
	DNA60615-1483	209980	June 16, 1998
5	DNA60621-1516	203091	August 4, 1998
	DNA60622-1525	203090	August 4, 1998
	DNA60627-1508	203092	August 4, 1998
	DNA60764-1533	203452	November 10, 1998
	DNA60775-1532	203173	September 1, 1998
10	DNA61185-1646	203464	November 17, 1998
	DNA61873-1574	203132	August 18, 1998
	DNA62306-1570	203254	September 9, 1998
	DNA62808-1582	203358	October 20, 1998
	DNA62814-1521	203093	August 4, 1998
15	DNA64885-1529	203457	November 3, 1998
	DNA64886-1601	203241	September 9, 1998
	DNA64888-1542	203249	September 9, 1998
	DNA64889-1541	203250	September 9, 1998
	DNA64890-1612	203131	August 18, 1998
20	DNA64903-1553	203223	September 15, 1998
	DNA64905-1558	203233	September 15, 1998
	DNA65402-1540	203252	September 9, 1998
	DNA65405-1547	203476	November 17, 1998
	DNA65412-1523	203094	August 4, 1998
25	DNA66309-1538	203235	September 15, 1998
	DNA66667-1596	203267	September 22, 1998
	DNA66675-1587	203282	September 22, 1998
	DNA68818-2536	203657	February 9, 1999
	DNA68864-1629	203276	September 22, 1998
30	DNA68872-1620	203160	August 25, 1998
	DNA71159-1617	203135	August 18, 1998
	DNA73727-1673	203459	November 3, 1998
	DNA73739-1645	203270	September 22, 1998
	DNA76400-2528	203573	January 12, 1999
35	DNA76510-2504	203477	November 17, 1998
	DNA76529-1666	203315	October 6, 1998
	DNA76538-1670	203313	October 6, 1998
	DNA77301-1708	203407	October 27, 1998
	DNA77624-2515	203553	December 22, 1998
40	DNA79230-2525	203549	December 22, 1998
	DNA79862-2522	203550	December 22, 1998
	DNA80145-2594	PTA-204	June 8, 1999
	DNA83500-2506	203391	October 29, 1998
	DNA84917-2597	203863	March 23, 1999
45	DNA92218-2554	203834	March 9, 1999
	DNA96042-2682	PTA-382	July 20, 1999

These deposits were made under the provisions of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purpose of Patent Procedure and the Regulations thereunder (Budapest Treaty). This assures maintenance of a viable culture of the deposit for 30 years from the date of deposit. The deposits will be made available by ATCC under the terms of the Budapest Treaty, and subject to an agreement between Genentech, Inc. and ATCC, which assures permanent and unrestricted availability of the progeny of

the culture of the deposit to the public upon issuance of the pertinent U.S. patent or upon laying open to the public of any U.S. or foreign patent application, whichever comes first, and assures availability of the progeny to one determined by the U.S. Commissioner of Patents and Trademarks to be entitled thereto according to 35 USC § 122 and the Commissioner's rules pursuant thereto (including 37 CFR § 1.14 with particular reference to 886 OG 638).

5 The assignee of the present application has agreed that if a culture of the materials on deposit should die or be lost or destroyed when cultivated under suitable conditions, the materials will be promptly replaced on notification with another of the same. Availability of the deposited material is not to be construed as a license to practice the invention in contravention of the rights granted under the authority of any government in accordance with its patent laws.

10 EXAMPLE 5: Use of PRO as a hybridization probe

The following method describes use of a nucleotide sequence encoding PRO as a hybridization probe.

DNA comprising the coding sequence of full-length or mature PRO as disclosed herein is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of PRO) in human
15 tissue cDNA libraries or human tissue genomic libraries.

Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled PRO-derived probe to the filters is performed in a solution of 50% formamide, 5x SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH 6.8, 2x Denhardt's solution, and 10% dextran sulfate at 42°C for 20 hours. Washing of the filters is performed
20 in an aqueous solution of 0.1x SSC and 0.1% SDS at 42°C.

DNAs having a desired sequence identity with the DNA encoding full-length native sequence PRO can then be identified using standard techniques known in the art.

EXAMPLE 6: Expression of PRO in *E. coli*

25 This example illustrates preparation of an unglycosylated form of PRO by recombinant expression in *E. coli*.

The DNA sequence encoding PRO is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is
30 pBR322 (derived from *E. coli*; see Bolivar et al., Gene, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the PRO coding region, lambda transcriptional terminator, and an
35 argU gene.

The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., supra. Transformants are identified by their ability to grow on LB plates and antibiotic resistant

colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

5 After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized PRO protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

10 PRO may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding PRO is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110
15 fuhA(tonA) lon galE rpoHts(htpRts) clpP(lacIq). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30°C with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH₄)₂SO₄, 0.71 g sodium citrate•2H₂O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM MgSO₄) and grown for approximately 20-30 hours at 30°C with shaking. Samples are
20 removed to verify expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

E. coli paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1M and 0.02 M, respectively, and the solution is stirred overnight at 4°C. This step results
25 in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentrifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen Ni-NTA metal chelate column equilibrated in the metal chelate column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the
30 desired protein are pooled and stored at 4°C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA.
35 Refolding volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4°C for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the

solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The refolded protein is chromatographed on a Poros R1/H reversed phase column using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

Fractions containing the desired folded PRO polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 7: Expression of PRO in mammalian cells

This example illustrates preparation of a potentially glycosylated form of PRO by recombinant expression in mammalian cells.

The vector, pRK5 (see EP 307,247, published March 15, 1989), is employed as the expression vector. Optionally, the PRO DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the PRO DNA using ligation methods such as described in Sambrook et al., *supra*. The resulting vector is called pRK5-PRO.

In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 μ g pRK5-PRO DNA is mixed with about 1 μ g DNA encoding the VA RNA gene [Thimmappaya et al., *Cell*, 31:543 (1982)] and dissolved in 500 μ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M CaCl_2 . To this mixture is added, dropwise, 500 μ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM NaPO_4 ; and a precipitate is allowed to form for 10 minutes at 25°C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37°C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200 μ Ci/ml ^{35}S -cysteine and 200 μ Ci/ml ^{35}S -methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of PRO polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

In an alternative technique, PRO may be introduced into 293 cells transiently using the dextran sulfate method described by Somparyrac et al., Proc. Natl. Acad. Sci., 12:7575 (1981). 293 cells are grown to maximal density in a spinner flask and 700 µg pRK5-PRO DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5 µg/ml bovine insulin and 0.1 µg/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed PRO can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

In another embodiment, PRO can be expressed in CHO cells. The pRK5-PRO can be transfected into CHO cells using known reagents such as CaPO₄ or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ³⁵S-methionine. After determining the presence of PRO polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed PRO can then be concentrated and purified by any selected method.

Epitope-tagged PRO may also be expressed in host CHO cells. The PRO may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged PRO insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged PRO can then be concentrated and purified by any selected method, such as by Ni²⁺-chelate affinity chromatography.

PRO may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., Current Protocols of Molecular Biology, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., Nucl. Acids Res. 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect[®] (Quiagen), Dosper[®] or Fugene[®] (Boehringer

Mannheim). The cells are grown as described in Lucas et al., *supra*. Approximately 3×10^7 cells are frozen in an ampule for further growth and production as described below.

The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μ m filtered PS20 with 5% 0.2 μ m diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37°C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3×10^5 cells/mL. The cell media is exchanged with fresh media by centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Patent No. 5,122,469, issued June 16, 1992 may actually be used. A 3L production spinner is seeded at 1.2×10^6 cells/mL. On day 0, the cell number pH is determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33°C, and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22 μ m filter. The filtrate was either stored at 4°C or immediately loaded onto columns for purification.

For the poly-His tagged constructs, the proteins are purified using a Ni-NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni-NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4°C. After loading, the column is washed with additional equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25 ml G25 Superfine (Pharmacia) column and stored at -80°C.

Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The conditioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 μ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 8: Expression of PRO in Yeast

The following method describes recombinant expression of PRO in yeast.

First, yeast expression vectors are constructed for intracellular production or secretion of PRO from the ADH2/GAPDH promoter. DNA encoding PRO and the promoter is inserted into suitable restriction enzyme

sites in the selected plasmid to direct intracellular expression of PRO. For secretion, DNA encoding PRO can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native PRO signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of PRO.

Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

Recombinant PRO can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing PRO may further be purified using selected column chromatography resins.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 9: Expression of PRO in Baculovirus-Infected Insect Cells

The following method describes recombinant expression of PRO in Baculovirus-infected insect cells.

The sequence coding for PRO is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding PRO or the desired portion of the coding sequence of PRO such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then digested with those selected restriction enzymes and subcloned into the expression vector.

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4 - 5 days of incubation at 28°C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al., Baculovirus expression vectors: A Laboratory Manual, Oxford: Oxford University Press (1994).

Expressed poly-his tagged PRO can then be purified, for example, by Ni²⁺-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., Nature, **362**:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl₂; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 μm filter. A Ni²⁺-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A₂₈₀ with loading buffer, at which point fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM

phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A_{280} baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni^{2+} -NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His₁₀-tagged PRO are pooled and dialyzed against loading buffer.

5 Alternatively, purification of the IgG tagged (or Fc tagged) PRO can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 10: Preparation of Antibodies that Bind PRO

10 This example illustrates preparation of monoclonal antibodies which can specifically bind PRO.

Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, *supra*. Immunogens that may be employed include purified PRO, fusion proteins containing PRO, and cells expressing recombinant PRO on the cell surface. Selection of the immunogen can be made by the skilled artisan without undue experimentation.

15 Mice, such as Balb/c, are immunized with the PRO immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, MT) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be
20 boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-PRO antibodies.

After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of PRO. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma
25 cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

The hybridoma cells will be screened in an ELISA for reactivity against PRO. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against PRO is within the skill in the art.

30 The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-PRO monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

35

EXAMPLE 11: Purification of PRO Polypeptides Using Specific Antibodies

Native or recombinant PRO polypeptides may be purified by a variety of standard techniques in the art of protein purification. For example, pro-PRO polypeptide, mature PRO polypeptide, or pre-PRO polypeptide is purified by immunoaffinity chromatography using antibodies specific for the PRO polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-PRO polypeptide antibody to an activated chromatographic resin.

Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSE™ (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

Such an immunoaffinity column is utilized in the purification of PRO polypeptide by preparing a fraction from cells containing PRO polypeptide in a soluble form. This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble PRO polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

A soluble PRO polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of PRO polypeptide (e.g., high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/PRO polypeptide binding (e.g., a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and PRO polypeptide is collected.

EXAMPLE 12: Drug Screening

This invention is particularly useful for screening compounds by using PRO polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The PRO polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the PRO polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between PRO polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the PRO polypeptide and its target cell or target receptors caused by the agent being tested.

Thus, the present invention provides methods of screening for drugs or any other agents which can affect a PRO polypeptide-associated disease or disorder. These methods comprise contacting such an agent with an PRO polypeptide or fragment thereof and assaying (i) for the presence of a complex between the agent and the PRO polypeptide or fragment, or (ii) for the presence of a complex between the PRO polypeptide or fragment

and the cell, by methods well known in the art. In such competitive binding assays, the PRO polypeptide or fragment is typically labeled. After suitable incubation, free PRO polypeptide or fragment is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to PRO polypeptide or to interfere with the PRO polypeptide/cell complex.

5 Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on September 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a PRO polypeptide, the peptide test compounds are reacted with PRO polypeptide and washed. Bound PRO polypeptide is detected by methods well known in the art. Purified PRO polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

10 This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding PRO polypeptide specifically compete with a test compound for binding to PRO polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with PRO polypeptide.

EXAMPLE 13: Rational Drug Design

20 The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (*i.e.*, a PRO polypeptide) or of small molecules with which they interact, *e.g.*, agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the PRO polypeptide or which enhance or interfere with the function of the PRO polypeptide *in vivo* (*c.f.*, Hodgson, Bio/Technology, 9: 19-21 (1991)).

25 In one approach, the three-dimensional structure of the PRO polypeptide, or of an PRO polypeptide-inhibitor complex, is determined by x-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the PRO polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding the structure of the PRO polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous PRO polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, Biochemistry, 31:7796-7801 (1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda *et al.*, J. Biochem., 113:742-746 (1993).

30 It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then

be used to identify and isolate peptides from banks of chemically or biologically produced peptides. The isolated peptides would then act as the pharmacore.

By virtue of the present invention, sufficient amounts of the PRO polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the PRO polypeptide amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to x-ray crystallography.

EXAMPLE 14: Identification of PRO Polypeptides That Stimulate TNF- α Release In Human Blood (Assay 128)

This assay shows that certain PRO polypeptides of the present invention act to stimulate the release of TNF- α in human blood. PRO polypeptides testing positive in this assay are useful for, among other things, research purposes where stimulation of the release of TNF- α would be desired and for the therapeutic treatment of conditions wherein enhanced TNF- α release would be beneficial. Specifically, 200 μ l of human blood supplemented with 50mM Hepes buffer (pH 7.2) is aliquoted per well in a 96 well test plate. To each well is then added 300 μ l of either the test PRO polypeptide in 50 mM Hepes buffer (at various concentrations) or 50 mM Hepes buffer alone (negative control) and the plates are incubated at 37°C for 6 hours. The samples are then centrifuged and 50 μ l of plasma is collected from each well and tested for the presence of TNF- α by ELISA assay. A positive in the assay is a higher amount of TNF- α in the PRO polypeptide treated samples as compared to the negative control samples.

The following PRO polypeptides tested positive in this assay: PRO195, PRO202, PRO215, PRO221, PRO217, PRO222, PRO198, PRO245, PRO172, PRO265, PRO266, PRO344, PRO337, PRO322, PRO1286, PRO1279, PRO1338 and PRO1343.

EXAMPLE 15: Detection of Polypeptides That Affect Glucose or FFA Uptake in Skeletal Muscle (Assay 106)

This assay is designed to determine whether PRO polypeptides show the ability to affect glucose or FFA uptake by skeletal muscle cells. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of disorders where either the stimulation or inhibition of glucose uptake by skeletal muscle would be beneficial including, for example, diabetes or hyper- or hypo-insulinemia.

In a 96 well format, PRO polypeptides to be assayed are added to primary rat differentiated skeletal muscle, and allowed to incubate overnight. Then fresh media with the PRO polypeptide and +/- insulin are added to the wells. The sample media is then monitored to determine glucose and FFA uptake by the skeletal muscle cells. The insulin will stimulate glucose and FFA uptake by the skeletal muscle, and insulin in media without the PRO polypeptide is used as a positive control, and a limit for scoring. As the PRO polypeptide being tested may either stimulate or inhibit glucose and FFA uptake, results are scored as positive in the assay if greater than 1.5 times or less than 0.5 times the insulin control.

The following PRO polypeptides tested positive as being capable of affecting glucose and/or FFA uptake by skeletal muscle in this assay: PRO182, PRO366, PRO198, PRO172 and PRO719.

EXAMPLE 16: Chondrocyte Re-differentiation Assay (Assay 110)

This assay shows that certain polypeptides of the invention act to induce redifferentiation of chondrocytes, therefore, are expected to be useful for the treatment of various bone and/or cartilage disorders such as, for example, sports injuries and arthritis. The assay is performed as follows. Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of metacarpophalangeal joints of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 µg/ml gentamycin. The culture media is changed every third day and the cells are then seeded in 96 well plates at 5,000 cells/well in 100µl of the same media without serum and 100 µl of the test PRO polypeptide, 5 nM staurosporin (positive control) or medium alone (negative control) is added to give a final volume of 200 µl/well. After 5 days of incubation at 37°C, a picture of each well is taken and the differentiation state of the chondrocytes is determined. A positive result in the assay occurs when the redifferentiation of the chondrocytes is determined to be more similar to the positive control than the negative control.

The following polypeptide tested positive in this assay: PRO182, PRO366, PRO198 and PRO1868.

EXAMPLE 17: Chondrocyte Proliferation Assay (Assay 111)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce the proliferation and/or redifferentiation of chondrocytes in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of various bone and/or cartilage disorders such as, for example, sports injuries and arthritis.

Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of the metacarpophalangeal joint of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 µg/ml gentamycin. The culture media is changed every third day and the cells are reseeded to 25,000 cells/cm² every five days. On day 12, the cells are seeded in 96 well plates at 5,000 cells/well in 100µl of the same media without serum and 100 µl of either serum-free medium (negative control), staurosporin (final concentration of 5 nM; positive control) or the test PRO polypeptide are added to give a final volume of 200 µl/well. After 5 days at 37°C, 20 µl of Alamar blue is added to each well and the plates are incubated for an additional 3 hours at 37°C. The fluorescence is then measured in each well (Ex:530 nm; Em: 590 nm). The fluorescence of a plate containing 200 µl of the serum-free medium is measured to obtain the background. A positive result in the assay is obtained when the fluorescence of the PRO polypeptide treated sample is more like that of the positive control than the negative control.

The following PRO polypeptides tested positive in this assay: PRO202, PRO224, PRO172 and PRO1312.

EXAMPLE 18: Detection of PRO Polypeptides That Affect Glucose or FFA Uptake by Primary Rat Adipocytes (Assay 94)

This assay is designed to determine whether PRO polypeptides show the ability to affect glucose or FFA uptake by adipocyte cells. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of disorders where either the stimulation or inhibition of glucose uptake by adipocytes

would be beneficial including, for example, obesity, diabetes or hyper- or hypo-insulinemia.

In a 96 well format, PRO polypeptides to be assayed are added to primary rat adipocytes, and allowed to incubate overnight. Samples are taken at 4 and 16 hours and assayed for glycerol, glucose and FFA uptake. After the 16 hour incubation, insulin is added to the media and allowed to incubate for 4 hours. At this time, a sample is taken and glycerol, glucose and FFA uptake is measured. Media containing insulin without the PRO polypeptide is used as a positive reference control. As the PRO polypeptide being tested may either stimulate or inhibit glucose and FFA uptake, results are scored as positive in the assay if greater than 1.5 times or less than 0.5 times the insulin control.

The following PRO polypeptides tested positive as being capable of affecting glucose and/or FFA uptake in this assay: PRO202, PRO211, PRO344 and PRO1338.

EXAMPLE 19: Gene Expression in Bovine Pericytes (Assay 105)

This assay is designed to identify PRO polypeptides which activate gene expression in pericytes. Such polypeptides would be expected to be useful as growth factors and/or for situations where the activation of gene expression is desired or beneficial. Bovine pericytes are plated on 60mm culture dishes in growth media for 1 week. On day 1, various PRO polypeptides are diluted (1%) and incubated with the pericytes for 1, 4 and 24 hr. timepoints. The cells are harvested and the RNA isolated using TRI-Reagent following the included instructions. The RNA is then quantified by reading the 260/280 OD using a spectrophotometer. The gene expression analysis is done by TaqMan reactions using Perkin Elmer reagents and specially designed bovine probes and primers. Expression of the following genes is analyzed: GAPDH, beta-integrin, connective tissue growth factor (CTGF), ICAM-1, monocyte chemoattractant protein-1 (MCP-1), osteopontin, transforming growth factor-beta (TGF-beta), TGF-beta receptor, tissue inhibitor of metalloproteinase (TIMP), tissue factor (TF), VEGF- α , thrombospondin, VEGF- β , angiopoietin-2, and collagenase. Replicates are then averaged and the SD determined. The gene expression levels are then normalized to GAPDH. These are then normalized to the expression levels obtained with a protein (PIN32) which does not significantly induce gene expression in bovine pericytes when compared to untreated controls. Any PRO polypeptide that gives a gene expression level 2-fold or higher over the PIN32 control is considered a positive hit.

The following PRO polypeptides tested positive in this assay: PRO366.

EXAMPLE 20: Identification of PRO Polypeptides That Activate Pericytes (Assay 125)

This assay shows that certain polypeptides of the invention act to activate proliferation of pericyte cells and, therefore, are useful not only as diagnostic markers for particular types of pericyte-associated tumors but also for giving rise to antagonists which would be expected to be useful for the therapeutic treatment of pericyte-associated tumors. Such PRO polypeptides also would be expected to be useful as growth factors and/or for situations where the induction of cell proliferation is desired or beneficial. Activation of pericyte proliferation also correlates with the induction of angiogenesis and, as such, PRO polypeptides capable of inducing pericyte proliferation would be expected to be useful for the treatment of conditions where induced angiogenesis would be beneficial including, for example, wound healing, and the like. Specifically, on day 1, pericytes are received

from VEC Technologies, and all but 5 ml media is removed from the flask. On day 2, the pericytes are trypsinized, washed, spun and plated on 96 well plates. On day 7, the media is removed and the pericytes are treated with 100 μ l of either the specific PRO polypeptide or control treatments (positive control = DME+5% +/- PDGF @ 500ng/ μ l; negative control = PIN32, a polypeptide determined to have no significant effect on pericyte proliferation). C-fos and GAPDH gene expression levels are then determined and the replicates are averaged and the SD is determined. The c-fos values are normalized to GAPDH and the results are expressed as fold increase over PIN32. Anything providing at least a 2-fold or higher response as compared to the negative control is considered positive for the assay.

The following polypeptides tested positive in this assay: PRO366.

10 EXAMPLE 21: Ability of PRO Polypeptides to Stimulate the Release of Proteoglycans from Cartilage (Assay 97)

The ability of various PRO polypeptides to stimulate the release of proteoglycans from cartilage tissue was tested as follows.

15 The metacarpophalangeal joint of 4-6 month old pigs was aseptically dissected, and articular cartilage was removed by free hand slicing being careful to avoid the underlying bone. The cartilage was minced and cultured in bulk for 24 hours in a humidified atmosphere of 95% air, 5% CO₂ in serum free (SF) media (DME/F12 1:1) with 0.1% BSA and 100U/ml penicillin and 100 μ g/ml streptomycin. After washing three times, approximately 100 mg of articular cartilage was aliquoted into micronics tubes and incubated for an additional 24 hours in the above SF media. PRO polypeptides were then added at 1% either alone or in combination with 20 18 ng/ml interleukin-1 α , a known stimulator of proteoglycan release from cartilage tissue. The supernatant was then harvested and assayed for the amount of proteoglycans using the 1,9-dimethyl-methylene blue (DMB) colorimetric assay (Farndale and Buttle, *Biochem. Biophys. Acta* 883:173-177 (1985)). A positive result in this assay indicates that the test polypeptide will find use, for example, in the treatment of sports-related joint problems, articular cartilage defects, osteoarthritis or rheumatoid arthritis.

25 When various PRO polypeptides were tested in the above assay, the polypeptides demonstrated a marked ability to stimulate release of proteoglycans from cartilage tissue both basally and after stimulation with interleukin-1 α and at 24 and 72 hours after treatment, thereby indicating that these PRO polypeptides are useful for stimulating proteoglycan release from cartilage tissue. As such, these PRO polypeptides are useful for the treatment of sports-related joint problems, articular cartilage defects, osteoarthritis or rheumatoid arthritis. The polypeptides testing positive in this assay are : PRO216.

30 EXAMPLE 22: Proliferation of Rat Utricular Supporting Cells (Assay 54)

This assay shows that certain polypeptides of the invention act as potent mitogens for inner ear supporting cells which are auditory hair cell progenitors and, therefore, are useful for inducing the regeneration of auditory hair cells and treating hearing loss in mammals. The assay is performed as follows. Rat UEC-4 utricular epithelial cells are aliquoted into 96 well plates with a density of 3000 cells/well in 200 μ l of serum-containing medium at 33°C. The cells are cultured overnight and are then switched to serum-free medium at 35

37°C. Various dilutions of PRO polypeptides (or nothing for a control) are then added to the cultures and the cells are incubated for 24 hours. After the 24 hour incubation, ³H-thymidine (1 µCi/well) is added and the cells are then cultured for an additional 24 hours. The cultures are then washed to remove unincorporated radiolabel, the cells harvested and Cpm per well determined. Cpm of at least 30% or greater in the PRO polypeptide treated cultures as compared to the control cultures is considered a positive in the assay.

5 The following polypeptides tested positive in this assay: PRO172.

EXAMPLE 23: Stimulatory Activity in Mixed Lymphocyte Reaction (MLR) Assay (Assay 24)

10 This example shows that certain polypeptides of the invention are active as a stimulator of the proliferation of stimulated T-lymphocytes. Compounds which stimulate proliferation of lymphocytes are useful therapeutically where enhancement of an immune response is beneficial. A therapeutic agent may take the form of antagonists of the polypeptide of the invention, for example, murine-human chimeric, humanized or human antibodies against the polypeptide.

15 The basic protocol for this assay is described in Current Protocols in Immunology, unit 3.12; edited by J E Coligan, A M Kruisbeek, D H Marglies, E M Shevach, W Strober, National Institutes of Health, Published by John Wiley & Sons, Inc.

20 More specifically, in one assay variant, peripheral blood mononuclear cells (PBMC) are isolated from mammalian individuals, for example a human volunteer, by leukopheresis (one donor will supply stimulator PBMCs, the other donor will supply responder PBMCs). If desired, the cells are frozen in fetal bovine serum and DMSO after isolation. Frozen cells may be thawed overnight in assay media (37°C, 5% CO₂) and then washed and resuspended to 3x10⁶ cells/ml of assay media (RPMI; 10% fetal bovine serum, 1% penicillin/streptomycin, 1% glutamine, 1% HEPES, 1% non-essential amino acids, 1% pyruvate). The stimulator PBMCs are prepared by irradiating the cells (about 3000 Rads).

 The assay is prepared by plating in triplicate wells a mixture of:

25 100:1 of test sample diluted to 1% or to 0.1%,

 50 :1 of irradiated stimulator cells, and

 50 :1 of responder PBMC cells.

 100 microliters of cell culture media or 100 microliter of CD4-IgG is used as the control. The wells are then incubated at 37°C, 5% CO₂ for 4 days. On day 5, each well is pulsed with tritiated thymidine (1.0 mCi/well; Amersham). After 6 hours the cells are washed 3 times and then the uptake of the label is evaluated.

30 In another variant of this assay, PBMCs are isolated from the spleens of Balb/c mice and C57B6 mice. The cells are teased from freshly harvested spleens in assay media (RPMI; 10% fetal bovine serum, 1% penicillin/streptomycin, 1% glutamine, 1% HEPES, 1% non-essential amino acids, 1% pyruvate) and the PBMCs are isolated by overlaying these cells over Lympholyte M (Organon Teknika), centrifuging at 2000 rpm for 20 minutes, collecting and washing the mononuclear cell layer in assay media and resuspending the cells to 1x10⁷ cells/ml of assay media. The assay is then conducted as described above.

35 Positive increases over control are considered positive with increases of greater than or equal to 180% being preferred. However, any value greater than control indicates a stimulatory effect for the test protein.

The following PRO polypeptides tested positive in this assay: PRO344.

EXAMPLE 24: Pericyte c-Fos Induction (Assay 93)

This assay shows that certain polypeptides of the invention act to induce the expression of c-fos in pericyte cells and, therefore, are useful not only as diagnostic markers for particular types of pericyte-associated tumors but also for giving rise to antagonists which would be expected to be useful for the therapeutic treatment of pericyte-associated tumors. Induction of c-fos expression in pericytes is also indicative of the induction of angiogenesis and, as such, PRO polypeptides capable of inducing the expression of c-fos would be expected to be useful for the treatment of conditions where induced angiogenesis would be beneficial including, for example, wound healing, and the like. Specifically, on day 1, pericytes are received from VEC Technologies and all but 5 ml of media is removed from flask. On day 2, the pericytes are trypsinized, washed, spun and then plated onto 96 well plates. On day 7, the media is removed and the pericytes are treated with 100 μ l of PRO polypeptide test samples and controls (positive control = DME+5% serum +/- PDGF at 500 ng/ml; negative control = protein 32). Replicates are averaged and SD/CV are determined. Fold increase over Protein 32 (buffer control) value indicated by chemiluminescence units (RLU) luminometer reading verses frequency is plotted on a histogram. Two-fold above Protein 32 value is considered positive for the assay. ASY Matrix: Growth media = low glucose DMEM = 20% FBS + 1X pen strep + 1X fungizone. Assay Media = low glucose DMEM +5% FBS.

The following polypeptides tested positive in this assay: PRO301, PRO619, PRO1066 and PRO1265.

EXAMPLE 25: Cytokine Release Assay (Assay 120)

This assay is designed to determine whether PRO polypeptides of the present invention are capable of inducing the release of cytokines from peripheral blood mononuclear cells (PBMCs). PRO polypeptides capable of inducing the release of cytokines from PBMCs are useful from the treatment of conditions which would benefit from enhanced cytokine release and will be readily evident to those of ordinary skill in the art. Specifically, 1×10^6 cells/ml of peripheral blood mononuclear cells (PBMC) are cultured with 1% of a PRO polypeptide for 3 days in complete RPMI media. The supernatant is then harvested and tested for increased concentrations of various cytokines by ELISA as compared to a human IgG treated control. A positive in the assay is a 10-fold or greater increase in cytokine concentration in the PRO polypeptide treated sample as compared to the human IgG treated control.

The following polypeptides tested positive in this assay: PRO526 and PRO1343.

EXAMPLE 26: Inhibition of A-Peptide Binding to Factor VIIA (Assay 118)

This assay is designed to identify PRO polypeptides which are capable of inhibiting the binding of A-peptide to factor VIIA, thereby affecting the blood coagulation cascade. PRO polypeptides testing positive in this assay are expected to be useful for the treatment of conditions where alteration of the blood coagulation cascade would be beneficial including, for example, stroke, heart attack and various coagulation disorders. These PRO polypeptides are also useful for the identification of agonist and antagonist molecules which would

also be useful for treatment of those conditions.

Specifically, 384 well plates are coated with soluble factor VIIA and are incubated overnight at 4°C. The wells are then decanted and are blocked by the addition of 0.5% BSA for 1 hour. The wells are then washed and 20µl of biotinylated A-peptide and either various concentration of the PRO polypeptide (test) or nothing (negative control) are added to each well. The plates are then incubated for 1 hour at room temperature. The wells are again washed and then 40µl of streptavidin-europium is added to each well. The plates are then incubated for 30 minutes at room temperature and then washed. 40µl of a fluorescence enhancement solution is then added to each well, the plates incubated for 5 minutes at room temperature and each well is then read on Wallac Victor reader under europium delayed fluorescence settings. Percent inhibition of binding of the A-peptide to the factor VIIA is then determined (as compared to the negative control), wherein a positive in the assay is a percent inhibition of 30% or greater.

The following PRO polypeptides tested positive in this assay: PRO182.

EXAMPLE 27: Inhibition of Adipocyte Differentiation Assay (Assay 66)

This assay is designed to identify PRO polypeptides which are capable of inhibiting insulin-induced differentiation of adipocytes. PRO polypeptides testing positive in this assay would be expected to be useful for the treatment of conditions associated with obesity, diabetes, etc.

Specifically, 3T3-L1 cells are seeded into the wells of 96 well plates at 6×10^4 cells/well and allowed to grow to confluency for 7 days. At day 7, the cells are treated with various concentrations of the PRO polypeptide (or nothing for the negative control) in the presence of 1µg/ml insulin, 0.25×10^{-6} M dexamethasone and 0.5mM IBMX. The samples are then incubated at 37°C in 7% CO₂ for 2 days. After the incubation, the media is removed by aspiration and the cells are washed with PBS and re-exposed to the PRO polypeptide (or nothing for the negative control) and 1µg/ml insulin. After 5 days, the media is removed and replaced with fresh PRO polypeptide (or nothing for the negative control) and insulin. After 5 days, the cells are lysed and the cell lysate is assayed using Sigma's Triglyceride [INT] kit (Sigma procedure #336). A positive in the assay is 20% greater inhibition of adipocyte differentiation in the PRO polypeptide treated samples as compared to the negative control.

The following PRO polypeptides tested positive in this assay: PRO185 and PRO198.

EXAMPLE 28: HUVEC Stimulation by PRO Polypeptides (Assay 131)

This assay is designed to identify PRO polypeptides which are capable of stimulating the proliferation of HUVEC cells. PRO polypeptides testing positive in this assay would be expected to be useful for inducing angiogenesis for the treatment of conditions where angiogenesis would be beneficial including, for example, wound healing, and the like. Antagonists of these PRO polypeptides would be expected to be useful for inhibiting angiogenesis for the treatment of, for example, tumors, and the like.

Specifically, COSTAR® flat bottom black plates are treated with fibronectin for 20 minutes and then washed twice with PBS. HUVEC cells are then plated at 2000 cells/well in an appropriate growth medium. The plates are then incubated overnight and then the PRO polypeptide (1% final concentration), nothing (negative

control) or IL1 β (3.3 ng/ml final concentration; positive control) is added. The plates are again incubated overnight, stained with ICAM1-Cy5 and read on FMAT. A positive in the assay is a 2-fold or greater increase in fluorescence as compared to the positive control.

The following PRO polypeptides tested positive in this assay: PRO222.

5 EXAMPLE 29: Promotion of Chondrocyte Redifferentiation (Assay 129)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce the proliferation and/or redifferentiation of chondrocytes in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of various bone and/or cartilage disorders such as, for example, sports injuries and arthritis.

10 Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of the metacarpophalangeal joint of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 μ g/ml gentamycin. The culture media is changed every third day. On day 12, the cells are seeded in 96 well plates at 5,000 cells/well in 100 μ l of the same media without serum and 100 μ l of either serum-free medium (negative control), staurosporin (final concentration of 5 nM; positive control) or the test PRO polypeptide are added to give a final volume of 200 μ l/well. After 5 days at 37°C, 22 μ l of media containing 100 μ g/ml Hoechst 33342 and 50 μ g/ml 5-CFDA is added to each well and incubated for an additional 10 minutes at 37°C. A picture of the green fluorescence is taken for each well and the differentiation state of the chondrocytes is calculated by morphometric analysis. A positive result in the assay is obtained when the > 50% of the PRO polypeptide treated cells are differentiated (compared to the background obtained by the negative control).

20 The following PRO polypeptides tested positive in this assay: PRO301.

EXAMPLE 30: Microarray Analysis to Detect Overexpression of PRO Polypeptides in Cancerous Tumors

25 Nucleic acid microarrays, often containing thousands of gene sequences, are useful for identifying differentially expressed genes in diseased tissues as compared to their normal counterparts. Using nucleic acid microarrays, test and control mRNA samples from test and control tissue samples are reverse transcribed and labeled to generate cDNA probes. The cDNA probes are then hybridized to an array of nucleic acids immobilized on a solid support. The array is configured such that the sequence and position of each member of the array is known. For example, a selection of genes known to be expressed in certain disease states may be arrayed on a solid support. Hybridization of a labeled probe with a particular array member indicates that the sample from which the probe was derived expresses that gene. If the hybridization signal of a probe from a test (disease tissue) sample is greater than hybridization signal of a probe from a control (normal tissue) sample, the gene or genes overexpressed in the disease tissue are identified. The implication of this result is that an overexpressed protein in a diseased tissue is useful not only as a diagnostic marker for the presence of the disease condition, but also as a therapeutic target for treatment of the disease condition.

30 The methodology of hybridization of nucleic acids and microarray technology is well known in the art. In the present example, the specific preparation of nucleic acids for hybridization and probes, slides, and

hybridization conditions are all detailed in U.S. Provisional Patent Application Serial No. 60/193,767, filed on March 31, 2000 and which is herein incorporated by reference.

In the present example, cancerous tumors derived from various human tissues were studied for PRO polypeptide-encoding gene expression relative to non-cancerous human tissue in an attempt to identify those PRO polypeptides which are overexpressed in cancerous tumors. Two sets of experimental data were generated. In one set, cancerous human colon tumor tissue and matched non-cancerous human colon tumor tissue from the same patient ("matched colon control") were obtained and analyzed for PRO polypeptide expression using the above described microarray technology. In the second set of data, cancerous human tumor tissue from any of a variety of different human tumors was obtained and compared to a "universal" epithelial control sample which was prepared by pooling non-cancerous human tissues of epithelial origin, including liver, kidney, and lung. mRNA isolated from the pooled tissues represents a mixture of expressed gene products from these different tissues. Microarray hybridization experiments using the pooled control samples generated a linear plot in a 2-color analysis. The slope of the line generated in a 2-color analysis was then used to normalize the ratios of (test:control detection) within each experiment. The normalized ratios from various experiments were then compared and used to identify clustering of gene expression. Thus, the pooled "universal control" sample not only allowed effective relative gene expression determinations in a simple 2-sample comparison, it also allowed multi-sample comparisons across several experiments.

In the present experiments, nucleic acid probes derived from the herein described PRO polypeptide-encoding nucleic acid sequences were used in the creation of the microarray and RNA from the tumor tissues listed above were used for the hybridization thereto. A value based upon the normalized ratio:experimental ratio was designated as a "cutoff ratio". Only values that were above this cutoff ratio were determined to be significant. Table 8 below shows the results of these experiments, demonstrating that various PRO polypeptides of the present invention are significantly overexpressed in various human tumor tissues as compared to a non-cancerous human tissue control. As described above, these data demonstrate that the PRO polypeptides of the present invention are useful not only as diagnostic markers for the presence of one or more cancerous tumors, but also serve as therapeutic targets for the treatment of those tumors.

Table 8

<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
PRO177	breast tumor	universal normal control
PRO177	liver tumor	universal normal control
PRO177	lung tumor	universal normal control
PRO3574	breast tumor	universal normal control
PRO3574	colon tumor	matched normal colon control
PRO1280	breast tumor	universal normal control
PRO1280	lung tumor	universal normal control
PRO4984	lung tumor	universal normal control
PRO4988	colon tumor	universal normal control
PRO4988	lung tumor	universal normal control
PRO305	lung tumor	universal normal control
PRO305	colon tumor	universal normal control
PRO1866	prostate tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1866	lung tumor	universal normal control
	PRO1866	colon tumor	universal normal control
	PRO4996	breast tumor	universal normal control
5	PRO4996	lung tumor	universal normal control
	PRO4406	lung tumor	universal normal control
	PRO4406	colon tumor	universal normal control
	PRO1120	colon tumor	universal normal control
	PRO1120	breast tumor	universal normal control
10	PRO1120	rectal tumor	universal normal control
	PRO4990	lung tumor	universal normal control
	PRO738	cervical tumor	universal normal control
	PRO738	lung tumor	universal normal control
	PRO738	breast tumor	universal normal control
15	PRO3577	lung tumor	universal normal control
	PRO1879	breast tumor	universal normal control
	PRO1879	lung tumor	universal normal control
	PRO1879	colon tumor	universal normal control
	PRO1471	lung tumor	universal normal control
20	PRO1076	prostate tumor	universal normal control
	PRO1483	lung tumor	universal normal control
	PRO4985	rectal tumor	universal normal control
	PRO4985	colon tumor	universal normal control
	PRO4985	breast tumor	universal normal control
25	PRO4985	lung tumor	universal normal control
	PRO5000	lung tumor	universal normal control
	PRO1881	liver tumor	universal normal control
	PRO1881	lung tumor	universal normal control
	PRO1881	breast tumor	universal normal control
30	PRO4314	lung tumor	universal normal control
	PRO4314	breast tumor	universal normal control
	PRO4987	lung tumor	universal normal control
	PRO4313	lung tumor	universal normal control
	PRO4313	breast tumor	universal normal control
35	PRO4799	colon tumor	universal normal control
	PRO4995	liver tumor	universal normal control
	PRO4995	colon tumor	universal normal control
	PRO4995	colon tumor	matched normal colon control
	PRO1341	prostate tumor	universal normal control
40	PRO1341	lung tumor	universal normal control
	PRO1341	colon tumor	universal normal control
	PRO1341	colon tumor	matched normal colon control
	PRO1777	lung tumor	universal normal control
	PRO1777	colon tumor	matched normal colon control
45	PRO3580	lung tumor	universal normal control
	PRO3580	prostate tumor	universal normal control
	PRO1779	lung tumor	universal normal control
	PRO1779	colon tumor	universal normal control
	PRO1779	cervical tumor	universal normal control
50	PRO1754	breast tumor	universal normal control
	PRO1754	lung tumor	universal normal control
	PRO1906	breast tumor	universal normal control
	PRO1906	colon tumor	universal normal control
	PRO1906	prostate tumor	universal normal control
55	PRO1870	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO4329	lung tumor	universal normal control
	PRO4979	colon tumor	universal normal control
	PRO1885	rectal tumor	universal normal control
5	PRO1885	colon tumor	universal normal control
	PRO1885	colon tumor	matched normal colon control
	PRO1882	prostate tumor	universal normal control
	PRO1882	lung tumor	universal normal control
	PRO1882	colon tumor	universal normal control
10	PRO1882	breast tumor	universal normal control
	PRO1882	cervical tumor	universal normal control
	PRO4989	rectal tumor	universal normal control
	PRO4989	breast tumor	universal normal control
	PRO4989	colon tumor	matched normal colon control
15	PRO4989	colon tumor	universal normal control
	PRO4323	lung tumor	universal normal control
	PRO4323	liver tumor	universal normal control
	PRO1886	breast tumor	universal normal control
	PRO1886	lung tumor	universal normal control
20	PRO1886	rectal tumor	universal normal control
	PRO4395	colon tumor	universal normal control
	PRO4395	prostate tumor	universal normal control
	PRO4395	lung tumor	universal normal control
	PRO4395	cervical tumor	universal normal control
25	PRO1782	colon tumor	universal normal control
	PRO1782	lung tumor	universal normal control
	PRO4388	lung tumor	universal normal control
	PRO4341	breast tumor	universal normal control
	PRO4341	lung tumor	universal normal control
30	PRO3438	lung tumor	universal normal control
	PRO4321	breast tumor	universal normal control
	PRO4321	lung tumor	universal normal control
	PRO4321	colon tumor	universal normal control
	PRO4304	breast tumor	universal normal control
35	PRO4304	lung tumor	universal normal control
	PRO4403	colon tumor	universal normal control
	PRO4403	breast tumor	universal normal control
	PRO4403	lung tumor	universal normal control
	PRO4324	lung tumor	universal normal control
40	PRO4324	breast tumor	universal normal control
	PRO4303	cervical tumor	universal normal control
	PRO4303	lung tumor	universal normal control
	PRO4303	breast tumor	universal normal control
	PRO4303	colon tumor	universal normal control
45	PRO4303	prostate tumor	universal normal control
	PRO4305	breast tumor	universal normal control
	PRO4305	lung tumor	universal normal control
	PRO4305	colon tumor	universal normal control
	PRO4305	liver tumor	universal normal control
50	PRO4404	lung tumor	universal normal control
	PRO4404	breast tumor	universal normal control
	PRO4404	rectal tumor	universal normal control
	PRO1884	lung tumor	universal normal control
	PRO4349	colon tumor	universal normal control
55	PRO4349	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO4401	colon tumor	universal normal control
	PRO4401	lung tumor	universal normal control
5	PRO1867	lung tumor	universal normal control
	PRO1867	liver tumor	universal normal control
	PRO4319	breast tumor	universal normal control
	PRO4319	lung tumor	universal normal control
	PRO4991	lung tumor	universal normal control
10	PRO4991	colon tumor	universal normal control
	PRO4398	lung tumor	universal normal control
	PRO4346	lung tumor	universal normal control
	PRO4350	colon tumor	universal normal control
	PRO4350	prostate tumor	universal normal control
15	PRO4350	lung tumor	universal normal control
	PRO4318	prostate tumor	universal normal control
	PRO4318	lung tumor	universal normal control
	PRO4340	breast tumor	universal normal control
	PRO4340	lung tumor	universal normal control
20	PRO4400	breast tumor	universal normal control
	PRO4400	lung tumor	universal normal control
	PRO4320	lung tumor	universal normal control
	PRO4409	lung tumor	universal normal control
	PRO4409	cervical tumor	universal normal control
25	PRO4409	colon tumor	universal normal control
	PRO4399	lung tumor	universal normal control
	PRO4399	breast tumor	universal normal control
	PRO4418	lung tumor	universal normal control
	PRO4418	breast tumor	universal normal control
30	PRO4330	cervical tumor	universal normal control
	PRO4330	colon tumor	matched normal colon control
	PRO4339	breast tumor	universal normal control
	PRO4339	colon tumor	universal normal control
	PRO4326	lung tumor	universal normal control
35	PRO4326	colon tumor	universal normal control
	PRO6014	breast tumor	universal normal control
	PRO3446	colon tumor	universal normal control
	PRO3446	lung tumor	universal normal control
	PRO4322	lung tumor	universal normal control
40	PRO4322	rectal tumor	universal normal control
	PRO4322	colon tumor	matched normal colon control
	PRO4381	breast tumor	universal normal control
	PRO4381	lung tumor	universal normal control
	PRO4381	colon tumor	universal normal control
45	PRO4348	lung tumor	universal normal control
	PRO4348	prostate tumor	universal normal control
	PRO4371	breast tumor	universal normal control
	PRO3742	colon tumor	universal normal control
	PRO3742	lung tumor	universal normal control
50	PRO5773	lung tumor	universal normal control
	PRO5773	colon tumor	universal normal control
	PRO5773	prostate tumor	universal normal control
	PRO5774	colon tumor	universal normal control
	PRO4343	colon tumor	universal normal control
55	PRO4325	lung tumor	universal normal control
	PRO4347	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO4347	colon tumor	universal normal control
	PRO4347	rectal tumor	universal normal control
	PRO3743	colon tumor	universal normal control
5	PRO3743	lung tumor	universal normal control
	PRO3743	prostate tumor	universal normal control
	PRO4426	colon tumor	universal normal control
	PRO4500	colon tumor	universal normal control
	PRO4389	breast tumor	universal normal control
10	PRO4389	lung tumor	universal normal control
	PRO4337	colon tumor	universal normal control
	PRO4337	breast tumor	universal normal control
	PRO4337	lung tumor	universal normal control
	PRO4992	lung tumor	universal normal control
15	PRO5996	lung tumor	universal normal control
	PRO4345	lung tumor	universal normal control
	PRO4345	colon tumor	universal normal control
	PRO5780	lung tumor	universal normal control
	PRO5780	breast tumor	universal normal control
20	PRO5992	lung tumor	universal normal control
	PRO5992	colon tumor	universal normal control
	PRO5992	breast tumor	universal normal control
	PRO4428	prostate tumor	universal normal control
	PRO4994	lung tumor	universal normal control
25	PRO5995	lung tumor	universal normal control
	PRO5995	colon tumor	universal normal control
	PRO6094	lung tumor	universal normal control
	PRO6094	colon tumor	universal normal control
	PRO4317	lung tumor	universal normal control
30	PRO4317	colon tumor	universal normal control
	PRO4317	liver tumor	universal normal control
	PRO4317	colon tumor	matched normal colon control
	PRO5997	colon tumor	universal normal control
	PRO5997	lung tumor	universal normal control
35	PRO5005	lung tumor	universal normal control
	PRO5005	colon tumor	universal normal control
	PRO5004	colon tumor	universal normal control
	PRO6001	breast tumor	universal normal control
	PRO6013	colon tumor	universal normal control
40	PRO4502	lung tumor	universal normal control
	PRO4502	colon tumor	universal normal control
	PRO6007	breast tumor	universal normal control
	PRO6028	breast tumor	universal normal control
	PRO6028	colon tumor	universal normal control
45	PRO4327	prostate tumor	universal normal control
	PRO4315	colon tumor	universal normal control
	PRO5993	lung tumor	universal normal control
	PRO5993	colon tumor	universal normal control
	PRO4503	colon tumor	universal normal control
50	PRO4976	lung tumor	universal normal control
	PRO5798	lung tumor	universal normal control
	PRO5798	colon tumor	universal normal control
	PRO6242	colon tumor	universal normal control
	PRO6242	colon tumor	matched normal colon control
55	PRO6242	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO6242	liver tumor	universal normal control
	PRO6242	rectal tumor	universal normal control
	PRO6095	breast tumor	universal normal control
5	PRO6095	lung tumor	universal normal control
	PRO6093	colon tumor	universal normal control
	PRO6093	breast tumor	universal normal control
	PRO6093	lung tumor	universal normal control
	PRO6093	colon tumor	matched normal colon control
10	PRO6012	colon tumor	universal normal control
	PRO6027	lung tumor	universal normal control
	PRO6027	colon tumor	universal normal control
	PRO6027	rectal tumor	universal normal control
	PRO6181	prostate tumor	universal normal control
15	PRO6181	lung tumor	universal normal control
	PRO6181	colon tumor	universal normal control
	PRO6097	colon tumor	universal normal control
	PRO6097	lung tumor	universal normal control
	PRO6090	lung tumor	universal normal control
20	PRO7171	lung tumor	universal normal control
	PRO7171	colon tumor	universal normal control
	PRO7171	breast tumor	universal normal control
	PRO6258	prostate tumor	universal normal control
	PRO6258	breast tumor	universal normal control
25	PRO6258	cervical tumor	universal normal control
	PRO6258	liver tumor	universal normal control
	PRO6258	colon tumor	universal normal control
	PRO9820	prostate tumor	universal normal control
	PRO6243	lung tumor	universal normal control
30	PRO6182	lung tumor	universal normal control
	PRO6079	lung tumor	universal normal control
	PRO6079	colon tumor	universal normal control
	PRO6079	breast tumor	universal normal control
	PRO6079	prostate tumor	universal normal control
35	PRO7434	lung tumor	universal normal control
	PRO9865	colon tumor	universal normal control
	PRO9828	colon tumor	universal normal control
	PRO196	colon tumor	universal normal control
	PRO196	lung tumor	universal normal control
40	PRO196	breast tumor	universal normal control
	PRO197	colon tumor	universal normal control
	PRO197	lung tumor	universal normal control
	PRO197	breast tumor	universal normal control
	PRO195	colon tumor	universal normal control
45	PRO195	lung tumor	universal normal control
	PRO195	breast tumor	universal normal control
	PRO187	lung tumor	universal normal control
	PRO187	liver tumor	universal normal control
	PRO182	colon tumor	universal normal control
50	PRO182	lung tumor	universal normal control
	PRO182	breast tumor	universal normal control
	PRO188	rectal tumor	universal normal control
	PRO183	colon tumor	universal normal control
	PRO183	lung tumor	universal normal control
55	PRO183	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO183	rectal tumor	universal normal control
	PRO184	lung tumor	universal normal control
	PRO184	breast tumor	universal normal control
5	PRO185	lung tumor	universal normal control
	PRO200	colon tumor	universal normal control
	PRO200	lung tumor	universal normal control
	PRO200	breast tumor	universal normal control
	PRO200	rectal tumor	universal normal control
10	PRO202	colon tumor	universal normal control
	PRO202	lung tumor	universal normal control
	PRO202	breast tumor	universal normal control
	PRO202	rectal tumor	universal normal control
	PRO202	liver tumor	universal normal control
15	PRO214	colon tumor	universal normal control
	PRO214	lung tumor	universal normal control
	PRO215	colon tumor	universal normal control
	PRO215	lung tumor	universal normal control
	PRO215	breast tumor	universal normal control
20	PRO219	colon tumor	universal normal control
	PRO219	lung tumor	universal normal control
	PRO219	breast tumor	universal normal control
	PRO219	liver tumor	universal normal control
	PRO211	lung tumor	universal normal control
25	PRO211	breast tumor	universal normal control
	PRO220	colon tumor	universal normal control
	PRO220	lung tumor	universal normal control
	PRO220	breast tumor	universal normal control
	PRO366	colon tumor	universal normal control
30	PRO366	lung tumor	universal normal control
	PRO366	breast tumor	universal normal control
	PRO216	lung tumor	universal normal control
	PRO221	colon tumor	universal normal control
	PRO221	lung tumor	universal normal control
35	PRO221	breast tumor	universal normal control
	PRO228	lung tumor	universal normal control
	PRO228	breast tumor	universal normal control
	PRO217	lung tumor	universal normal control
	PRO217	breast tumor	universal normal control
40	PRO222	colon tumor	universal normal control
	PRO222	lung tumor	universal normal control
	PRO222	breast tumor	universal normal control
	PRO224	colon tumor	universal normal control
	PRO224	lung tumor	universal normal control
45	PRO224	breast tumor	universal normal control
	PRO224	prostate tumor	universal normal control
	PRO224	rectal tumor	universal normal control
	PRO230	colon tumor	universal normal control
	PRO230	lung tumor	universal normal control
50	PRO230	breast tumor	universal normal control
	PRO230	prostate tumor	universal normal control
	PRO198	colon tumor	universal normal control
	PRO198	lung tumor	universal normal control
	PRO198	breast tumor	universal normal control
55	PRO198	liver tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO226	lung tumor	universal normal control
	PRO226	breast tumor	universal normal control
	PRO261	lung tumor	universal normal control
5	PRO242	colon tumor	universal normal control
	PRO242	lung tumor	universal normal control
	PRO242	breast tumor	universal normal control
	PRO227	colon tumor	universal normal control
	PRO227	lung tumor	universal normal control
10	PRO237	colon tumor	universal normal control
	PRO237	lung tumor	universal normal control
	PRO237	breast tumor	universal normal control
	PRO237	prostate tumor	universal normal control
	PRO241	colon tumor	universal normal control
15	PRO241	lung tumor	universal normal control
	PRO241	breast tumor	universal normal control
	PRO231	colon tumor	universal normal control
	PRO231	lung tumor	universal normal control
	PRO231	breast tumor	universal normal control
20	PRO231	rectal tumor	universal normal control
	PRO235	colon tumor	universal normal control
	PRO235	lung tumor	universal normal control
	PRO235	breast tumor	universal normal control
	PRO235	liver tumor	universal normal control
25	PRO323	lung tumor	universal normal control
	PRO323	breast tumor	universal normal control
	PRO323	rectal tumor	universal normal control
	PRO245	colon tumor	universal normal control
	PRO245	lung tumor	universal normal control
30	PRO245	breast tumor	universal normal control
	PRO245	cervical tumor	universal normal control
	PRO245	liver tumor	universal normal control
	PRO246	colon tumor	universal normal control
	PRO246	lung tumor	universal normal control
35	PRO246	breast tumor	universal normal control
	PRO288	lung tumor	universal normal control
	PRO288	breast tumor	universal normal control
	PRO248	lung tumor	universal normal control
	PRO248	rectal tumor	universal normal control
40	PRO257	colon tumor	universal normal control
	PRO257	lung tumor	universal normal control
	PRO257	prostate tumor	universal normal control
	PRO172	colon tumor	universal normal control
	PRO172	lung tumor	universal normal control
45	PRO172	breast tumor	universal normal control
	PRO258	colon tumor	universal normal control
	PRO258	lung tumor	universal normal control
	PRO258	breast tumor	universal normal control
	PRO265	lung tumor	universal normal control
50	PRO265	breast tumor	universal normal control
	PRO265	rectal tumor	universal normal control
	PRO326	colon tumor	universal normal control
	PRO326	lung tumor	universal normal control
	PRO326	breast tumor	universal normal control
55	PRO326	liver tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO266	colon tumor	universal normal control
	PRO266	lung tumor	universal normal control
	PRO266	breast tumor	universal normal control
5	PRO269	lung tumor	universal normal control
	PRO269	rectal tumor	universal normal control
	PRO285	colon tumor	universal normal control
	PRO285	lung tumor	universal normal control
	PRO285	breast tumor	universal normal control
10	PRO328	colon tumor	universal normal control
	PRO328	lung tumor	universal normal control
	PRO328	breast tumor	universal normal control
	PRO344	breast tumor	universal normal control
	PRO272	lung tumor	universal normal control
15	PRO301	colon tumor	universal normal control
	PRO301	lung tumor	universal normal control
	PRO301	breast tumor	universal normal control
	PRO331	colon tumor	universal normal control
	PRO331	lung tumor	universal normal control
20	PRO331	breast tumor	universal normal control
	PRO332	colon tumor	universal normal control
	PRO332	lung tumor	universal normal control
	PRO332	breast tumor	universal normal control
	PRO353	colon tumor	universal normal control
25	PRO353	lung tumor	universal normal control
	PRO353	breast tumor	universal normal control
	PRO310	colon tumor	universal normal control
	PRO310	lung tumor	universal normal control
	PRO310	breast tumor	universal normal control
30	PRO310	rectal tumor	universal normal control
	PRO337	colon tumor	universal normal control
	PRO337	lung tumor	universal normal control
	PRO337	breast tumor	universal normal control
	PRO346	lung tumor	universal normal control
35	PRO350	lung tumor	universal normal control
	PRO350	breast tumor	universal normal control
	PRO526	colon tumor	universal normal control
	PRO526	lung tumor	universal normal control
	PRO526	breast tumor	universal normal control
40	PRO381	colon tumor	universal normal control
	PRO381	lung tumor	universal normal control
	PRO381	breast tumor	universal normal control
	PRO381	prostate tumor	universal normal control
	PRO846	colon tumor	universal normal control
45	PRO846	lung tumor	universal normal control
	PRO363	colon tumor	universal normal control
	PRO363	lung tumor	universal normal control
	PRO365	lung tumor	universal normal control
	PRO365	breast tumor	universal normal control
50	PRO1310	breast tumor	universal normal control
	PRO731	colon tumor	universal normal control
	PRO731	lung tumor	universal normal control
	PRO731	breast tumor	universal normal control
	PRO322	colon tumor	universal normal control
55	PRO322	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO322	breast tumor	universal normal control
	PRO322	rectal tumor	universal normal control
	PRO322	liver tumor	universal normal control
5	PRO536	lung tumor	universal normal control
	PRO536	breast tumor	universal normal control
	PRO536	liver tumor	universal normal control
	PRO719	colon tumor	universal normal control
	PRO719	lung tumor	universal normal control
10	PRO719	breast tumor	universal normal control
	PRO619	colon tumor	universal normal control
	PRO619	lung tumor	universal normal control
	PRO619	breast tumor	universal normal control
	PRO771	colon tumor	universal normal control
15	PRO771	lung tumor	universal normal control
	PRO771	breast tumor	universal normal control
	PRO1083	colon tumor	universal normal control
	PRO1083	lung tumor	universal normal control
	PRO1083	breast tumor	universal normal control
20	PRO1083	prostate tumor	universal normal control
	PRO862	colon tumor	universal normal control
	PRO862	lung tumor	universal normal control
	PRO862	breast tumor	universal normal control
	PRO733	colon tumor	universal normal control
25	PRO733	lung tumor	universal normal control
	PRO733	breast tumor	universal normal control
	PRO733	liver tumor	universal normal control
	PRO1188	lung tumor	universal normal control
	PRO1188	breast tumor	universal normal control
30	PRO1188	rectal tumor	universal normal control
	PRO770	lung tumor	universal normal control
	PRO770	breast tumor	universal normal control
	PRO1080	colon tumor	universal normal control
	PRO1080	lung tumor	universal normal control
35	PRO1080	breast tumor	universal normal control
	PRO1017	colon tumor	universal normal control
	PRO1017	lung tumor	universal normal control
	PRO1017	breast tumor	universal normal control
	PRO1016	colon tumor	universal normal control
40	PRO1016	lung tumor	universal normal control
	PRO1016	breast tumor	universal normal control
	PRO1016	rectal tumor	universal normal control
	PRO792	lung tumor	universal normal control
	PRO938	colon tumor	universal normal control
45	PRO938	lung tumor	universal normal control
	PRO938	breast tumor	universal normal control
	PRO1012	colon tumor	universal normal control
	PRO1012	lung tumor	universal normal control
	PRO1012	rectal tumor	universal normal control
50	PRO1012	liver tumor	universal normal control
	PRO1008	lung tumor	universal normal control
	PRO1075	colon tumor	universal normal control
	PRO1075	lung tumor	universal normal control
	PRO1007	colon tumor	universal normal control
55	PRO1007	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1007	breast tumor	universal normal control
	PRO1007	rectal tumor	universal normal control
	PRO1056	colon tumor	universal normal control
5	PRO1056	lung tumor	universal normal control
	PRO1056	breast tumor	universal normal control
	PRO791	colon tumor	universal normal control
	PRO791	lung tumor	universal normal control
	PRO791	breast tumor	universal normal control
10	PRO791	rectal tumor	universal normal control
	PRO1111	colon tumor	universal normal control
	PRO1111	lung tumor	universal normal control
	PRO1111	breast tumor	universal normal control
	PRO812	lung tumor	universal normal control
15	PRO812	breast tumor	universal normal control
	PRO812	rectal tumor	universal normal control
	PRO1066	lung tumor	universal normal control
	PRO1185	colon tumor	universal normal control
	PRO1185	lung tumor	universal normal control
20	PRO1185	breast tumor	universal normal control
	PRO1031	lung tumor	universal normal control
	PRO1360	lung tumor	universal normal control
	PRO1360	breast tumor	universal normal control
	PRO1309	lung tumor	universal normal control
25	PRO1309	breast tumor	universal normal control
	PRO1107	lung tumor	universal normal control
	PRO1107	breast tumor	universal normal control
	PRO836	colon tumor	universal normal control
	PRO836	lung tumor	universal normal control
30	PRO1132	lung tumor	universal normal control
	PRO1132	breast tumor	universal normal control
	PRO1131	colon tumor	universal normal control
	PRO1131	lung tumor	universal normal control
	PRO1131	breast tumor	universal normal control
35	PRO1131	liver tumor	universal normal control
	PRO1130	colon tumor	universal normal control
	PRO1130	lung tumor	universal normal control
	PRO1130	breast tumor	universal normal control
	PRO844	colon tumor	universal normal control
40	PRO844	lung tumor	universal normal control
	PRO844	breast tumor	universal normal control
	PRO844	rectal tumor	universal normal control
	PRO1154	colon tumor	universal normal control
	PRO1154	lung tumor	universal normal control
45	PRO1154	rectal tumor	universal normal control
	PRO1154	liver tumor	universal normal control
	PRO1181	lung tumor	universal normal control
	PRO1181	breast tumor	universal normal control
	PRO1126	colon tumor	universal normal control
50	PRO1126	lung tumor	universal normal control
	PRO1126	breast tumor	universal normal control
	PRO1126	adrenal tumor	universal normal control
	PRO1186	colon tumor	universal normal control
	PRO1186	lung tumor	universal normal control
55	PRO1186	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1186	liver tumor	universal normal control
	PRO1198	colon tumor	universal normal control
	PRO1198	lung tumor	universal normal control
5	PRO1159	lung tumor	universal normal control
	PRO1159	breast tumor	universal normal control
	PRO1159	liver tumor	universal normal control
	PRO1265	colon tumor	universal normal control
	PRO1265	breast tumor	universal normal control
10	PRO1250	colon tumor	universal normal control
	PRO1250	lung tumor	universal normal control
	PRO1250	breast tumor	universal normal control
	PRO1475	colon tumor	universal normal control
	PRO1475	breast tumor	universal normal control
15	PRO1312	colon tumor	universal normal control
	PRO1312	lung tumor	universal normal control
	PRO1312	breast tumor	universal normal control
	PRO1308	colon tumor	universal normal control
	PRO1308	lung tumor	universal normal control
20	PRO1308	liver tumor	universal normal control
	PRO1326	colon tumor	universal normal control
	PRO1325	lung tumor	universal normal control
	PRO1326	breast tumor	universal normal control
	PRO1192	colon tumor	universal normal control
25	PRO1192	lung tumor	universal normal control
	PRO1192	breast tumor	universal normal control
	PRO1246	colon tumor	universal normal control
	PRO1246	lung tumor	universal normal control
	PRO1246	breast tumor	universal normal control
30	PRO1246	prostate tumor	universal normal control
	PRO1356	colon tumor	universal normal control
	PRO1356	lung tumor	universal normal control
	PRO1356	breast tumor	universal normal control
	PRO1275	lung tumor	universal normal control
35	PRO1275	breast tumor	universal normal control
	PRO1274	lung tumor	universal normal control
	PRO1358	colon tumor	universal normal control
	PRO1358	lung tumor	universal normal control
	PRO1358	prostate tumor	universal normal control
40	PRO1286	colon tumor	universal normal control
	PRO1286	lung tumor	universal normal control
	PRO1286	prostate tumor	universal normal control
	PRO1286	rectal tumor	universal normal control
	PRO1294	colon tumor	universal normal control
45	PRO1294	lung tumor	universal normal control
	PRO1294	breast tumor	universal normal control
	PRO1294	rectal tumor	universal normal control
	PRO1273	lung tumor	universal normal control
	PRO1273	rectal tumor	universal normal control
50	PRO1279	colon tumor	universal normal control
	PRO1279	lung tumor	universal normal control
	PRO1195	lung tumor	universal normal control
	PRO1195	breast tumor	universal normal control
	PRO1271	lung tumor	universal normal control
55	PRO1271	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1271	liver tumor	universal normal control
	PRO1338	colon tumor	universal normal control
	PRO1338	lung tumor	universal normal control
5	PRO1338	breast tumor	universal normal control
	PRO1343	colon tumor	universal normal control
	PRO1343	lung tumor	universal normal control
	PRO1343	breast tumor	universal normal control
	PRO1343	rectal tumor	universal normal control
10	PRO1434	lung tumor	universal normal control
	PRO1418	lung tumor	universal normal control
	PRO1418	liver tumor	universal normal control
	PRO1387	colon tumor	universal normal control
	PRO1387	lung tumor	universal normal control
15	PRO1387	prostate tumor	universal normal control
	PRO1387	rectal tumor	universal normal control
	PRO1384	colon tumor	universal normal control
	PRO1384	lung tumor	universal normal control
20	PRO1565	colon tumor	universal normal control
	PRO1565	lung tumor	universal normal control
	PRO1565	prostate tumor	universal normal control
	PRO1474	colon tumor	universal normal control
	PRO1474	lung tumor	universal normal control
	PRO1474	breast tumor	universal normal control
25	PRO1474	rectal tumor	universal normal control
	PRO1917	colon tumor	universal normal control
	PRO1917	lung tumor	universal normal control
	PRO1917	breast tumor	universal normal control
	PRO1787	colon tumor	universal normal control
30	PRO1787	lung tumor	universal normal control
	PRO1787	breast tumor	universal normal control
	PRO1556	lung tumor	universal normal control
	PRO1556	breast tumor	universal normal control
	PRO1561	colon tumor	universal normal control
35	PRO1561	lung tumor	universal normal control
	PRO1561	rectal tumor	universal normal control
	PRO1693	colon tumor	universal normal control
	PRO1693	lung tumor	universal normal control
	PRO1693	breast tumor	universal normal control
40	PRO1868	lung tumor	universal normal control
	PRO1868	breast tumor	universal normal control
	PRO1890	colon tumor	universal normal control
	PRO1890	lung tumor	universal normal control
	PRO1890	breast tumor	universal normal control
45	PRO1890	prostate tumor	universal normal control
	PRO1887	colon tumor	universal normal control
	PRO1887	breast tumor	universal normal control
	PRO4353	lung tumor	universal normal control
	PRO4353	breast tumor	universal normal control
50	PRO1801	colon tumor	universal normal control
	PRO1801	lung tumor	universal normal control
	PRO4357	lung tumor	universal normal control
	PRO4357	breast tumor	universal normal control
	PRO4302	colon tumor	universal normal control
55	PRO4302	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO4302	breast tumor	universal normal control
	PRO4302	prostate tumor	universal normal control
	PRO5990	colon tumor	universal normal control
5	PRO5990	lung tumor	universal normal control
	PRO5990	breast tumor	universal normal control

EXAMPLE 31: Identification of Receptor/Ligand Interactions

10 In this assay, various PRO polypeptides are tested for ability to bind to a panel of potential receptor or ligand molecules for the purpose of identifying receptor/ligand interactions. The identification of a ligand for a known receptor, a receptor for a known ligand or a novel receptor/ligand pair is useful for a variety of indications including, for example, targeting bioactive molecules (linked to the ligand or receptor) to a cell known to express the receptor or ligand, use of the receptor or ligand as a reagent to detect the presence of the ligand or receptor in a composition suspected of containing the same, wherein the composition may comprise

15 cells suspected of expressing the ligand or receptor, modulating the growth of or another biological or immunological activity of a cell known to express or respond to the receptor or ligand, modulating the immune response of cells or toward cells that express the receptor or ligand, allowing the preparation of agonists, antagonists and/or antibodies directed against the receptor or ligand which will modulate the growth of or a biological or immunological activity of a cell expressing the receptor or ligand, and various other indications

20 which will be readily apparent to the ordinarily skilled artisan.

The assay is performed as follows. A PRO polypeptide of the present invention suspected of being a ligand for a receptor is expressed as a fusion protein containing the Fc domain of human IgG (an immunoadhesin). Receptor-ligand binding is detected by allowing interaction of the immunoadhesin polypeptide with cells (e.g. Cos cells) expressing candidate PRO polypeptide receptors and visualization of bound

25 immunoadhesin with fluorescent reagents directed toward the Fc fusion domain and examination by microscope. Cells expressing candidate receptors are produced by transient transfection, in parallel, of defined subsets of a library of cDNA expression vectors encoding PRO polypeptides that may function as receptor molecules. Cells are then incubated for 1 hour in the presence of the PRO polypeptide immunoadhesin being tested for possible receptor binding. The cells are then washed and fixed with paraformaldehyde. The cells are then incubated with

30 fluorescent conjugated antibody directed against the Fc portion of the PRO polypeptide immunoadhesin (e.g. FITC conjugated goat anti-human-Fc antibody). The cells are then washed again and examined by microscope. A positive interaction is judged by the presence of fluorescent labeling of cells transfected with cDNA encoding a particular PRO polypeptide receptor or pool of receptors and an absence of similar fluorescent labeling of similarly prepared cells that have been transfected with other cDNA or pools of cDNA. If a defined pool of

35 cDNA expression vectors is judged to be positive for interaction with a PRO polypeptide immunoadhesin, the individual cDNA species that comprise the pool are tested individually (the pool is "broken down") to determine the specific cDNA that encodes a receptor able to interact with the PRO polypeptide immunoadhesin.

In another embodiment of this assay, an epitope-tagged potential ligand PRO polypeptide (e.g. 8 histidine "His" tag) is allowed to interact with a panel of potential receptor PRO polypeptide molecules that have

been expressed as fusions with the Fc domain of human IgG (immunoadhesins). Following a 1 hour co-incubation with the epitope tagged PRO polypeptide, the candidate receptors are each immunoprecipitated with protein A beads and the beads are washed. Potential ligand interaction is determined by western blot analysis of the immunoprecipitated complexes with antibody directed towards the epitope tag. An interaction is judged to occur if a band of the anticipated molecular weight of the epitope tagged protein is observed in the western blot analysis with a candidate receptor, but is not observed to occur with the other members of the panel of potential receptors.

Using these assays, the following receptor/ligand interactions have been herein identified:

- (1) PRO1801 binds to PRO1114 and PRO4978.
- (2) PRO100 binds to PRO1114.

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by the construct deposited, since the deposited embodiment is intended as a single illustration of certain aspects of the invention and any constructs that are functionally equivalent are within the scope of this invention. The deposit of material herein does not constitute an admission that the written description herein contained is inadequate to enable the practice of any aspect of the invention, including the best mode thereof, nor is it to be construed as limiting the scope of the claims to the specific illustrations that it represents. Indeed, various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims.

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

0-1	Form - PCT/RO/134 (EASY) Indications Relating to Deposited Microorganism(s) or Other Biological Material (PCT Rule 13bis)	
0-1-1	Prepared using	PCT-EASY Version 2.91 (updated 10.10.2000)
0-2	International Application No.	
0-3	Applicant's or agent's file reference	P3330R1
1	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
1-1	page	98
1-2	line	34
1-3	Identification of Deposit	
1-3-1	Name of depositary institution	American Type Culture Collection
1-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
1-3-3	Date of deposit	14 April 1998 (14.04.1998)
1-3-4	Accession Number	ATCC 209771
1-4	Additional Indications	NONE
1-5	Designated States for Which Indications are Made	all designated States
1-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
2	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
2-1	page	98
2-2	line	35
2-3	Identification of Deposit	
2-3-1	Name of depositary institution	American Type Culture Collection
2-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
2-3-3	Date of deposit	09 February 1999 (09.02.1999)
2-3-4	Accession Number	ATCC 203654
2-4	Additional Indications	NONE
2-5	Designated States for Which Indications are Made	all designated States
2-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
3	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
3-1	page	98
3-2	line	36

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

3-3	Identification of Deposit	
3-3-1	Name of depositary institution	American Type Culture Collection
3-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
3-3-3	Date of deposit	25 May 1999 (25.05.1999)
3-3-4	Accession Number	ATCC PTA-127
3-4	Additional Indications	NONE
3-5	Designated States for Which Indications are Made	all designated States
3-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
4	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
4-1	page	98
4-2	line	37
4-3	Identification of Deposit	
4-3-1	Name of depositary institution	American Type Culture Collection
4-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
4-3-3	Date of deposit	27 July 1999 (27.07.1999)
4-3-4	Accession Number	ATCC PTA-429
4-4	Additional Indications	NONE
4-5	Designated States for Which Indications are Made	all designated States
4-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
5	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
5-1	page	98
5-2	line	38
5-3	Identification of Deposit	
5-3-1	Name of depositary institution	American Type Culture Collection
5-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
5-3-3	Date of deposit	27 July 1999 (27.07.1999)
5-3-4	Accession Number	ATCC PTA-432
5-4	Additional Indications	NONE
5-5	Designated States for Which Indications are Made	all designated States
5-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

6	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
6-1	page	98
6-2	line	39
6-3	Identification of Deposit	
6-3-1	Name of depositary institution	American Type Culture Collection
6-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
6-3-3	Date of deposit	10 December 1997 (10.12.1997)
6-3-4	Accession Number	ATCC 209525
6-4	Additional Indications	NONE
6-5	Designated States for Which Indications are Made	all designated States
6-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
7	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
7-1	page	99
7-2	line	2
7-3	Identification of Deposit	
7-3-1	Name of depositary institution	American Type Culture Collection
7-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
7-3-3	Date of deposit	12 January 1999 (12.01.1999)
7-3-4	Accession Number	ATCC 203577
7-4	Additional Indications	NONE
7-5	Designated States for Which Indications are Made	all designated States
7-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
8	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
8-1	page	99
8-2	line	3
8-3	Identification of Deposit	
8-3-1	Name of depositary institution	American Type Culture Collection
8-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
8-3-3	Date of deposit	27 July 1999 (27.07.1999)
8-3-4	Accession Number	ATCC PTA-430
8-4	Additional Indications	NONE
8-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

8-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
9	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
9-1	page	99
9-2	line	4
9-3	Identification of Deposit	
9-3-1	Name of depositary institution	American Type Culture Collection
9-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
9-3-3	Date of deposit	08 June 1999 (08.06.1999)
9-3-4	Accession Number	ATCC PTA-203
9-4	Additional Indications	NONE
9-5	Designated States for Which Indications are Made	all designated States
9-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
10	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
10-1	page	99
10-2	line	5
10-3	Identification of Deposit	
10-3-1	Name of depositary institution	American Type Culture Collection
10-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
10-3-3	Date of deposit	01 July 1998 (01.07.1998)
10-3-4	Accession Number	ATCC 203040
10-4	Additional Indications	NONE
10-5	Designated States for Which Indications are Made	all designated States
10-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
11	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
11-1	page	99
11-2	line	6
11-3	Identification of Deposit	
11-3-1	Name of depositary institution	American Type Culture Collection
11-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
11-3-3	Date of deposit	31 August 1999 (31.08.1999)
11-3-4	Accession Number	ATCC PTA-611

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

11-4	Additional Indications	NONE
11-5	Designated States for Which Indications are Made	all designated States
11-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
12	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
12-1	page	99
12-2	line	7
12-3	Identification of Deposit	
12-3-1	Name of depositary institution	American Type Culture Collection 10801 University Blvd., Manassas, Virginia 20110-2209 United States of America 21 January 1998 (21.01.1998) ATCC 209593
12-3-2	Address of depositary institution	
12-3-3	Date of deposit	
12-3-4	Accession Number	
12-4	Additional Indications	NONE
12-5	Designated States for Which Indications are Made	all designated States
12-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
13	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
13-1	page	99
13-2	line	8
13-3	Identification of Deposit	
13-3-1	Name of depositary institution	American Type Culture Collection 10801 University Blvd., Manassas, Virginia 20110-2209 United States of America 09 February 1999 (09.02.1999) ATCC 203649
13-3-2	Address of depositary institution	
13-3-3	Date of deposit	
13-3-4	Accession Number	
13-4	Additional Indications	NONE
13-5	Designated States for Which Indications are Made	all designated States
13-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
14	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
14-1	page	99
14-2	line	9

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

14-3	Identification of Deposit	
14-3-1	Name of depositary institution	American Type Culture Collection
14-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
14-3-3	Date of deposit	12 January 1999 (12.01.1999)
14-3-4	Accession Number	ATCC 203574
14-4	Additional Indications	NONE
14-5	Designated States for Which Indications are Made	all designated States
14-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
15	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
15-1	page	99
15-2	line	10
15-3	Identification of Deposit	
15-3-1	Name of depositary institution	American Type Culture Collection
15-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
15-3-3	Date of deposit	25 May 1999 (25.05.1999)
15-3-4	Accession Number	ATCC PTA-129
15-4	Additional Indications	NONE
15-5	Designated States for Which Indications are Made	all designated States
15-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
16	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
16-1	page	99
16-2	line	11
16-3	Identification of Deposit	
16-3-1	Name of depositary institution	American Type Culture Collection
16-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
16-3-3	Date of deposit	27 May 1998 (27.05.1998)
16-3-4	Accession Number	ATCC 209905
16-4	Additional Indications	NONE
16-5	Designated States for Which Indications are Made	all designated States
16-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

17	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
17-1	page	99
17-2	line	12
17-3	Identification of Deposit	
17-3-1	Name of depositary institution	American Type Culture Collection
17-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
17-3-3	Date of deposit	12 January 1999 (12.01.1999)
17-3-4	Accession Number	ATCC 203585
17-4	Additional Indications	NONE
17-5	Designated States for Which Indications are Made	all designated States
17-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
18	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
18-1	page	99
18-2	line	13
18-3	Identification of Deposit	
18-3-1	Name of depositary institution	American Type Culture Collection
18-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
18-3-3	Date of deposit	09 February 1999 (09.02.1999)
18-3-4	Accession Number	ATCC 203665
18-4	Additional Indications	NONE
18-5	Designated States for Which Indications are Made	all designated States
18-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
19	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
19-1	page	99
19-2	line	14
19-3	Identification of Deposit	
19-3-1	Name of depositary institution	American Type Culture Collection
19-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
19-3-3	Date of deposit	27 July 1999 (27.07.1999)
19-3-4	Accession Number	ATCC PTA-427
19-4	Additional Indications	NONE
19-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

19-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
20	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
20-1	page	99
20-2	line	15
20-3	Identification of Deposit	
20-3-1	Name of depositary institution	American Type Culture Collection
20-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
20-3-3	Date of deposit	31 August 1999 (31.08.1999)
20-3-4	Accession Number	ATCC PTA-615
20-4	Additional Indications	NONE
20-5	Designated States for Which Indications are Made	all designated States
20-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
21	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
21-1	page	99
21-2	line	16
21-3	Identification of Deposit	
21-3-1	Name of depositary institution	American Type Culture Collection
21-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
21-3-3	Date of deposit	12 January 1999 (12.01.1999)
21-3-4	Accession Number	ATCC 203582
21-4	Additional Indications	NONE
21-5	Designated States for Which Indications are Made	all designated States
21-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
22	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
22-1	page	99
22-2	line	17
22-3	Identification of Deposit	
22-3-1	Name of depositary institution	American Type Culture Collection
22-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
22-3-3	Date of deposit	09 March 1999 (09.03.1999)
22-3-4	Accession Number	ATCC 203838

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

22-4	Additional Indications	NONE
22-5	Designated States for Which Indications are Made	all designated States
22-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
23	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
23-1	page	99
23-2	line	18
23-3	Identification of Deposit	
23-3-1	Name of depositary institution	American Type Culture Collection
23-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
23-3-3	Date of deposit	27 July 1999 (27.07.1999)
23-3-4	Accession Number	ATCC PTA-428
23-4	Additional Indications	NONE
23-5	Designated States for Which Indications are Made	all designated States
23-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
24	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
24-1	page	99
24-2	line	19
24-3	Identification of Deposit	
24-3-1	Name of depositary institution	American Type Culture Collection
24-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
24-3-3	Date of deposit	09 March 1999 (09.03.1999)
24-3-4	Accession Number	ATCC 203836
24-4	Additional Indications	NONE
24-5	Designated States for Which Indications are Made	all designated States
24-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
25	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
25-1	page	99
25-2	line	20

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

25-3	Identification of Deposit	
25-3-1	Name of depositary institution	American Type Culture Collection
25-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
25-3-3	Date of deposit	08 June 1999 (08.06.1999)
25-3-4	Accession Number	ATCC PTA-205
25-4	Additional Indications	NONE
25-5	Designated States for Which Indications are Made	all designated States
25-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
26	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
26-1	page	99
26-2	line	21
26-3	Identification of Deposit	
26-3-1	Name of depositary institution	American Type Culture Collection
26-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
26-3-3	Date of deposit	27 July 1999 (27.07.1999)
26-3-4	Accession Number	ATCC PTA-431
26-4	Additional Indications	NONE
26-5	Designated States for Which Indications are Made	all designated States
26-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
27	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
27-1	page	99
27-2	line	22
27-3	Identification of Deposit	
27-3-1	Name of depositary institution	American Type Culture Collection
27-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
27-3-3	Date of deposit	09 February 1999 (09.02.1999)
27-3-4	Accession Number	ATCC 203659
27-4	Additional Indications	NONE
27-5	Designated States for Which Indications are Made	all designated States
27-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

28	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
28-1	page	99
28-2	line	23
28-3	Identification of Deposit	
28-3-1	Name of depositary institution	American Type Culture Collection
28-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
28-3-3	Date of deposit	12 January 1999 (12.01.1999)
28-3-4	Accession Number	ATCC 203584
28-4	Additional Indications	NONE
28-5	Designated States for Which Indications are Made	all designated States
28-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
29	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
29-1	page	99
29-2	line	24
29-3	Identification of Deposit	
29-3-1	Name of depositary institution	American Type Culture Collection
29-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
29-3-3	Date of deposit	25 May 1999 (25.05.1999)
29-3-4	Accession Number	ATCC PTA-126
29-4	Additional Indications	NONE
29-5	Designated States for Which Indications are Made	all designated States
29-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
30	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
30-1	page	99
30-2	line	25
30-3	Identification of Deposit	
30-3-1	Name of depositary institution	American Type Culture Collection
30-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
30-3-3	Date of deposit	25 May 1999 (25.05.1999)
30-3-4	Accession Number	ATCC PTA-128
30-4	Additional Indications	NONE
30-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

30-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
31	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
31-1	page	99
31-2	line	26
31-3	Identification of Deposit	
31-3-1	Name of depositary institution	American Type Culture Collection
31-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
31-3-3	Date of deposit	09 February 1999 (09.02.1999)
31-3-4	Accession Number	ATCC 203664
31-4	Additional Indications	NONE
31-5	Designated States for Which Indications are Made	all designated States
31-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
32	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
32-1	page	99
32-2	line	27
32-3	Identification of Deposit	
32-3-1	Name of depositary institution	American Type Culture Collection
32-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
32-3-3	Date of deposit	12 January 1999 (12.01.1999)
32-3-4	Accession Number	ATCC 203578
32-4	Additional Indications	NONE
32-5	Designated States for Which Indications are Made	all designated States
32-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
33	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
33-1	page	99
33-2	line	28
33-3	Identification of Deposit	
33-3-1	Name of depositary institution	American Type Culture Collection
33-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
33-3-3	Date of deposit	22 December 1998 (22.12.1998)
33-3-4	Accession Number	ATCC 203554

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

33-4	Additional Indications	NONE
33-5	Designated States for Which Indications are Made	all designated States
33-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
34	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
34-1	page	99
34-2	line	29
34-3	Identification of Deposit	
34-3-1	Name of depositary institution	American Type Culture Collection
34-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
34-3-3	Date of deposit	16 March 1999 (16.03.1999)
34-3-4	Accession Number	ATCC 203850
34-4	Additional Indications	NONE
34-5	Designated States for Which Indications are Made	all designated States
34-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
35	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
35-1	page	99
35-2	line	30
35-3	Identification of Deposit	
35-3-1	Name of depositary institution	American Type Culture Collection
35-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
35-3-3	Date of deposit	11 May 1999 (11.05.1999)
35-3-4	Accession Number	ATCC PTA-45
35-4	Additional Indications	NONE
35-5	Designated States for Which Indications are Made	all designated States
35-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
36	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
36-1	page	99
36-2	line	31

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

36-3	Identification of Deposit	
36-3-1	Name of depositary institution	American Type Culture Collection
36-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
36-3-3	Date of deposit	22 December 1998 (22.12.1998)
36-3-4	Accession Number	ATCC 203545
36-4	Additional Indications	NONE
36-5	Designated States for Which Indications are Made	all designated States
36-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
37	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
37-1	page	99
37-2	line	32
37-3	Identification of Deposit	
37-3-1	Name of depositary institution	American Type Culture Collection
37-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
37-3-3	Date of deposit	22 December 1998 (22.12.1998)
37-3-4	Accession Number	ATCC 203544
37-4	Additional Indications	NONE
37-5	Designated States for Which Indications are Made	all designated States
37-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
38	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
38-1	page	99
38-2	line	33
38-3	Identification of Deposit	
38-3-1	Name of depositary institution	American Type Culture Collection
38-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
38-3-3	Date of deposit	15 June 1999 (15.06.1999)
38-3-4	Accession Number	ATCC PTA-234
38-4	Additional Indications	NONE
38-5	Designated States for Which Indications are Made	all designated States
38-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

39	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
39-1	page	99
39-2	line	34
39-3	Identification of Deposit	
39-3-1	Name of depositary institution	American Type Culture Collection
39-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
39-3-3	Date of deposit	16 March 1999 (16.03.1999)
39-3-4	Accession Number	ATCC 203848
39-4	Additional Indications	NONE
39-5	Designated States for Which Indications are Made	all designated States
39-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
40	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
40-1	page	99
40-2	line	35
40-3	Identification of Deposit	
40-3-1	Name of depositary institution	American Type Culture Collection
40-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
40-3-3	Date of deposit	22 December 1998 (22.12.1998)
40-3-4	Accession Number	ATCC 203555
40-4	Additional Indications	NONE
40-5	Designated States for Which Indications are Made	all designated States
40-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
41	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
41-1	page	99
41-2	line	36
41-3	Identification of Deposit	
41-3-1	Name of depositary institution	American Type Culture Collection
41-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
41-3-3	Date of deposit	20 April 1999 (20.04.1999)
41-3-4	Accession Number	ATCC 203949
41-4	Additional Indications	NONE
41-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

41-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
42	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
42-1	page	99
42-2	line	37
42-3	Identification of Deposit	
42-3-1	Name of depositary institution	American Type Culture Collection
42-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
42-3-3	Date of deposit	15 December 1998 (15.12.1998)
42-3-4	Accession Number	ATCC 203539
42-4	Additional Indications	NONE
42-5	Designated States for Which Indications are Made	all designated States
42-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
43	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
43-1	page	99
43-2	line	38
43-3	Identification of Deposit	
43-3-1	Name of depositary institution	American Type Culture Collection
43-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
43-3-3	Date of deposit	23 March 1999 (23.03.1999)
43-3-4	Accession Number	ATCC 203871
43-4	Additional Indications	NONE
43-5	Designated States for Which Indications are Made	all designated States
43-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
44	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
44-1	page	99
44-2	line	39
44-3	Identification of Deposit	
44-3-1	Name of depositary institution	American Type Culture Collection
44-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
44-3-3	Date of deposit	23 March 1999 (23.03.1999)
44-3-4	Accession Number	ATCC 203862

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

44-4	Additional Indications	NONE
44-5	Designated States for Which Indications are Made	all designated States
44-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
45	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
45-1	page	99
45-2	line	40
45-3	Identification of Deposit	
45-3-1	Name of depositary institution	American Type Culture Collection
45-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
45-3-3	Date of deposit	10 August 1999 (10.08.1999)
45-3-4	Accession Number	ATCC PTA-510
45-4	Additional Indications	NONE
45-5	Designated States for Which Indications are Made	all designated States
45-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
46	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
46-1	page	99
46-2	line	41
46-3	Identification of Deposit	
46-3-1	Name of depositary institution	American Type Culture Collection
46-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
46-3-3	Date of deposit	20 January 1999 (20.01.1999)
46-3-4	Accession Number	ATCC 203603
46-4	Additional Indications	NONE
46-5	Designated States for Which Indications are Made	all designated States
46-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
47	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
47-1	page	99
47-2	line	42

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

47-3	Identification of Deposit	
47-3-1	Name of depositary institution	American Type Culture Collection
47-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
47-3-3	Date of deposit	02 March 1999 (02.03.1999)
47-3-4	Accession Number	ATCC 203813
47-4	Additional Indications	NONE
47-5	Designated States for Which Indications are Made	all designated States
47-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
48	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
48-1	page	99
48-2	line	43
48-3	Identification of Deposit	
48-3-1	Name of depositary institution	American Type Culture Collection
48-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
48-3-3	Date of deposit	02 March 1999 (02.03.1999)
48-3-4	Accession Number	ATCC 203812
48-4	Additional Indications	NONE
48-5	Designated States for Which Indications are Made	all designated States
48-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
49	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
49-1	page	99
49-2	line	44
49-3	Identification of Deposit	
49-3-1	Name of depositary institution	American Type Culture Collection
49-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
49-3-3	Date of deposit	29 October 1998 (29.10.1998)
49-3-4	Accession Number	ATCC 203391
49-4	Additional Indications	NONE
49-5	Designated States for Which Indications are Made	all designated States
49-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

50	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
50-1	page	99
50-2	line	45
50-3	Identification of Deposit	
50-3-1	Name of depositary institution	American Type Culture Collection
50-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
50-3-3	Date of deposit	27 April 1999 (27.04.1999)
50-3-4	Accession Number	ATCC 203965
50-4	Additional Indications	NONE
50-5	Designated States for Which Indications are Made	all designated States
50-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
51	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
51-1	page	99
51-2	line	46
51-3	Identification of Deposit	
51-3-1	Name of depositary institution	American Type Culture Collection
51-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
51-3-3	Date of deposit	02 March 1999 (02.03.1999)
51-3-4	Accession Number	ATCC 203816
51-4	Additional Indications	NONE
51-5	Designated States for Which Indications are Made	all designated States
51-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
52	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
52-1	page	99
52-2	line	47
52-3	Identification of Deposit	
52-3-1	Name of depositary institution	American Type Culture Collection
52-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
52-3-3	Date of deposit	02 March 1999 (02.03.1999)
52-3-4	Accession Number	ATCC 203814
52-4	Additional Indications	NONE
52-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

52-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
53	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
53-1	page	99
53-2	line	48
53-3	Identification of Deposit	
53-3-1	Name of depositary institution	American Type Culture Collection
53-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
53-3-3	Date of deposit	02 March 1999 (02.03.1999)
53-3-4	Accession Number	ATCC 203810
53-4	Additional Indications	NONE
53-5	Designated States for Which Indications are Made	all designated States
53-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
54	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
54-1	page	99
54-2	line	49
54-3	Identification of Deposit	
54-3-1	Name of depositary institution	American Type Culture Collection
54-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
54-3-3	Date of deposit	04 May 1999 (04.05.1999)
54-3-4	Accession Number	ATCC PTA-22
54-4	Additional Indications	NONE
54-5	Designated States for Which Indications are Made	all designated States
54-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
55	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
55-1	page	99
55-2	line	50
55-3	Identification of Deposit	
55-3-1	Name of depositary institution	American Type Culture Collection
55-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
55-3-3	Date of deposit	12 January 1999 (12.01.1999)
55-3-4	Accession Number	ATCC 203580

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

55-4	Additional Indications	NONE
55-5	Designated States for Which Indications are Made	all designated States
55-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
56	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
56-1	page	99
56-2	line	51
56-3	Identification of Deposit	
56-3-1	Name of depositary institution	American Type Culture Collection
56-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
56-3-3	Date of deposit	30 March 1999 (30.03.1999)
56-3-4	Accession Number	ATCC 203889
56-4	Additional Indications	NONE
56-5	Designated States for Which Indications are Made	all designated States
56-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
57	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
57-1	page	99
57-2	line	52
57-3	Identification of Deposit	
57-3-1	Name of depositary institution	American Type Culture Collection
57-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
57-3-3	Date of deposit	27 April 1999 (27.04.1999)
57-3-4	Accession Number	ATCC 203964
57-4	Additional Indications	NONE
57-5	Designated States for Which Indications are Made	all designated States
57-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
58	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
58-1	page	99
58-2	line	53

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

58-3	Identification of Deposit	
58-3-1	Name of depositary institution	American Type Culture Collection
58-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
58-3-3	Date of deposit	22 December 1998 (22.12.1998)
58-3-4	Accession Number	ATCC 203548
58-4	Additional Indications	NONE
58-5	Designated States for Which Indications are Made	all designated States
58-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
59	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
59-1	page	99
59-2	line	54
59-3	Identification of Deposit	
59-3-1	Name of depositary institution	American Type Culture Collection
59-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
59-3-3	Date of deposit	02 March 1999 (02.03.1999)
59-3-4	Accession Number	ATCC 203817
59-4	Additional Indications	NONE
59-5	Designated States for Which Indications are Made	all designated States
59-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
60	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
60-1	page	99
60-2	line	55
60-3	Identification of Deposit	
60-3-1	Name of depositary institution	American Type Culture Collection
60-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
60-3-3	Date of deposit	15 June 1999 (15.06.1999)
60-3-4	Accession Number	ATCC PTA-235
60-4	Additional Indications	NONE
60-5	Designated States for Which Indications are Made	all designated States
60-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

61	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
61-1	page	100
61-2	line	2
61-3	Identification of Deposit	
61-3-1	Name of depositary institution	American Type Culture Collection
61-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
61-3-3	Date of deposit	27 April 1999 (27.04.1999)
61-3-4	Accession Number	ATCC 203968
61-4	Additional Indications	NONE
61-5	Designated States for Which Indications are Made	all designated States
61-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
62	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
62-1	page	100
62-2	line	3
62-3	Identification of Deposit	
62-3-1	Name of depositary institution	American Type Culture Collection
62-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
62-3-3	Date of deposit	30 March 1999 (30.03.1999)
62-3-4	Accession Number	ATCC 203894
62-4	Additional Indications	NONE
62-5	Designated States for Which Indications are Made	all designated States
62-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
63	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
63-1	page	100
63-2	line	4
63-3	Identification of Deposit	
63-3-1	Name of depositary institution	American Type Culture Collection
63-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
63-3-3	Date of deposit	30 March 1999 (30.03.1999)
63-3-4	Accession Number	ATCC 203893
63-4	Additional Indications	NONE
63-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

63-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
64	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
64-1	page	100
64-2	line	5
64-3	Identification of Deposit	
64-3-1	Name of depositary institution	American Type Culture Collection
64-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
64-3-3	Date of deposit	02 March 1999 (02.03.1999)
64-3-4	Accession Number	ATCC 203811
64-4	Additional Indications	NONE
64-5	Designated States for Which Indications are Made	all designated States
64-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
65	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
65-1	page	100
65-2	line	6
65-3	Identification of Deposit	
65-3-1	Name of depositary institution	American Type Culture Collection
65-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
65-3-3	Date of deposit	23 March 1999 (23.03.1999)
65-3-4	Accession Number	ATCC 203867
65-4	Additional Indications	NONE
65-5	Designated States for Which Indications are Made	all designated States
65-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
66	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
66-1	page	100
66-2	line	7
66-3	Identification of Deposit	
66-3-1	Name of depositary institution	American Type Culture Collection
66-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
66-3-3	Date of deposit	27 April 1999 (27.04.1999)
66-3-4	Accession Number	ATCC 203963

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

66-4	Additional Indications	NONE
66-5	Designated States for Which Indications are Made	all designated States
66-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
67	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
67-1	page	100
67-2	line	8
67-3	Identification of Deposit	
67-3-1	Name of depositary institution	American Type Culture Collection
67-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
67-3-3	Date of deposit	02 March 1999 (02.03.1999)
67-3-4	Accession Number	ATCC 203815
67-4	Additional Indications	NONE
67-5	Designated States for Which Indications are Made	all designated States
67-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
68	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
68-1	page	100
68-2	line	9
68-3	Identification of Deposit	
68-3-1	Name of depositary institution	American Type Culture Collection
68-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
68-3-3	Date of deposit	30 March 1999 (30.03.1999)
68-3-4	Accession Number	ATCC 203890
68-4	Additional Indications	NONE
68-5	Designated States for Which Indications are Made	all designated States
68-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
69	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
69-1	page	100
69-2	line	10

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

69-3	Identification of Deposit	
69-3-1	Name of depositary institution	American Type Culture Collection
69-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
69-3-3	Date of deposit	25 May 1999 (25.05.1999)
69-3-4	Accession Number	ATCC PTA-130
69-4	Additional Indications	NONE
69-5	Designated States for Which Indications are Made	all designated States
69-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
70	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
70-1	page	100
70-2	line	11
70-3	Identification of Deposit	
70-3-1	Name of depositary institution	American Type Culture Collection
70-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
70-3-3	Date of deposit	27 April 1999 (27.04.1999)
70-3-4	Accession Number	ATCC 203970
70-4	Additional Indications	NONE
70-5	Designated States for Which Indications are Made	all designated States
70-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
71	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
71-1	page	100
71-2	line	12
71-3	Identification of Deposit	
71-3-1	Name of depositary institution	American Type Culture Collection
71-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
71-3-3	Date of deposit	16 March 1999 (16.03.1999)
71-3-4	Accession Number	ATCC 203845
71-4	Additional Indications	NONE
71-5	Designated States for Which Indications are Made	all designated States
71-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

72	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
72-1	page	100
72-2	line	13
72-3	Identification of Deposit	
72-3-1	Name of depositary institution	American Type Culture Collection
72-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
72-3-3	Date of deposit	23 March 1999 (23.03.1999)
72-3-4	Accession Number	ATCC 203861
72-4	Additional Indications	NONE
72-5	Designated States for Which Indications are Made	all designated States
72-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
73	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
73-1	page	100
73-2	line	14
73-3	Identification of Deposit	
73-3-1	Name of depositary institution	American Type Culture Collection
73-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
73-3-3	Date of deposit	16 March 1999 (16.03.1999)
73-3-4	Accession Number	ATCC 203844
73-4	Additional Indications	NONE
73-5	Designated States for Which Indications are Made	all designated States
73-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
74	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
74-1	page	100
74-2	line	15
74-3	Identification of Deposit	
74-3-1	Name of depositary institution	American Type Culture Collection
74-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
74-3-3	Date of deposit	10 August 1999 (10.08.1999)
74-3-4	Accession Number	ATCC PTA-513
74-4	Additional Indications	NONE
74-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

74-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
75	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
75-1	page	100
75-2	line	16
75-3	Identification of Deposit	
75-3-1	Name of depositary institution	American Type Culture Collection
75-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
75-3-3	Date of deposit	09 February 1999 (09.02.1999)
75-3-4	Accession Number	ATCC 203663
75-4	Additional Indications	NONE
75-5	Designated States for Which Indications are Made	all designated States
76-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
76	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
76-1	page	100
76-2	line	17
76-3	Identification of Deposit	
76-3-1	Name of depositary institution	American Type Culture Collection
76-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
76-3-3	Date of deposit	16 March 1999 (16.03.1999)
76-3-4	Accession Number	ATCC 203851
76-4	Additional Indications	NONE
76-5	Designated States for Which Indications are Made	all designated States
76-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
77	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
77-1	page	100
77-2	line	18
77-3	Identification of Deposit	
77-3-1	Name of depositary institution	American Type Culture Collection
77-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
77-3-3	Date of deposit	20 April 1999 (20.04.1999)
77-3-4	Accession Number	ATCC 203950

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

77-4	Additional Indications	NONE
77-5	Designated States for Which Indications are Made	all designated States
77-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
78	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
78-1	page	100
78-2	line	19
78-3	Identification of Deposit	
78-3-1	Name of depositary institution	American Type Culture Collection
78-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
78-3-3	Date of deposit	30 March 1999 (30.03.1999)
78-3-4	Accession Number	ATCC 203895
78-4	Additional Indications	NONE
78-5	Designated States for Which Indications are Made	all designated States
78-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
79	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
79-1	page	100
79-2	line	20
79-3	Identification of Deposit	
79-3-1	Name of depositary institution	American Type Culture Collection
79-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
79-3-3	Date of deposit	25 May 1999 (25.05.1999)
79-3-4	Accession Number	ATCC PTA-134
79-4	Additional Indications	NONE
79-5	Designated States for Which Indications are Made	all designated States
79-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
80	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
80-1	page	100
80-2	line	21

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

80-3	Identification of Deposit	
80-3-1	Name of depositary institution	American Type Culture Collection
80-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
80-3-3	Date of deposit	16 March 1999 (16.03.1999)
80-3-4	Accession Number	ATCC 203852
80-4	Additional Indications	NONE
80-5	Designated States for Which Indications are Made	all designated States
80-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
81	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
81-1	page	100
81-2	line	22
81-3	Identification of Deposit	
81-3-1	Name of depositary institution	American Type Culture Collection
81-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
81-3-3	Date of deposit	22 June 1999 (22.06.1999)
81-3-4	Accession Number	ATCC PTA-258
81-4	Additional Indications	NONE
81-5	Designated States for Which Indications are Made	all designated States
81-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
82	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
82-1	page	100
82-2	line	23
82-3	Identification of Deposit	
82-3-1	Name of depositary institution	American Type Culture Collection
82-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
82-3-3	Date of deposit	22 June 1999 (22.06.1999)
82-3-4	Accession Number	ATCC PTA-259
82-4	Additional Indications	NONE
82-5	Designated States for Which Indications are Made	all designated States
82-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

83	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
83-1	page	100
83-2	line	24
83-3	Identification of Deposit	
83-3-1	Name of depositary institution	American Type Culture Collection
83-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
83-3-3	Date of deposit	23 March 1999 (23.03.1999)
83-3-4	Accession Number	ATCC 203866
83-4	Additional Indications	NONE
83-5	Designated States for Which Indications are Made	all designated States
83-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
84	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
84-1	page	100
84-2	line	25
84-3	Identification of Deposit	
84-3-1	Name of depositary institution	American Type Culture Collection
84-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
84-3-3	Date of deposit	16 March 1999 (16.03.1999)
84-3-4	Accession Number	ATCC 203853
84-4	Additional Indications	NONE
84-5	Designated States for Which Indications are Made	all designated States
84-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
85	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
85-1	page	100
85-2	line	26
85-3	Identification of Deposit	
85-3-1	Name of depositary institution	American Type Culture Collection
85-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
85-3-3	Date of deposit	30 March 1999 (30.03.1999)
85-3-4	Accession Number	ATCC 203892
85-4	Additional Indications	NONE
85-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

85-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
86	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
86-1	page	100
86-2	line	27
86-3	Identification of Deposit	
86-3-1	Name of depositary institution	American Type Culture Collection
86-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
86-3-3	Date of deposit	16 March 1999 (16.03.1999)
86-3-4	Accession Number	ATCC 203847
86-4	Additional Indications	NONE
86-5	Designated States for Which Indications are Made	all designated States
86-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
87	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
87-1	page	100
87-2	line	28
87-3	Identification of Deposit	
87-3-1	Name of depositary institution	American Type Culture Collection
87-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
87-3-3	Date of deposit	04 May 1999 (04.05.1999)
87-3-4	Accession Number	ATCC PTA-21
87-4	Additional Indications	NONE
87-5	Designated States for Which Indications are Made	all designated States
87-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
88	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
88-1	page	100
88-2	line	29
88-3	Identification of Deposit	
88-3-1	Name of depositary institution	American Type Culture Collection
88-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
88-3-3	Date of deposit	25 May 1999 (25.05.1999)
88-3-4	Accession Number	ATCC PTA-121

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

88-4	Additional Indications	NONE
88-5	Designated States for Which Indications are Made	all designated States
88-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
89	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
89-1	page	100
89-2	line	30
89-3	Identification of Deposit	
89-3-1	Name of depositary institution	American Type Culture Collection
89-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
89-3-3	Date of deposit	20 April 1999 (20.04.1999)
89-3-4	Accession Number	ATCC 203951
89-4	Additional Indications	NONE
89-5	Designated States for Which Indications are Made	all designated States
89-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
90	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
90-1	page	100
90-2	line	31
90-3	Identification of Deposit	
90-3-1	Name of depositary institution	American Type Culture Collection
90-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
90-3-3	Date of deposit	23 March 1999 (23.03.1999)
90-3-4	Accession Number	ATCC 203869
90-4	Additional Indications	NONE
90-5	Designated States for Which Indications are Made	all designated States
90-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
91	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
91-1	page	100
91-2	line	32

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

91-3	Identification of Deposit	
91-3-1	Name of depositary institution	American Type Culture Collection
91-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
91-3-3	Date of deposit	15 June 1999 (15.06.1999)
91-3-4	Accession Number	ATCC PTA-232
91-4	Additional Indications	NONE
91-5	Designated States for Which Indications are Made	all designated States
91-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
92	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
92-1	page	100
92-2	line	33
92-3	Identification of Deposit	
92-3-1	Name of depositary institution	American Type Culture Collection
92-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
92-3-3	Date of deposit	20 July 1999 (20.07.1999)
92-3-4	Accession Number	ATCC PTA-385
92-4	Additional Indications	NONE
92-5	Designated States for Which Indications are Made	all designated States
92-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
93	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
93-1	page	100
93-2	line	34
93-3	Identification of Deposit	
93-3-1	Name of depositary institution	American Type Culture Collection
93-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
93-3-3	Date of deposit	23 March 1999 (23.03.1999)
93-3-4	Accession Number	ATCC 203864
93-4	Additional Indications	NONE
93-5	Designated States for Which Indications are Made	all designated States
93-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

94	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
94-1	page	100
94-2	line	35
94-3	Identification of Deposit	
94-3-1	Name of depositary institution	American Type Culture Collection
94-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
94-3-3	Date of deposit	22 June 1999 (22.06.1999)
94-3-4	Accession Number	ATCC PTA-262
94-4	Additional Indications	NONE
94-5	Designated States for Which Indications are Made	all designated States
94-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
95	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
95-1	page	100
95-2	line	36
95-3	Identification of Deposit	
95-3-1	Name of depositary institution	American Type Culture Collection
95-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
95-3-3	Date of deposit	20 July 1999 (20.07.1999)
95-3-4	Accession Number	ATCC PTA-381
95-4	Additional Indications	NONE
95-5	Designated States for Which Indications are Made	all designated States
95-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
96	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
96-1	page	100
96-2	line	37
96-3	Identification of Deposit	
96-3-1	Name of depositary institution	American Type Culture Collection
96-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
96-3-3	Date of deposit	04 May 1999 (04.05.1999)
96-3-4	Accession Number	ATCC PTA-15
96-4	Additional Indications	NONE
96-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

96-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
97	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
97-1	page	100
97-2	line	38
97-3	Identification of Deposit	
97-3-1	Name of depositary institution	American Type Culture Collection
97-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
97-3-3	Date of deposit	15 June 1999 (15.06.1999)
97-3-4	Accession Number	ATCC PTA-239
97-4	Additional Indications	NONE
97-5	Designated States for Which Indications are Made	all designated States
97-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
98	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
98-1	page	100
98-2	line	39
98-3	Identification of Deposit	
98-3-1	Name of depositary institution	American Type Culture Collection
98-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
98-3-3	Date of deposit	20 July 1999 (20.07.1999)
98-3-4	Accession Number	ATCC PTA-384
98-4	Additional Indications	NONE
98-5	Designated States for Which Indications are Made	all designated States
98-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
99	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
99-1	page	100
99-2	line	40
99-3	Identification of Deposit	
99-3-1	Name of depositary institution	American Type Culture Collection
99-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
99-3-3	Date of deposit	03 August 1999 (03.08.1999)
99-3-4	Accession Number	ATCC PTA-475

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

99-4	Additional Indications	NONE
99-5	Designated States for Which Indications are Made	all designated States
99-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
100	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
100-1	page	100
100-2	line	41
100-3	Identification of Deposit	
100-3-1	Name of depositary institution	American Type Culture Collection
100-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
100-3-3	Date of deposit	16 March 1999 (16.03.1999)
100-3-4	Accession Number	ATCC 203854
100-4	Additional Indications	NONE
100-5	Designated States for Which Indications are Made	all designated States
100-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
101	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
101-1	page	100
101-2	line	42
101-3	Identification of Deposit	
101-3-1	Name of depositary institution	American Type Culture Collection
101-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
101-3-3	Date of deposit	20 July 1999 (20.07.1999)
101-3-4	Accession Number	ATCC PTA-378
101-4	Additional Indications	NONE
101-5	Designated States for Which Indications are Made	all designated States
101-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
102	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
102-1	page	100
102-2	line	43

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

102-3	Identification of Deposit	
102-3-1	Name of depositary institution	American Type Culture Collection
102-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
102-3-3	Date of deposit	22 June 1999 (22.06.1999)
102-3-4	Accession Number	ATCC PTA-257
102-4	Additional Indications	NONE
102-5	Designated States for Which Indications are Made	all designated States
102-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
103	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
103-1	page	100
103-2	line	44
103-3	Identification of Deposit	
103-3-1	Name of depositary institution	American Type Culture Collection
103-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
103-3-3	Date of deposit	15 June 1999 (15.06.1999)
103-3-4	Accession Number	ATCC PTA-231
103-4	Additional Indications	NONE
103-5	Designated States for Which Indications are Made	all designated States
103-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
104	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
104-1	page	100
104-2	line	45
104-3	Identification of Deposit	
104-3-1	Name of depositary institution	American Type Culture Collection
104-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
104-3-3	Date of deposit	20 July 1999 (20.07.1999)
104-3-4	Accession Number	ATCC PTA-388
104-4	Additional Indications	NONE
104-5	Designated States for Which Indications are Made	all designated States
104-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

105	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
105-1	page	100
105-2	line	46
105-3	Identification of Deposit	
105-3-1	Name of depositary institution	American Type Culture Collection
105-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
105-3-3	Date of deposit	31 August 1999 (31.08.1999)
105-3-4	Accession Number	ATCC PTA-620
105-4	Additional Indications	NONE
105-5	Designated States for Which Indications are Made	all designated States
105-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
106	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
106-1	page	100
106-2	line	47
106-3	Identification of Deposit	
106-3-1	Name of depositary institution	American Type Culture Collection
106-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
106-3-3	Date of deposit	25 May 1999 (25.05.1999)
106-3-4	Accession Number	ATCC PTA-118
106-4	Additional Indications	NONE
106-5	Designated States for Which Indications are Made	all designated States
106-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
107	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
107-1	page	100
107-2	line	48
107-3	Identification of Deposit	
107-3-1	Name of depositary institution	American Type Culture Collection
107-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
107-3-3	Date of deposit	03 August 1999 (03.08.1999)
107-3-4	Accession Number	ATCC PTA-477
107-4	Additional Indications	NONE
107-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

107-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
108	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
108-1	page	100
108-2	line	49
108-3	Identification of Deposit	
108-3-1	Name of depositary institution	American Type Culture Collection
108-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
108-3-3	Date of deposit	03 August 1999 (03.08.1999)
108-3-4	Accession Number	ATCC PTA-488
108-4	Additional Indications	NONE
108-5	Designated States for Which Indications are Made	all designated States
108-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
109	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
109-1	page	100
109-2	line	50
109-3	Identification of Deposit	
109-3-1	Name of depositary institution	American Type Culture Collection
109-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
109-3-3	Date of deposit	16 March 1999 (16.03.1999)
109-3-4	Accession Number	ATCC 203849
109-4	Additional Indications	NONE
109-5	Designated States for Which Indications are Made	all designated States
109-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
110	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
110-1	page	100
110-2	line	51
110-3	Identification of Deposit	
110-3-1	Name of depositary institution	American Type Culture Collection
110-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
110-3-3	Date of deposit	09 March 1999 (09.03.1999)
110-3-4	Accession Number	ATCC 203837

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

110-4	Additional Indications	NONE
110-5	Designated States for Which Indications are Made	all designated States
110-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
111	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
111-1	page	100
111-2	line	52
111-3	Identification of Deposit	
111-3-1	Name of depositary institution	American Type Culture Collection
111-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
111-3-3	Date of deposit	20 July 1999 (20.07.1999)
111-3-4	Accession Number	ATCC PTA-380
111-4	Additional Indications	NONE
111-5	Designated States for Which Indications are Made	all designated States
111-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
112	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
112-1	page	100
112-2	line	53
112-3	Identification of Deposit	
112-3-1	Name of depositary institution	American Type Culture Collection
112-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
112-3-3	Date of deposit	11 May 1999 (11.05.1999)
112-3-4	Accession Number	ATCC PTA-44
112-4	Additional Indications	NONE
112-5	Designated States for Which Indications are Made	all designated States
112-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
113	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
113-1	page	100
113-2	line	54

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

113-3	Identification of Deposit	
113-3-1	Name of depositary institution	American Type Culture Collection
113-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
113-3-3	Date of deposit	11 May 1999 (11.05.1999)
113-3-4	Accession Number	ATCC PTA-42
113-4	Additional Indications	NONE
113-5	Designated States for Which Indications are Made	all designated States
113-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
114	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
114-1	page	100
114-2	line	55
114-3	Identification of Deposit	
114-3-1	Name of depositary institution	American Type Culture Collection
114-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
114-3-3	Date of deposit	25 May 1999 (25.05.1999)
114-3-4	Accession Number	ATCC PTA-123
114-4	Additional Indications	NONE
114-5	Designated States for Which Indications are Made	all designated States
114-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
115	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
115-1	page	101
115-2	line	2
115-3	Identification of Deposit	
115-3-1	Name of depositary institution	American Type Culture Collection
115-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
115-3-3	Date of deposit	03 August 1999 (03.08.1999)
115-3-4	Accession Number	ATCC PTA-482
115-4	Additional Indications	NONE
115-5	Designated States for Which Indications are Made	all designated States
115-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

116	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
116-1	page	101
116-2	line	3
116-3	Identification of Deposit	
116-3-1	Name of depositary institution	American Type Culture Collection
116-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
116-3-3	Date of deposit	03 August 1999 (03.08.1999)
116-3-4	Accession Number	ATCC PTA-483
116-4	Additional Indications	NONE
116-5	Designated States for Which Indications are Made	all designated States
116-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
117	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
117-1	page	101
117-2	line	4
117-3	Identification of Deposit	
117-3-1	Name of depositary institution	American Type Culture Collection
117-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
117-3-3	Date of deposit	03 August 1999 (03.08.1999)
117-3-4	Accession Number	ATCC PTA-485
117-4	Additional Indications	NONE
117-5	Designated States for Which Indications are Made	all designated States
117-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
118	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
118-1	page	101
118-2	line	5
118-3	Identification of Deposit	
118-3-1	Name of depositary institution	American Type Culture Collection
118-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
118-3-3	Date of deposit	03 August 1999 (03.08.1999)
118-3-4	Accession Number	ATCC PTA-480
118-4	Additional Indications	NONE
118-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

118-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
119	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
119-1	page	101
119-2	line	6
119-3	Identification of Deposit	
119-3-1	Name of depositary institution	American Type Culture Collection
119-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
119-3-3	Date of deposit	03 August 1999 (03.08.1999)
119-3-4	Accession Number	ATCC PTA-476
119-4	Additional Indications	NONE
119-5	Designated States for Which Indications are Made	all designated States
119-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
120	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
120-1	page	101
120-2	line	7
120-3	Identification of Deposit	
120-3-1	Name of depositary institution	American Type Culture Collection
120-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
120-3-3	Date of deposit	03 August 1999 (03.08.1999)
120-3-4	Accession Number	ATCC PTA-472
120-4	Additional Indications	NONE
120-5	Designated States for Which Indications are Made	all designated States
120-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
121	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
121-1	page	101
121-2	line	8
121-3	Identification of Deposit	
121-3-1	Name of depositary institution	American Type Culture Collection
121-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
121-3-3	Date of deposit	03 August 1999 (03.08.1999)
121-3-4	Accession Number	ATCC PTA-487

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

121-4	Additional Indications	NONE
121-5	Designated States for Which Indications are Made	all designated States
121-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
122	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
122-1	page	101
122-2	line	9
122-3	Identification of Deposit	
122-3-1	Name of depositary institution	American Type Culture Collection
122-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
122-3-3	Date of deposit	03 August 1999 (03.08.1999)
122-3-4	Accession Number	ATCC PTA-484
122-4	Additional Indications	NONE
122-5	Designated States for Which Indications are Made	all designated States
122-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
123	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
123-1	page	101
123-2	line	10
123-3	Identification of Deposit	
123-3-1	Name of depositary institution	American Type Culture Collection
123-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
123-3-3	Date of deposit	17 August 1999 (17.08.1999)
123-3-4	Accession Number	ATCC PTA-546
123-4	Additional Indications	NONE
123-5	Designated States for Which Indications are Made	all designated States
123-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
124	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
124-1	page	101
124-2	line	11

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

124-3	Identification of Deposit	
124-3-1	Name of depositary institution	American Type Culture Collection
124-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
124-3-3	Date of deposit	10 August 1999 (10.08.1999)
124-3-4	Accession Number	ATCC PTA-515
124-4	Additional Indications	NONE
124-5	Designated States for Which Indications are Made	all designated States
124-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
125	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
125-1	page	101
125-2	line	12
125-3	Identification of Deposit	
125-3-1	Name of depositary institution	American Type Culture Collection
125-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
125-3-3	Date of deposit	19 October 1999 (19.10.1999)
125-3-4	Accession Number	ATCC PTA-861
125-4	Additional Indications	NONE
125-5	Designated States for Which Indications are Made	all designated States
125-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
126	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
126-1	page	101
126-2	line	13
126-3	Identification of Deposit	
126-3-1	Name of depositary institution	American Type Culture Collection
126-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
126-3-3	Date of deposit	10 August 1999 (10.08.1999)
126-3-4	Accession Number	ATCC PTA-518
126-4	Additional Indications	NONE
126-5	Designated States for Which Indications are Made	all designated States
126-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

127	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
127-1	page	101
127-2	line	14
127-3	Identification of Deposit	
127-3-1	Name of depositary institution	American Type Culture Collection
127-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
127-3-3	Date of deposit	10 August 1999 (10.08.1999)
127-3-4	Accession Number	ATCC PTA-512
127-4	Additional Indications	NONE
127-5	Designated States for Which Indications are Made	all designated States
127-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
128	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
128-1	page	101
128-2	line	15
128-3	Identification of Deposit	
128-3-1	Name of depositary institution	American Type Culture Collection
128-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
128-3-3	Date of deposit	03 August 1999 (03.08.1999)
128-3-4	Accession Number	ATCC PTA-489
128-4	Additional Indications	NONE
128-5	Designated States for Which Indications are Made	all designated States
128-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
129	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
129-1	page	101
129-2	line	16
129-3	Identification of Deposit	
129-3-1	Name of depositary institution	American Type Culture Collection
129-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
129-3-3	Date of deposit	31 August 1999 (31.08.1999)
129-3-4	Accession Number	ATCC PTA-614
129-4	Additional Indications	NONE
129-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

129-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
130	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
130-1	page	101
130-2	line	17
130-3	Identification of Deposit	
130-3-1	Name of depositary institution	American Type Culture Collection
130-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
130-3-3	Date of deposit	16 November 1999 (16.11.1999)
130-3-4	Accession Number	ATCC PTA-957
130-4	Additional Indications	NONE
130-5	Designated States for Which Indications are Made	all designated States
130-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
131	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
131-1	page	101
131-2	line	18
131-3	Identification of Deposit	
131-3-1	Name of depositary institution	American Type Culture Collection
131-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
131-3-3	Date of deposit	05 October 1999 (05.10.1999)
131-3-4	Accession Number	ATCC PTA-819
131-4	Additional Indications	NONE
131-5	Designated States for Which Indications are Made	all designated States
131-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
132	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
132-1	page	101
132-2	line	19
132-3	Identification of Deposit	
132-3-1	Name of depositary institution	American Type Culture Collection
132-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
132-3-3	Date of deposit	18 September 1997 (18.09.1997)
132-3-4	Accession Number	ATCC 209280

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

132-4	Additional Indications	NONE
132-5	Designated States for Which Indications are Made	all designated States
132-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
133	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
133-1	page	101
133-2	line	20
133-3	Identification of Deposit	
133-3-1	Name of depositary institution	American Type Culture Collection
133-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
133-3-3	Date of deposit	14 April 1998 (14.04.1998)
133-3-4	Accession Number	ATCC 209772
133-4	Additional Indications	NONE
133-5	Designated States for Which Indications are Made	all designated States
133-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
134	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
134-1	page	101
134-2	line	21
134-3	Identification of Deposit	
134-3-1	Name of depositary institution	American Type Culture Collection
134-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
134-3-3	Date of deposit	16 October 1997 (16.10.1997)
134-3-4	Accession Number	ATCC 209375
134-4	Additional Indications	NONE
134-5	Designated States for Which Indications are Made	all designated States
134-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
135	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
135-1	page	101
135-2	line	22

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

135-3	Identification of Deposit	
135-3-1	Name of depositary institution	American Type Culture Collection
135-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
135-3-3	Date of deposit	23 September 1997 (23.09.1997)
135-3-4	Accession Number	ATCC 209296
135-4	Additional Indications	NONE
135-5	Designated States for Which Indications are Made	all designated States
135-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
136	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
136-1	page	101
136-2	line	23
136-3	Identification of Deposit	
136-3-1	Name of depositary institution	American Type Culture Collection
136-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
136-3-3	Date of deposit	18 September 1997 (18.09.1997)
136-3-4	Accession Number	ATCC 209279
136-4	Additional Indications	NONE
136-5	Designated States for Which Indications are Made	all designated States
136-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
137	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
137-1	page	101
137-2	line	24
137-3	Identification of Deposit	
137-3-1	Name of depositary institution	American Type Culture Collection
137-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
137-3-3	Date of deposit	05 March 1998 (05.03.1998)
137-3-4	Accession Number	ATCC 209653
137-4	Additional Indications	NONE
137-5	Designated States for Which Indications are Made	all designated States
137-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

138	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
138-1	page	101
138-2	line	25
138-3	Identification of Deposit	
138-3-1	Name of depositary institution	American Type Culture Collection
138-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
138-3-3	Date of deposit	16 October 1997 (16.10.1997)
138-3-4	Accession Number	ATCC 209385
138-4	Additional Indications	NONE
138-5	Designated States for Which Indications are Made	all designated States
138-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
139	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
139-1	page	101
139-2	line	26
139-3	Identification of Deposit	
139-3-1	Name of depositary institution	American Type Culture Collection
139-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
139-3-3	Date of deposit	16 September 1997 (16.09.1997)
139-3-4	Accession Number	ATCC 209261
139-4	Additional Indications	NONE
139-5	Designated States for Which Indications are Made	all designated States
139-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
140	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
140-1	page	101
140-2	line	27
140-3	Identification of Deposit	
140-3-1	Name of depositary institution	American Type Culture Collection
140-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
140-3-3	Date of deposit	16 October 1997 (16.10.1997)
140-3-4	Accession Number	ATCC 209384
140-4	Additional Indications	NONE
140-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

140-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
141	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
141-1	page	101
141-2	line	28
141-3	Identification of Deposit	
141-3-1	Name of depositary institution	American Type Culture Collection
141-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
141-3-3	Date of deposit	16 September 1997 (16.09.1997)
141-3-4	Accession Number	ATCC 209258
141-4	Additional Indications	NONE
141-5	Designated States for Which Indications are Made	all designated States
141-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
142	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
142-1	page	101
142-2	line	29
142-3	Identification of Deposit	
142-3-1	Name of depositary institution	American Type Culture Collection
142-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
142-3-3	Date of deposit	16 September 1997 (16.09.1997)
142-3-4	Accession Number	ATCC 209257
142-4	Additional Indications	NONE
142-5	Designated States for Which Indications are Made	all designated States
142-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
143	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
143-1	page	101
143-2	line	30
143-3	Identification of Deposit	
143-3-1	Name of depositary institution	American Type Culture Collection
143-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
143-3-3	Date of deposit	30 May 1997 (30.05.1997)
143-3-4	Accession Number	ATCC 209087

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

143-4	Additional Indications	NONE
143-5	Designated States for Which Indications are Made	all designated States
143-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
144	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
144-1	page	101
144-2	line	31
144-3	Identification of Deposit	
144-3-1	Name of depositary institution	American Type Culture Collection
144-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
144-3-3	Date of deposit	16 October 1997 (16.10.1997)
144-3-4	Accession Number	ATCC 209381
144-4	Additional Indications	NONE
144-5	Designated States for Which Indications are Made	all designated States
144-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
145	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
145-1	page	101
145-2	line	32
145-3	Identification of Deposit	
145-3-1	Name of depositary institution	American Type Culture Collection
145-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
145-3-3	Date of deposit	16 September 1997 (16.09.1997)
145-3-4	Accession Number	ATCC 209262
145-4	Additional Indications	NONE
145-5	Designated States for Which Indications are Made	all designated States
145-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
146	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
146-1	page	101
146-2	line	33

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

146-3	Identification of Deposit	
146-3-1	Name of depositary institution	American Type Culture Collection
146-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
146-3-3	Date of deposit	28 October 1997 (28.10.1997)
146-3-4	Accession Number	ATCC 209420
146-4	Additional Indications	NONE
146-5	Designated States for Which Indications are Made	all designated States
146-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
147	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
147-1	page	101
147-2	line	34
147-3	Identification of Deposit	
147-3-1	Name of depositary institution	American Type Culture Collection
147-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
147-3-3	Date of deposit	16 September 1997 (16.09.1997)
147-3-4	Accession Number	ATCC 209256
147-4	Additional Indications	NONE
147-5	Designated States for Which Indications are Made	all designated States
147-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
148	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
148-1	page	101
148-2	line	35
148-3	Identification of Deposit	
148-3-1	Name of depositary institution	American Type Culture Collection
148-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
148-3-3	Date of deposit	16 September 1997 (16.09.1997)
148-3-4	Accession Number	ATCC 209251
148-4	Additional Indications	NONE
148-5	Designated States for Which Indications are Made	all designated States
148-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

149	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
149-1	page	101
149-2	line	36
149-3	Identification of Deposit	
149-3-1	Name of depositary institution	American Type Culture Collection
149-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
149-3-3	Date of deposit	16 September 1997 (16.09.1997)
149-3-4	Accession Number	ATCC 209263
149-4	Additional Indications	NONE
149-5	Designated States for Which Indications are Made	all designated States
149-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
150	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
150-1	page	101
150-2	line	37
150-3	Identification of Deposit	
150-3-1	Name of depositary institution	American Type Culture Collection
150-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
150-3-3	Date of deposit	16 September 1997 (16.09.1997)
150-3-4	Accession Number	ATCC 209264
150-4	Additional Indications	NONE
150-5	Designated States for Which Indications are Made	all designated States
150-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
151	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
151-1	page	101
151-2	line	38
151-3	Identification of Deposit	
151-3-1	Name of depositary institution	American Type Culture Collection
151-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
151-3-3	Date of deposit	16 October 1997 (16.10.1997)
151-3-4	Accession Number	ATCC 209376
151-4	Additional Indications	NONE
151-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

151-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
152	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
152-1	page	101
152-2	line	39
152-3	Identification of Deposit	
152-3-1	Name of depositary institution	American Type Culture Collection
152-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
152-3-3	Date of deposit	17 October 1997 (17.10.1997)
152-3-4	Accession Number	ATCC 209391
152-4	Additional Indications	NONE
152-5	Designated States for Which Indications are Made	all designated States
152-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
153	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
153-1	page	101
153-2	line	40
153-3	Identification of Deposit	
153-3-1	Name of depositary institution	American Type Culture Collection
153-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
153-3-3	Date of deposit	28 October 1997 (28.10.1997)
153-3-4	Accession Number	ATCC 209417
153-4	Additional Indications	NONE
153-5	Designated States for Which Indications are Made	all designated States
153-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
154	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
154-1	page	101
154-2	line	41
154-3	Identification of Deposit	
154-3-1	Name of depositary institution	American Type Culture Collection
154-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
154-3-3	Date of deposit	16 September 1997 (16.09.1997)
154-3-4	Accession Number	ATCC 209253

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

154-4	Additional Indications	NONE
154-5	Designated States for Which Indications are Made	all designated States
154-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
155	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
155-1	page	101
155-2	line	42
155-3	Identification of Deposit	
155-3-1	Name of depositary institution	American Type Culture Collection
155-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
155-3-3	Date of deposit	12 May 1998 (12.05.1998)
155-3-4	Accession Number	ATCC 209855
155-4	Additional Indications	NONE
155-5	Designated States for Which Indications are Made	all designated States
155-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
156	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
156-1	page	101
156-2	line	43
156-3	Identification of Deposit	
156-3-1	Name of depositary institution	American Type Culture Collection
156-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
156-3-3	Date of deposit	10 December 1997 (10.12.1997)
156-3-4	Accession Number	ATCC 209526
156-4	Additional Indications	NONE
156-5	Designated States for Which Indications are Made	all designated States
156-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
157	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
157-1	page	101
157-2	line	44

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

157-3	Identification of Deposit	
157-3-1	Name of depositary institution	American Type Culture Collection
157-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
157-3-3	Date of deposit	16 September 1997 (16.09.1997)
157-3-4	Accession Number	ATCC 209252
157-4	Additional Indications	NONE
157-5	Designated States for Which Indications are Made	all designated States
157-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
158	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
158-1	page	101
158-2	line	45
158-3	Identification of Deposit	
158-3-1	Name of depositary institution	American Type Culture Collection
158-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
158-3-3	Date of deposit	16 October 1997 (16.10.1997)
158-3-4	Accession Number	ATCC 209374
158-4	Additional Indications	NONE
158-5	Designated States for Which Indications are Made	all designated States
158-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
159	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
159-1	page	101
159-2	line	46
159-3	Identification of Deposit	
159-3-1	Name of depositary institution	American Type Culture Collection
159-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
159-3-3	Date of deposit	10 December 1997 (10.12.1997)
159-3-4	Accession Number	ATCC 209528
159-4	Additional Indications	NONE
159-5	Designated States for Which Indications are Made	all designated States
159-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

160	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
160-1	page	101
160-2	line	47
160-3	Identification of Deposit	
160-3-1	Name of depositary institution	American Type Culture Collection
160-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
160-3-3	Date of deposit	16 September 1997 (16.09.1997)
160-3-4	Accession Number	ATCC 209265
160-4	Additional Indications	NONE
160-5	Designated States for Which Indications are Made	all designated States
160-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
161	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
161-1	page	101
161-2	line	48
161-3	Identification of Deposit	
161-3-1	Name of depositary institution	American Type Culture Collection
161-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
161-3-3	Date of deposit	17 October 1997 (17.10.1997)
161-3-4	Accession Number	ATCC 209396 .
161-4	Additional Indications	NONE
161-5	Designated States for Which Indications are Made	all designated States
161-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
162	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
162-1	page	101
162-2	line	49
162-3	Identification of Deposit	
162-3-1	Name of depositary institution	American Type Culture Collection
162-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
162-3-3	Date of deposit	18 August 1997 (18.08.1997)
162-3-4	Accession Number	ATCC 209201
162-4	Additional Indications	NONE
162-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

162-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
163	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
163-1	page	101
163-2	line	50
163-3	Identification of Deposit	
163-3-1	Name of depositary institution	American Type Culture Collection
163-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
163-3-3	Date of deposit	28 October 1997 (28.10.1997)
163-3-4	Accession Number	ATCC 209416
163-4	Additional Indications	NONE
163-5	Designated States for Which Indications are Made	all designated States
163-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
164	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
164-1	page	101
164-2	line	51
164-3	Identification of Deposit	
164-3-1	Name of depositary institution	American Type Culture Collection
164-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
164-3-3	Date of deposit	17 October 1997 (17.10.1997)
164-3-4	Accession Number	ATCC 209403
164-4	Additional Indications	NONE
164-5	Designated States for Which Indications are Made	all designated States
164-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
165	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
165-1	page	101
165-2	line	52
165-3	Identification of Deposit	
165-3-1	Name of depositary institution	American Type Culture Collection
165-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
165-3-3	Date of deposit	28 October 1997 (28.10.1997)
165-3-4	Accession Number	ATCC 209419

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

165-4	Additional Indications	NONE
165-5	Designated States for Which Indications are Made	all designated States
165-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
166	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
166-1	page	101
166-2	line	53
166-3	Identification of Deposit	
166-3-1	Name of depositary institution	American Type Culture Collection
166-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
166-3-3	Date of deposit	17 October 1997 (17.10.1997)
166-3-4	Accession Number	ATCC 209402
166-4	Additional Indications	NONE
166-5	Designated States for Which Indications are Made	all designated States
166-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
167	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
167-1	page	101
167-2	line	54
167-3	Identification of Deposit	
167-3-1	Name of depositary institution	American Type Culture Collection
167-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
167-3-3	Date of deposit	16 October 1997 (16.10.1997)
167-3-4	Accession Number	ATCC 209378
167-4	Additional Indications	NONE
167-5	Designated States for Which Indications are Made	all designated States
167-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
168	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
168-1	page	101
168-2	line	55

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

168-3	Identification of Deposit	
168-3-1	Name of depositary institution	American Type Culture Collection
168-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
168-3-3	Date of deposit	21 November 1997 (21.11.1997)
168-3-4	Accession Number	ATCC 209489
168-4	Additional Indications	NONE
168-5	Designated States for Which Indications are Made	all designated States
168-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
169	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
169-1	page	102
169-2	line	2
169-3	Identification of Deposit	
169-3-1	Name of depositary institution	American Type Culture Collection
169-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
169-3-3	Date of deposit	17 October 1997 (17.10.1997)
169-3-4	Accession Number	ATCC 209401
169-4	Additional Indications	NONE
169-5	Designated States for Which Indications are Made	all designated States
169-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
170	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
170-1	page	102
170-2	line	3
170-3	Identification of Deposit	
170-3-1	Name of depositary institution	American Type Culture Collection
170-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
170-3-3	Date of deposit	17 October 1997 (17.10.1997)
170-3-4	Accession Number	ATCC 209397
170-4	Additional Indications	NONE
170-5	Designated States for Which Indications are Made	all designated States
170-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

171	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
171-1	page	102
171-2	line	4
171-3	Identification of Deposit	
171-3-1	Name of depositary institution	American Type Culture Collection
171-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
171-3-3	Date of deposit	17 October 1997 (17.10.1997)
171-3-4	Accession Number	ATCC 209389
171-4	Additional Indications	NONE
171-5	Designated States for Which Indications are Made	all designated States
171-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
172	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
172-1	page	102
172-2	line	5
172-3	Identification of Deposit	
172-3-1	Name of depositary institution	American Type Culture Collection
172-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
172-3-3	Date of deposit	07 November 1997 (07.11.1997)
172-3-4	Accession Number	ATCC 209438
172-4	Additional Indications	NONE
172-5	Designated States for Which Indications are Made	all designated States
172-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
173	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
173-1	page	102
173-2	line	6
173-3	Identification of Deposit	
173-3-1	Name of depositary institution	American Type Culture Collection
173-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
173-3-3	Date of deposit	21 November 1997 (21.11.1997)
173-3-4	Accession Number	ATCC 209492
173-4	Additional Indications	NONE
173-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

173-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
174	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
174-1	page	102
174-2	line	7
174-3	Identification of Deposit	
174-3-1	Name of depositary institution	American Type Culture Collection
174-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
174-3-3	Date of deposit	17 October 1997 (17.10.1997)
174-3-4	Accession Number	ATCC 209388
174-4	Additional Indications	NONE
174-5	Designated States for Which Indications are Made	all designated States
174-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
175	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
175-1	page	102
175-2	line	8
175-3	Identification of Deposit	
175-3-1	Name of depositary institution	American Type Culture Collection
175-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
175-3-3	Date of deposit	07 November 1997 (07.11.1997)
175-3-4	Accession Number	ATCC 209432
175-4	Additional Indications	NONE
175-5	Designated States for Which Indications are Made	all designated States
175-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
176	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
176-1	page	102
176-2	line	9
176-3	Identification of Deposit	
176-3-1	Name of depositary institution	American Type Culture Collection
176-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
176-3-3	Date of deposit	07 November 1997 (07.11.1997)
176-3-4	Accession Number	ATCC 209439

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

176-4	Additional Indications	NONE
176-5	Designated States for Which Indications are Made	all designated States
176-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
177	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
177-1	page	102
177-2	line	10
177-3	Identification of Deposit	
177-3-1	Name of depositary institution	American Type Culture Collection
177-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
177-3-3	Date of deposit	07 November 1997 (07.11.1997)
177-3-4	Accession Number	ATCC 209433
177-4	Additional Indications	NONE
177-5	Designated States for Which Indications are Made	all designated States
177-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
178	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
178-1	page	102
178-2	line	11
178-3	Identification of Deposit	
178-3-1	Name of depositary institution	American Type Culture Collection
178-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
178-3-3	Date of deposit	05 February 1998 (05.02.1998)
178-3-4	Accession Number	ATCC 209618
178-4	Additional Indications	NONE
178-5	Designated States for Which Indications are Made	all designated States
178-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
179	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
179-1	page	102
179-2	line	12

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

179-3	Identification of Deposit	
179-3-1	Name of depositary institution	American Type Culture Collection
179-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
179-3-3	Date of deposit	21 November 1997 (21.11.1997)
179-3-4	Accession Number	ATCC 209484
179-4	Additional Indications	NONE
179-5	Designated States for Which Indications are Made	all designated States
179-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
180	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
180-1	page	102
180-2	line	13
180-3	Identification of Deposit	
180-3-1	Name of depositary institution	American Type Culture Collection
180-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
180-3-3	Date of deposit	21 November 1997 (21.11.1997)
180-3-4	Accession Number	ATCC 209487
180-4	Additional Indications	NONE
180-5	Designated States for Which Indications are Made	all designated States
180-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
181	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
181-1	page	102
181-2	line	14
181-3	Identification of Deposit	
181-3-1	Name of depositary institution	American Type Culture Collection
181-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
181-3-3	Date of deposit	07 November 1997 (07.11.1997)
181-3-4	Accession Number	ATCC 209434
181-4	Additional Indications	NONE
181-5	Designated States for Which Indications are Made	all designated States
181-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

182	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
182-1	page	102
182-2	line	15
182-3	Identification of Deposit	
182-3-1	Name of depositary institution	American Type Culture Collection
182-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
182-3-3	Date of deposit	26 March 1998 (26.03.1998)
182-3-4	Accession Number	ATCC 209704
182-4	Additional Indications	NONE
182-5	Designated States for Which Indications are Made	all designated States
182-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
183	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
183-1	page	102
183-2	line	16
183-3	Identification of Deposit	
183-3-1	Name of depositary institution	American Type Culture Collection
183-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
183-3-3	Date of deposit	28 April 1998 (28.04.1998)
183-3-4	Accession Number	ATCC 209808
183-4	Additional Indications	NONE
183-5	Designated States for Which Indications are Made	all designated States
183-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
184	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
184-1	page	102
184-2	line	17
184-3	Identification of Deposit	
184-3-1	Name of depositary institution	American Type Culture Collection
184-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
184-3-3	Date of deposit	06 May 1998 (06.05.1998)
184-3-4	Accession Number	ATCC 209847
184-4	Additional Indications	NONE
184-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

184-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
185	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
185-1	page	102
185-2	line	18
185-3	Identification of Deposit	
185-3-1	Name of depositary institution	American Type Culture Collection
185-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
185-3-3	Date of deposit	05 February 1998 (05.02.1998)
185-3-4	Accession Number	ATCC 209616
185-4	Additional Indications	NONE
185-5	Designated States for Which Indications are Made	all designated States
185-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
186	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
186-1	page	102
186-2	line	19
186-3	Identification of Deposit	
186-3-1	Name of depositary institution	American Type Culture Collection
186-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
186-3-3	Date of deposit	05 February 1998 (05.02.1998)
186-3-4	Accession Number	ATCC 209619
186-4	Additional Indications	NONE
186-5	Designated States for Which Indications are Made	all designated States
186-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
187	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
187-1	page	102
187-2	line	20
187-3	Identification of Deposit	
187-3-1	Name of depositary institution	American Type Culture Collection
187-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
187-3-3	Date of deposit	11 August 1998 (11.08.1998)
187-3-4	Accession Number	ATCC 203109

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

187-4	Additional Indications	NONE
187-5	Designated States for Which Indications are Made	all designated States
187-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
188	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
188-1	page	102
188-2	line	21
188-3	Identification of Deposit	
188-3-1	Name of depositary institution	American Type Culture Collection
188-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
188-3-3	Date of deposit	31 March 1998 (31.03.1998)
188-3-4	Accession Number	ATCC 209715
188-4	Additional Indications	NONE
188-5	Designated States for Which Indications are Made	all designated States
188-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
189	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
189-1	page	102
189-2	line	22
189-3	Identification of Deposit	
189-3-1	Name of depositary institution	American Type Culture Collection
189-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
189-3-3	Date of deposit	11 March 1998 (11.03.1998)
189-3-4	Accession Number	ATCC 209669
189-4	Additional Indications	NONE
189-5	Designated States for Which Indications are Made	all designated States
189-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
190	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
190-1	page	102
190-2	line	23

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

190-3	Identification of Deposit	
190-3-1	Name of depositary institution	American Type Culture Collection
190-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
190-3-3	Date of deposit	23 June 1998 (23.06.1998)
190-3-4	Accession Number	ATCC 203002
190-4	Additional Indications	NONE
190-5	Designated States for Which Indications are Made	all designated States
190-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
191	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
191-1	page	102
191-2	line	24
191-3	Identification of Deposit	
191-3-1	Name of depositary institution	American Type Culture Collection
191-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
191-3-3	Date of deposit	26 March 1998 (26.03.1998)
191-3-4	Accession Number	ATCC 209705
191-4	Additional Indications	NONE
191-5	Designated States for Which Indications are Made	all designated States
191-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
192	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
192-1	page	102
192-2	line	25
192-3	Identification of Deposit	
192-3-1	Name of depositary institution	American Type Culture Collection
192-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
192-3-3	Date of deposit	16 June 1998 (16.06.1998)
192-3-4	Accession Number	ATCC 209981
192-4	Additional Indications	NONE
192-5	Designated States for Which Indications are Made	all designated States
192-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

193	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
193-1	page	102
193-2	line	26
193-3	Identification of Deposit	
193-3-1	Name of depositary institution	American Type Culture Collection
193-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
193-3-3	Date of deposit	07 April 1998 (07.04.1998)
193-3-4	Accession Number	ATCC 209749
193-4	Additional Indications	NONE
193-5	Designated States for Which Indications are Made	all designated States
193-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
194	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
194-1	page	102
194-2	line	27
194-3	Identification of Deposit	
194-3-1	Name of depositary institution	American Type Culture Collection
194-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
194-3-3	Date of deposit	12 May 1998 (12.05.1998)
194-3-4	Accession Number	ATCC 209859
194-4	Additional Indications	NONE
194-5	Designated States for Which Indications are Made	all designated States
194-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
195	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
195-1	page	102
195-2	line	28
195-3	Identification of Deposit	
195-3-1	Name of depositary institution	American Type Culture Collection
195-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
195-3-3	Date of deposit	06 May 1998 (06.05.1998)
195-3-4	Accession Number	ATCC 209845
195-4	Additional Indications	NONE
195-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

195-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
196	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
196-1	page	102
196-2	line	29
196-3	Identification of Deposit	
196-3-1	Name of depositary institution	American Type Culture Collection
196-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
196-3-3	Date of deposit	07 April 1998 (07.04.1998)
196-3-4	Accession Number	ATCC 209748
196-4	Additional Indications	NONE
196-5	Designated States for Which Indications are Made	all designated States
196-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
197	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
197-1	page	102
197-2	line	30
197-3	Identification of Deposit	
197-3-1	Name of depositary institution	American Type Culture Collection
197-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
197-3-3	Date of deposit	11 August 1998 (11.08.1998)
197-3-4	Accession Number	ATCC 203107
197-4	Additional Indications	NONE
197-5	Designated States for Which Indications are Made	all designated States
197-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
198	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
198-1	page	102
198-2	line	31
198-3	Identification of Deposit	
198-3-1	Name of depositary institution	American Type Culture Collection
198-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
198-3-3	Date of deposit	23 April 1998 (23.04.1998)
198-3-4	Accession Number	ATCC 209801

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

198-4	Additional Indications	NONE
198-5	Designated States for Which Indications are Made	all designated States
198-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
199	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
199-1	page	102
199-2	line	32
199-3	Identification of Deposit	
199-3-1	Name of depositary institution	American Type Culture Collection
199-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
199-3-3	Date of deposit	09 June 1998 (09.06.1998)
199-3-4	Accession Number	ATCC 209948
199-4	Additional Indications	NONE
199-5	Designated States for Which Indications are Made	all designated States
199-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
200	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
200-1	page	102
200-2	line	33
200-3	Identification of Deposit	
200-3-1	Name of depositary institution	American Type Culture Collection
200-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
200-3-3	Date of deposit	20 May 1998 (20.05.1998)
200-3-4	Accession Number	ATCC 209883
200-4	Additional Indications	NONE
200-5	Designated States for Which Indications are Made	all designated States
200-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
201	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
201-1	page	102
201-2	line	34

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

201-3	Identification of Deposit	
201-3-1	Name of depositary institution	American Type Culture Collection
201-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
201-3-3	Date of deposit	01 July 1998 (01.07.1998)
201-3-4	Accession Number	ATCC 203049
201-4	Additional Indications	NONE
201-5	Designated States for Which Indications are Made	all designated States
201-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
202	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
202-1	page	102
202-2	line	35
202-3	Identification of Deposit	
202-3-1	Name of depositary institution	American Type Culture Collection
202-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
202-3-3	Date of deposit	06 May 1998 (06.05.1998)
202-3-4	Accession Number	ATCC 209846
202-4	Additional Indications	NONE
202-5	Designated States for Which Indications are Made	all designated States
202-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
203	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
203-1	page	102
203-2	line	36
203-3	Identification of Deposit	
203-3-1	Name of depositary institution	American Type Culture Collection
203-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
203-3-3	Date of deposit	12 May 1998 (12.05.1998)
203-3-4	Accession Number	ATCC 209857
203-4	Additional Indications	NONE
203-5	Designated States for Which Indications are Made	all designated States
203-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

204	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
204-1	page	102
204-2	line	37
204-3	Identification of Deposit	
204-3-1	Name of depositary institution	American Type Culture Collection
204-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
204-3-3	Date of deposit	14 May 1998 (14.05.1998)
204-3-4	Accession Number	ATCC 209864
204-4	Additional Indications	NONE
204-5	Designated States for Which Indications are Made	all designated States
204-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
205	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
205-1	page	102
205-2	line	38
205-3	Identification of Deposit	
205-3-1	Name of depositary institution	American Type Culture Collection
205-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
205-3-3	Date of deposit	20 May 1998 (20.05.1998)
205-3-4	Accession Number	ATCC 209880
205-4	Additional Indications	NONE
205-5	Designated States for Which Indications are Made	all designated States
205-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
206	The Indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
206-1	page	102
206-2	line	39
206-3	Identification of Deposit	
206-3-1	Name of depositary institution	American Type Culture Collection
206-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
206-3-3	Date of deposit	14 May 1998 (14.05.1998)
206-3-4	Accession Number	ATCC 209869
206-4	Additional Indications	NONE
206-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

206-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
207	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
207-1	page	102
207-2	line	40
207-3	Identification of Deposit	
207-3-1	Name of depositary institution	American Type Culture Collection
207-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
207-3-3	Date of deposit	09 June 1998 (09.06.1998)
207-3-4	Accession Number	ATCC 209950
207-4	Additional Indications	NONE
207-5	Designated States for Which Indications are Made	all designated States
207-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
208	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
208-1	page	102
208-2	line	41
208-3	Identification of Deposit	
208-3-1	Name of depositary institution	American Type Culture Collection
208-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
208-3-3	Date of deposit	23 June 1998 (23.06.1998)
208-3-4	Accession Number	ATCC 203008
208-4	Additional Indications	NONE
208-5	Designated States for Which Indications are Made	all designated States
208-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
209	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
209-1	page	102
209-2	line	42
209-3	Identification of Deposit	
209-3-1	Name of depositary institution	American Type Culture Collection
209-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
209-3-3	Date of deposit	23 June 1998 (23.06.1998)
209-3-4	Accession Number	ATCC 203014

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

209-4	Additional Indications	NONE
209-5	Designated States for Which Indications are Made	all designated States
209-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
210	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
210-1	page	102
210-2	line	43
210-3	Identification of Deposit	
210-3-1	Name of depositary institution	American Type Culture Collection
210-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
210-3-3	Date of deposit	11 August 1998 (11.08.1998)
210-3-4	Accession Number	ATCC 203110
210-4	Additional Indications	NONE
210-5	Designated States for Which Indications are Made	all designated States
210-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
211	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
211-1	page	102
211-2	line	44
211-3	Identification of Deposit	
211-3-1	Name of depositary institution	American Type Culture Collection
211-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
211-3-3	Date of deposit	23 June 1998 (23.06.1998)
211-3-4	Accession Number	ATCC 203009
211-4	Additional Indications	NONE
211-5	Designated States for Which Indications are Made	all designated States
211-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
212	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
212-1	page	102
212-2	line	45

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

212-3	Identification of Deposit	
212-3-1	Name of depositary institution	American Type Culture Collection
212-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
212-3-3	Date of deposit	09 June 1998 (09.06.1998)
212-3-4	Accession Number	ATCC 209961
212-4	Additional Indications	NONE
212-5	Designated States for Which Indications are Made	all designated States
212-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
213	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
213-1	page	102
213-2	line	46
213-3	Identification of Deposit	
213-3-1	Name of depositary institution	American Type Culture Collection
213-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
213-3-3	Date of deposit	09 June 1998 (09.06.1998)
213-3-4	Accession Number	ATCC 209962
213-4	Additional Indications	NONE
213-5	Designated States for Which Indications are Made	all designated States
213-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
214	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
214-1	page	102
214-2	line	47
214-3	Identification of Deposit	
214-3-1	Name of depositary institution	American Type Culture Collection
214-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
214-3-3	Date of deposit	14 May 1998 (14.05.1998)
214-3-4	Accession Number	ATCC 209866
214-4	Additional Indications	NONE
214-5	Designated States for Which Indications are Made	all designated States
214-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

215	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
215-1	page	102
215-2	line	48
215-3	Identification of Deposit	
215-3-1	Name of depositary institution	American Type Culture Collection
215-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
215-3-3	Date of deposit	25 August 1998 (25.08.1998)
215-3-4	Accession Number	ATCC 203157
215-4	Additional Indications	NONE
215-5	Designated States for Which Indications are Made	all designated States
215-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
216	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
216-1	page	102
216-2	line	49
216-3	Identification of Deposit	
216-3-1	Name of depositary institution	American Type Culture Collection
216-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
216-3-3	Date of deposit	11 August 1998 (11.08.1998)
216-3-4	Accession Number	ATCC 203106
216-4	Additional Indications	NONE
216-5	Designated States for Which Indications are Made	all designated States
216-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
217	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
217-1	page	102
217-2	line	50
217-3	Identification of Deposit	
217-3-1	Name of depositary institution	American Type Culture Collection
217-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
217-3-3	Date of deposit	09 June 1998 (09.06.1998)
217-3-4	Accession Number	ATCC 209945
217-4	Additional Indications	NONE
217-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

217-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
218	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
218-1	page	102
218-2	line	51
218-3	Identification of Deposit	
218-3-1	Name of depositary institution	American Type Culture Collection
218-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
218-3-3	Date of deposit	16 June 1998 (16.06.1998)
218-3-4	Accession Number	ATCC 209989
218-4	Additional Indications	NONE
218-5	Designated States for Which Indications are Made	all designated States
218-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
219	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
219-1	page	102
219-2	line	52
219-3	Identification of Deposit	
219-3-1	Name of depositary institution	American Type Culture Collection
219-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
219-3-3	Date of deposit	11 August 1998 (11.08.1998)
219-3-4	Accession Number	ATCC 203108
219-4	Additional Indications	NONE
219-5	Designated States for Which Indications are Made	all designated States
219-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
220	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
220-1	page	102
220-2	line	53
220-3	Identification of Deposit	
220-3-1	Name of depositary institution	American Type Culture Collection
220-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
220-3-3	Date of deposit	11 August 1998 (11.08.1998)
220-3-4	Accession Number	ATCC 203111

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

220-4	Additional Indications	NONE
220-5	Designated States for Which Indications are Made	all designated States
220-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
221	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
221-1	page	102
221-2	line	54
221-3	Identification of Deposit	
221-3-1	Name of depositary institution	American Type Culture Collection
221-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
221-3-3	Date of deposit	20 October 1998 (20.10.1998)
221-3-4	Accession Number	ATCC 203359
221-4	Additional Indications	NONE
221-5	Designated States for Which Indications are Made	all designated States
221-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
222	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
222-1	page	102
222-2	line	55
222-3	Identification of Deposit	
222-3-1	Name of depositary institution	American Type Culture Collection
222-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
222-3-3	Date of deposit	16 June 1998 (16.06.1998)
222-3-4	Accession Number	ATCC 209988
222-4	Additional Indications	NONE
222-5	Designated States for Which Indications are Made	all designated States
222-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
223	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
223-1	page	103
223-2	line	2

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

223-3	Identification of Deposit	
223-3-1	Name of depositary institution	American Type Culture Collection
223-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
223-3-3	Date of deposit	16 June 1998 (16.06.1998)
223-3-4	Accession Number	ATCC 209978
223-4	Additional Indications	NONE
223-5	Designated States for Which Indications are Made	all designated States
223-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
224	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
224-1	page	103
224-2	line	3
224-3	Identification of Deposit	
224-3-1	Name of depositary institution	American Type Culture Collection
224-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
224-3-3	Date of deposit	04 August 1998 (04.08.1998)
224-3-4	Accession Number	ATCC 203098
224-4	Additional Indications	NONE
224-5	Designated States for Which Indications are Made	all designated States
224-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
225	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
225-1	page	103
225-2	line	4
225-3	Identification of Deposit	
225-3-1	Name of depositary institution	American Type Culture Collection
225-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
225-3-3	Date of deposit	16 June 1998 (16.06.1998)
225-3-4	Accession Number	ATCC 209980
225-4	Additional Indications	NONE
225-5	Designated States for Which Indications are Made	all designated States
225-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

226	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
226-1	page	103
226-2	line	5
226-3	Identification of Deposit	
226-3-1	Name of depositary institution	American Type Culture Collection
226-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
226-3-3	Date of deposit	04 August 1998 (04.08.1998)
226-3-4	Accession Number	ATCC 203091
226-4	Additional Indications	NONE
226-5	Designated States for Which Indications are Made	all designated States
226-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
227	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
227-1	page	103
227-2	line	6
227-3	Identification of Deposit	
227-3-1	Name of depositary institution	American Type Culture Collection
227-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
227-3-3	Date of deposit	04 August 1998 (04.08.1998)
227-3-4	Accession Number	ATCC 203090
227-4	Additional Indications	NONE
227-5	Designated States for Which Indications are Made	all designated States
227-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
228	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
228-1	page	103
228-2	line	7
228-3	Identification of Deposit	
228-3-1	Name of depositary institution	American Type Culture Collection
228-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
228-3-3	Date of deposit	04 August 1998 (04.08.1998)
228-3-4	Accession Number	ATCC 203092
228-4	Additional Indications	NONE
228-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

228-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
229	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
229-1	page	103
229-2	line	8
229-3	Identification of Deposit	
229-3-1	Name of depositary institution	American Type Culture Collection
229-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
229-3-3	Date of deposit	10 November 1998 (10.11.1998)
229-3-4	Accession Number	ATCC 203452
229-4	Additional Indications	NONE
229-5	Designated States for Which Indications are Made	all designated States
229-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
230	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
230-1	page	103
230-2	line	9
230-3	Identification of Deposit	
230-3-1	Name of depositary institution	American Type Culture Collection
230-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
230-3-3	Date of deposit	01 September 1998 (01.09.1998)
230-3-4	Accession Number	ATCC 203173
230-4	Additional Indications	NONE
230-5	Designated States for Which Indications are Made	all designated States
230-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
231	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
231-1	page	103
231-2	line	10
231-3	Identification of Deposit	
231-3-1	Name of depositary institution	American Type Culture Collection
231-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
231-3-3	Date of deposit	17 November 1998 (17.11.1998)
231-3-4	Accession Number	ATCC 203464

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

231-4	Additional Indications	NONE
231-5	Designated States for Which Indications are Made	all designated States
231-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
232	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
232-1	page	103
232-2	line	11
232-3	Identification of Deposit	
232-3-1	Name of depositary institution	American Type Culture Collection
232-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
232-3-3	Date of deposit	18 August 1998 (18.08.1998)
232-3-4	Accession Number	ATCC 203132
232-4	Additional Indications	NONE
232-5	Designated States for Which Indications are Made	all designated States
232-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
233	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
233-1	page	103
233-2	line	12
233-3	Identification of Deposit	
233-3-1	Name of depositary institution	American Type Culture Collection
233-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
233-3-3	Date of deposit	09 September 1998 (09.09.1998)
233-3-4	Accession Number	ATCC 203254
233-4	Additional Indications	NONE
233-5	Designated States for Which Indications are Made	all designated States
233-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
234	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
234-1	page	103
234-2	line	13

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

234-3	Identification of Deposit	
234-3-1	Name of depositary institution	American Type Culture Collection
234-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
234-3-3	Date of deposit	20 October 1998 (20.10.1998)
234-3-4	Accession Number	ATCC 203358
234-4	Additional Indications	NONE
234-5	Designated States for Which Indications are Made	all designated States
234-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
235	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
235-1	page	103
235-2	line	14
235-3	Identification of Deposit	
235-3-1	Name of depositary institution	American Type Culture Collection
235-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
235-3-3	Date of deposit	04 August 1998 (04.08.1998)
235-3-4	Accession Number	ATCC 203093
235-4	Additional Indications	NONE
235-5	Designated States for Which Indications are Made	all designated States
235-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
236	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
236-1	page	103
236-2	line	15
236-3	Identification of Deposit	
236-3-1	Name of depositary institution	American Type Culture Collection
236-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
236-3-3	Date of deposit	03 November 1998 (03.11.1998)
236-3-4	Accession Number	ATCC 203457
236-4	Additional Indications	NONE
236-5	Designated States for Which Indications are Made	all designated States
236-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

P3330R1

237	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
237-1	page	103
237-2	line	16
237-3	Identification of Deposit	
237-3-1	Name of depositary institution	American Type Culture Collection
237-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
237-3-3	Date of deposit	09 September 1998 (09.09.1998)
237-3-4	Accession Number	ATCC 203241
237-4	Additional Indications	NONE
237-5	Designated States for Which Indications are Made	all designated States
237-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
238	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
238-1	page	103
238-2	line	17
238-3	Identification of Deposit	
238-3-1	Name of depositary institution	American Type Culture Collection
238-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
238-3-3	Date of deposit	09 September 1998 (09.09.1998)
238-3-4	Accession Number	ATCC 203249
238-4	Additional Indications	NONE
238-5	Designated States for Which Indications are Made	all designated States
238-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
239	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
239-1	page	103
239-2	line	18
239-3	Identification of Deposit	
239-3-1	Name of depositary institution	American Type Culture Collection
239-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
239-3-3	Date of deposit	09 September 1998 (09.09.1998)
239-3-4	Accession Number	ATCC 203250
239-4	Additional Indications	NONE
239-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

239-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
240	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
240-1	page	103
240-2	line	19
240-3	Identification of Deposit	
240-3-1	Name of depositary institution	American Type Culture Collection
240-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
240-3-3	Date of deposit	18 August 1998 (18.08.1998)
240-3-4	Accession Number	ATCC 203131
240-4	Additional Indications	NONE
240-5	Designated States for Which Indications are Made	all designated States
240-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
241	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
241-1	page	103
241-2	line	20
241-3	Identification of Deposit	
241-3-1	Name of depositary institution	American Type Culture Collection
241-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
241-3-3	Date of deposit	15 September 1998 (15.09.1998)
241-3-4	Accession Number	ATCC 203223
241-4	Additional Indications	NONE
241-5	Designated States for Which Indications are Made	all designated States
241-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
242	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
242-1	page	103
242-2	line	21
242-3	Identification of Deposit	
242-3-1	Name of depositary institution	American Type Culture Collection
242-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
242-3-3	Date of deposit	15 September 1998 (15.09.1998)
242-3-4	Accession Number	ATCC 203233

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

242-4	Additional Indications	NONE
242-5	Designated States for Which Indications are Made	all designated States
242-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
243	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
243-1	page	103
243-2	line	22
243-3	Identification of Deposit	
243-3-1	Name of depositary institution	American Type Culture Collection
243-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
243-3-3	Date of deposit	09 September 1998 (09.09.1998)
243-3-4	Accession Number	ATCC 203252
243-4	Additional Indications	NONE
243-5	Designated States for Which Indications are Made	all designated States
243-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
244	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
244-1	page	103
244-2	line	23
244-3	Identification of Deposit	
244-3-1	Name of depositary institution	American Type Culture Collection:
244-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
244-3-3	Date of deposit	17 November 1998 (17.11.1998)
244-3-4	Accession Number	ATCC 203476
244-4	Additional Indications	NONE
244-5	Designated States for Which Indications are Made	all designated States
244-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
245	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
245-1	page	103
245-2	line	24

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

245-3	Identification of Deposit	
245-3-1	Name of depositary institution	American Type Culture Collection
245-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
245-3-3	Date of deposit	04 August 1998 (04.08.1998)
245-3-4	Accession Number	ATCC 203094
245-4	Additional Indications	NONE
245-5	Designated States for Which Indications are Made	all designated States
245-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
246	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
246-1	page	103
246-2	line	25
246-3	Identification of Deposit	
246-3-1	Name of depositary institution	American Type Culture Collection
246-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
246-3-3	Date of deposit	15 September 1998 (15.09.1998)
246-3-4	Accession Number	ATCC 203235
246-4	Additional Indications	NONE
246-5	Designated States for Which Indications are Made	all designated States
246-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
247	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
247-1	page	103
247-2	line	26
247-3	Identification of Deposit	
247-3-1	Name of depositary institution	American Type Culture Collection
247-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
247-3-3	Date of deposit	22 September 1998 (22.09.1998)
247-3-4	Accession Number	ATCC 203267
247-4	Additional Indications	NONE
247-5	Designated States for Which Indications are Made	all designated States
247-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

248	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
248-1	page	103
248-2	line	27
248-3	Identification of Deposit	
248-3-1	Name of depositary institution	American Type Culture Collection
248-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
248-3-3	Date of deposit	22 September 1998 (22.09.1998)
248-3-4	Accession Number	ATCC 203282
248-4	Additional Indications	NONE
248-5	Designated States for Which Indications are Made	all designated States
248-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
249	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
249-1	page	103
249-2	line	28
249-3	Identification of Deposit	
249-3-1	Name of depositary institution	American Type Culture Collection
249-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
249-3-3	Date of deposit	09 February 1999 (09.02.1999)
249-3-4	Accession Number	ATCC 203657
249-4	Additional Indications	NONE
249-5	Designated States for Which Indications are Made	all designated States
249-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
250	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
250-1	page	103
250-2	line	29
250-3	Identification of Deposit	
250-3-1	Name of depositary institution	American Type Culture Collection
250-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
250-3-3	Date of deposit	22 September 1998 (22.09.1998)
250-3-4	Accession Number	ATCC 203276
250-4	Additional Indications	NONE
250-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

250-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
251	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
251-1	page	103
251-2	line	30
251-3	Identification of Deposit	
251-3-1	Name of depositary institution	American Type Culture Collection
251-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
251-3-3	Date of deposit	25 August 1998 (25.08.1998)
251-3-4	Accession Number	ATCC 203160
251-4	Additional Indications	NONE
251-5	Designated States for Which Indications are Made	all designated States
251-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
252	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
252-1	page	103
252-2	line	31
252-3	Identification of Deposit	
252-3-1	Name of depositary institution	American Type Culture Collection
252-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
252-3-3	Date of deposit	18 August 1998 (18.08.1998)
252-3-4	Accession Number	ATCC 203135
252-4	Additional Indications	NONE
252-5	Designated States for Which Indications are Made	all designated States
252-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
253	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
253-1	page	103
253-2	line	32
253-3	Identification of Deposit	
253-3-1	Name of depositary institution	American Type Culture Collection
253-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
253-3-3	Date of deposit	03 November 1998 (03.11.1998)
253-3-4	Accession Number	ATCC 203459

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

253-4	Additional Indications	NONE
253-5	Designated States for Which Indications are Made	all designated States
253-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
254	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
254-1	page	103
254-2	line	33
254-3	Identification of Deposit	
254-3-1	Name of depositary institution	American Type Culture Collection
254-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
254-3-3	Date of deposit	22 September 1998 (22.09.1998)
254-3-4	Accession Number	ATCC 203270
254-4	Additional Indications	NONE
254-5	Designated States for Which Indications are Made	all designated States
254-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
255	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
255-1	page	103
255-2	line	34
255-3	Identification of Deposit	
255-3-1	Name of depositary institution	American Type Culture Collection
255-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
255-3-3	Date of deposit	12 January 1999 (12.01.1999)
255-3-4	Accession Number	ATCC 203573
255-4	Additional Indications	NONE
255-5	Designated States for Which Indications are Made	all designated States
255-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
256	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
256-1	page	103
256-2	line	35

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

256-3	Identification of Deposit	
256-3-1	Name of depositary institution	American Type Culture Collection
256-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
256-3-3	Date of deposit	17 November 1998 (17.11.1998)
256-3-4	Accession Number	ATCC 203477
256-4	Additional Indications	NONE
256-5	Designated States for Which Indications are Made	all designated States
256-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
257	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
257-1	page	103
257-2	line	36
257-3	Identification of Deposit	
257-3-1	Name of depositary institution	American Type Culture Collection
257-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
257-3-3	Date of deposit	06 October 1998 (06.10.1998)
257-3-4	Accession Number	ATCC 203315
257-4	Additional Indications	NONE
257-5	Designated States for Which Indications are Made	all designated States
257-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
258	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
258-1	page	103
258-2	line	37
258-3	Identification of Deposit	
258-3-1	Name of depositary institution	American Type Culture Collection
258-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
258-3-3	Date of deposit	06 October 1998 (06.10.1998)
258-3-4	Accession Number	ATCC 203313
258-4	Additional Indications	NONE
258-5	Designated States for Which Indications are Made	all designated States
258-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

259	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
259-1	page	103
259-2	line	38
259-3	Identification of Deposit	
259-3-1	Name of depositary institution	American Type Culture Collection
259-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
259-3-3	Date of deposit	27 October 1998 (27.10.1998)
259-3-4	Accession Number	ATCC 203407
259-4	Additional Indications	NONE
259-5	Designated States for Which Indications are Made	all designated States
259-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
260	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
260-1	page	103
260-2	line	39
260-3	Identification of Deposit	
260-3-1	Name of depositary institution	American Type Culture Collection
260-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
260-3-3	Date of deposit	22 December 1998 (22.12.1998)
260-3-4	Accession Number	ATCC 203553
260-4	Additional Indications	NONE
260-5	Designated States for Which Indications are Made	all designated States
260-6	Separate Furnishing of Indications	NONE
	These indications will be submitted to the International Bureau later	
261	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
261-1	page	103
261-2	line	40
261-3	Identification of Deposit	
261-3-1	Name of depositary institution	American Type Culture Collection
261-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
261-3-3	Date of deposit	22 December 1998 (22.12.1998)
261-3-4	Accession Number	ATCC 203549
261-4	Additional Indications	NONE
261-5	Designated States for Which Indications are Made	all designated States

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

261-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
262	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
262-1	page	103
262-2	line	41
262-3	Identification of Deposit	
262-3-1	Name of depositary institution	American Type Culture Collection
262-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
262-3-3	Date of deposit	22 December 1998 (22.12.1998)
262-3-4	Accession Number	ATCC 203550
262-4	Additional Indications	NONE
262-5	Designated States for Which Indications are Made	all designated States
262-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
263	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
263-1	page	103
263-2	line	42
263-3	Identification of Deposit	
263-3-1	Name of depositary institution	American Type Culture Collection
263-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
263-3-3	Date of deposit	08 June 1999 (08.06.1999)
263-3-4	Accession Number	ATCC PTA-204
263-4	Additional Indications	NONE
263-5	Designated States for Which Indications are Made	all designated States
263-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
264	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
264-1	page	103
264-2	line	43
264-3	Identification of Deposit	
264-3-1	Name of depositary institution	American Type Culture Collection
264-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
264-3-3	Date of deposit	29 October 1998 (29.10.1998)
264-3-4	Accession Number	ATCC 203391

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

264-4	Additional Indications	NONE
264-5	Designated States for Which Indications are Made	all designated States
264-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
265	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
265-1	page	103
265-2	line	44
265-3	Identification of Deposit	
265-3-1	Name of depositary institution	American Type Culture Collection
265-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
265-3-3	Date of deposit	23 March 1999 (23.03.1999)
265-3-4	Accession Number	ATCC 203863
265-4	Additional Indications	NONE
265-5	Designated States for Which Indications are Made	all designated States
265-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
266	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
266-1	page	103
266-2	line	45
266-3	Identification of Deposit	
266-3-1	Name of depositary institution	American Type Culture Collection
266-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209 United States of America
266-3-3	Date of deposit	09 March 1999 (09.03.1999)
266-3-4	Accession Number	ATCC 203834
266-4	Additional Indications	NONE
266-5	Designated States for Which Indications are Made	all designated States
266-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE
267	The indications made below relate to the deposited microorganism(s) or other biological material referred to in the description on:	
267-1	page	103
267-2	line	46

PCT

P3330R1

Original (for SUBMISSION) - printed on 01.12.2000 02:57:35 PM

267-3	Identification of Deposit	
267-3-1	Name of depositary institution	American Type Culture Collection
267-3-2	Address of depositary institution	10801 University Blvd., Manassas, Virginia 20110-2209United States of America
267-3-3	Date of deposit	20 July 1999 (20.07.1999)
267-3-4	Accession Number	ATCC PTA-382
267-4	Additional Indications	NONE
267-6	Designated States for Which Indications are Made	all designated States
267-6	Separate Furnishing of Indications These indications will be submitted to the International Bureau later	NONE

FOR RECEIVING OFFICE USE ONLY

0-4	This form was received with the international application: (yes or no)	
0-4-1	Authorized officer	

FOR INTERNATIONAL BUREAU USE ONLY

0-5	This form was received by the international Bureau on:	
0-5-1	Authorized officer	

WHAT IS CLAIMED IS:

1. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence that encodes an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID

235

NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) and Figure 550 (SEQ ID NO:550).

5

2. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure 71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figure 75 (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID

237

NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figure 525 (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547) and Figure 549 (SEQ ID NO:549).

3. Isolated nucleic acid having at least 80 % nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the full-length coding sequence of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure 71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figure 75 (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ

ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225),
5 Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267),
10 Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figure 289 (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figure 311 (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337),
20 Figure 339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figure 351 (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435),
30 Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ

ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figure 525 (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547) and Figure 549 (SEQ ID NO:549).

15 4. Isolated nucleic acid having at least 80% nucleic acid sequence identity to the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.

 5. A vector comprising the nucleic acid of Claim 1.

20 6. The vector of Claim 5 operably linked to control sequences recognized by a host cell transformed with the vector.

 7. A host cell comprising the vector of Claim 5.

25 8. The host cell of Claim 7, wherein said cell is a CHO cell.

 9. The host cell of Claim 7, wherein said cell is an *E. coli*.

30 10. The host cell of Claim 7, wherein said cell is a yeast cell.

 11. A process for producing a PRO polypeptides comprising culturing the host cell of Claim 7 under conditions suitable for expression of said PRO polypeptide and recovering said PRO polypeptide from the cell culture.

35 12. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10),

Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48),
5 Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86),
10 Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure

284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) and

Figure 550 (SEQ ID NO:550).

13. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence encoded by the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.

14. A chimeric molecule comprising a polypeptide according to Claim 12 fused to a heterologous amino acid sequence.

15. The chimeric molecule of Claim 14, wherein said heterologous amino acid sequence is an epitope tag sequence.

16. The chimeric molecule of Claim 14, wherein said heterologous amino acid sequence is a Fc region of an immunoglobulin.

17. An antibody which specifically binds to a polypeptide according to Claim 12.

18. The antibody of Claim 17, wherein said antibody is a monoclonal antibody, a humanized antibody or a single-chain antibody.

19. Isolated nucleic acid having at least 80% nucleic acid sequence identity to:

(a) a nucleotide sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ

ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158),
5 Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228),
10 Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298),
15 Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368),
20 Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ

ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424),
 5 Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ
 10 ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494),
 15 Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ
 20 ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) or Figure 550 (SEQ ID NO:550), lacking its associated signal peptide;

(b) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2
 25 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID
 30 NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID
 35 NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100),

246

Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) or Figure 550 (SEQ ID NO:550), with its associated signal peptide; or

(c) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID

NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114),
5 Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156),
10 Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184),
15 Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226),
20 Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254),
25 Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296),
30 Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324),
35 Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ

ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352),
 Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ
 ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366),
 Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ
 ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380),
 5 Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ
 ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394),
 Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ
 ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408),
 Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ
 10 ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422),
 Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ
 ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436),
 Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ
 ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450),
 15 Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ
 ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464),
 Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ
 ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478),
 Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ
 20 ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492),
 Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ
 ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506),
 Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ
 ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520),
 25 Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ
 ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534),
 Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ
 ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) or
 Figure 550 (SEQ ID NO:550), lacking its associated signal peptide.

30

20. An isolated polypeptide having at least 80% amino acid sequence identity to:

(a) an amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ
 ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ
 ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20
 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure
 35 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34),
 Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID

NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312),

Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) or Figure 550 (SEQ ID NO:550), lacking its associated signal peptide;

(b) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ

15 5 ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID

NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) or Figure 550 (SEQ ID NO:550), with its associated signal peptide; or

(c) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure

270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure

536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548) or Figure 550 (SEQ ID NO:550), lacking its associated signal peptide.

21. A method of detecting a PRO1801 polypeptide in a sample suspected of containing a PRO1801 polypeptide, said method comprising contacting said sample with a PRO1114 or PRO4978 polypeptide and determining the formation of a PRO1801/PRO1114 or PRO1801/PRO4978 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO1801 polypeptide in said sample.

22. The method according to Claim 21, wherein said sample comprises cells suspected of expressing said PRO1801 polypeptide.

23. The method according to Claim 21, wherein said PRO1114 or PRO4978 polypeptide is labeled with a detectable label.

24. The method according to Claim 21, wherein said PRO1114 or PRO4978 polypeptide is attached to a solid support.

25. A method of detecting a PRO1114 or PRO4978 polypeptide in a sample suspected of containing a PRO1114 or PRO4978 polypeptide, said method comprising contacting said sample with a PRO1801 polypeptide and determining the formation of a PRO1801/PRO1114 or PRO1801/PRO4978 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO1114 or PRO4978 polypeptide in said sample.

26. The method according to Claim 25, wherein said sample comprises cells suspected of expressing said PRO1114 or PRO4978 polypeptide.

27. The method according to Claim 25, wherein said PRO1801 polypeptide is labeled with a detectable label.

28. The method according to Claim 25, wherein said PRO1801 polypeptide is attached to a solid support.

29. A method of linking a bioactive molecule to a cell expressing a PRO1801 polypeptide, said method comprising contacting said cell with a PRO1114 or PRO4978 polypeptide that is bound to said bioactive molecule and allowing said PRO1801 and said PRO1114 or PRO4978 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

30. The method according to Claim 29, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

31. The method according to Claim 29, wherein said bioactive molecule causes the death of said cell.

32. A method of linking a bioactive molecule to a cell expressing a PRO1114 or PRO4978 polypeptide, said method comprising contacting said cell with a PRO1801 polypeptide that is bound to said bioactive molecule and allowing said PRO1801 and said PRO1114 or PRO4978 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

33. The method according to Claim 32, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

34. The method according to Claim 32, wherein said bioactive molecule causes the death of said cell.

35. A method of modulating at least one biological activity of a cell expressing a PRO1801 polypeptide, said method comprising contacting said cell with a PRO1114 or PRO4978 polypeptide or an anti-PRO1801 polypeptide antibody, whereby said PRO1114 or PRO4978 polypeptide or anti-PRO1801 polypeptide antibody binds to said PRO1801 polypeptide, thereby modulating at least one biological activity of said cell.

36. The method according to Claim 35, wherein said cell is killed.

37. A method of modulating at least one biological activity of a cell expressing a PRO1114 or PRO4978 polypeptide, said method comprising contacting said cell with a PRO1801 polypeptide or an anti-PRO1114 or anti-PRO4978 polypeptide antibody, whereby said PRO1801 polypeptide or anti-PRO1114 or anti-PRO4978 polypeptide antibody binds to said PRO1114 or PRO4978 polypeptide, thereby modulating at least one biological activity of said cell.

38. The method according to Claim 37, wherein said cell is killed.

39. A method of detecting a PRO1114 polypeptide in a sample suspected of containing a PRO1114 polypeptide, said method comprising contacting said sample with a PRO100 polypeptide and determining the formation of a PRO100/PRO1114 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO1114 polypeptide in said sample.

40. The method according to Claim 39, wherein said sample comprises cells suspected of expressing said PRO1114 polypeptide.

41. The method according to Claim 39, wherein said PRO100 polypeptide is labeled with a detectable label.

42. The method according to Claim 39, wherein said PRO100 polypeptide is attached to a solid support.

43. A method of detecting a PRO100 polypeptide in a sample suspected of containing a PRO100 polypeptide, said method comprising contacting said sample with a PRO1114 polypeptide and determining the formation of a PRO100/PRO1114 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO100 polypeptide in said sample.

44. The method according to Claim 43, wherein said sample comprises cells suspected of expressing said PRO100 polypeptide.

45. The method according to Claim 43, wherein said PRO1114 polypeptide is labeled with a detectable label.

46. The method according to Claim 43, wherein said PRO1114 polypeptide is attached to a solid support.

47. A method of linking a bioactive molecule to a cell expressing a PRO100 polypeptide, said method comprising contacting said cell with a PRO1114 polypeptide that is bound to said bioactive molecule and allowing said PRO100 and said PRO1114 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

48. The method according to Claim 47, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

49. The method according to Claim 47, wherein said bioactive molecule causes the death of said cell.

50. A method of linking a bioactive molecule to a cell expressing a PRO1114 polypeptide, said method comprising contacting said cell with a PRO100 polypeptide that is bound to said bioactive molecule and allowing said PRO100 and said PRO1114 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

51. The method according to Claim 50, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

52. The method according to Claim 50, wherein said bioactive molecule causes the death of said cell.

53. A method of modulating at least one biological activity of a cell expressing a PRO100 polypeptide, said method comprising contacting said cell with a PRO1114 polypeptide or an anti-PRO100 polypeptide antibody, whereby said PRO1114 polypeptide or anti-PRO100 polypeptide antibody binds to said PRO100 polypeptide, thereby modulating at least one biological activity of said cell.

54. The method according to Claim 53, wherein said cell is killed.

55. A method of modulating at least one biological activity of a cell expressing a PRO1114 polypeptide, said method comprising contacting said cell with a PRO100 polypeptide or an anti-PRO1114 polypeptide antibody, whereby said PRO100 polypeptide or anti-PRO1114 polypeptide antibody binds to said PRO1114 polypeptide, thereby modulating at least one biological activity of said cell.

56. The method according to Claim 55, wherein said cell is killed.

57. A method for stimulating the release of TNF- α from human blood, said method comprising contacting said blood with a PRO195, PRO202, PRO215, PRO221, PRO217, PRO222, PRO198, PRO245, PRO172, PRO265, PRO266, PRO344, PRO337, PRO322, PRO1286, PRO1279, PRO1338 or PRO1343 polypeptide, wherein the release of TNF- α from said blood is stimulated.

58. A method for modulating the uptake of glucose or FFA by skeletal muscle cells, said method comprising contacting said cells with a PRO182, PRO366, PRO198, PRO172 or PRO719 polypeptide, wherein the uptake of glucose or FFA by said cells is modulated.

59. A method for stimulating the proliferation or differentiation of chondrocyte cells, said method comprising contacting said cells with a PRO182, PRO366, PRO198, PRO1868, PRO202, PRO224, PRO172, PRO301 or PRO1312 polypeptide, wherein the proliferation or differentiation of said cells is stimulated.

60. A method for modulating the uptake of glucose or FFA by adipocyte cells, said method comprising contacting said cells with a PRO202, PRO211, PRO344 or PRO1338 polypeptide, wherein the uptake of glucose or FFA by said cells is modulated.

61. A method for stimulating the proliferation of or gene expression in pericyte cells, said method comprising contacting said cells with a PRO366 polypeptide, wherein the proliferation of or gene expression in said cells is stimulated.

5 62. A method for stimulating the release of proteoglycans from cartilage, said method comprising contacting said cartilage with a PRO216 polypeptide, wherein the release of proteoglycans from said cartilage is stimulated.

10 63. A method for stimulating the proliferation of inner ear utricular supporting cells, said method comprising contacting said cells with a PRO172 polypeptide, wherein the proliferation of said cells is stimulated.

64. A method for stimulating the proliferation of T-lymphocyte cells, said method comprising contacting said cells with a PRO344 polypeptide, wherein the proliferation of said cells is stimulated.

15 65. A method for stimulating the release of a cytokine from PBMC cells, said method comprising contacting said cells with a PRO526 or PRO1343 polypeptide, wherein the release of a cytokine from said cells is stimulated.

20 66. A method for inhibiting the binding of A-peptide to factor VIIA, said method comprising contacting a composition comprising said A-peptide and said factor VIIA with a PRO182 polypeptide, wherein the binding of said A-peptide to said factor VIIA is inhibited.

67. A method for inhibiting the differentiation of adipocyte cells, said method comprising contacting said cells with a PRO185 or PRO198 polypeptide, wherein the differentiation of said cells is inhibited.

25 68. A method for stimulating the proliferation of endothelial cells, said method comprising contacting said cells with a PRO222 polypeptide, wherein the proliferation of said cells is inhibited.

30 69. A method for detecting the presence of tumor in an mammal, said method comprising comparing the level of expression of any PRO polypeptide shown in Table 8 in (a) a test sample of cells taken from said mammal and (b) a control sample of normal cells of the same cell type, wherein a higher level of expression of said PRO polypeptide in the test sample as compared to the control sample is indicative of the presence of tumor in said mammal.

35 70. The method of Claim 69, wherein said tumor is lung tumor, colon tumor, breast tumor, prostate tumor, rectal tumor, cervical tumor or liver tumor.

71. An oligonucleotide probe derived from any of the nucleotide sequences shown in the accompanying figures.

1/550

FIGURE 1

GTTACTCGGTGGTGGCGGAGTCTACGGAAGCCGTTTTTCGCTTCACTTTTCCTGGCTGTAGAGC
GCTTTCCCCCTGGCGGGTGAGAGTGCAGAGACGAAGGTGCGAGATGAGCACTATGTTTCGCGGA
CACTCTCCTCATCGTTTTTATCTCTGTGTGCACGGCTCTGCTCGCAGAGGGCATAACCTGGGT
CCTGGTTTACAGGACAGACAAGTACAAGAGACTGAAGGCAGAAGTGGAAAAACAGAGTAAAAA
ATTGGAAAAGAAGAAGGAAACAATAACAGAGTCAGCTGGTCGACAACAGAAAAAGAAAATAGA
GAGACAAGAAGAGAAACTGAAGAATAACAACAGAGATCTATCAATGGTTCGAATGAAATCCAT
GTTTGCTATTGGCTTTTGTTTTACTGCCCTAATGGGAATGTTCAATTCCATATTTGATGGTAG
AGTGGTGGCAAAGCTTCCTTTTACCCCTCTTCTTACATCCAAGGACTGTCTCATCGAAATCT
GCTGGGAGATGACACCACAGACTGTTCCCTTCATTTTCCTGTATATTCTCTGTACTATGTCGAT
TCGACAGAACATTGAGAAGATTCTCGGCCTTGCCCCTTACGAGCCGCCACCAAGCAGGCAGG
TGGATTTCTTGCCCCACCACCTCCTTCTGGGAAGTTCTCTTGAACTCAAGAACTCTTTATTTT
CTATCATTCTTTCTAGACACACACACATCAGACTGGCAACTGTTTTGTAGCAAGAGCCATAGG
TAGCCTTACTACTTGGGCCTCTTTCTAGTTTTGAATTATTTCTAAGCCTTTTGGGTATGATTA
GAGTGAAAATGGCAGCCAGCAAACCTTGATAGTGCTTTTGGTCCTAGATGATTTTTATCAAATA
AGTGGATTGATTAGTTAAGTTCAGGTAATGTTTATGTAATGAAAAACAAATAGCATCCTTCTT
GTTTCATTTACATAAGTATTTTCTGTGGGACCGACTCTCAAGGCACTGTGTATGCCCTGCAAG
TTGGCTGTCTATGAGCATTTAGAGATTTAGAAGAAAAATTTAGTTTGTTTAACCCTTGTAAC
GTTTGTTTTGTTGTTGTTTTTTTTTCAAGCCAAATACATGACATAAGATCAATAAAGAGGCCA
AATTTTTAGCTGTTTTATGTACAAGGAGAGATCTGTTTCATTTTGTTTTGCCGTATTTCTAGA
TATAAGTTTATGATGGGCCAGGAAGGACTAAAATAAAAGTTTTTAAGGTACAAAAAAAAAAAA
AAAA

2/550

FIGURE 2

MSTMFADTLLIVFISVCTALLAEGITWVLVYRTDKYKRLKAEVEKQSKKLEKKKETITESAGR
QQKKKIERQEEKLKNNNRDL SMVRMKSMFAIGFCFTALMGMFNSIFDGRVVAKLPFTPLSYIQ
GLSHRNLLGDDTTDCSFIFLYILCTMSIRQNIQKILGLAPSRATKQAGGFLGPPPPSGKFS

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites..

amino acids 103-109, 163-169

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 53-57

3/550

FIGURE 3

AGCCGGGGGCGGGTTTGAAGACGCGTCGTTGGGTTTTGGAGGCCGTGAAACAGCCGTTTGAGT
TTGGCTGCGGGTGGAGAACGTTTGTCAAGGGCCCGGCCAAGAAGGAGGCCCGCCTGTTACGAT
GGTGTCCATGAGTTTCAAGCGGAACCGCAGTGACCGGTTCTACAGCACCCGGTGCTGCGGCTG
TTGCCATGTCCGCACCGGGACGATCATCTGGGGACCTGGTACATGGTAGTAAACCTATTGAT
GGCAATTTTGCTGACTGTGGAAGTGACTCATCCAACTCCATGCCAGCTGTCAACATTCAGTA
TGAAGTCATCGGTAATTACTATTCTGTCTGAGAGAATGGCTGATAATGCCTGTGTTCTTTTTGC
CGTCTCTGTTCTTATGTTTATAATCAGTTCAATGCTGGTTTATGGAGCAATTTCTTATCAAGT
GGGTTGGCTGATTCCATTCTTCTGTTACCGACTTTTTGACTTCGTCCTCAGTTGCCTGGTTGC
TATTAGTTCTCTCACCTATTTGCCAAGAATCAAAGAATATCTGGATCAACTACCTGATTTTCC
CTACAAAGATGACCTCCTGGCCTTGGAAGTCCAGCTGCCTCCTGTTTATTGTTCTTGTGTTCTT
TGCCTTATTCATCATTTTTAAGGCTTATCTAATTAAGTGTGTTTGGAACTGCTATAAATACAT
CAACAACCGAAACGTGCCGGAGATTGCTGTGTACCCTGCCTTTGAAAGCACCTCCTCAGTACG
TTTTGCCAACCTATGAAATGGCCGTGAAAATGCCTGAAAAAGAACCACCACCTCCTTACTTAC
CTGCCTGAAGAAATTCTGCCTTTGACAATAAATCCTATAACCAGCTTTTTGTTTGTGTTTATGTTA
CAGAATGCTGCAATTCAGGGCTCTTCAAACCTGTTTGATATAAAATATGTTGTCTTTTGTGTTA
AGCATTTATTTTCAAACACTAAGGAGCTTTTTGACATCTGTTAAACGTCTTTTTGTTTTTTTG
TTAAGTCTTTTACATTTTAATAGTTTTTGAAGACAATCTAGGTAAAGCAAGAGCAAAGTGCCA
TTGTTTGCCTTTAATTGGGGGGTGGGAAGGGAAAGAGGGTACTTGCCACATAGTTTCCTTTTT
AACTGCACTTTCTTTATATAATCGTTTGCATTTTGTGTTACTTGCTACCCTGAGTACTTTCAGGA
AGACTGACTTAAATATTCGGGGTGAGTAAGTAGTTGGGTATAAGATCTGAACCTTTTCATCTGC
AGAGGCAAGAAAAATATTTGACATTGTGACTTGACTGTGGAAGATGATGGTTGCATGTTTCTA
GTTTGTATATGTTTCCATCTTTGTGATAAGATGATTTAATAAATCTCTTTAAATACTAAAAAA
AAAAAAA

4/550

FIGURE 4

MVSMSEKRNRSDFYSTRCCGCCHVRTGTIILGTWYMVVNLLMAILLTVEVTHPNSMPAVNIQ
YEVIGNYYSSERMADNACVLFAVSVLMFIISSMLVYGAIYQVGWLIFFCYRLFDFVLSCLV
AISSLTYLPRIKEYLDQLPDFPYKDDLLALDSSCLLFIVLVFFALFIIFKAYLINCWNCYKY
INNRRNVPEIAVYPAFESTSSVRFANL

Important features of the protein:

Transmembrane domain (Possible type II transmembrane protein):

amino acids 30-49, 81-100, 111-131, 158-175

N-glycosylation site.

amino acids 9-13

Tyrosine kinase phosphorylation sites.

amino acids 8-16, 193-202

N-myristoylation site.

amino acids 68-74

5/550

FIGURE 5

CCCGCTGGCCCGTCAGTGCTCTCCCCGTCGTTTGCCCTCTCCAGTTCCCCCAGTGCCTGCCCT
ACGCACCCCGATGGCGGAGCTGCGGCCTAGCGGCGCCCCCGGCCACC GCGCCCCCGGCC
TGGCCCGACTGCCCCCGGCCTTCGCTTCGCTCTTCCCCCGGGACTGCACGCCATCTACGG
AGAGTGCCGCCGCTTTACCCTGACCAGCCGAACCCGCTCCAGGTTACCGCTATCGTCAAGTA
CTGGTTGGGTGGCCAGACCCCTTGACTATGTTAGCATGTACAGGAATGTGGGGAGCCCTTC
TGCTAACATCCCCGAGCACTGGCACTACATCAGCTTCGGCCTGAGTGATCTCTATGGTGACAA
CAGAGTCCATGAGTTTACAGGAACAGATGGACCTAGTGGTTTTGGCTTTGAGTTGACCTTTGC
TCTGAAGAGAGAACTGGGGAGTCTGCCCCACCAACATGGCCCGCAGAGTTAATGCAGGGCTT
GGCACGATACGTGTTCCAGTCAGAGAACACCTTCTGCAGTGGGGACCATGTGTCCTGGCACAG
CCCTTTGGATAACAGTGAGTCAAGAATTCAGCACATGCTGCTGACAGAGGACCCACAGATGCA
GCCCGTGACAGACCCCTTTGGGGTAGTTACCTTCCTCCAGATCGTTGGTGTCTGCACTGAAGA
GCTACACTCAGCCCAGCAGTGGAACGGGCAGGGCATCCTGGAGCTGCTGCGGACAGTGCCTAT
TGCTGGCGGCCCTTGCTGATAACTGACATGCGGAGGGGAGAGACCATATTTGAGATCGATCC
ACACCTGCAAGAGAGAGTTGACAAAGGCATCGAGACAGATGGCTCCAACCTGAGTGGTGTGAG
TGCCAAGTGTGCTGGGATGACCTGAGCCGGCCCCCGAGGATGACGAGGACAGCCGGAGCAT
CTGCATCGGCACACAGCCCCGGCGACTCTCTGGCAAAGACACAGAGCAGATCCGGGAGACCCT
GAGGAGAGGACTCGAGATCAACAGCAAACCTGTCTTCCACCAATCAACCCTCAGCGGCAGAA
TGGCCTCGCCACGACCGGGCCCCGAGCCGCAAAGACAGCCTGGAAAGTGACAGCTCCACGGC
CATCATTTCCCATGAGCTGATTCGCACGCGGCAGCTTGAGAGCGTACATCTGAAATTCAACCA
GGAGTCCGGAGCCCTCATTCTCTCTGCCTAAGGGGCAGGCTCCTGCATGGACGGCACTTTAC
ATATAAAAGTATCACAGGTGACATGGCCATCACGTTTGTCTCCACGGGAGTGGAAGGCGCCTT
TGCCACTGAGGAGCATCCTTACGCGGCTCATGGACCCTGGTTACAACCTGAAACCTATCCTCG
GAGCTCTGCCCTCCCGTCCTGGAACGTCTTTCTGCCCTGAGGAGAGGGTAGTCAGCATCTCCA
ATTTTCAGCAGCTCAAGAACCTTGCCCCCACAGGACTTCGCAGATGTCACATTGCCCTCAG
TCCCCTGAATGCCCTTCGGACCCAACCCCAATTCCCCAAGCCCCTGACCCCTAGCTGCCGGG
GTCCCACTCCCAGTGCCACAACCCCTCACCTCCCCTGGCAGCCCCTCAGCGAGCCTGAGGC
CCAGACCCGCTGGCTCCCCAGCACATGGTCCCCTCCCATGGGCTGTTGCCAGGGAACCGGG
GCGCGGTGGGAACGAGCTGCTGGCCTCGGCATGTTTCAATAAAGTTGCTGTGCTGGGAG

6/550

FIGURE 6

MAELRPSGAPGPTAPPAPGPTAPPAPAFASLEFPGLHAIYGECRRLYPDQPNPLQVTAIVKYWLG
GPDPLDYVSMYRNVGSPSANIPEHWHYISFGLSDLYGDNRVHEFTGTGDPGSGFGFELTFRLKR
ETGESAPPTWPAELMQGLARYVFQSENTFCSGDHVSWHSPLDNSESRIQHMLLTEDPQMOPVQ
TPFGVVTFLLQIVGVCTEELHSAQQWNGQGILELLRTVPIAGGPWLITDMRRGETIFEIDPHLQ
ERVDKGIETDGSNLGVSASAKAWDDLSRPPEDDEDSRSICIGTQPRRLSGKDTEQIRETLRRG
LEINSKPVLPPINPQRQNGLAHDRAPSRKDSLESSTAIIPHELIRTRQLESVHLKFNQESG
ALIPLCLRGRLHGRHFTYKSITGDMAITFVSTGVEGAFATEEHPYAAHGFWLQL

Important features:**N-glycosylation site.**

amino acids 265-268

7/550

FIGURE 7

CGCGAATGAAGTTTGCATTTTCCTCTGTTCTTGAGCCCAGCTTCTTCTCGTCTCCCACCCCAG
CTTCCCGGCATTGGAAGAAGGGACCGTCCTCTTCTTGCTTGGCCACCCAAATCCTGGTATC
GAAAGGGTTGAACGGACCGGAAGTGTGCAGCAGCGACGGGTCCCCAGCTAATCGACGCCGGAA
GTAGCAATTACTAGACAAGCATTCGCCGCCGGCTTCGCTATGGCGGCAATCCCCCAGATTC
CTGGCAGCCACCCAACGTTTACTTGGAGACCAGCATGGGAATCATTGTGCTGGAGCTGTACTG
GAAGCATGCTCCAAAGACCTGTAAGAACTTTGCTGAGTTGGCTCGTCGAGGTTACTACAATGG
CACAAAATTCCACAGAATTATCAAAGACTTCATGATCCAAGGAGGTGACCCAACAGGGACAGG
TCGAGGTGGTGCATCTATCTATGGCAAACAATTTGAAGATGAACTTCATCCAGACTTGAAATT
CACGGGGGCTGGAATTCTCGCAATGGCCAATGCGGGGCCAGATACCAATGGCAGCCAGTTCTT
TGTGACCCTCGCCCCCACCAGTGGCTTGACGGCAAACACACCATTTTGGCCGAGTGTGTCA
GGGCATAGGAATGGTGAATCGCGTGGGAATGGTAGAAACAACTCCCAGGACCGCCCTGTGGA
CGACGTGAAGATCATTAAGGCATACCCTTCTGGGTAGACTTGCTACCCTCTTGAGCAGCTCTT
CTGAGATGGCCCCAGTGAACCAGCTTCTAGATGACATAGAATGACATGTAATGCTAAATTTCA
TTTTGGCTTTGCAAGTCATGAAGCTTAGGAGGCCTGGCATCTTGGGTGAGTTAGAGATGGAAG
TACATTTTAATAGGATGCTTCTTTCTCTTCCCCAGTGCCTAGGTTGCCAGAGCATTTGCAC
AAATGCCCCTGTTTATCAATAGGTGACTACTTACTACACATGAACCATAATGCTGCTTCTTGT
GCATGTCTGCTCTGATATACGTCGAACAATGTAGCAGCCACTGTCATTTCTCAGTGGTTTTGC
CTAACCAAACCTTCTTCCTAAGGAGATTTATATTCTGGCCTACACAGCAGTCCTTGATGGCTGA
CAGCCACAGAATTCCAAACCAAGTAGTGTCTGTCAGCCCTCTTAACCTCTGTGCACGCCCTATT
TCAGTCTTTTACATTTGTTCTTCTAGGGAATGTATGCATCTCTATATATATTTTCCCTCTCAA
AACCAGAACATCAACAGTGCTGTTTCTGACACTTCAGACATCCCACGCAAAGCCACATTGAAT
TTTTGCCAAATGAAAAACACATCCAACAATCAAGTTTCTAAGAAGGTGTCAAGTGGGGAATAA
TAATAATGTATAATAATCAAGAAATTAGTTTATTAAAAGGAAGCAGAAGCATTGACCATTTTT
TCCCAGAGAAGAGGAGAAATCTGTAGTGAGCAAAGGACAGACCATGAATCCTCCTTGAGAAGT
AGTACTCTCAGAAAGGAGAAGCGCCACTCAAGTTCTTTTAACCCAAGACTTTAGAGAAATTAG
GTCCAAGATTTTTATATGTTTCAAGTTGTTTATGTATAAAAATAACTTTCTGGATTTTGTGGGGA
GGAGCAGGAGAGGAAGGAAGTTAATACCTATGTAATACATAGAACTTCCACAATAAAATGCC
ATTGATGGTTAAAAAAAAAAAAAAAAAAAA

8/550

FIGURE 8

MAAIPPD SWQPPNVYLETSMGIIVLELYWKHAPKTCKNFAELARRGYNGTKFHRRIKDFMIQ
GGDPTGTGRGGASIYGKQFEDELHPDLKFTGAGILAMANAGPDTNGSQFFVTLAPTQWLDGKH
TIFGRVCQGIGMVNRVGMVETNSQDRPVDDVKIIKAYPSG

Important features:

N-glycosylation sites:

amino acids 49-52, 108-111

N-myristoylation sites:

amino acids 64-69, 69-74, 143-148

Cyclophilin-type peptidyl-prolyl cis-trans isomerase signature:

amino acids 48-65

10/550

FIGURE 10

MWHEARKHERKLRGMMVDYKKRAERRREYYEKIKKDP AQFLQVHGRACKVHLD SAVALAAESP
VNMPWQGD TNNMIDRF DVRAHLDHIPDYTPPLLTTISPEQESDERKCN YERYRGLVQNDFAG
ISEEQCLYQIYIDELYGGLQRPSEDEKKKLA EKKASIGYTYEDSTVAEVEKAAEKPEEEESAA
EEESNSDEDEVIPDIDVEVDVDELNQEQVADLNKQATTYGMADGDFVRMLRKDKEEA EAIKHA
KALEEEKAMYSGRRSRRQRREFREKRLRGRKISPPSYARRDSPTYDPYKRSPSESSSESRSRS
RSPTPGREEKITFITSFGGSDEEAAAAAAAAAASGVTTGKPPAPPQPGGPAPGRNASARRRSS
SSSSSSASRTSSSRSSSRSSSRSGGGYYRSGRHARSRSRSWSRSRSRSRRYSRSRSRGRR
HSGGGSRDGHRYSRSPARRGGYGPRRRSRSRSHSGDRYRRGGRGLRHHSSSRSSWSLSPSR
SRSLTRSRSHSPSPSQSRSRSRSPSPSPSPAREKLTRPAASPAVGEKCLKKTEPAAGKETGA
AKVTQADASGEAETEDAEGAEQAVQGG

Important features:**N-glycosylation site:**

amino acids 370-373

Glycosaminoglycan attachment site:

amino acids 443-446

cAMP- and cGMP-dependent protein kinase phosphorylation site:amino acids 159-162, 282-285, 291-294, 374-377, 375-378, 430-433,
440-443, 466-469**Casein kinase II phosphorylation site:**amino acids 149-152, 166-169, 171-174, 187-190, 193-196, 195-198,
303-306, 307-310, 335-338, 571-574**N-myristoylation sites:**

amino acids 118-123, 229-234, 350-355, 446-451, 586-591

Amidation sites:

amino acids 263-266, 280-283, 438-441

11/550

FIGURE 11

GGTAGGCGCGCCAGACCTGAGACGGGTGGGACTGGGCTGCGTCACGCGCGGGCTCTAAGCG
CCCGGGGCCCCGCCAGTGGCCGGCACAGCCAATCGCAGCGCGGAAGGCGGTGGGGGCGGGG
AAGGCCGCCTGGAACTTAAATCCCGAGGCGGGCGAACCTGCACCAGACCGCGGACGTCTGTA
ATCTCAGAGGCTTGTTTGCTGAGGGTGCCTGCGCAGCTGCGACGGCTGCTGGTTTTGAAACAT
GAATCTTTCGCTCGTCCTGGCTGCCTTTTGCTTGGGAATAGCCTCCGCTGTTCCAAAATTTGA
CCAAAATTTGGATACAAAGTGGTACCAGTGGAAGGCAACACACAGAAGATTATATGGCGCGAA
TGAAGAAGGATGGAGGAGAGCAGTGTGGGAAAAGAATATGAAAATGATTGAACTGCACAATGG
GGAATACAGCCAAGGGAAACATGGCTTCACAAATGGCCATGAATGCTTTTGGTGACATGACCAA
TGAAGAATTCAGGCAGATGATGGGTGCTTTCGAAACCAGAAATTCAGGAAGGGGAAAGTGTT
CCGTGAGCCTCTGTTTCTTGATCTTCCCAAATCTGTGGATTGGAGAAAGAAAGGCTACGTGAC
GCCAGTGAAGAATCAGAAACAGTGTGGTTCTTGTTGGGCTTTTAGTGCGACTGGTGCTCTTGA
AGGACAGATGTTCCGGAAAACCTGGGAAACTTGTCTCACTGAGCGAGCAGAATCTGGTGGACTG
TTCGCGTCCCTCAAGGCAATCAGGGCTGCAATGGTGGCTTCATGGCTAGGGCCTTCCAGTATGT
CAAGGAGAACGGAGGCCTGGACTCTGAGGAATCCTATCCATATGTAGCAGTGGATGAAATCTG
TAAGTACAGACCTGAGAATTCTGTTGCTAATGACACTGGCTTCACAGTGGTCGCACCTGGAAA
GGAGAAGGCCCTGATGAAAGCAGTCGCAACTGTGGGGCCCATCTCCGTTGCTATGGATGCAGG
CCATTCTGTCCTTCCAGTTCACAAATCAGGCATTTATTTTGAACCAGACTGCAGCAGCAAAAA
CCTGGATCATGGTGTTCTGGTGGTTGGCTACGGCTTTGAAGGAGCAAATTCGAATAACAGCAA
GTATTGGCTCGTCAAAAACAGCTGGGGTCCAGAATGGGGCTCGAATGGCTATGTAAAAATAGC
CAAAGACAAGAACAACCACTGTGGAATCGCCACAGCAGCCAGCTACCCCAATGTGTGAGCTGA
TGGATGGTGAGGAGGAAGGACTTAAGGACAGCATGTCTGGGGAAATTTTATCTTGAAACTGAC
CAAACGCTTATTGTGTAAGATAAACAGTTGAATCATGGAGGATCCAAGTTGAGATTTTAATT
CTGTGACATTTTACAAGGGTAAAATGTTACCACTACTTTAATTATTGTTATACACAGCTTTA
TGATATCAAAGACTCATTGCTTAATCTAAGACTTTTGAATTTTCATTTTTTAAAAAGATGTA
CAAAACAGTTTGAAATAAATTTTAATTCGTATATA

12/550

FIGURE 12

MNLSLVLA AFCLGIASAVPKFDQNLDTKWYQWKATHRRLYGANEEGWRRRAVWEKNMKMIELHN
GEYSQKGHGFTMAMNAFGDMTNEEFQMMGCFRNQKFRKGKVFREPLFLDLPKSVDWRKKGYV
TPVKNQKQCGSCWAFSATGALEGQMFRKTGKLVSLSEQNLVDCSRPQGNQGCNGGFMARAFQY
VKENGGLDSEESYPYVAVDEICKYRPENSVANDTGFTVVAPGKEKALMKAVATVGPISVAMDA
GHSSFQFYKSGIYFEPDCSSKNLDHGVLVVGYGFE GANSNNSKYWLKNSWGP EWGSNGYVKI
AKDKNNHCGIATAASYPNV

Important features:**Signal sequence**

amino acids 1-17

N-glycosylation sites.

amino acids 2-6, 221-225, 292-296

N-myristoylation sites.amino acids 13-19, 93-99, 136-142, 145-151, 174-180, 177-183,
180-186, 194-200, 288-294, 324-330**Eukaryotic thiol (cysteine) proteases cysteine active site.**

amino acids 132-144

Eukaryotic thiol (cysteine) proteases histidine active site.

amino acids 275-286

13/550

FIGURE 13

GGCGGCGTCATGTGATCCGCTTCCCTGCTCCTTTAAGCGTCCACAGGCGGCGGAGCGGCCACA
ATCACAGCTCCGGGCATTGGGGGAACCCGAGCCGGCTGCGCCGGGGGAATCCGTGCGGGCGCC
TTCCGTCCCGGTCCCATCCTCGCCGCGCTCCAGCACCTCTGAAGTTTGCAGCGCCAGAAAG
GAGGCGAGGAAGGAGGGAGTGTGTGAGAGGAGGGAGCAAAAAGCTCACCCCTAAAACATTTATT
TCAAGGAGAAAAGAAAAAGGGGGGCGCAAAAATGGCTGGGGCAATTATAGAAAACATGAGCA
CCAAGAAGCTGTGCATTGTTGGTGGGATTCTGCTCGTGTTCCAAATCATCGCCTTTCTGGTGG
GAGGCTTGATTGCTCCAGGGCCCACAACGGCAGTGTCTACATGTCGGTGAAATGTGTGGATG
CCCGTAAGAACCATCACAAGACAAAATGGTTCGTGCCTTGGGGACCCAATCATTGTGACAAGA
TCCGAGACATTGAAGAGGCAATTCCAAGGGAAATTGAAGCCAATGACATCGTGTTCCTGTTC
ACATTCCCCTCCCCACATGGAGATGAGTCCTTGGTTCCAATTCATGCTGTTTATCCTGCAGC
TGGACATTGCCTTCAAGCTAAACAACCAATCAGAGAAAATGCAGAAGTCTCCATGGACGTTT
CCCTGGCTTACCGTGATGACGCATTTGCTGAGTGGACTGAAATGGCCCATGAAAGAGTACCAC
GGAACCTCAAATGCACCTTCACATCTCCCAAGACTCCAGAGCATGAGGGCCGTTACTATGAAT
GTGATGTCCTTCTTTTATGGAATTTGGGTCTGTGGCCATAAGTTTTACCTTTTAAACATCC
GGCTGCCTGTGAATGAGAAGAAGAAAATCAATGTGGGAATTGGGGAGATAAAGGATATCCGGT
TGGTGGGGATCCACCAAAATGGAGGCTTCACCAAGGTGTGGTTTGCCATGAAGACCTTCCTTA
CGCCAGCATCTTCATCATTATGGTGTGGTATTGGAGGAGGATCACCATGATGTCCCGACCCC
CAGTGCTTCTGGA AAAAGTCATCTTTGCCCTTGGGATTTCCATGACCTTTATCAATATCCCAG
TGGAATGGTTTTCCATCGGGTTTGACTGGACCTGGATGCTGCTGTTTGGTGACATCCGACAGG
GCATCTTCTATGCGATGCTTCTGTCTTCTGGATCATCTTCTGTGGCGAGCACATGATGGATC
AGCACGAGCGGAACCACATCGCAGGGTATTGGAAGCAAGTCGGACCCATTGCCGTTGGCTCCT
TCTGCCTCTTCATATTTGACATGTGTGAGAGAGGGGTACAACCTCACGAATCCCTTCTACAGTA
TCTGGACTACAGACATTGGAACAGAGCTGGCCATGGCCTTCATCATCGTGGCTGGAATCTGCC
TCTGCCTCTACTTCCTGTTTCTATGCTTCATGGTATTTTCAGGTGTTTCGGAACATCAGTGGGA
AGCAGTCCAGCCTGCCAGCTATGAGCAAAAGTCCGGCGGCTACACTATGAGGGGCTAATTTTA
GGTTCAAGTTCCTCATGCTTATCACCTTGGCCTGCGCTGCCATGACTGTCTCTTCTCATCG
TTAGTCAGGTAACGGAAGGCCATTGGAATGGGGCGGCGTCACAGTCCAAGTGAACAGTGCCT
TTTTACAGGCATCTATGGGATGTGGAATCTGTATGTCTTTGCTCTGATGTTCTTGATGCAC
CATCCCATAAAACTATGGAGAAGACCAGTCCAATGGCGATCTGGGTGTCCATAGTGGGGAAG
AACTCCAGCTCACCACCACTATCACCCATGTGGACGGACCCACTGAGATCTACAAGTTGACCC
GCAAGGAGGCCAGGAGTAGGAGGCTGCAGCGCCCGCTGGGACGGTCTCTCCATACCCAGC
CCCTCTAACTAGAGTGGGGAGCATGCCAGAGAGAGCTCAATGTACAAATGAATGCCTCATGGC
TCTTAGCTGTGGTTTCTTGGACCAGCGGCATGGACATTTGTGAGTTTGCCTTCTGACGGTAGC
TTTTGGAGGAAGATTCTTGCAGCCACTAATGCATTGTGTATGATAACAAAACCTCTGGTATGA
CACATTTTCTGTGATCATTGTTAATTAGTGACATAGTAACATCTGTAGCAGCTGGTTAGTAAA
CCTCATGTGGGGGTGGGGTGGGGGTGATTCCCTTGGGGGATGGTTTGGGCCGAATGGGGAGTG
GAATATTTGACATTTTTCCTGTTTTAAATTCTAGGATAGATTTTAACATCCTTTGCGGTCCCA
GTCCAAGGTAGGCTGGTGTGATAGTCTTCTCACTCCTAATCCATGACCACTGTTTTTTTCCCTA
TTTATATCACCAGGTAGCCTACTGAGTTAATATTTAAGTTGTCAATAGATAAGTGTCCCTGTT
TTGTGGCATAATATACTGAATTTTCATGAGAAGATTTATTCACCAGGGGTATTTTCAGCTTTG
AAACCAATCTGTGTATCTAATACTAACCAATCTGTTGGATGTGGATTTTAAAAAATGTTTGC
TAAACTACCAAGTAAGATTTACTGTATTAAATGGCCTTCGGGTCTGAAAAGCTTTTTTAACC
TCTTGCTTAAATGCGTTTTATTTTGATAAGATACTTCAAATAGCCTCCAAAAGTGTAGATCC
AATCACTTAAATAAACCTGTATGTATATGCAAAAAAAAAAAAAAAAAAAAAA

14/550

FIGURE 14

MAGAI IENMSTKKLCIVGGILLVFQIIAFLVGGLIAPGPTTAVSYMSVKCVDARKNHHKTKWF
VPWGNHCDKIRDIEEAIPREIEANDIVFSVHIPLPHMEMSPWFQFMLFILQLDIAFKLNNQI
RENAEVSMDVSLAYRDDAFAEWTEMAHERVPRKLKCTFTSPKTPEHEGRYYECDVLPFMEIGS
VAHKFYLLNIRLPVNEKKKINVGIGEIKDIRLVGIHQNGGFTKVWFAMKTFLTSPSIFIIMVWY
WRRITMSRPPVLEKVI FALGISMTFINIPVEWFSIGFDWTWMLLFGDIRQGI FYAMLLSEW
IIFCGEHMMDQHERNHIAGYWKQVGPIAVGSFCLFIFDMCERGVLNPFYSIWTTDIGTELA
MAFIIVAGICLCLYFLFLCFMVFQVFRNISGKQSSLPAMSKVRRLLHYEGLIFRKFFLMLITLA
CAAMTVIFFIVSQVTEGHWKGGVTQVNSAFFTGIYGMWNLYVFALMFLYAPSHKNYGEDQS
NGDLGVHSGEELQLTTTITHVDGPTEIYKLTRKEAQE

Important features of the protein:**Signal peptide:**

amino acids 1-42

Transmembrane domains:amino acids 239-253, 269-284, 302-318, 338-352, 377-399, 434-452,
471-488**N-glycosylation sites.**

amino acids 8-12, 406-410

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 254-258

N-myristoylation sites.amino acids 223-229, 274-280, 305-311, 358-364, 374-380, 386-392,
509-515

15/550

FIGURE 15

GTGAGGGGAACAGCTGATCCGTCTGTTGGGAGGACAGATATCTCAAGGCCAGGATGGAAGAAT
CACCAC TAAGCCGGGCACCATCCCGTGGTGGAGTCAACTTTCTCAATGTAGCCCGGACCTACA
TCCCCAACACCAAGGTGGAATGTCACTACACCCCTCCCCCAGGCACCATGCCAGTGCCAGTG
ACTGGATTGGCATCTTCAAGGTGGAGGCTGCCTGTGTTCCGGGATTACCACACATTTGTGTGGT
CTTCCGTGCCTGAAAGTACAAC TGATGGTTCCCCCATTCACACCAGTGTCCAGTTCCAAGCCA
GCTACCTGCCCCAAACCAGGAGCTCAGCTCTACCAGTTCGATATGTGAACCGCCAGGGCCAGG
TGTGTGGGCAGAGCCCCCTTCCAGTTCGAGAGCCAAGGCCCATGGATGAACTGGTGACCC
TGGAGGAGGCTGATGGGGGCTCTGACATCCTGCTGGTGTGCCCCAAGGCAACTGTGTTACAGA
ACCAGCTCGATGAGAGCCAGCAAGAACGGAATGACCTGATGCAGCTGAAGCTACAGCTGGAGG
GACAGGTGACAGAGCTGAGGAGCCGAGTGCAGGAGCTCGAGAGGGCTCTGGCAACTGCCAGGC
AGGAGCACACGGAGCTGATGGAACAGTACAAGGGGATTTCCCGGTCCCATGGGGAGATCACAG
AAGAGAGGGACATCCTGAGCCGGCAACAGGGGAGACCATGTGGCAGCATCCTGGAGCTAGAGG
ATGACATCCAGACCATCAGTGAGAAAGTGCTGACGAAGGAAGTGGAGCTGGACAGGCTTAGAG
ACACAGTGAAGGCCCTGACTCGGGAACAAGAGAAGCTCCTTGGGCAACTGAAAGAAGTACAAG
CAGACAAGGAGCAAAGTGAGGCTGAGCTCCAAGTGGCACAACAGGAGAACCATCACTTAAATT
TGGACCTGAAGGAGGCGAAGAGCTGGCAAGAGGAGCAGAGTGTCTCAGGCTCAGCGACTGAAAG
ACAAGGTGGCCCAGATGAAGGACACCCTAGGCCAGGCCAGCAGCGGGTGGCCGAGCTGGAGC
CCTTGAAGGAGCAGCTTCGAGGGGGCCAGGAGCTTGCAGCCTCAAGCCAGCAGAAAGCCACCC
TTCTTGGGGAGGAGTTGGCCAGTGCAGCAGCAGCCAGGGACCGCACCATAGCCGAACCTACACC
GCAGCCGCTTGAAGTGGCTGAAGTTAACGGCAGGCTGGCTGAGCTCGGTTTGCAGTTGAAGG
AAGAAAAATGCCAATGGAGCAAGGAGCGGGCAGGGCTGCTGCAGAGTGTGGAGGCAGAGAAGG
ACAAGATCCTGAAGCTGAGTGCAGAGATACTTCGATTGGAGAAGGCAGTTTCAGGAGGAGAGGA
CCCCAAACCAAGTGTTCAAGACTGAGCTGGCCCCGGGAGAAGGATTCTAGCCTGGTACAGTTGT
CAGAAAGTAAGCGGGAGCTGACAGAGCTGCGGTACGCCCTGCGTGTGCTCCAGAAGGAAAAGG
AGCAGTTACAGGAGGAGAAACAGGAATTGCTAGAGTACATGAGAAAGCTAGAGGCCCCGCTGG
AGAAGGTGGCAGATGAGAAGTGGAATGAGGATGCCACCACAGAGGATGAGGAGGCCGCTGTGG
GGCTGAGCTGCCCCGGCAGCTCTGACAGACTCAGAGGACGAGTCCCCAGAAGACATGAGGCTCC
CACCCATATGGCCTTTGTGAGCGTGGAGACCCAGGCTCCTCTCCTGCTGGGCCTCGAGAGGCTT
CTCCCCCTTGTGTCATCAGCCAGCCGGCTCCCATTTCTCCTCACCTCTCTGGGCCAGCTGAGG
ACAGTAGCTCTGACTCGGAGGCTGAAGATGAGAAGTCAGTCCTGATGGCAGCTGTGCAGAGTG
GGGGTGAGGAGGCCAATTACTGCTTCCTGAACTGGGCAGTGCCTTCTATGACATGGCCAGTG
GCTTTACAGTGGGTACCCTGTGAGAAACCAGCACTGGGGGCCCTGCCACCCCCACATGGAAGG
AGTGTCTATCTGTAAGGAGCGCTTTCCTGCTGAGAGTGACAAGGATGCCCTGGAGGACCACA
TGGATGGACACTTCTTTTTCAGCACCCAGGACCCCTTACCTTTGAGTGAATCTTACTCCCTCG
TACATGCACAAATACACACTCATGCACACACACACTCACACACATGCATACACTTAGGTTTCA
TGCCCATTTTCTATCACACTGGGCTCCATGATATTCTGTTCCCTAAGAACTGCTTCTGTGTGC
CCTGTTTTTCATCCCAAGATTTCTCACTTCATCCTCTCCTACCTGGCTCTTTTGTCCCAGGGAG
GGGTCTGTTCGGAAGCAGTGGCTGAATTTATCCCTGAAAGTGGTTTTGGAGGAACCGGGAT
GGAGGAGGCCTTCCCCTGTGGGAATAGAATCGTCCACTCCTAGCCCTGGTTGCTTCTGATACA
CAGCCACTGCACACACACACTCACACTCACACTCCCTTGTCTGATGCCCCAAAGCCAATTCTCT
GGGGCACCCCTACCCTCTCTTATTTGGAGTTTCCGTTGGTTTACCTGAGTTTTCTCTGGGGCTCT
GCACAGAGGCAGCAGCATGGACATCATGGCCTCTCAGGTCCCTTTTGGTTCTCAGTTTTCATTG
GTTCTCTTTCTGTTCCCCCATTGACTTCTGTGCCCCACCCTAGCCTTTTCCATAACCTTAGG
TATTAGTTTGGAGGGGTTTTTTGTATTTTTGAGGATTCTGTATTCTGTATCCTCTCCTCGC
ATCTCCTCACATGGAAAGAAATAATGTATTTGTGCTTCTGTGAGGAATGGGGGAACAAGTG
GTCCCAGGTATCCCCATTTCCAAGGCCCCCTCCCTCTCCAGGTCCCCCACAGCAATAAAAG
CTCCCCCTGATATCCATCCCTTTGTAGTTTGAACAAATATATTTATATGATATGTAA

16/550

FIGURE 16

MEESPLSRAPSRGGVNFNLNVRTYIPNTKVECHYTLPPGTMPASDWIGIFKVEAACVRDYHT
FVWSSVPESTTDGSPIHSTVQFQASYLPKPGAQLYQFRYVNRQGVCGQSPPFQFREPRPMDE
LVTLEEADGGS DILLVVPKATVLQNQLDESQQERNDLMQLKLQLEGQVTELRSRVQELERALA
TARQEHTELMEQYKGISRSHGEITEERDILSRQGDHVARILELEDDIQTISEKVLTKVELD
RLRDTVKALTREQEKLGLKEVQADKEQSEAELOVAQQENHHLNLDLKEAKSWQEEQSAQAQ
RLKDKVAQMKDTLGQAQQRVAELEPLKEQLRGAQELAASSQQKATLLGEELASAAAARDRTIA
ELHRSRLEVAEVNGRLAELGLHLKEEKQWSKERAGLLQSVEAEKDKILKLSAEILRLEKAVQ
EERTQNQVFKTELAREKDSSLVQLSESKRELTELRSALRVLQKEKEQLQEEKQELLEMYMRKLE
ARLEKVADEKWNEDATTEDEEAAGVGLSCPAALTDSEDESPEDMRLPPYGLCERGDPGSSPAGP
REASPLVVISQPAPISPHLSGPAEDSSSDSEAEDEKSVLMAAVQSGGEEANLLLPELGSAFYD
MASGFTVGTLSETSTGGPATPTWKECPICKERFPAESDKDALEDHMDGHFFFSTQDPFTFE

Important features:**Casein kinase II phosphorylation sites:**

amino acids 28-31, 43-46, 68-71, 72-75, 129-132, 156-159, 208-
211, 239-242, 282-285, 305-308, 376-379, 383-383, 468-471, 520-
523, 521-524, 537-540, 539-542, 543-546, 593-596, 595-598, 597-
600, 612-615, 639-642, 652-655, 667-670, 683-686

N-myristoylation sites:

amino acids 39-44, 107-112, 204-209, 414-419, 561-566, 613-618

Cell attachment sequence:

amino acids 557-559

Leucine zipper pattern sequence:

amino acids 163-184, 475-496, 482-503

17/550

FIGURE 17

GCAAGTTGGGAATTTTAGACTGTCACTGCACATGGACCTCTGGGAAGACGTCTGGCGAGAGCT
AGGCCCCTGCCCCACAGACGGATCTTGCTGGCTCACCTGTCCCTGTGGAGGTTCCCCCTGGG
AAGGCAAGATGCCCAACAACAGCACTGCTCTGTCATTGGCCAATGTTACCTACATCACCATGG
AAATTTTCATTGGACTCTGCGCCATAGTGGGCAACGTGCTGGTCATCTGCGTGGTCAAGCTGA
ACCCAGCCTGCAGACCACCACCTTCTATTTTCATTGTCTCTCTAGCCCTGGCTGACATTGCTG
TTGGGGTGCTGGTCATGCCTTTGGCCATTGTTGTGAGCCTGGGCATCACAATCCACTTCTACA
GCTGCCTTTTTATGACTTGCCTACTGCTTATCTTTACCCACGCCTCCATCATGTCCCTTGCTG
CCATCGCTGTGGACCGATACTTGCGGGTCAAGCTTACCGTCAGATTCAGAATTCCTGGGCTCC
CTGGGTGCATTCTATCATTCCAGTTGAAAGTTTGCTTCCTTCCAGTCATGTGGCTCTTCATT
TACTCTCCTTGGCTCTCATTTTCAGATGCCATGGTCATGGATGAAAAGGTCAAGAGAAGCTTTG
TGCTGGACACGGCTTCTGCCATCTGCAACTACAATGCCCCTACAAGAATCACCCCAAATACT
GGTGCCGAGGCTATTTCCGTGACTACTGCAACATCATCGCCTTCTCCCCTAACAGCACCAATC
ATGTGGCCCTGAGGGACACAGGGAACCAGCTCATTGTCACTATGTCCTGCCTGACCAAAGAGG
ACACGGGCTGGTACTGGTGTGGCATCCAGCGGGACTTTGCCAGGGATGACATGGATTTTACAG
AGCTGATTGTAAGTACGACAAAAGGAACCCTGGCCAATGACTTTTGGTCTGGGAAGACCTAT
CAGGCAACAAAACCAGAAGCTGCAAGGCTCCCAAAGTTGTCCGCAAGGCTGACCGCTCCAGGA
CGTCCATTCTCATCATTTGCATACTGATCACGGGTTTGGGAATCATCTCTGTAATCAGTCATT
TGACCAAAGGAGGAGAAGTCAAAGGAATAGAAGGGTAGGCAACACTTTGAAGCCCTTCTCGC
GTGTCCTGACTCCAAAGGAAATGGCTCCTACTGAACAGATGTGACTGAAGATTTTTTTAATTT
AGTTCATAAAGTGATGCTACAACAGAATAATCACCATGACAACCTGGCCCACACCTCAGAGACT
GATTCTGATCTCCCAGGAATTCTGAAGGACCCTCTATCCTTGACAACAATCATTTGCAGCCAG
GTAGCAACGGCGGTAGTCAGAGGAGCTATGATAGACCACACCCAAGCAAGGCTGCCCTCAAAT
AACATCTCAAGATCTTAGTTCTTATGCATTCCATCAGTCAGAAGTGAAGAAGAGGTGGAGAAT
CTGGATTGGGGACCAGGAAATCACTTGTATTTTGTAGCCAATAAATTCCTAGCCAGTGTTGA
ATGAAAAAAAAAAAAA

18/550

FIGURE 18

MPNNSTALSLANVTYITMEIFIGLCAIVGNVLVICVVKLNPSLQTTTFYFIVSLALADIAVGV
LVMP LAIVVSLGITIHFYSCLFMTCLLLIFTHASIMSL LAIAVD RYLRVKLTVRFRIPGLPGC
ILSFQLKVCFLPVMWLFILLSLALISDAMVMDEKVKRSFVLDTASAICNNAHYKNHPKYWCR
GYFRDYCNIIAFSPNSTNHVALRDTGNQLIVTMSCLTKEDTGWYWCGIQRDFARDDMDFTELI
VTDDKGTLANDFWSGKDLSGNKTRSCAPKVVRKADRSRTSILIICILITGLGIISVISHLTK
RRRSQRNRRVGNTLKPFSRVLTPKEMAPTEQM

Important features of the protein:**Transmembrane domains:**

amino acids 16-35, 62-80, 89-101, 134-152, 292-311

N-glycosylation sites.

amino acids 3-7, 4-8, 12-16, 204-208, 273-277

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 316-320

N-myristoylation sites.

amino acids 122-128, 125-131, 258-264

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 214-225

G-protein coupled receptors proteins.

amino acids 29-59, 76-116

20/550

FIGURE 20

MGPPSLVLCLLSATVFSLLGGSSAFLSHRLKGRFQRDRRNIRPNIILVLTDDQDVELGSMQV
MNKTRRIMEQGGAHFINAFVTPMCCPSRSSILTGKYVHNHNTYTNNENCSSPSWQAQHEST
FAVYLNSTGYRTAFFGKYLNEYNGSYVPPGWKEWVGLLKNSRFYNYTLCRNGVKEKHGSDYSK
DYLTDLITNDSVSFFRTSKKMYPHRPVLMVISHAAPHGPEDSAPQYSRLFPNASQHITPSYNY
APNPDKHWMRYTGPMKPIHMEFTNMLQRKRLQTLMSVDDSMETIYNMLVETGELDNTYIVYT
ADHGYPHIGQFGLVKGKSMPEFDIRVPFYVRGPNEAGCLNPHIVLNIDLAPTILDIAGLDIP
ADMDGKSILKLLDTERPVNRFHLKKKMRVWRDSFLVERGKLLHKRDNDKVDAQEENFLPKYQR
VKDLCQRAEYQTACEQLGQKWQCVEDATGKLLKHKCKGPMRLGGSRALSNLVPKYYGQGSEAC
TCDSDGYKLSLAGRRKKLFKKKYKASYVRSRSIRSVVIEVDGRVYHVGLGDAAQPRNLTKRHW
PGAPEDQDDKDGGDFSGTGGLPDYSAANPIKVTHRCYILENDTVQCDLDLYKSLQAWKDHKLH
IDHEIETLQNKIKNLREVRGHLKKKRPEECDCHKISYHTQHKGRCLKHRGSSLHPFRKGLQEKD
KVWLLREQKRKKLRLKLLKRLQNNDTCMPGLTCFTHDNQHWQTAPFWTLGPFCACTSANNNT
YWCRTINETHNLFCEFATGFLEYFDLNTDPYQLMNAVNTLDRDVLNQLHVQLMELRSCCKGY
KQCNPRTRNMDLDGGSYEQYRQFQRRKWPEMKRPSSKSLGQLWEGWEG

Important features:**Signal peptide:**

amino acids 1-17

Sulfatases signature 1.

amino acids 86-99

Homologous region to sulfatase:

amino acids 87-106, 133-146, 216-229, 291-320, 365-375

N-glycosylation sites.amino acids 65-69, 112-116, 132-136, 149-153, 171-175, 198-202,
241-245, 561-565, 608-612, 717-721, 754-758, 764-768

21/550

FIGURE 21

GGGCGCGCGAGAGCTGCTAGGGCGGTTTCTCTGCCTCGGGCCTGTTGGGCAGGGCCGGCT
AAGGTGCGCGTGCTCGCTGGTTCTAACCCCTTCTGTTGGGCGTTTCTGCTGAGAGGCGGGA
GGCGCTGAGAGTCTGTGCGGAGGTCCGTGGACAGACTGCTTTGCTCGTTGTTGCTCTTCG
GAGGCGGCGATCCCCGAAGGCGAGCTGAAATACGGCTGCAGGCTACAATTTGCAGCCGAC
GATTATGGAAGACGGAAGCGGGAGAGGTGGCCACCCCTCATGGAGCGCTTGTGCTCGGAT
GGCTTCGCATTTCCCCAATACCCCATTAACCGTATCATCTGAAGAGGATCCACAGAGCT
GTCTTACATGGTAATCTAGAGAACTGAAGTACCTTCTGCTCACGTATTATGACGCCAAT
AAGAGAGACAGGAAGGAAAGGACCGCCCTACATTTGGCCTGTGCCACTGGCCAACCGGAA
ATGGTACATCTCCTGGTGTCCAGAAGATGTGAGCTTAACCTCTGCGACCGTGAAGACAGG
ACACCTCTGATCAAGGCTGTACAACCTGAGGCAGGAGGCTTGTGCAACTCTTCTGCTGCAA
AATGGCGCCAATCCAAATATTACGGATTTCTTTGGAAGGACTGCTCTGCACTACGCTGTG
TATAATGAAGATACATCCATGATAGAAAACTTCTTTCACATGGTACAAATATTGAAGAA
TGCAGCAAGGTATAGGTCAACCAATGTTATTTTCAAACCTATCTGAAATGAATTTATTTTA
ACATTGACACATGTAAGGGTCAATTTTTCATATTTGGAAGCTCAAACATTCCTTGAATGA
AAATATTTTGAAATGCCTTAACCTGTCTAAGATTTTACTTTAAATATTGGAACTTTTAAAG
AAGCATTATAGGGAACAGCCTTTTTTTCATGCACTTATGGTAAATAACTATAAAAACAAAT
GAATTACAATAAATTTATAATTCATGACAACCTGAATTTGGGAAAGGTAATAGTTAAGTGT
TTTTCCACTAAATTACTTTTT

22/550

FIGURE 22

MERLCSDGFAFPQYPIKPYHLKRIHRAVLHGNLEKLKYL LLLTYDANKRDRKERTALHLACAT
GQPEMVHLLVSRRCENLCDREDRTPLIKAVQLRQEACATLL LQNGANPNITDFFGRTALHYA
VYNEDTSMIEKLLSHGTNIEECSKV

Important features of the protein:

N-glycosylation site.

amino acids 113-117

N-myristoylation site.

amino acids 109-115

Microbodies C-terminal targeting signal.

amino acids 149-153

23/550

FIGURE 23

GAGGCAGAAAGGCAGAAAGGAGAAAATTCAGGATAACTCTCCTGAGGGGTGAGCCAAGCCCTG
CCATGTAGTGCACGCAGGACATCAACAAACACAGATAACAGGAAATGATCCATTCCCTGTGGT
CACTTATTCTAAAGGCCCAACCTTCAAAGTTCAAGTAGTGATATGGATGACTCCACAGAAAG
GGAGCAGTCACGCCTTACTTCTTGCCTTAAGAAAAGAGAAGAAATGAACTGAAGGAGTGTGT
TTCCATCCTCCACGGAAGGAAAGCCCCTCTGTCCGATCCTCCAAAGACGGAAAGCTGCTGGC
TGCAACCTTGCTGCTGGCACTGCTGTCTTGTGCTCACGGTGGTGTCTTTCTACCAGGTGGC
CGCCCTGCAAGGGGACCTGGCCAGCCTCCGGGCAGAGCTGCAGGGCCACCACGCGGAGAAGCT
GCCAGCAGGAGCAGGAGCCCCCAAGGCCGGCCTGGAGGAAGCTCCAGCTGTCACCGCGGGACT
GAAAATCTTTGAACCACCAGCTCCAGGAGAAGGCAACTCCAGTCAGAACAGCAGAAATAAGCG
TGCCGTTCAAGGTCCAGAAGAAACAGTCACTCAAGACTGCTTGCAACTGATTGCAGACAGTGA
AACACCAACTATACAAAAAGGATCTTACACATTTGTTCCATGGCTTCTCAGCTTTAAAAGGGG
AAGTGCCCTAGAAGAAAAAGAGAATAAAATATTGGTCAAAGAACTGGTTACTTTTTTATATA
TGGTCAGGTTTTATATACTGATAAGACCTACGCCATGGGACATCTAATTCAGAGGAAGAAGGT
CCATGTCTTTGGGGATGAATTGAGTCTGGTGACTTTGTTTCGATGTATTCAAAATATGCCTGA
AACACTACCCAATAATTCTGCTATTCTAGCTGGCATTGCAAACTGGAAGAAGGAGATGAACT
CCAATTGCAATACCAAGAGAAAATGCACAAATATCACTGGATGGAGATGTCACATTTTTTGG
TGCATTGAACTGCTGTGACCTACTTACACCATGTCTGTAGCTATTTTCCTCCCTTTCTCTGT
ACCTCTAAGAAGAAAGAATCTAACTGAAAATACCAAAAAAAAAAAAAAAAAA

24/550

FIGURE 24

MDDSTEREQSRLTSCCLKKREEMKLKECVSILPRKESPSVRSSKDGKLLAATLLLALLSCCLTV
VSFYQVAALQGD LASLRAELQGHHA EKLPAGAGAPKAGLEEAPAVTAGLKIFEPPAPGEGNSS
QNSRNKRAVQGP EETVTQDCLQLIADSETPTIQKGSYTFVPWLLSFKRGSAL EEEKENKILVKE
TGYFFIYGQVLYTDKTYAMGH LIQRKKVHVFGDELSLVTLFRCIQNMPETLPNNSCYSAGIAK
LEEGDELQLAIPRENAQISLDGDVTFFGALKLL

Transmembrane domain:

amino acids 47-72

N-glycosylation site.

amino acids 124-127, 242-245.

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 33-36, 173-176

N-myristoylation site.

amino acids 96-101

TNF family proteins.

amino acids 172-206

25/550

FIGURE 25

CTGCTTGGATACCTCCAGTCCCCAACTGTGTTCCAGGAGTTTTCTTGGCCGAAGCTGCCCGA
TGTTTGAGCCTTTTCTTCCCAGAGAAGAAGATGGACTGAAAGCTGCCAGTTGGGGACTTTTTG
TGATCACGGCGTTGCAGCGTTTTAAAGGAGGTGATGGGGCTTGCCTGGCTTGCTTCCCACC
CAAGTGAAGAGTTGATGTTCACTGGTTATGCTTAGACAATGTGCAGTTTGTGTTAATTTAAAA
TTTTGGGTGGGATAGGGGCATAGGCTTGTGAAGGGCAGTCCGGATCCGGAGGAACTCGTCTTT
GTCCCTGGTAGGAGAGACACCCCACTATCCTCGATGCCGTGAGCCTTGCCATCTTCACT
TGCCGCCCGAACTCGCACCCGTTTCAGGAGCGTCATGTCTACCTGGACGAGCCCATCAAATC
GGCCGCTCAGTGGCCCGCTGTGACACGCGCAGAATAATGCCACTTTTGATTGCAAAGTGCTA
TCAAGGAACACGCTCTCGTCTGGTTTGATCACAAGACGGGCAAGTTTATCTTCAAGACACT
AAAAGTAGTAATGGTACTTTTATAAATAGCCAGAGATTGAGTCGAGGCTCTGAAGAAAGTCCA
CCATGTGAAATTCTTTCCGGTGACATTATCCAGTTTGGAGTAGACGTGACAGAGAAATACACGG
AAAGTTACCCATGGGTGTATTGTTTCCACAATAAACTTTTTCTACCAGATGGTATGGAAGCC
CGGCTCCGCTCAGATGTCTATCCATGCACCATTACCAAGTCCTGTTGACAAAGTTGCTGCTAAC
ACTCCAAGTATGTACTCTCAGGAATATTCCAGCTTTCTCAGTATCTACAGGAGGCCTTACAT
CGGGAACAAATGTTGGAACAGAAGTTAGCCACGCTTCAGCGGCTACTAGCCATCACCCAAGAG
GCTTCAGATACCAGTTGGCAGGCTTTAATAGATGAAGATAGACTCTTATCACGGTTAGAAGTT
ATGGGAAACCAATTACAGGCATGCTCCAAAAATCAAACAGAAGATAGTTTACGAAAGGAAGTT
ATAGCATTACAAGAGGATAAACATAACTATGAGACAACAGCCAAAGAGTCCCTGAGGCGGGTT
CTTCAGGAGAAAATTGAAGTGGTTAGAAAATTTTCAAGATTGAGCGAAGTCTGAGTAATACT
GAAGATGAATGTACCCATCTGAAAGAAATGAATGAAAGGACTCAGGAAGAATTAAGAGAATTA
GCCAACAAATATAATGGAGCAGTTAATGAGATTAAAGATTTATCTGATAAATTAAGGTAGCA
GAGGGAAAACAAGAGGAAATCCAACAGAGGCTCCAGGCAAAAATAGAAGCTTTGCAAGCTGAT
ATAGATGAAATGGAAGAAAAGAACAGGAGCTCCAGGCAAAAATAGAAGCTTTGCAAGCTGAT
AATGATTTACCAATGAAAGGCTAACAGCTTTACAAGTACGGTTAGAACATCTTCAGGAGAAA
ACTCTTAAAGAATGCAGCAGCTTGGCTGATCGTCGAAGGGCATCTAACCAAAGCGGTAGAAGA
AACAAAGCTTTCAAAGGTTTGTCTGTTTTCTATGTTTTTTGACAGTTCTTTTGGATAA
TGAAGGTTAGTGTATATTTTCAAGGTTATAGTATTTTAACCATCAGTTTACTTCTTATAGCTC
ACAAAATAGCAAGCCAGTAACAGTATCAGATAATATATAAAATAATCAGACTTCTGTTTTAAG
AAGGGTATCGTAAGTGAATGTGTCTTTTAAAGTGGATGTATATTTATGGTTTTTTGAATGTT
AGTACTTGATATAGGTTTCTTTAGGTATTAAAGATTTGTTGCAATCTCTGTCATTCCCAGCAT
TAATTTCAAGCTTTGATCTCAAATTTTAAATCAAACACAATGTAAGTCGTTTGTGATACAACTTA
AGTGAAACATGCTTGCATCTATTTTGGGGGTACAGTACCTTTAAATCTCTTATGATGTT
TAATATTTCTTAAATTTTGGCATCTCAGTTTGATTTAAACAAAATTAATGACTTTTGTGAAT
GTAGAATCTTCTTATATTTTATGAGTAGTCCAGTAATTGCCCAAAGTAGTTTATTGTGTTAAT
TCTGTTACAGTTGTCAGAGAAGAAAAGTGAGTTTAAAGCACCATATTGTCAAGTCACTTTTA
TACATAGGGAAATTAGGCAAATAAATTTGGTGGCATGTGTTTATCATAGTAGAAGTTTCACTTA
GACTATACCAGTATAAAATTTAAACTAGATTACAGTCCTTTTGGCCAATTAACAACTTGA
TTACAAAAGTTGAGATACTTAATTTTAGTACATTCTATTTTATTAAGTAAGTGGATTGATT
TGACTTTTTTAACCATGTAAGAGGATGGTGTTATTTCAAATATCTCGTGGTTTCCATTCTGAA
TTTTGTGCACGGCAGATGCCATATTTGGGGAAAAATGCATAGAATATGCATCATTAATATTG
TTTTGGCAAACAGGCATTGAGTTTCAGAACAGTGAAGTATTTTAGTACATATGGCAATTTTT
TTCACCTTATTAAAGTGAAGTGAAGACAGACCTTAAATAGCTTTTACCTCACCATCCAAATA
CCTATTCAAGATTAGTTGGTTGAATAGCCAGCACTTTGAAGTAGAGCCTTAGG

26/550

FIGURE 26

MEARLRSDVIHAPLPSPVDKVAANTPSMYSQELFQLSQYLQEALHREQMLEQKLATLQRLLAI
TQEASDTSWQALIDEDRLLSRLEVMGNQLQACSKNQTEDSLRKELIALQEDKHNYYETTAKESL
RRVLQEKIEVVVRKLSEVERSLSNTEDECTHLKEMNERTQEELRELANKYNGAVNEIKDLSDKL
KVAEGKQEEIQQKGQAEKKELQHKIDEMEEKEQELQAKIEALQADNDFTNERLTALQVRLEHL
QEKTLKECSSLADRRRRASNQSGRRNKAFKRFFVFCFSMFFDSSFG

Important features of the protein:

N-glycosylation sites.

amino acids 98-102, 271-275

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 138-142, 267-271

Amidation site.

amino acids 273-277

Tropomyosins proteins.

amino acids 169-217

27/550

FIGURE 27

GAACCTGGCGCCGCCGGAACCTGATCGCGGCCCTAGTCCCGACGCGTGTGTGCTAGTGAGCCGGA
GCCGGCGACGGCGGCAGTGGCGGCCCGCCCTGCAGGAGCCCGACGGGGTCTCTGCCATGGGGG
AGTGACGCGCCTGCACCCGCTGTTCCGCGGCAGCGGCAGACATGAGGAGACCCCGCGACAGG
GGCAGCGGGCGGCGGCTCGTGAGCCCCGGGATGGAGGAGAAATACGGCGGGGACGTGCTGGCCG
GCCCCGGCGGGCGGCGGCGGCCTTGGGCCGCTGGACGTACCCAGCGCTCGATTAAACAAAATATA
TTGTGTTACTATGTTTCACTAAATTTTTGAAGGCTGTGGGACTTTTTCGAATCATATGATCTCC
TAAAAGCTGTTACATTGTTCACTTCAATTTTTATATTAACAACTTGGGACTGCATTTTTTATGG
TTTTGTTTCAAAGCCATTTTCTTCTGGGAAAACATTACCAAACACCAAGTGGATCAAATAT
TTAAACATGCAGTTGCTGGGTGTATTATTTCACTCTTGTGGTTTTTTGGCCTCACTCTTTGTG
GACCACTAAGGACTTTGCTGCTATTTGAGCACAGTGATATTGTTGTCACTTCACTACTCAGTG
TTTTGTTCAACAGTTCTGGAGGAGGACCAAGACAAGGGGAGCTGCTTTTTTCATTATTG
CTGTGATCTGTTTATTGCTTTTTGACAATGATGATCTCATGGCTAAAATGGCTGAACACCTG
AAGGACATCATGACAGTGCTCTAATCATATGCTTTACACAGCCATTGCCTTCTTAGGTGTGG
CAGATCACAAGGGTGGAGTATTATTGCTAGTACTGGCTTTGTGTTGTAAAGTTGGTTTTTCATA
CAGCTTCCAGAAAGCTCTCTGTGACGTTGGTGGAGCTAAACGCTCTCAAGCTTTATCTCATC
TTGTTTCTGTGCTTCTCTTGTGCCCATGGGTCATTGTTCTTTCTGTGACAACTGAGAGTAAAG
TGGAGTCTTGGTTTTCTCTCATTATGCCTTTTGCAACGGTTATCTTTTTTGTGATGATCCTGG
ATTTCTACGTGGATTCCATTTGTTCACTCAAAATGGAAGTTTCCAAATGTGCTCGTTATGGAT
CCTTTCCCATTTTTATTAGTGCTCTCCTTTTTGGAAATTTTTGGACACATCCAATAACAGACC
AGCTTCGGGCTATGAACAAAGCAGCACACCAGGAGAGCACTGAACACGTCCTGTCTGGAGGAG
TGGTAGTGAGTGCTATATTCTTCAATTTTGTCTGCCAATATCTTATCATCTCCCTCTAAGAGAG
GACAAAAAGGTACCCTTATTGGATATTCTCCTGAGGAACACCTCTTATAACTTCATGGGTG
ATGCTTTTCAAGCATAGCTCTCAATCGATCCCTAGGTTTATTAAAGGAATCACTAAAACAAATTC
TTGAGGAGAGTGACTCTAGGCAGATCTTTTACTTCTTGTGCTTGAATCTGCTTTTTTACCTTTG
TGGAATTATTCTATGGCGTGCTGACCAATAGTCTGGGCTGATCTCGGATGGATTCCACATGC
TTTTTGAAGTCTGCTTTAGTCATGGGACTTTTTGCTGCCCTGATGAGTAGGTGGAAAGCCA
CTCGGATTTTCTCCTATGGGTACGGCCGAATAGAAATCTGTCTGGATTTATTAATGGACTTT
TTCTAATAGTAATAGCGTTTTTTGTGTTTATGGAGTCAGTGGCTAGATTGATTGATCCTCCAG
AATTAGACACTCACATGTTAACACCAGTCTCAGTTGGAGGGCTGATAGTAAACCTTATTGGTA
TCTGTGCCTTTAGCCATGCCCATAGCCATGCCCATGGAGCTTCTCAAGGAAGCTGTCACTCAT
CTGATCACAGCCATTACACCATATGCATGGACACAGTGACCATGGGCATGGTCACAGCCACG
GATCTGCGGGTGGAGGCATGAATGCTAACATGAGGGGTGTATTCTACATGTTTTGGCAGATA
CACTTGGCAGCATTGGTGTGATCGTATCCACAGTTCTTATAGAGCAGTTTGGATGGTTTCATCG
CTGACCCACTCTGTTCTCTTCTACTGCTATATTAATATTTCTCAGTGTGTTTCCACTGATTA
AAGATGCCTGCCAGGTTCTACTCCTGAGATTGCCACCAGAATATGAAAAAGAAGTACATATTG
CTTTAGAAAAGATACAGAAAATTGAAGGATTAATATCATACCGAGACCCTCATTTTTTGGCGTC
ATTCTGCTAGTATTGTGGCAGGAACAATTATATACAGGTGACATCTGATGTGCTAGAACAAA
GAATAGTACAGCAGGTTACAGGAATACTTAAAGATGCTGGAGTAAACAATTTAACAATTCAAG
TGGAAAAGGAGGCATACTTTCAACATATGTCTGGCCTAAGTACTGGATTCATGATGTTCTGG
CTATGACAAAACAAATGGAATCCATGAAATACTGCAAGATGGTACTTACATCATGTGAGATA
ACTCAAGAATTACCCCTGGAGAATAAACAATGAAGATTAAATGACTCAGTATTTGTAATATTG
CCAGAAGGATAAAAATTACACATTAACGTGTACAGAAACAGAGTTCCCTACTACTGGATCAAGG
AATCTTTCTTGAAGGAAATTTAAATACAGAAATGAACATTAATGGTAAAAAAA

28/550

FIGURE 28

MEEKYGGDVLGAPGGGGGLGPVDVPSARLTKYIVLLCFTKFLKAVGLFESYDLLKAVHIVQFI
FILKLGTAFPMVLFQKPFSSGKTITKHQWIKIFKHAVAGCIISLLWFFGLTLCGPLRTLLEFE
HSDIVVISLSSVLTSSGGGPAKTRGAFFIIAIVICLLFDNDDLMKMAEHPEGHDSALH
MLYTAIAFLGVADHKGGVLLLVLALCCKVGEHTASRKLSVDVGGAKRLQALSHLVSVLLCPW
VIVLSVTTESKVESWFSLIMPFATVIFVVMILDFYVDSICSVKMEVSKCARYGSFPIFISALL
FGNFWTHPITDQLRAMNKAHQESTEHLVSGGVVVSIAFFILSANILSSPSKRGQKGTIGYS
PEGTPLYNFMGDAFQHSQSIPRFIKESLKQILEESDSRQIFYFLCLNLLFTFVELFYGVLTN
SLGLISDGFHMLFDCSALVMGLFAALMSRWKATRIFSYGYGRIELSGFINGLFLIVIAFFVF
MESVARLIDPPELDTHMLTPVSVGGLIVNLIGICAFSHAHSAGASQGSCHSSDHS SHHMH
GHS DHG HSHG SAGGGMNANMRGVFLHVLADTLGSIGVIVSTVLIEQFGWFIADPLCSLSTA
ILIFLSVVPLIKDACQVLLRLPPEYEKELHIALEKIQKIEGLISYRDPHFWRHSASIVAGTI
HIQVTSVDVLEQRIVQQVTGILKDAGVNNLTIQVEKEAYFQHMSGLSTGFHDVLA MTKQMESMK
YCKDGYIM

Important features of the protein:**Signal peptide:**

amino acids 1-46

Transmembrane domains:amino acids 59-77, 101-119, 150-167, 205-223, 239-258, 267-284,
305-324, 343-360, 421-440, 452-469, 486-505, 522-539, 592-612,
621-641**N-glycosylation site.**

amino acids 721-725

Glycosaminoglycan attachment site.

amino acids 143-147

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 225-229

Tyrosine kinase phosphorylation sites.

amino acids 750-758, 756-764

N-myristoylation sites.amino acids 14-20, 46-52, 102-108, 112-118, 144-150, 317-323,
347-353, 369-375, 372-378, 437-443, 462-468, 529-535, 549-555,
553-559, 579-585, 582-588, 583-589, 584-590, 605-611, 737-743**Multicopper oxidases protein:**

amino acids 561-569

29/550

FIGURE 29

GGCACGAGGGCAGGATATTAGAAATGGCTACTCCCCAGTCAATTTTCATCTTTGCAATCTGCA
TTTAAATGATAACAGAATTAATTCTGGCCTCAAAAAGCTACTATGATATCTTAGGTGTGCCAA
AATCGGCATCAGAGCGCCAAATCAAGAAGGCCTTTCACAAGTTGGCCATGAAGTACCACCCTG
ACAAAAATAAGAGCCCGGATGCTGAAGCAAAATTCAGAGAGATTGCAGAAGCATATGAAACAC
TCTCAGATGCTAATAGACGAAAAGAGTATGATACACTTGGACACAGTGCTTTTACTAGTGGTA
AAGGACAAAGAGGTAGTGGAAGTTCTTTTGAGCAGTCATTTAACTTCAATTTTGATGACTTAT
TTAAAGACTTTGGCTTTTTTGGTCAAAACCAAAACACTGGATCCAAGAAGCGTTTTGAAAATC
ATTTCCAGACACGCCAGGATGGTGGTTCCAGTAGACAAAGGCATCATTTCCAAGAATTTTCTT
TTGGAGGTGGATTATTTGATGACATGTTTGAAGATATGGAGAAAATGTTTTCTTTTAGTGGTT
TTGACTCTACCAATCAGCATACTAGTACAGACTGAAAATAGATTTTCATGGATCTAGCAAGCACT
GCAGGACTGTCACTCAACGAAGAGGAAATATGGTTACTACATACTGACTGTTTCAGGACAGT
AGTTCTTATTCTATTCTCACTAAATCCAACTGGTTGACTCTTCCTCATTATCTTTGATGCTAA
ACAATTTTCTGTGAATATTTTGACAAGTGCATGATTTCACTTTAAACAATTTGATATAGCTA
TTAAATATATTTAAGGGTTTTTTTTTTTTTGACAAATCAACATTCAACGAGTAGACAAAATGCT
AATTATTTCCCTGATTAGGAAAGTTTCTTTAAAAAACACGTAATTTTGCCTAGTGCTTTTTCT
CTACCTGCCCTTGGGCTCACTAATATCACCAGTATTATTACCAAGAAAATATTGAGTTTACCT
GATTAACTTTAAAAGTTAATTGTAGATTTAAATTGTGTGAACCTAATGATTTTTGCAGTGAA
ACCTTTACTAATTCAAAGTTGCATGTTCTATGACATCTGTGACTTGC GTTGACAGAGTGACAT
GAAACTGTATAATTGAGTCATTCAGTAAAGGAGAACAGTATCTTGGTTAATTGCTACTGAAAG
GTTGAGAAAAGGAATGGTTTGATATTTACCACAGCGCTGTGCCTTTCTACAGTAGAACTGGGGT
AAAGGAAATGGTTTTATTGCCCATAGTCATTTAGGCTGGAAAAAGTTGAAAACCTTAACGAAA
TATTGCCAAGAGATTGTTATGTGTTTGGTTCCAGCCTAAAAATGATTTTGTAGTGTTGAAATC
ATAGCTACTTACATAGCTTTTTTCATATTTCTTTCTTAGTTGTTGGCACTCTTAGGTCTTAGTA
TGGATTTATGTGTTTGTGTGTGTGTAGTTTATCCTCTCTCTCATCTTTATCTAGAGATTGACT
GATACCTCATCTGTTTGTAACAGCCAGTAATTTCTGTGCAACCTTACTATGTGCAATAT
TTTTAAATCCTGAGAAATGTGTGCTTTTGTTCGGATAGACTTATTTCTTTAGTTCTGCACT
TTTCCACATTATACTCCATATGAGTATTAATCCTATGGATACATATTAACAAGTGTCTCAT

30/550

FIGURE 30

MATPQSIFIFAICILMITELILASKSYDILGVPKSASERQIKKAFHKLAMKYHPDKNKSPDA
EAKFREIAEAYETLSDANRRKEYDTLGHSFTSGKGQRGSGSSFEQSFNFNFDDLFKDFGFFG
QNQNTGSKKRFEHFQTRQDGGSSRQRHHFQEFSEGGGLFDDMFEDMEKMFSESGFDSTNQHT
VQTENRFHGSSKHCRTVTQRRGNMVTYTD CSGQ

Important features of the protein:

Signal peptide:

amino acids 1-23

Nt-dnaJ domain signature.

amino acids 27-59, 66-90

Glycosaminoglycan attachment site.

amino acids 96-100

N-myristoylation sites.

amino acids 32-38, 99-105, 102-108, 126-132, 211-217

31/550

FIGURE 31

AAAGTTACATTTTCTCTGGAACCTCTCCTAGGCCACTCCCTGCTGATGCAACATCTGGGTTTGG
GCAGAAAGGAGGGTGCTTCGGAGCCCGCCCTTTCTGAGCTTCCTGGGCCGGCTCTAGAACAAT
TCAGGCTTCGCTGCGACTCAGACCTCAGCTCCAACATATGCATTCTGAAGAAAGATGGCTGAG
ATGGACAGAATGCTTTATTTTGGAAAGAAACAATGTTCTAGGTCAAACCTGAGTCTACCAAATG
CAGACTTTCACAATGGTTCTAGAAGAAATCTGGACAAGTCTTTTCATGTGGTTTTTCTACGCA
TTGATTCCATGTTTGCTCACAGATGAAGTGGCCATTCTGCCTGCCCCTCAGAACCTCTCTGTA
CTCTCAACCAACATGAAGCATCTCTTGATGTGGAGCCCAGTGATCGCGCCTGGAGAAACAGTG
TACTATTCTGTGCAATACCAGGGGGAGTACGAGAGCCTGTACACGAGCCACATCTGGATCCCC
AGCAGCTGGTGCTCACTCACTGAAGGTCTGAGTGTGATGTCACTGATGACATCACGGCCACT
GTGCCATACAACCTTCGTGTCAGGGCCACATTGGGCTCACAGACCTCAGCCTGGAGCATCCTG
AAGCATCCCTTTAATAGAACTCAACCATCCTTACCCGACCTGGGATGGAGATCACCAAAGAT
GGCTTCCACCTGGTTATTGAGCTGGAGGACCTGGGGCCCCAGTTTGAGTTCCTTGTGGCCTAC
TGGAGGAGGGAGCCTGGTGCCGAGGAACATGTCAAAATGGTGAGGAGTGGGGGTATTCCAGTG
CACCTAGAAACCATGGAGCCAGGGGCTGCATACTGTGTGAAGGCCAGACATTCTGTGAAGGCC
ATTGGGAGGTACAGCGCCTTCAGCCAGACAGAATGTGTGGAGGTGCAAGGAGAGGCCATTCCC
CTGGTACTGGCCCTGTTTGCCTTTGTTGGCTTCATGCTGATCCTTGTGGTCTGTGCCACTGTTC
GTCTGGAAATGGGCCGGCTGCTCCAGTACTCCTGTTGCCCCGTGGTGGTCTCTCCAGACACC
TTGAAAATAACCAATTCACCCAGAAAGTTAATCAGCTGCAGAAAGGAGGAGGTGGATGCCTGT
GCCACGGCTGTGATGTCTCCTGAGGAACTCCTCAGGGCCTGGATCTCATAGGTTTGCAGGAGG
GCCCAGGTGAAGCCGAGAACCTGGTCTGCATGACATGGAAACCATGAGGGGACAAGTTGTGTT
TCTGTTTTCCGCCACGGACAAGGGATGAGAGAAGTAGGAAGAGCCTGTTGTCTACAAGTCTAG
AAGCAACCATCAGAGGCAGGGTGGTTTGTCTAACAGAACTGACTGAGGCTTAGGGGATGTG
ACCTCTAGACTGGGGGCTGCCACTTGCTGGCTGAGCAACCCTGGGAAAAGTGACTTCATCCCT
TCGGTCCTAAGTTTTCTCATCTGTAATGGGGGAATTACCTACACACCTGCTAAACACACACAC
ACAGAGTCTCTCTATATATACACACGTACACATAAATACACCCAGCACTTGCAAGGCTAGA
GGGAACTGGTGACACTCTACAGTCTGACTGATTCACTGTTTCTGGAGAGCAGGACATAAATG
TATGATGAGAATGATCAAGGACTCTACACACTGGGTGGCTTGGAGAGCCCACTTTCCCAGAAT
AATCCTTGAGAGAAAAGGAATCATGGGAGCAATGGTGTGAGTTCACTTCAAGCCCAATGCCG
GTGCAGAGGGGAATGGCTTAGCGAGCTCTACAGTAGGTGACCTGGAGGAAGGTCACAGCCACA
CTGAAAATGGGATGTGCATGAACACGGAGGATCCATGAACTACTGTAAAGTGTGACAGTGTG
TGCACACTGCAGACAGCAGGTGAAATGTATGTGTGCAATGCGACGAGAATGCAGAAGTCAGTA
ACATGTGCATGTTTGTGTGCTCCTTTTTTCTGTTGGTAAAGTACAGAATTCAGCAAATAAAA
AGGGCCACCCTGGCCAAAAGCGGTAAAAA

32/550

FIGURE 32

MQTFTMVLEEIWTSLEFMWFFYALIPCLLTDEVAILPAPQNLSVLSTNMKHLMLWSPVIAPGET
VYYSVEYQGEYESLYTSHIWIPSSWCSLTEGPECDVTDDITATVPYNLRVRATLGSQTSAWSI
LKHFPNARNSTILTRPGMEITKDGHLVIELEDLGPQFEFLVAYWRREPGAEEHVKMVRSGGIP
VHLETMEPGAAYCVKAQTFVKAIGRYSAFSQTECVEVQGEAIPVLALFAFVGFMILLVVPL
FVWKMGRLLQYSCCPVVVLPDTLKITNSPQKLISCRREEVDACATAVMSPEELLRAWIS

Important features:

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 230-255

N-glycosylation sites.

amino acids 40-44, 134-138

Tissue factor proteins.

amino acids 92-120

Integrins alpha chain proteins.

amino acids 232-263

33/550

FIGURE 33

GAGACACGCGAGCGGGGAGACCTCCAAGGCAGCGAGGCATCGGACATGTGTGTCAGCACATCTGG
GGCGCACATCCGTCGAGCCCGAGGGGAGATTTGCCGGAACAATTCAAACCTGCGATATTGATCT
TGGGGGTGACTGTCCCTGGCCGGCTGTGCGGTGGGAGTGGAGTGTGCACTCGCTCGGAAGTG
TGTGCGAGTGTGTATGTGTGTGTGCCGTGTGCGGGCTCCCCCTTCCCCCGTTTTCCCGTCGA
GTGATGCACCTTGAATGAGAATCAGAGGATGGAAATAGTCTGGGAGGTGCTTTTTCTTCTTCA
AGCCAATTTTCATCGTCTGCATATCAGCTCAACAGAATTCACCAAAAATCCATGAAGGCTGGTG
GGCATAACAAGGAGGTGGTCCAGGGAAGCTTTGTTCCAGTTCCTTCTTTCTGGGGATTGGTGAA
CTCAGCTTGAATCTTTGCTCTGTGGGGAAACGGCAGTCGCCAGTCAACATAGAGACCAGTCA
CATGATCTTCGACCCCTTTCTGACACCTTTCGCATCAACACGGGGGGCAGGAAGGTCAGTGG
GACCATGTACAACACTGGAAGACACGTATCCCTTCGCCTGGACAAGGAGCACTTGGTCAACAT
ATCTGGAGGGCCCATGACATACAGCCACCGGCTGGAGGAGATCCGACTACACTTTGGGAGTGA
GGACAGCCAAGGGTCGGAGCACCTCCTCAATGGACAGGCCTTCTCTGGGGAGGTGCAGCTCAT
CCACTATAACCATGAGCTATATACGAATGTCACAGAAGCTGCAAAGAGTCCAAATGGATTGGT
GGTAGTTTCTATATTTATAAAAGTTTCTGATTCATCAAACCCATTTCTTAATCGAATGCTCAA
CAGAGATACTATCACAAGAATAACATATAAAAATGATGCATATTTACTACAGGGGCTTAATAT
AGAGGAACATATCCAGAGACCTCTAGTTTCATCACTTACGATGGGTGCGATGACTATCCCACC
CTGCTATGAGACAGCAAGTTGGATCATAATGAACAAACCTGTCTATATAACCAGGATGCAGAT
GCATTCTTTGCGCCTGCTCAGCCAGAACCAGCCATCTCAGATCTTTCTGAGCATGAGTGACAA
CTTCAGGCCTGTCCAGCCACTCAACAACCGCTGCATCCGCACCAATATCAACTTCAGTTTACA
GGGGAAGGACTGTCCAAACAACCGAGCCAGACAGCTTCAGTATAGAGTAAATGAATGGCTCCT
CAAGTAGGGAACAAGCCAAGAAGAATCCCACCTCAGTGAAATGCTACAACGTGAATTGACG
TAACCTAGAATGTCCCCCTTCTTGCTTCTCTCTCCTTCTTTCCCCAAGCCTCATTCTTCTT
GGGATTGGCCCTTTCTTCATGAAAAGTGTCTGCGAAACCATGGCAGAGGAATACATCTCTCAC
ACATACTACAAACACACACACAAGCACTTGACATACATACAAACACATGCAAACATACCTA
CACACACACACTCTTTACAACCTCCATCATGGGAAGTCAAGTTTCAGAAACAAAAGTCTCAT
TCATAAGAGGTCTTAGAAGAAAATAACCAGTTAACCTGATTTCAATTTTGATACCGTTTTCT
GAACTAATAAATCTACCCAATGAGACTTTTCAGCCTTTGTACATACAAAATTCTTCCAAAAGA
GAGAGGAGAAAATACAGCTCTGATGGCATCAAACGGACTTTGCATCAAGTAATTTTCAGATAGT
GTCCTAGGATCCTTTGAGGGTGCTGGTAGCAGGTGAGCAGGACAAAGTTGACCAAGGACACTT
ATTTCTAGATTATGATTCTTCTGTTTACTCAACAATTTACAAAGAAAAAAGGACAGACATTG
AAGAGCTACACATTGTATATATATACCCACAGACTATAAGGAAATGGAATTATTTCCCTCTTT
GTCACATATCTGTAGTAGGATTTGCCAAGATCAGAAATGATCCATTTGCTGTTTCTGTTTTTC
CAAAGGTCATACATTGTGTTTGGTTATTGTTACCAGCTCAATAAATGTGTTAACGAGTTAAT
TTCATTTTTCTGGCTTTGGTCTGTTCTCCTTCTTACAGGCTAAGCCCTGGCTCCATGCAACT
GCATTCTTTGATTTCACTTGTTCCTTCATCTACATGTTTTGTTTCATTTGCAGCCAGTTTTTAC
TGAGTTTGTGGCAATCAGGAATGCATTTGCTAAGCAAGTATGACTTTAATTCCTCCATGGC
TCAATCATTCACATGAGGTGAGCTTCAGCCTGAGATAGCAGGCGACAGACTTCTTGCGTTTCA
AACTGCCATGCCCCCTGTGATGCTCCCGTGAAGGAATGCACTTTGCCTTGTAAGTTCTTG
GAAAGGGGTATGTTTTCTCTCCAGGTGCAGCCAGATCTCACAAGTACAAAACGAATGCCTTT
CTTTCTTGTATAATGGTCACTCACTGTGTTTGGTTACTGTCAAGAAATCAATAAATGTGT
TTAACAAGTTA

34/550

FIGURE 34

MEIVWEVLFLLLQANFIVCISAQQNSPKIHEGWWAYKEVVQGSFVPVPSFWGLVNSAWNLCSVG
KRQSPVNIETSHMIFDPFLTPLRINTGGRKVS GMTYNTGRHVSLRLDKEHLVNISGGPMTYSH
RLEEIRLHFGSEDSQGSEHLLNGQAFSGEVQLIHYNHELYTNVTEAAKSPNGLVVVSIFIKVS
DSSNPFLNRMLNRDTITRITYKNDAYLLQGLNIEELYPETSSFITYDGSM TIPPCYETASWII
MNKPVYITRMQMHSRLRLSQNPQSQIFLSMSDNFRPVQPLNNRCIRTNINFSLQKDCPNRA
QKLQYRVNEWLLK

Important features:

Signal peptide:

amino acids 1-20

Eukaryotic-type carbonic anhydrases proteins.

amino acids 126-162, 220-269, 43-91

N-glycosylation sites.

amino acids 116-119; 168-171, 302-305

35/550

FIGURE 35

GTCCGAACCCCTCAGGCCACCCTCGGGAGTCTGGGGTCCAGAGGGGTGTCCCTGTACCCCTTGAC
ACAGGACCCTCACTCTGCAGGGATAAGCCAGCTGCGCCTGCAGCCTAGGGTGCCAAAGGAGGTGCTGA
TTGTGGCCACAGCCTCATCTGAACGCCAGGAGACCAGGATACCGAGGCACCGGATCCCCTCTCTGTG
CCCTGGGGAGCCCCAGTGCTGCCAGTCACCCAGGGCTGAGGTCTGCGTCCCTAGTGGTGCAAGGCC
TGGTAGGACCACGGGGCAGGGAATGTGAGCGCCATCCGAGCTCACGGTGTCTGAGTCGCGGCTTCGT
GACTTTGGCAGGGGCTCCGGACCAGTGACCCAGTCAAACCCAGAGGGTCTTGGGCGGCAGCGACGA
AGGAGGTATTAGGCTCCAGGCCAGGTGGGGCCGGACGCCCCAGCCATCCACCATGGTGGTGCCACA
CCCCACCGCCACTGCCACCACCACGCCCCTGCCACTGTACGGCCACCGTTGTGATGACCACGGCCA
CCATGGACCTGCGGGACTGGCTGTTCTCTGCTACGGGCTCATGCGCTTCTGACGGAGGTATCGAC
AGCACCACCTGCCCCCTCGGTGTGCCGCTGCGACAACGGCTTCATCTACTGCAACGACCGGGGACTCAC
ATCCATCCCCGCAGATATCCCTGATGACGCCACCACCTCTACCTGCAGAACACCAGATCAACAACG
CCGGCATCCCCCAGGACCTCAAGACCAAGGTCAAGTGCAGGTCACTACCTATACGAGAAATGACCTG
GATGAGTTCCCATCAACCTGCCCCGCTCCCTCCGGGAGCTGCACCTGCAGGACAACAATGTGCGCAC
CATTGCCAGGGACTCGCTGGCCCGCATCCCGTGTGAGAGAAGCTGCACCTGGATGACAACTCCGTGT
CCACCGTCAGCATTGAGGAGGACGCCTTCGCCGACAGCAACAGCTCAAGCTGCTCTTCTGAGCCGG
AACCACCTGAGCAGCATCCCCTCGGGGCTGCCGACACGCTGGAGGAGCTGCGGCTGGATGACAACCG
CATCTCCACCATCCCGCTGCATGCCCTCAAGGGCCTCAACAGCCTGCGGCGCCTGGTGTGACGGTA
ACCTGCTGGCCAACAGCGCATCGCCGACGACACCTTCAGCCGCTACAGAACCTCACAGAGCTCTCG
CTGGTGCGCAATTGCTGGCCGCGCCACCCTCAACCTGCCAGCGCCACCTGCAGAACCTCTACCT
GCAGGACAATGCCATCAGCCACATCCCCTACAACAGCTGGCCAAGATGCGTGAGCTGGAGCGCTGG
ACCTGTCCAACAACAACCTGACCACGCTGCCCCGCGGCTGTTGACGACCTGGGGAACCTGGCCCG
CTGCTGCTCAGGAACAACCTTGGTTTGTGGCTGCAACCTCATGTGGCTGCGGGACTGGGTGAAGGC
ACGGGCGGCGGTGGTCAACGTGCGGGGCTCATGTGCCAGGGCCCTGAGAAGGTCCGGGGCATGGCCA
TCAAGGACATTACCAGCGAGATGGACGAGTGTGTTGAGACGGGGCCGAGGGCGGCGTGGCCAATGCG
GCTGCCAAGACCACGGCCAGCAACCACGCTCTGCCACCACGCCCCAGGGTTCCCTGTTTACCCTCAA
GGCCAAAAGGCCAGGGCTGCGCCTCCCCGACTCCAACATTGACTACCCCATGGCCACGGGTGATGGCG
CCAAGACCCTGGCCATCCACGTGAAGGCCCTGACGGCAGACTCCATCCGCATCACGTGGAAGGCCACG
CTCCCCGCTCTCTTTCCGGCTCAGTTGGCTGCGCCTGGGCCACAGCCAGCCGTGGGCTCCATCAC
GGAGACCTTGGTGAGGGGGACAAGACAGAGTACCTGCTGACAGCCCTGGAGCCCAAGTCCACCTACA
TCATCTGCATGGTCACCATGGAGACCAGCAATGCCATGTAGCTGATGAGACACCCGTGTGTGCCAAG
GCAGAGACAGCCGACAGCTATGGCCCTACCACACACTCAACCAGGAGCAGAACGCTGGCCCCATGGC
GAGCCTGCCCCTGCGGGGCATCATCGGCGGGGAGTGGCTCTGGTCTTCTCTTCTGGTCTGGGGG
CCATCTGCTGGTACGTGCACCAGGCTGGCGAGCTGCTGACCCGGGAGAGGGCCTACAACCGGGCAGC
AGGAAAAGGATGACTATATGGAGTCAGGGACCAAGAAGGATAACTCCATCCTGGAAATCCGCGGCCC
TGGGCTGCAGATGCTGCCCATCAACCCGTACCGCGCCAAAGAGGAGTACGTGGTCCACACTATCTTCC
CTCCAACGGCAGCAGCCTCTGCAAGGCCACACACCATTTGGCTACGGCACACGCGGGGTACCGG
GACGGCGGCATCCCCGACATAGACTACTCTACACATGATGCCCCGCCACCCGGGCTGCCCCGCTCA
GCCCCAGCTGCCCTGGCGTGGCCATGTGGCTTTGCCAGCCTGCTGCAATCCAAGAGAGCAAGGAAGA
GAAATTCCATGGGTGACTTTCTCCGAGAAAGCAAAGTTTGGGGAGGGCTGACGATTTGTAGAACA
CAACAGTGACAATTTTTTTTAAAGAATAGAAGGCAGGAGGGGGAATTCGACATTGTTGAAGACATAA
TTTATACCAAGTTATGCCAGTTGGGGAGGGAAGGACTAAAAATAATATTGCAGGCAGGGCTGGGTTGG
GTTTTTTTTTTTCCCCCTGAACTGGAAGGATACTACCTGTACAACATCTGTGGACACCTCATGCTCT
GTTCAAGGCCATCACAAAGGAACCGCCAGGGAAGCAGCCGGCTCTCAAAGCTCCACGCAGCTCTC
CCGCCACTGGCCACTCGCTGGCGACCCGATGGAAGGTTTTAGGCTCCTCACAAAGGAGAGAGGGAAG
AAAAGATCTTTTGGCCTGGAGATATGGTCTGAAATCTCTCCCTGGCTTATTCATACCATTTCCCT
TGCAGATTTGCAGAAACATGGCATCTTCACTGCATTCTTTGAACAATCATGTAGTCGATTAAAAAA
AAAACAAACTTTTTTTTCTAGGCTGAAGCCCTCTTCACTTCCATGCACCACGCTCCGTAGAAGCCCG
GGCGGAAGCCGTAGCTTTCCCTGCCACCTGGAGGTGCATCTGTCTGCTGTCTATCCCTGTGCGGGT
TCTCTAAGTACAGATGGGTAGATAGAGCCACATGCACGGTCTTACCGTTCTTCTGGGTCACTTCT
ACCATTTCTGAACAATAGAATTGTGAAAGTGTAAAAA

36/550

FIGURE 36

MVVAHPTATATTTPTATVTATVVMTTATMDLRDWLFLCYGLIAFLTEVIDSTTCPSVCRCDNG
FIYCNDRGLTSIPADIPDDATTLYLQNNQINNAGIPQDLKTKVNVQVIYLYENDLDEFFPINLP
RSLRELHLQDNNVRTIARDSLARIPLLEKLHLDNSVSTVSIEEDAFAFSKQLKLLFLSRNHL
SSIPSGLPHTLEELRLDDNRISTIPLHAFKGLNSLRRLVLDGNLLANQRIADDTFSRLQNLTE
LSLVRNSLAAPPLNLPSAHLQKLYLQDNAISHIPYNTLAKMRELERLDLSNNNLTTLPRLGFD
DLGNLAQLLLRRNPWFCCGNLMWLRDWVKARAAVNVVRGLMCQGPEKVRGMAIKDITSEMDEC
FETGPQGGVANAAAKTTASNHASATTPQGSLETLKAKRPGRLPDSNIDYPMATGDGAKTLAI
HVKALTADSIRITWKATLPASSFRLSWLRLGHSPAVGSITETLVQGDKEYLLTALEPKSTYI
ICMVTMETSNAVADETPVCAKAETADSYGPTTTLNQEONAGPMASLPLAGIIGGAVALVFLF
LVLGAICWYVHQAGELLTRERAYNRGSRKKDDYMESGTTKDNSILEIRGPGLQMLPINPYRAK
EEYVVHTIFPSNGSSLCKATHTIGYGTTRGYRDGGIPDIDYSYT

Important features of the protein:**Transmembrane domain:**

amino acids 552-573

N-glycosylation sites.

amino acids 249-252, 305-308, 642-645

Leucine zipper pattern.

amino acids 182-203, 299-320

Phospholipase A2 aspartic acid active site.

amino acids 57-67

37/550

FIGURE 37

[illegible]

38/550

FIGURE 38

MAEPGSHHLSARVRRRTERRIPRLWRLLLWAGTAFQVTQGTGPELHACKESEYHYEYTACDS
 TGSRRWRVAVPHTPGLCTSLSDPVKGTECSFSCNAGEFLDMKDQSCKPCAEGRYSLGTGIRFDE
 WDELPHGFASLSANMELDDSAESTGNCTSSKWVPRGDYIASNTDECTATLMYAVNLKQSGTV
 NFEYYPDSSIIIEFFVQNDQCQPNADDSRWMKTTEKGWFEHVELNRGNVLYWRTTAFSVW
 TKVPKPVLRNIAITGVAYTSECFCKPGTYADKQSSFCCKLCPANSYSNKGETSCHQCDDPK
 YSEKGSSSCNVRPACTDKDYFYHTACDANGETQLMYKWAKPKICSEDLEGAVKLPASGVKTH
 CPPCNPFFKTNNSTCQPCPYGSYSNGSDCTRCPAGTEPAVGFEYKWWNTLPTNMETTTLVLSGI
 NFEYKGMTGWEVAGDHIYTAAGASDNDFMILTLLVVPGRPPQSVMAADTENKEVARITFVFETL
 CSVNCELYFMVGVNSRTNTPVETWKGSKGQSYTYIIIEENTTSFTWAFQRTTFHEASRKYTN
 DVAKIYSINVTNVMNGVASYCRPCALEASDVGSSTSCPAGYYIDRDSGTCHSCPPNTILKAH
 QPYGVQACVPCGPGTKNNKIHSCLYNDCTFSRNTPTRTFNYSALANTVTLAGGPSFTSKGL
 KYFHHFTLSLCGNQGRKMSVCTDNVTDLRIPEGESGFSKISITAYVCQAVIIPPEVTGYKAGVS
 SQPVSLADRLIGVTTDMTLDGITSPAELFHLESIGIPDVIFFYRSNDVTQSCSSGRSTTIRVR
 CSPQKTVPGLSLLPGTCSGTCGDCGNFHLWESAAACPLCSVADYHAIVSSCVAGIQXTTYVX
 REPKLCSGGISLPEQRTVICKTIDFWLKVGISAGTCTAILLTVLTCYFWKKNQKLEYKYSKLV
 MNATLKDCDLPAADSCAIMEGEDVEDDLIFTSKKSLEFGIKSFTSKRTPDGFDSVPLKTS
 SSGG
 PDMDL

Important features of the protein:**N-glycosylation sites:**

amino acids 153-156, 390-393, 391-394, 404-407, 544-547, 576-579,
 672-675, 717-720, 947-950

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

amino acids 15-18, 563-566, 709-712

Casein kinase II phosphorylation sites:

amino acids 42-45, 59-62, 81-84, 146-149, 168-171, 282-285, 331-
 334, 340-343, 431-434, 449-452, 465-468, 523-526, 557-560, 761-
 764, 780-783, 835-838, 860-863, 893-896, 949-952

Tyrosine kinase phosphorylation sites:

amino acids 50-56, 109-116

N-myristoylation sites:

amino acids 77-82, 88-93, 152-157, 268-273, 288-293, 320-325,
 400-405, 405-410, 414-419, 463-468, 599-604, 616-621, 634-639,
 644-649, 839-844, 874-879, 912-917, 916-921

Amidation site:

amino acids 707-710

Cell attachment sequence:

amino acids 162-164

39/550

FIGURE 39

GGGAAGGGGTTCTGGGCTGCCGCAGGCACACAGGCCAGAGCTTCGTGGATACCTGCAGGGCCC
AAAGGTCCTCCCTGTTTTGAAGAGTGAGTGATGGCTATGAGGTAGCGGCCAGGCTGATCACC
CCTGCGTTGGCTGGAGGCAGAATTCTGTAAATCCTCGCCAAGTCTTTCTCCAGGGCCACTGGTT
AGCTCATCTCAGCCTCCTCTGGGAGCATCAACACCAACATGGCACAGGGGACTGCAGTGGTGT
GCTTTGGACCTGTGTACCCACCCAAGGCTAAAGGCAGAGCCAGGTGACTTTGCGGGGGTCTCT
TCTCTAGGATTATCTGTACTTCCCCCTCTGTCTCTTTTACTACGGGAGATCGAGCTAGCTATA
ACCCACCTTCTTTCATGAGAACCACACTAAATTGCAAAAATTATCCCAGTGCTGGAGGAGGGC
AGCAGGTTGAGATTATGTTGGCAGGAAGAATGTTGGCATTGATTGGCACGCAGGGGACGAGAG
CTGCTTTGTGCTTTAAAGGAGCCAAGTTACACCCTGTTTAAACCCTGCCTTCAAAGGGACGACT
CTGTAAGATTCTCTGCTACTTATTCAAGTTGACACGATGCCCTTCACTCCACCTGAGGTCC
CGCCTTCCCTCTGCCATAAGGAGTTTGATTCTACAAAAGAAACCAACATCAGAAATACATCC
AGCATGGCTGGAGAGCTCCGACCAGCCAGCCTGGTGGTCTGCCCAGGTCCCTTGCTCCAGCT
TTTGAAAGATTCTGCCAGGTCAACACTGGTCTCTACCCCTGCTGGGCCAGAGTGAGCCAGAA
AAGTGGATGCTGCCCCCTCAAGGTGCTATCTCAGAGACCAGGATGGGCCATCCCCAGTTCTGG
AAATACGAGTTCGGTGCCTGCACCCGGTAGCCTGGCTTCGCTGGAGCAGTACTCGGAGCAGCTG
AAGGACATGGTGGCCTTCTTCTGGGCTGCAGCTTCTCCCTGGAGGAGGCCTTGAGAAAGCG
GGGCTCCCCAGAAGAGACCCAGCAGGTCACAGCCAGGCGGGTGCATACAAGACAACAGTGCCT
TGTGTTACCCATGCTGGCTTCTGCTGCCCTCTGGTGGTCACGATGAGGCCCATTTCCCAAGGAC
AAGCTGGAAGGGCTGGTGCGGGCCTGCTGCTCCCTCGGAGGTGAGCAGGGGCAACCTGTTTAC
ATGGGCGACCCAGAAGTGTGGGAATCAAAGAGCTTTCCAAACCTGCCTACGGGGATGCCATG
GTGTGTCCCCCAGGGGAGGTTCCAGTGTTCTGGCCTTCTCCGCTGACCAGTCTCGGAGCTGTC
AGCAGCTGTGAGACCCACTGGCTTTTGCCAGCATCCCAGGCTGCACAGTTATGACTGACCTG
AAGGATGCAAAGGCTCCACCTGGTTGTCTACCCCAGAGAGAATTCCAGAGGTCCATCACATT
TCCCAAGATCCTCTGCACTACAGCATCGCGTCAGTCTCTGCTTCTCAGAAGATCAGAGAATA
GAGTCTATGATCGGCATAGACCCAGGGAACCGGGGATTGGGCACCTGCTCTGTAAAGATGAG
CTGCTGAAGGCCTCTCTCTCGCTGTCCCATGCCCGCTCAGTGCTCATCACCCTGGGTTCCTCC
ACACATTTCAATCATGAGCCTCCAGAAGAGACAGATGGCCCACCAGGAGCTGTTGCTCTGGTT
GCCTTCCTGCAGGCCTTGAGAAAGGAGGTGCGCATAATCGTTGACCAGAGAGCCTGGAAGTTG
CACCAGAAGATTGTTGAAGATGCTGTTGAGCAAGGTGTTCTGAAGACGCAGATCCCGATATTA
ACTTACCAAGGTGGATCAGTGGAAGCTGCTCAGGCATTCTGTGCAAAAATGGGGACCCGCAG
ACACCTAGATTTGACCACCTGGTGGCCATAGAGCGTGCCGGAAGAGCTGCTGATGGCAATTAC
TACAATGCAAGGAAGATGAACATCAAGCACTTGTTGACCCATTGACGATCTTTTCTTGCT
GCGAAGAAGATTCTTGAATCTCATCAACTGGAGTCGGTGATGGAGGCAACGAGCTTGAGGATG
GGTAAAGTCAAGGAGGCTGTGAGGAGGCACATACGGCACGGGGATGTCATCGCCTGCGACGTG
GAGGCTGACTTTGCCGTCATTGCTGGTGTCTTAAGTGGGGAGGCTATGCCCTGGCTGCGCA
CTCTACATCCTGTACTCATGTGCTGTCCACAGTCAGTACCTGAGGAAAGCAGTCGGACCCCTCC
AGGGCACCTGGAGATCAGGCCTGGACTCAGGCCCTCCCGTCGGTCATTAAGGAAGAAAAAATG
CTGGGCATCTTGGTGCAGCACAAAGTCCGGAGTGGCGTCTCGGGCATCGTGGGCATGGAGGTG
GATGGGCTGCCCTTCCACAACACCCACGCCGAGATGATCCAGAAGCTGGTGGACGTCACCACG
GCACAGGTGTAAACCGTCCATGTTCCGTGTGAGCAGAGTCCCTACCAACGGGCAGGTCTGCATC
CGGGGAGAATGCAGCTGCTTCTGGCGACAATCCTGCTAGTAAACACTGGTCTTCGGTGAGCAA
CGAACACTCGCCTGGCCTGGGAACTGCATGCCCACTTTCTGGGAGGGGTTAGTGCAGGTGCC
GTGGACAAAGGACAACATTTCTCTGGGGCTTTTAACTTTTATTCTAAGACTCTAAAGGCGT
TGATTTCAACCCTCCTTCACTCTGGCTTCTTCAGGCAACCCACGTGGTCTCCTATGAGAATCT
TCTCGACAGTTACTTATGGGGACACTTGTGAACAATTAAGTCCAGGGCAGAGCATGAGAACA
AACATTCCCAGGCCATGTAGGATAGGATACTCCAGACTCCAGTCATCCTCCCCCATCCATGGT
TTCTGTTACTCATGGTTTCAGTTACTCATAGCCAACGAGACCGAAAATACTAAATGAAAAA
TTTCAGAAATAAACAACCTCTAAGTTTAAAAA

40/550

FIGURE 40

MPFTLHLRSRLPSAIRSLILQKKPNIRNTSSMAGELRPASLVVLPRSLAPAFERFCQVNTGPL
PLLQSEPEKWMLPPQGAISETRMGHPQFWKYEFGACTGSLASLEQYSEQLKDMVAFFLGCSF
SLEEAL EKAGLPRRDPAGHSQAGAYKTTVPCVTHAGFCCPLVVTMRPIPKDKLEGLVRACCSL
GGEQQQPVHMGDPELLGIKELSKPAYGDAMVCPPEVVPVFWPSPLTSLGAVSSCETPLAFASI
PGCTVMTDLKDAKAPPGCLTPERIPEVHHISQDPLHYSIASVSASQKIRELESMIGIDPGNRG
IGHLLCKDELLKASLSLSHARSVLITTGFPTHFNHEPPEETDGPPGAVALVAFLQALEKEVAI
IVDQRAWNLHQKIVEDAVEQGVLTQIPIILTYQGSVEAAQAFCKNGDPQTPRFDHLVAIER
AGRAADGNYYNARKMNIKHLVDPIDDLFLAAKKIPGISSTGVGDGGNELGMGKVKEAVRRHIR
HGDVIACDVEADFAVIAGVSNWGGYALACALYILYSCAVHSQYLKAVGPSRAPGDQAWTQAL
PSVIKEEKMLGILVQHKVRSVSGIVGMEVDGLPFHNTHAEMIQKLVDVTTAQV

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 358-378, 517-539

N-glycosylation site.

amino acids 28-32

Tyrosine kinase phosphorylation site.

amino acids 444-452

N-myristoylation site.

amino acids 98-104, 102-108, 123-129, 149-155, 181-187, 190-196,
238-244, 308-314, 399-405, 413-419, 448-454, 477-483, 482-488,
487-493

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 233-244, 531-542

41/550

FIGURE 41

CTTTCCTGTTTTATCCGCAGCCCTTTTCTTCTTTGAGTTAGTAAAGATTTATTCTGTAACCTG
A CACTCATCTGGCCCTTTGCAGTTTGCCAGCCATATTCCCATGTGATTTCCCACTGGATCCAG
GCCCCATCCGGCTGGCAGGAGGGGGCTCTGACGTACAGGTTGGAAATCAGAAGTCTGTGAGA
GCGCGGGAGTGCATGGCAGCTCTGGGTCCCAGACCTGGCCCGACCCCTCTGCTTCACCTECAG
CTCTGCTGCTCCTCTACTCTTGGGTCGAGATCCCTTTGGAGCCACAGCGAGGAACCCTGTGGT
CCTCAGGCAGGTGTACCTTGAGTCAGCCAGGAGCCCTCTTTTCTGTGTCAAAGCCTGCCCTC
GGGCTCTGCTCACCTCTGGTGACCCTCCAAGATGCCCTGCCCTCAGTTTCCCCTCATGATCT
GGCCTCTGCCCCCTTCTCTAGCCACAGCCTCTAGTACACTTTAGCAATACCACCAGACTAGTT
AGAGTTCCCCACTCACCAAGCAAGACATGCAGTTTCATGCCTCTGTGCCTTCGCTCATGCTGT
TTCTTCCGACTGGAATGCCTTCCCCTGCTCCTCCTGCCTTGTCTGCCTGGCAAGTTCATCTCT
CACGATCCCCCTCAAAGGCCCCCTCCTCCAGGAAGGCAACCCCTGTGCCCCCTCCCCTCCAGGCT
ACCTCTGCACTTTGTCAATGCTTCTCTTGTGGCACTTATCACACTGTATTTTACTTGTTTACA
TGTTTGTCTCCCCCTTCTAGACTGTGAATCCTTAAGGGCATGGACTGTATCTTATGCATCTCTG
TATTTCTGCGCCTAGCACGGTGCCTAGCACACAGTAGGCGCTCAATAAATGTTGAATGAATGA
ATGATTT

42/550

FIGURE 42

MQFHASVPSLMFLPTGMPSPAPPALSAWQVHLSRSPQRPPPPGRQPLCPSPPGYLCTLSMLL
LWHLSHCILLVYMFVSPSRL

Important features of the protein:

Signal peptide:

amino acids 1-22

Microbodies C-terminal targeting signal.

amino acids 81-83

43/550

FIGURE 43

GTTTCCAACAAGGATGATATGAAGACTTCCCTGAAGAAAGTTGTGAAGGGACCTCCTACGAGA
TGATGATGCAGTGTGTGTCCCGCATGTTGGCCCACCCCCTGCATGTCATCTCAATGCGCTGCA
TGGTCCAGTTTGTGGGACGGGAGGCCAAGTACAGTGGTGTGCTGAGCTCCATTGGGAAGATT
TCAAAGAGGAAGGGCTGCTGGGATTCTTCGTTGGATTAATCCCTCACCTCCTGGGCGATGTGG
TTTTCTTGTTGGGGCTGTAACCTGCTGGCCCACTTCATCAATGCCTACCTGGTGGATGACAGCT
TCAGCCAGGCCCTGGCCATCCGGAGCTATACCAAGTTCGTGATGGGGATTGCAGTGAGCATGC
TGACCTACCCCTTCCTGCTAGTTGGCGACCTCATGGCTGTGAACAACCTGCGGGCTGCAAGCTG
GGCTCCCCCTTACTCCCCAGTGTTCAAATCCTGGATTCACTGCTGGAAGTACCTGAGTGTGC
AGGGCCAGCTCTTCCGAGGCTCCAGCCTGCTTTTCCGCCGGGTGTCATCAGGATCATGCTTTG
CCCTGGAGTAACCTGAATCATCTAAAAAACAAGGTCTCAACCTGGCCACTGTGGGTGAGGCCT
GACCACCTTGGGACACCTGCAAGACGACTCCAACCCAACAACAACCAGATGTGCTCCAGCCCA
GCCGGGCTTCAGTTCCATATTTGCCATGTGTCTGTCCAGATGTGGGGTTGAGCGGGGGTGGGG
CTGCACCCAGTGGATTGGGTCAACCGGCAGACCTAGGGAAGGTGAGGCGAGGTGGGGAGTTGG
CAGAATCCCCATACCTCGCAGATTTGCTGAGTCTGTCTTGTGCAGAGGGCCAGAGAATGGCTT
ATGGGGGGCCCAGGTTGGATGGGGAAAGGCTAATGGGGTCAGACCCACCCCGTCTACCCCTCC
AGTCAGCCCAGCGCCCATCCTGCAGCTCAGCTGGGAGCATCATTCTCCTGCTTTGTACATAGG
GTGTGGTCCCCTGGCACGTGGCCACCATCATGTCTAGGCCTATGCTAGGAGGCAAATGGCCAG
GCTCTGCCTGTGTTTTTCTCAACACTACTTTTCTGATATGAGGGCAGCACCTGCCTCTGAATG
GGAAATCATGCAACTACTCAGAATGTGTCCTCCTCATCTAATGCTCATCTGTTTAATGGTGAT
GCCTCGCGTACAGGATCTGGTTACCTGTGCAGTTGTGAATACCCAGAGGTTGGGCAGATCAGT
GTCTCTAGTCTACCCAGTTTTTAAAGTTCATGGTAAGATTTGACCTCATCTCCCGCAAATAAA
TGATTGGTGATTTGGAAAAAAAAAAAAAAAAA

44/550

FIGURE 44

MMMQCVSRMLAHPLHVISMRCMVQFVGREAKYSGVLSSIGKIFKEEGLLGFFVGLIPHLLGDV
VFLWGCNLLAHFINAYLVDDSFSQLAIRSYTKFVMGIAVSMLTYPFLLVGDLMAVNNCGLQA
GLPPYSPVFKSWIHCWKYLSVQGQLFRGSSLLFRRVSSGSCFALE

Important features of the protein:

Signal peptide:

amino acids 1-18

Transmembrane domains:

amino acids 51-72, 97-114

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 160-163

N-myristoylation sites.

amino acids 34-39, 100-105, 123-128, 165-170

45/550

FIGURE 45

GCTCACTCTTTGGGTCCACACTGCCTTTATGAGCTGTAACACTCACTGGGAATGTCTGCAGCT
TCACTCCTGAAGCCAGCGAGACCACGAACCCACCAGGAGGAACAAACAACCTCCAGACGCGCAG
CCTTAAGAGCTGTAACACTCACCGCGAAGGTCTGCAGCTTCACTCCTGAGCCAGCCAGACCAC
GAACCCACCAGAAGGAAGAACTCCAAACACATCCGAACATCAGAAGGAGCAAACCTCGTGACA
CGCCACCTTTAAGAACCGTGACACTCAACGCTAGGGTCCGCGGCTTCATTCTTGAAGTCAGTG
AGACCAAGAACCCACCAATTCCGGACACGGCAAAGTAACATCCTAGACATGGCTTTAGAGATC
CACATGTCAGACCCCATGTGCCTCATCGAGAATTTAATGAGCAGCTGAAGGTTAATCAGGAA
GCTTTGGAGATCCTGTCTGCCATTACGCAACCTGTAGTTGTGGTAGCGATTGTGGGCTCTAT
CGCACTGGCAAATCCTACCTGATGAACAAGCTGGCTGGGAAGAACAAGGGCTTCTCTGTTGCA
TCTACGCTGCAGTCTCACACCAAGGGAATTTGGATATGGTGTGTGCCTCATCCCAACTGGCCA
AATCACACATTAGTTCTGCTTGACACCGAGGGCCTGGGAGATGTAGAGAAGGCTGACAACAAG
AATGATATCCAGATCTTTGCACTGGCACTCTTACTGAGCAGCACCTTTGTGTACAATACTGTG
AACAAAATTGATCAGGGTGCTATCGACCTACTGCACAATGTGACAGAAGTACAGATCTGCTC
AAGGCAAGAACTCACCTGACCTTGACAGGGTTGAAGATCCTGCTGACTCTGCGAGCTTCTTC
CCAGACTTAGTGTGGACTCTGAGAGATTTCTGCTTAGGCCTGGAAATAGATGGGCAACTTGTC
ACACCAGATGAATACCTGGAGAATTCCTAAGGCCAAAGCAAGGTAGTGATCAAAGAGTTCAA
AATTTCAATTTGCCCCGTCTGTGTATACAGAAGTTCTTTCCAAAAAGAAATGCTTTATCTTT
GACTTACCTGCTCACCAAAAAAGCTTGCCCAACTTGAAACACTGCCTGATGATGAGCTAGAG
CCTGAATTTGTGCAACAAGTGACAGAATTTCTGTTCTTACATCTTTAGCCATTCTATGACCAAG
ACTCTTCCAGGTGGCATCATGGTCAATGGATCTCGTCTAAAGAACCTGGTGCTGACCTATGTC
AATGCCATCAGCAGTGGGGATCTGCCTTGATAGAGAATGCAGTCTGGCCTTGGCTCAGAGA
GAGAACTCAGCTGCAGTGCAAAAGGCCATTGCCCCTATGACCAGCAAATGGGGCCAGAAAGTG
CAGCTGCCCATGGAAACCTCCAGGAGCTGTGGACCTGCACAGGACCAGTGAGAGGGAGGCC
ATTGAAGTCTTCATGAAAACTCTTTCAAGGATGTAGACCAAGTTTCCAGAAAGAATTGGAG
ACTCTACTAGATGCAAAACAGAATGACATTTGTAAACGGAACCTGGAAGCATCCTCGGATTAT
TGCTCGGCTTTACTTAAGGATATTTTGGTCTCTAGAAGAAGCAGTGAAGCAGGGAATTTAT
TCTAAGCCAGGAGGCCATAATCTCTTCATTAGAAAACAGAAGAACTGAAGGCAAAGTACTAT
CGGGAGCCTCGGAAAGGAATACAGGCTGAAGAAGTTCTGCAGAAATATTTAAAGTCCAAGGAG
TCTGTGAGTCATGCAATATTACAGACTGACCAGGCTCTCACAGAGACGGAAAAAAGAAGAA
GAGGCACAAGTGAAAGCAGAAGCTGAAAAGGCTGAAGCGCAAAGGTTGGCGGCGATTCAAAGG
CAGAACGAGCAAATGATGCAGGAGAGGGAGAGACTCCATCAGGAACAAGTGAGACAAATGGAG
ATAGCCAAACAAAATTGGCTGGCAGAGCAACAGAAAATGCAGGAACAACAGATGCAGGAACAG
GCTGCACAGCTCAGCACAAACATTCCAAGCTCAAAATAGAAGCCTTCTCAGTGAGCTCCAGCAC
GCCCAGAGGGCTGTTAATAACGATGATCCATGTGTTTTACTCTAAAGTGCTAAATATGGGAGT
TTCCTTTTTTTACTCTTTGTCACTGATGACACAACAGAAAAGAACTGTAGACCTTGGGACAA
TCAACATTTAAATAAACTTTATAATTATTAA

46/550

FIGURE 46

MALEIHMSDPMCLIEFNFEQLKVNQEALEILSAITQPVVVVAIVGLYRTGKSYLMNKLAGKNK
GFSVASTVQSHTKGIWIWCVPHPNWPNHTLVLLDTEGLGDVEKADNKNDIQIFALALLLSSTF
VYNTV NKIDQGAIDLLHNVTELTDLLKARNSPDLDRVEDPADSASFFPDLVWTLRDFCLGLEI
DGQLVTPDEYLENSLRPKQGSQDQRVQNFNLPRLCIQKFFPKKKCFIFDLPAHQKKLAQLETLP
DDELEPEFVQQVTEFCSYIFSHSMKTLPGGIMVNGSRLKNLVLTYVNAISSGDLPCIENAVL
ALAQRENSAAVQKAI AHYDQQMGQKVQLPMETLQELLDLHRTS EREAIEVFMKNSFKDVDQSF
QKELETLLDAKQNDICKRNLEASSDYCSALLKDIFGPLEEAVKQGIYSKPGGHNLFIQKTEEL
KAKYYREPRKGIQAEV LQKYLKSKESVSHAILQTDQALTETEKKKKEAQVKAEAEKAEARL
AAIQRQNEQMMQERERLHQEQVRQMEIAKQNWLAEQQKMQEQQMQEQAQLSTTFQAQNRSL
SELQHAQRAVNNDPCVLL

Important features of the protein:**Transmembrane domains:**

amino acids 31-49, 114-131

N-glycosylation sites.

amino acids 90-94, 144-148, 287-291, 563-567

N-myristoylation sites.

amino acids 45-51, 283-289

Prenyl group binding site.

amino acids 583-588

ATP/GTP-binding site motif A (P-loop).

amino acids 45-53

47/550

FIGURE 47

CACTCATTCAATCCAAAGGGTCTCTCAAGGCAATGGTAATGTGCAAGGAGGTGATACCTAAAT
GAATGACCAAAAGAACATGCTTCTGCTTTTGTGTGTCTCCTACATTTTAGACATTTGTTTGT
TCTCTTGGTAGCCTTTAAATTCCTTGAAGCCCAGGACCATGTCTCACTTACCTTTGTGTTTCC
ACTAACTAGTCTACCTCCTGGAATTGGCAGATACTCAGTGAAAGCCTGTGAAATAAGTGATGT
CTATTTCTAGCATATTATTCTGAGATTTAATGATAGATTTAGTGATTGAATGAGATTTCCATT
TTCAAATACAGCAAAAGCATAACTATTTTCATTCAATTCATATTCATTCAACTTCATTCTCAAA
ATTAGGTCCTGAGTTAACTAATAATTACCTTTGAAATGTGTGGGTATTTGAGGCAATCAGGT
GGTGACATTGAGCTCTCAGCCAGAGTTTGTCTGGAATTGATTCACTTCCATTGCATTGATT
TTTGTCTCAGAAGCCAAGGTTTCCCATGAAAAATCATTCCCACCTGAATTGGGCTGTGATTC
TTGCTGCGTTTAAAGTAAAGGAAGCCTCTTGGTTCTAGTTCTGCAAACTTACACACTGAACTGG
GACAAGTTTTTGTGTTAGAGTAATGGCTGGGAAAAGAGGAACCTTTCATTTTATTGAGAAGTCA
AAAACAAAGGCCTCCCAGCCACCTGGAGATGTTTTGTTGCAGACACCAGCCTGGCTCTGTCTT
TATGCTTAACAATTGAGCATCCAGTCTTCTTTGTGCTGGGACCATTGCTCAGCTCTGCAAGGG
GAAAAGAGGGAGAAAGCCAGAGCTGCCAGGCTTCTTGCAGTGGGGCCGGGGGAGGGTTCTGG
GAAGCAGGTGCTCTCTGGCTTCTTGGTACGTGAGGCTCTCGGAGCTGCCTCTCCTCTGACCTT
CAGGTCCTCACCAGTTTGCTCCAGGAGTATATTGAAAACATACCCAGTGCTCTCTCAAGCAC
CCACTGCTTAGAGGGCCAGATTTCTTTTCTTCTTTCCCTTGCAGAGCTGGAGACTGCATCG
GGCATCTGGTGTTTAACTAAACAGGAAACTGACTAAAGGTCCACAGTGCTCATTGTGTAGA
CTAGCTGCCCTCCGATGGGTGCTCTGATTATCAGTGGTTCCAGTGCAGGGCCTGTCACTAAAC
AGGCCTCACTTCCTCCTTGGGGGCTTTCCCATGGGAGGTGTGGCTTTTTACTCTACATGGAAA
TGACTCTCTGCAGCCACAGAACACAGTCATTTTCTGAATTATCCCAGTCTCTCATGCGCCCTG
GATTCCTCCAGATGCCTTATATCTCTTGTGCAAAGTTGTCTAAAATTTGGTTCCAGCTTCCA
AGCCTTGCCTTTTGGCCTTCTGGAAGTATTTTTGTTGATGAGTCGTCTGTCATTATTCTCTA
AAATGATTTGCTTTTTGTTTCTTTCATTCTTATTTCCACCCACATATACACACATGCTTCTT
AACTTAGGGGATTACATGCCAATAAATCTATTGTTGAAAATGCACTAATACTATCGCAAAGAC
GAAAATTCACAGGCTGAACCGTTGTAAGTCCATATGCTCCTCAACTTACATGTGTGATGGAGT
TATGCCCAAATAAGTCCATCGTCAAGTTGAAAAATCAAAATCAAGCCATCTTAGGTTGAGGAC
CATTTGTTTGTACCTCCAAGATGTCATATCTTTAAACATACTCCCTAGCTTTTCTTTTACT
TTTTATTTTGAAGTAATTATAGAATCACAGAAAGTTGCAAAAAA

48/550

FIGURE 48

MGALIISGSSAGPVTQASLPPWGLSHGRCGFLLYMEMTLCSHRTQSFSELSQSLMRPGFLQM
PYISCAKLSKIWFPAKPCLLAFLEVFLMSRLSLFSKMICFLELSFLFPPHIYTHAS

Important features of the protein:

Signal peptide:

amino acids 1-41

Transmembrane domain:

amino acids 88-107

Casein kinase II phosphorylation site.

amino acids 47-50

N-myristoylation site.

amino acids 24-29

49/550

FIGURE 49

GGCTTCTACAGTCCACAACACCCACCCAGCCCCAGGCCAGCAGAATGAGCCAGTGAGTGCCGGGGCTCCCAGTT
TGGCTGTTGCTATGACAACGTGGCCACTGCAGCCGGTCTCTTGGGGAAGGCTGTGTGGGCCAGCCAGCCATGC
CTACCCCGTGCGGTGCTGCTGCCAGTGCCCATGGCTCTTGTGCAGACTGGGCTGCCCGCTGGTACTTCGTGTC
CTCTGTGGGCCAATGTAACCGCTTCTGGTATGGCGGTGCCATGGCAATGCCAATAACTTTGCCTCGGAGCAAGA
GTGCATGAGCAGCTGCCAGGGATCTCTCCATGGGCCCCGTCGTCCCCAGCCTGGGGCTTCTGGAAGGAGCACCCA
CACGGATGGTGGCGGCAGCAGTCTGTCAGGCGAGCAGGAACCCAGCCAGCACAGGACAGGGGCCGCGGTGCAGAG
AAAGCCCTGGCCTTCTGGTGGTCTCTGGCGGCAAGACCAACAGCCTGGGCCAGGGGAGGCCCCCACACCCAGGC
CTTTGGAGAATGGCCATGGGGGCGAGAGCTTGGGTCCAGGGCCCCCTGGACTGGGTGGAGATGCCGGATCACCAGC
GCCACCCCTCCACAGCTCCTCCTACAGATCTCACTTCCCACCTCTCCAGGATTAGCTTGGCAGGTGTGGAGCCCT
CGTTGGTGCAGGCAGCCCTGGGGCAGTTGGTGCGGCTCTCCTGCTCAGACGACACTGCCCCGAATCCCAGGCTG
CCTGGCAGAAAGATGGCCAGCCCATCTCCTCTGACAGGCACAGGCTGCAGTTCCAGCGGATCCCTGATCATCCACC
CCCTGCAGGCAGAGGACGCGGGCACCTACAGCTGTGGCAGCACCCGGCCAGGCCGCGACTCCCAGAAGATCCAAC
TCCGCATTATAGGGGGTGACATGGCCGTGCTGTCTGAGGCTGAGCTGAGCCGCTTCCCTCAGCCCCAGGGACCCAG
CTCAGGACTTTGGCCAAGCGGGGCTGCTGGGCCCCCTGGGGGCCATCCCCTCTTACACCCACAGCCTGCAAAACA
GGCTGCGTTTGGACCAGAACCAGCCCCGGGTGGTGGATGCCAGTCCAGGCCAGCGGATCCGGATGACCTGCCGTG
CCGAAGGCTTCCCGCCCCCAGCCATCGAGTGGCAGAGAGATGGGCAGCCTGTCTCTTCTCCAGACACCAGCTGC
AGCCTGATGGCTCCCTGGTCATTAGCCGAGTGGCTGTAGAGATGGCGGCTTCTACACCTGTGTCTGCTTCAATG
GGCAGGACCGAGACCAGCGATGGGTCCAGCTCAGAGTTCTGGGGAGCTGACAATCTCAGGACTGCCCCCTACTG
TGACAGTGCCAGAGGGTGATACGGCCAGGCTATTGTGTGTGGTAGCAGGAGAAAGTGTGAACATCAGGTGGTCCA
GGAACGGCTACCTGTGCAGGCTGATGGCCACCGTGTCCACCAGTCCCAGATGGCAGCCTGCTCATTACAACT
TGCGGGCCAGGGATGAGGGCTCTACATGTGCAGTGCCTACCAGGGGAGCCAGGCAGTCAGCCGAGCAGCCGAGG
TGAAGGTGGTCTCACCAGCACCCACCGCCCCAGGCCAGGACCCTGGCAGGGACTGCGTCGACCAGCCAGAGCTGG
CCAAGTGTGATTGATCCTGCAGGCCAGCTTTGTGGCAATGAGTATTACTCCAGCTTCTGCTGTGCCAGCTGTT
CAGTTTCCAGCCTCAGCCTCAGCCCATCTGGCAGTAGGGATGAAGGCTAGTTCCAGCCCCAGTCCAAAATAGTT
CATAGGGCTAGGGAGAAAGGAAGATGGACTCTTGGCTGTAGAGATGGCGCATCTCAGCTCACTGCAACCTCCGTCTCCTGG
TACATTAGCTCTTTCAAAAACCCACCCAGTGTTTAGCCTCAACGGCAGCCAGTTACCAGCTTCTCTCTGTAGCCT
TCAGCAGTGTGTCATCTCTGACATAACCCAGGCTGCTGTTTTCAAGAAGAGCAATCTGTTGGATAAGAAAAA
CCTTTACTTTACAGCTTCCCTTTATAATTTGTTACACAGGAATAGTTAAATGCATTTGTTTGTGTTTTTGTAG
ACGGAGTTTCACTCTTGTGGCCAGGCTGGAGGGCAATGGCGCATCTCAGCTCACTGCAACCTCCGTCTCCTGG
GTTCTTGATTCTCCTGTGTGAGCCTTCTGAGTAGCTGGGATTACAGATGCCTATCACCATGCCTCCGTCTCCTGG
GTATTTTGTAGTTGAGATGGGGTTTCGCCATGTTGGCCAGGCTGGTCTCGAAGTCTGACCTCAGATGATCTGCCC
GCCTCAGCCTCCCAAAGTGTGGGATTACAGGCATGAGCCACCACGCCAGCCATCAATGCATTTTTTTTATTTT
TTTTTTGAGACAGAGTTTCGCACTTCTTGCCAGGCTGGAGTACAATGGTGCGATCTTGGCTCACTGCAACCTCC
ACCTCCTGGGTTCAAGCGCTTCTCCAGCCTCAGCCTCCTGAGTAGCTGGGATTACAGGTATGTGCCACCATGCCT
GGCTAATTTTGTATTTTGGTGGAGACGGGGTTTCTCCATGTTGGTCAGACTGGTCTTGAACTCCCGACCTCAGG
TAATCCGCCCCCTCCGCTCCCAAATGCTGGGATTAGAGGTGTGAGCCACTGTGCCAGCCATCAATGTGTT
TTAAAGCTAGCTGTGAGGTTCCACTTAATTTAAAGCTGGGCAGGGAGATGTGAATGATTTCAAAGTTAACACC
TGTTTGTGTTTCTAAAGGGCATGCCAAGTCTGCTGTATCAGGGAAGTATTCTGTGCTAAAATCAGCGATGGTTCA
TTGCTCTAGTCTCTCTCACCTTCTAGCAGTGATCAGTCACTTAAATCTGGTGCAGAGGGTTAACAGCATA
ACCCTGTGTGGCAAAATGGAATAGATGTTAAGACCTCAAATAGGGATTGGGATGAAACAGCTGCAGTTAGCACT
GTTATCTGAGCATGAAAGAACTGGAACGCTCCTTACGTCGAGATGTTGGACCTGAAGCCCTCCTGAGGCCAAC
ATGCAAACTGGCTGTGACGGTTTCTGACACCTGTGTAAGCTGACCAGCCTGCTCTGTACAGTGACAATGAG
GAGCCCCCTCTCTCTTAAAGTAGGAATCTGTGAAGCAAAATGTTGCTGCCAAAGACAAATCAGACTGTCACTCA
TTAAAAACAGCATTAGCAGGATGAGGATAGCAATGGGGAAGGGTGTGGGCAATGCAGTAACAGGGAAATGGCTT
CAGAAATGGTTGAGTTGGAAGACAACATTCTCATCTCTCAGGACTTCTAATTCCTTGATGCTAAAAGAAGAGG
CATGGATTCTATGAGCTTCCAAGTCCCTTCCACTTAACTTCTACAAATCTTTCAGAGGACTGCCTAGTAGCA
AAGGTTATTCTGGACACAGGAAAGACGGGCATTACAGGGACCAAAGCTCTGAAAGGTGACTTTTTATTACCAACA
CACTGGCTGGAAAAGGGACAAACCACATCAGGGTGAGTGATACTTCTCAGTCTTCTACTCATTCAACAAAGG
AAATGTGGGCTGGGCGAGAGGTCTTTTTTCAATTAATACTGAAAAATATTGAAGAGCATCCATGTTCACTTATG
GCTGGTTTTGCTATAGAAATTGAAAAATAAGGCCACTTTTTTG

50/550

FIGURE 50

MGPVVPSLGLLEGAPTRMVAAAVLQASRNPASTGQGPRCRES PGLLVVSGGKTNSLGQGRPPT
PRPLENGHGGRSLGPGPLDWVEMPDHQRHPSTAPPTDLTSHLSRISLAGVEPSLVQAALGQLV
RLSCSDDTAPESQAAWQKDGQPISSDRHRLQFDGSLIIHPLQAEDAGTYSCGSTRPGRDSQKI
QLRIIGGDMAVLSEAELSRFPQPRDPAQDFGQAGAAGPLGAIPSSHPPQANRLRLDQNPVV
DASPGQRIRMTCRAEGFPPPAIEWQRDGQPVSSPRHQLQPDGSLVISRVAVEDGGFYTCVAFN
GQDRDQRWVQLRVLGELTISGLPPTVTVPEDTARLLCVVAGESVNIRWSRNGLPVQADGHRV
HQSPDGTLLIYNLRARDEGSYMC SAYQGSQAVSRSTE VKVSPAPTAQPRDPGRDCVDQPELA
NCDLILQAQLCGNEYYSFCCASCSRFQPHAQPIWQ

Important features of the protein:**Signal peptide:**

amino acids 1-16

Tyrosine kinase phosphorylation site.

amino acids 392-400

N-myristoylation sites.amino acids 9-15, 50-56, 112-118, 146-152, 173-179, 195-201,
220-226, 229-235, 280-286, 306-312, 336-342, 397-403**Myelin P0 protein.**

amino acids 153-182

51/550

FIGURE 51

CAGGCAGAAGCGAACAAAGACCCAGCAAGAGAAGGCAGAGGCTAAGACCCATCCCGTATCTGC
TCTCCTGAAATAATTCTGGAGTCATGCCTGAAATGCCAGAGGACATGGAGCAGGAGGAAGTTA
ACATCCCTAATAGGAGGGTTCTGGTTACTGGTGCCACTGGGCTTCTTGGCAGAGCTGTACACA
AAGAATTTTCAGCAGAATAATTGGCATGCAGTTGGCTGTGGTTTCAGAAGAGCAAGACCAAAAT
TTGAACAGGTTAATCTGTTGGATTCTAATGCAGTTCATCACATCATTTCATGATTTTCAGCCCC
ATGTTATAGTACATTGTGCAGCAGAGAGAAGACCAGATGTTGTAGAAAATCAGCCAGATGCTG
CCTCTCAACTTAATGTGGATGCTTCTGGGAATTTAGCAAAGGAAGCAGCTGCTGTTGGAGCAT
TTCTCATCTACATTAGCTCAGATTATGTATTTGATGGAACAAATCCACCTTACAGAGAGGAAG
ACATACCAGCTCCCCATAAATTTGTATGGCAAAACAAAATTAGATGGAGAAAAGGCTGTCTGG
AGAACAATCTAGGAGCTGCTGTTTTGAGGATTCTTATTCTGTATGGGGAAGTTGAAAAGCTCG
AAGAAAGTGCTGTGACTGTTATGTTTGATAAAGTGCAGTTCAGCAACAAGTCAGCAAACATGG
ATCACTGGCAGCAGAGGTTCCCCACACATGTCAAAGATGTGGCCACTGTGTGCCGGCAGCTAG
CAGAGAAGAGAATGCTGGATCCATCAATTAAGGGAACCTTTCACTGGTCTGGCAATGAACAGA
TGACTAAGTATGAAATGGCATGTGCAATTGCAGATGCCCTTCAACCTCCCCAGCAGTCACCTAA
GACCTATTACTGACAGCCCTGTCTAGGAGCACAACGTCCGAGAAATGCTCAGCTTGACTGCT
CCAAATTGGAGACCTTGGGCATTGGCCAACGAACACCATTTCGAATTGGAATCAAAGAATCAC
TTTGGCCTTTCTCATTGACAAGAGATGGAGACAAACGGTCTTTTCATTAGTTTATTTGTGTTG
GGTTCCTTTTTTTTTTAAATGAAAAGTATAGTATGTGGCACTTTTTTAAAGAACAAAGGAAATA
GTTTTGTATGAGTACTTTAATTGTGACTCTTAGGATCTTTCAGGTAAATGATGCTCTTGCACT
AGTGAAATTGTCTAAAGAACTAAAGGGCAGTCATGCCCTGTTTGCAGTAATTTTTCTTTTAA
TCATTTTGTGTTGCTGGCTAAACTTGGAGTTTGAGTATAGTAAATTATGATCCTTAAATATT
TGAGAGTCAGGATGAAGCAGATCTGCTGTAGACTTTTCAGATGAAATTGTTTCATTCTCGTAAC
CTCCATATTTTCAGGATTTTTGAAGCTGTTGACCTTTTCATGTTGATTATTTTAAATTGTGTG
AAATAGTATAAAAATCATTGGTGTTTATTATTTGCTTTGCCTGAGCTCAGATCAAAATGTTTG
AAGAAAGGAACCTTATTTTTGCAAGTTACGTACAGTTTTTATGCTTGAGATATTTCAACATGT
TATGTATATTGGAACCTCTACAGCTTGATGCCTCCTGCTTTTATAGCAGTTTATGGGGAGCAC
TTGAAAGAGCGTGTGTACATGTATTTTTTTCTAGGCAAACATTGAATGCAAACGTGTATTTT
TTTAATATAAATATATAACTGTCCTTTTCATCCCATGTTGCCGCTAAGTGATATTTTCATATGT
GTGGTTATACTCATAATAATGGGCCTTGTAAGTCTTTTCACCATTTCATGAATAATAATAATA
TGTAAGTGTGGCATGTAATGCTTAGTTTTCTTGATTTTACTTCTTTTTTTAAATGTAAGGACC
AAACTTCTAACTAATTGTTCTTTTGTGCTTTAATTTTTTAAATTAACATTCTTCTGATGTA
ACATGTGATACATACAAAAGAATATAGTTTAATATGTATTGAAATAAAACACAATAAAATT

52/550

FIGURE 52

MPEMPEDMEQEEVNIPNRRVLVTGATGLLGRAVHKEFQQNNWHAVGCGFRRARPKFEQVNLLD
SNAVHHIIHDFQPHVIVHCAAERRPDVVENQPDAAASQLNVDASGNLAKEAAVGAFLIYISSD
YVFDGTNPPYREEDIAPPLNLYGKTKLDGEKAVLENNLGA AVLRIPILYGEVEKLEESAVTVM
FDKVQFSNKSANMDHWQQRFP THVKDVATVCRQLAEKRMLDPSIKGTFHWSGNEQMTKYEMAC
AIADAFNLPSSHLRPITDSPVLGAQRPRNAQLDCSKLET LGIGQRTPF RIGIKESLWPF LIDK
RWRQTVFH

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 105-127

N-glycosylation site.

amino acids 197-201

N-myristoylation site.

amino acids 303-309

Short-chain dehydrogenases/reductases family proteins.

amino acids 18-30

53/550

FIGURE 53

TGGGCTCCCTCCAGCACTGCTGTTGCCTGCTGCCTAAGATGGGTGACACTTGGGCCCAGCTTCCCTGGCCTGGGC
CAGCCCACCCAGCAATGCTGCTGATCTCCCTCCTCTTGGCAGCCGGGTGATGCACTCGGATGCCGGCACCAGCT
GCCCCGTCCTTTGGACATGCCGTAACCAAGTGGTGGATTGTAGCAGCCAGCGGCTATTCTCCGTGCCCCCAGACC
TGCCAAATGGACACCCGAAACCTCAGCCTGGCCCCAACCAGCATCACAGCAGTGCCGCCTGGCTACCTCACATGCT
ACATGGAGCTCCAGGTGCTGGATTTCACACAACAACCTTAATGGAGCTGCCCCGGGGCCTCTTCTCCATGCCA
AGCGCTTGGCACACTTGGACCTGAGCTACAACAATTTAGCCATGTGCCAGCCGACATGTTCCAGGAGGCCCATG
GGCTAGTCCACATCGACCTGAGCCACAACCCCTGGCTGCGGAGGGTGCATCCCCAGGCCCTTTCAGGGCCTCATGC
AGCTCCGAGACCTGGACCTCAGTTATGGGGCCTGGCCTTCTCAGCCTGGAGGCTCTTGAAGGCTACCGGGGC
TGGTGACCCTGCAGATCGGTGGCAATCCCTGGGTGTGTGGCTGCACCATGGAAACCCCTGCTGAAGTGGCTGCCAA
ACCGGATCCAGCGCTGTACAGCAGATTCTCAGCTGGCTGAGTGCCGGGGCCCTCCTGAAGTCGAGGGGCCCGCCG
TCTTCTCACTCACTGAGGAGAGCTTCAAGGCCTGCCACCTGACCTGACCTGGATGATTACCTATTATTGCGT
TCGTGGGCTTCGTGGTCTCCATTGCTTCTGTGGCCACCAACTTCTCCTGGGCATCACTGCCAACTGCTGCCACC
GCTGGAGCAAGGCCAGTGAAGAGGAAGAGATCTGACATGCTGCCTCTCATCCCTCCATGCTGCTGACCGCCACA
GCTGCTGGCCACCAGACGCCCTCCCTGATTGCTCACTCTGGTTCCATGGTGACCTGGCTGCCTCAGTCATGGTTT
AAGCAAGTGGGGACACTCATTTTGTATGAGCATCTGCTTTGGGCCAGGCGGCACGCTAGGAATTGGGAACATCA
GATGAATGACTCACTCCCTGCCCTCAAGGCACCTCCCTCTGGTCAAGGAGAGAGATCCAAAACTATTCCCTTT
AAGACTATATGTGAGGACTCTGAGCAGCTCATTATGGAGGCCAGAGGAGGAGCCATCATCTGTATCTAGCAATG
TCCATGAGAATTATAAGATTAGAGTATTTGTGAAGTGGGTGATCAGGAATATCTACTTTGTGAGGTAGCCAAA
GAAGGCTGTCTGCACATGGCAGAGGCCAGAATATGCATAGTGTGCTGTGTGTGAGAAGAGTGAACAGTTTCTGGT
ACTTACTTGTATAGAGGGGTGTGGCACAGAACTCAAACCTACCCCTCACCCTGACACCAAACTGTGAGCTC
TCAGCAATGCCAGCCACTGCCTACAGGGAGTAAGAACACCTCTATGACAGCCCTGGCCTCCTTCCACCAGCAGC
TACCAGGTGAGACCCTCCAGTACTGCCCCATATGACCAAAATGTCACCAAGTTGGTGAGGTCCCAGGCAGCA
GGCTGAGGATGGACACTTCAATGCCCTTGCCTGCCTCTCACTCAAGTTTGTCTCAGAAGAGAGAGGCAGGA
GGCCAGCAACTGGGGCAGCAAGAGTCTGGCACCTTGGGATCCTAATCATGTGACTGTTCTTCCACAGTGCTC
ATGCCACAGGGTCTCACCAGGAAGTGCACCTGTGGGCCAGAGCCACAGCCTGGCAGCAGCCAGAGCTAAAAGG
GGACAAAGGCAGCAGTATGACCATATGAGGCTTTGCATTTTCTTCTAAGCAACTTACCCAGCTTAAGCATGA
GGGTGAGAGAGCTATTAAATACTAAGCCCTTGCAGTGTGAGGTACTTTGAAAAGCTCTCTGCACAAACCATTC
CTTTGACACACACACACACAAATCTTTGAGGTGAACGCTGTTGTTCCCATTTTACGGATGAGGCAACTAAGGT
CAGAGAGGTTAAAGTCACATGCCACTATGAGCAAGATAAAGTCTGTGCTCTTCTACTGCCCCATCCAAGTTGGG
GAACATCACCATTCCCTCTAGAGTTATATAAATTCAAATTCAGTATGACAAAGTTCTCATAAGGTCCAG
GCACTCCTCTGGGCACTTTTATATCTATTGACTCACTTCTTTCAATTCTCACAGCAACACTGCCTGGTGGTTTT
ATTATCCCCATTGACAGATGAATTAATCGTAGAGAGTTGAGTGACTTACCAAGGTTGTCTGGATAAGCCCTAG
AAGGAAGCGGTAGGCAGCTCCATTGAGGAACTGCATCTAATCAGTCAGTCAAAATCAAGTAACCTTTACGAG
CAAAGCACAATTATCATCATCGTGGTCTTCTTCTCAGTTCGTGAGCAGCATCATTATCTTCCCTTATTGTT
CAGCAGCGGATAGTTTATGATATTTTGCATCATTCTCCTTACTTTTACATCCCTGTGAGGAGGTTAAATCA
AACATCAGTAATCCTGTTTACAGATGGGGAAAAAGTCTCAAGGTTGGATATGACTTGTATGTGGCAAGGTTG
GGGCTCAACCTTAACACAGTTCTCTTCCAGTGCTTCTCAAGTGCTTGGGGAAGAGAAATGCCTCAGAGGCTGG
GTAGTGGGGCCCTGGAATTCAGCATCCATGAATGTGCTAGTGGATAAGCTAAATAGAAGGCAGCCAAACCATCT
GCTGTACAGATTGAACATATGCTCAGGTAGGGCAAATTCAGGCTCTGAAACAGAGACTACACAGGTAACACCTG
AATAGGAGACTCCTGCTTTACAATGTGTAGATAAAACATCAGCAATGGTGGCCATGGTGGCAGTATGTGAAAAG
TAAGATCTTTGGGAATCAAGAAAGGAAGCTGTGTTAACCCTCCTGCTCAAGCCCTGCTGCGTGTGTGCAAGAG
ATACTAAGAGAGCAAGAAAGCTATAGGTGAGAACCTCTGCAAGTTTAGGAGAAGAACATCAAGGCACAGTCCAACA
TGCTGATAAGTCTGGCCAGGAGGAGAAATTAACAGGGGCTTTCCACACCTCCCTTGGCCCCAAGCTCCAGCGGTA
TTCTATCAGCCCATCCTCCTGGAAGCCTGAAAGGAATGAAGGAGGCTAATAAGTCATCTTCCAGGAAGGCATCC
CTCACTCGTGCTTCCCTGAGCTAGTCAACCAAAAGAGTCTTCAGAACTTTGCTAGACCTGAAGTACTTGAACCT
GTGTCCCCTGAATCTTTCTTACAACATCTGGGACAAATCCCTGGTCTGTGACATCCGAAGCAGAACTGTGCCCT
GCTCTCTCCTTCTGTGATGACCAAGGATGGTGAACCTCAAGTTGTTCTCTACAAGCCAGGCCAGCAACCTAAATAC
TTGGAGAGGAACCTTTAGAACTATAATCCTGACAAATAGAAAAGTTTCCCATAGGGGCATACCATAATACTAT
AATAACCTCCAGGAACCTATTGTTGCCAAATGTAGTTAATATATTTAAGATATATGCTTTTTTGCATAGGAC
TAGAACCAGAAAAGACACCAATGCCCCCTGACATCAATGTCCTTTCTAGTGGGACAATTTGGTCTCCATTAA
GCCAAACCTTTCTGAACAGGATACATGGCTTTTAAAGGACAGATGTTTCTCCTGCTGCTAGAAGTCTCTCAGTTT
ACTAGAGCACAATGAGGAAAGTATTCACCTCCCTACTGCCAAGGAATTCCTGCTTCTCCCCCAGGCCATCAT
CTTGTCCAAGCTATCAGAAGCAACCTTCTAGAGATAATCTAACAATCCTGATTAGAAATGCTCCCATATCCCTGG
TGACCACAGGCTTCAATTCAAATTGTCCAACTGGTTAACATGTATGTGATGGGGTATCTCTGCATCTGTATGTCT
GTCTGCGAGGTTCTTGTATATTGGCTGTCCGCTGACTTGGGACAGATCTCTCTAGAACTTGGGTTCAAGTTCTCT
GACATAGTCCACTCAGCCATAGGCTGAGTGGCTAAATATGCATAAATAAGCATGCCTAAATAGGCATATATAGGT
TGGTGCAAAAGTAATTGCGGTTTTTGCATTAATAATGATGGCAAAATCCCAATTACTTTTGGCTCAATCTAAT
ATTACATTGCTTGTATAGATTAAAGTGAATCCACAGGTTTAGGGTAGGACTGGATGCTCAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAA

54/550

FIGURE 54

MLLISLLLAAGLMHSDAGTSCPVLCRCRNQVVDCCSSQRLFSVPPDLPMDTRNLSLAHNRTAV
PPGYLTCYMELOVLDLHNNSLMELPRGLFLHAKRLAHLDSLNNFVSHVPADMFEAHGLVHID
LSHNPWLRVRHPQAFQGLMQLRDLDSLGGGLAFLSLEALEGLPGLVTLQIGGNPWVCGCTMEP
LLKWLNRRIQRCTADSQLAECRGPPEVEGAPLFSLTEESFKACHLTTLDDYLFIAEVGFVVS
IASVATNFFLLGITANCCHRWKASEEEEEI

Important features of the protein:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 241-260

N-glycosylation sites.

amino acids 52-55, 81-84, 107-110

Tyrosine kinase phosphorylation site.

amino acids 148-154

N-myristoylation sites.

amino acids 11-15, 263-268

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 175-185

Leucine zipper pattern.

amino acids 77-98

55/550

FIGURE 55

GGCTGCGCCCAGGCCGGCGGGCCCAGCAGCTGCGAACC GCCGGCGCACCACTGTTTCCGCGC
CCGGGGACTTCCCCGGCGGGGCTCAGAAAGTG TGGGGTCGGTCGCTTGGCTTCCCCTGGCGTCA
GCGACCCAGGGTAACCTCCTCCACTGCTGCGTGCCGTGCAGGCCTGCCTGTGTGAGAGCCACG
TGTGCCGCGCTCTGGGCACAGCCTTGGAAGTCAGGACCGCGACGGCAGCAGAGCAGAAACCT
TACAGAAACATGAAGCCCTCAACCATCTGCTACTCAGTTATT CGGGGCTGACGGCGGCTTCTA
GAACATCCAGGTGTTCTGCAGATGCGAGAACTCATCCTGTAGTCAACAGATGGAGTCCCAAAC
AGCCAAGCAGATGTAAGGCCTGTGCTGTGGCTCTGAGGCCCTGAATACAGAAGGGTCACTTTC
TTAGTGGCCAAAGAGCAGTTGTTGACATTGATGTCTAATTATTGAACACGACCAGTCATTTTA
CTGAGCTGCAGTGAGGAAACACTGACCATAGAAGATCAAGCCAAATGAGGGATTGCAAATTTTC
CTGATTCTTTTGAATTAGGATTCCAGATGGGGGCCCTCATTTCTACAGCCCCCAACATTCCTAT
AGCCGTTATCACTGCCATCACCCTGCCACCAGCATCTTCTTGAGATTCCACCCCTGCTCCC
CAGAGACTTCCCTGCTTTGAAAGTGAGCAGAAAGGAAGCTCTCAGAAAAATCTCTAGTGGTGGC
TGCCGTCGCTCCAGACAATCGGAATCCTGCCTCACCACCATGGGCTGGCTTTTCTAAAGGT
TTTGTGGCGGGAGTGAGTTTCTCAGGATTCTTATCCTCTTGTGGATTTTGCATCAGTGG
GAAAACAAGAGGACAGAAGCCAAACTTTGTGATTATTTTGGCCGATGACATGGGGTGGGGTGA
CCTGGGAGCAAACCTGGGCAGAAACAAAGGACACTGCCAACCTTGATAAGATGGCTTCGGAGGG
AATGAGGTTTGTGGATTTCCATGCAGCTGCCTCCACCTGCTCACCCCTCCCGGGCTTCCTTGCT
CACCGGCCGGCTTGGCCTTCGCAATGGAGTCACACGCAACTTTGCAGTCACTTCTGTGGGAGG
CCTTCCGCTCAACGAGACCACCTTGGCAGAGGTGCTGCAGCAGGCGGGTTACGTCACTGGGAT
AATAGGCAAATGGCATCTTGGACACCACGGCTCTTATCACCCCAACTTCCGTGGTTTTGATTA
CTACTTTGGAATCCCATATAGCCATGATATGGGCTGTACTGATACTCCAGGCTACAACCACCC
TCCTTGTCAGCGTGTCCACAGGGTGATGGACCATCAAGGAACCTTCAAAGAGACTGTTACAC
TGACGTGGCCCTCCCTCTTTATGAAAACCTCAACATTGTGGAGCAGCCGGTGAACCTTGAGCAG
CCTTGCCCAAGATGCTGAGAAAGCAACCCAGTTCATCCAGCGTGCAAGCACCAGCGGGAG
GCCCTTCCTGCTCTATGTGGCTCTGGCCACATGCACGTGCCCTTACCTGTGACTCAGTACC
AGCAGCGCCACGGGGCAGAAGCCTGTATGGTGAGGGCTCTGGGAGATGGACAGTCTGGTGGG
CCAGATCAAGGACAAAGTTGACCACACAGTGAAGGAAAACACATTCCTCTGGTTTACAGGAGA
CAATGGCCCGTGGGCTCAGAAGTGTGAGCTAGCGGGCAGTGTGGGTCCCTTCACTGGATTTTG
GCAAACCTCGTCAAGGGGAAGTCCAGCCAAGCAGACGACCTGGGAAGGAGGGCACCGGGTCCC
AGCACTGGCTTACTGGCCTGGCAGAGTTCCAGTTAATGTCACCAGCACTGCCTTGTTAAGCGT
GCTGGACATTTTCCAACGTGTGGTAGCCCTGGCCAGGCCAGCTTACCTCAAGGACGGCGCTT
TGATGGTGTGGACGTCTCCGAGGTGCTCTTTGGCCGGTCAAGCCTGGGCACAGGGTGCTGTT
CCACCCCAACAGCGGGGACGCTGGAGAGTTTGGAGCCCTGCAGACTGTCCGCCTGGAGCGTTA
CAAGGCCTTCTACATTACCGGTGGAGCCAGGGCGTGTGATGGGAGCATGGTGCCTGAGCTGCA
GCATAAGTTTCTCTGATTTTCAACCTGGAAGACGATACCGCAGAAGCTGTGCCCTAGAAAG
AGGTGGTGCGGAGTACCAGGCTGTGCTGCCCCAGGTCAGAAAGGTTCTTGACAGACGTCTCCA
AGACATTGCCAACGACAACATCTCCAGCGCAGATTACACTCAGGACCCTTCAGTAACTCCCTG
CTGTAATCCCTACCAAATTGCCTGCCGCTGTCAAGCCGCATTAACAGACCAATTTTATTCCAC
GAGGAGGAGTACCTGGAAATTAGGCAAGTTTGCTTCCAAATTTTCATTTTACCCTCTTTACAA
ACACACGCTTTAGTTTAGTCTTGGAGTTTAGTTTTGGAGTTAGCCTTGATATCCCTTCTGTA
TCCTGTCCCCCTCCACGCCGACCCGAGAGCAGCTGAGCTGCGCTGGCTCTGGGCAGGGAGTG
TGCCTTAATGGGAAGCACACGGGCTTTGGAGTCAGGCACAGGTGCCAGCTCCAGCTTTTGAAC
TTGGGCAATTGTTTAACCTAACCTGCAAGTTGATTTTGGGGTTAAATAAAGGCATACATGAA
AATGCCTGGCAACTTTAAAAAAAAAAAAA

56/550

FIGURE 56

MGWFLKVLLAGVSFSGFLYPLVDFCISGKTRGQKPNFVII LADDMGWGDLGANWAETKDTAN
LDKMASEGMREVDHFHAAASTCSPSRASLLTGRLGLRNGVTRNFAVTSVGGLPLNETTLAEVLQ
QAGYVTGIIGKWLGHGSHYHPNFRGFDYYFGIPYSHDMGCTDTPGYNHPPCPACPQGDGPSR
NLQRDCYTDVALPLYENLNIVEQPVNLSLAQKYAEKATQFIQRASTSGRPFLLYVALAHMHV
PLPVTQLPAAPRGRSLYGAGLWEMDSL VGQIKDKVDHTVKENTFLWFTGDNGPWAQKCELAGS
VGPF TGFWQTRQGGSPAKQTTWEGGHRVPALAYWPGRVPVNVSTALLSVLDIFPTVVALAQA
SLPQGRRF DGVDVSEVLFGRSQPGHRVLFHPNSGAAGEFGALQTVRLERYKAFYITGGARACD
GSMVPELQHKFPLIFNLEDDTAEAVPLERGGAEYQAVLPEVRKVLADVLQDIANDNISSADYT
QDPSVTPCCNPYQIACRCQAA

Important features of the protein:**Signal peptide:**

amino acids 1-16

Transmembrane domain:

amino acids 353-373

N-glycosylation sites.

amino acids 117-120, 215-218, 356-359, 397-500

N-myristoylation sites.

amino acids 12-17, 33-38, 52-57, 97-102, 101-106, 113-118, 158-163, 328-333, 388-393, 418-423, 435-440, 436-441

Amidation site.

amino acids 382-385

Sulfatases signature 2.

amino acids 129-138

57/550

FIGURE 57

TGGACAAGACACCTCCAGGAGCCCAGCTCACAGCCACCGGTACCTTCTTCCAGGACAAGCTGG
GGGCCTCCATGGGCGCCTGAGGGCCAGGCGCCAGGGCCGTGGGCACGAGTATGGTGAGACACC
AGCCCCTGCAGTACTACGAGCCACAGCTGTGCCTCTCCTGCCTCACGGGCATCTACGGCTGCC
GTTGGAAGCGCTACCAGCGCTCCCATGATGATACACACCGGGCACAGCGCCATTCTGCATG
TGGGGGCTGTGGCAGCAGTCACCATGCTCTCCTGGATCGTGGCAGGACAGTTCCGCCCCTGCAG
AGCGGACCTCCTCCCAGGTGACCATTCTCTGTACCTTCTTACCGTGGTGTGTTGCCCTCTACC
TGGCCCCCTCTACCATCTCCTCTCCCTGCATCATGGAGAAGAAAGACCTCGGCCCCAAGCCTG
CTCTCATTTGGCCACCGCGGGGCCCCCATGCTGGCTCCAGAGCACACGCTCATGTCCTTCCGGA
AGGCCCTCGAGCAGAAGCTGTACGGGCTCCAGGCTGACATTACCATCAGCCTGGACGGCGTGC
CCTTCCTCATGCATGACACCAACCTGCGGCGCACCACCAACGTGGAGGAGGAGTTCCCGGAGC
TGGCCCGCAGGCCTGCCTCCATGCTTAAGTGGACCAACCTGCAGAGACTCAACGCTGGCCAGT
GGTTCCTGAAGACTGACCCCTTCTGGACAGCCAGCTCCCTGTACCCCTCCGACCACAGAGAGG
CCCAGAACCAGTCCATCTGCAGCCTGGCAGAGCTCCTGGAGCTGGCCAAGGGCAATGCCACAC
TGCTGCTCAACCTGCGTGACCCGCCCCGGGAGCACCCCTACCGCAGCAGTTTTATCAACGTGA
CTCTGGAGGCCGTGCTGCACTCCGGCTTCCCCCAGCACAGGTCATGTGGCTGCCTAGCAGGC
AGAGGCCCTGGTGCGGAAGGTGGCTCCCGCTTCCAACAGACATCAGGCTCCAAGGAGGCAG
TCGCCAGCCTGCGGAGAGGCCACATCCAGCGCTGAACCTGCGCTACACTCAGGTGTCCCGCC
AGGAGCTCAGGGACTACGCGTCTGGAACCTGAGTGTGAACCTCTACACAGTCAACGCACCGT
GGCTCTTCTCCCTGCTGTGGTGTGCGGGGTCCCATCCGTCACCTCTGACAACTCCCACACCC
TGTCACAGGTGCCTTCCCCCTCTGGATCATGCCCCCGGACGAGTACTGTCTCATGTGGGTCA
CTGCCGACCTGGTCTCCTTACCCCTCATCGTGGGCATCTTCGTGCTCCAGAAGTGGCGCCTGG
GTGGCATACGGAGCTACAACCTGAGCAGATCATGCTGAGTGCTGCGGTGCGCCGGACAGCC
GGGACGTCAGCATCATGAAGGAGAAGCTTATTTTCTCAGAGATCAGCGATGGTGTAGAGGTCT
CCGATGTGCTCTCCGTATGTTTACAGACAACAGTTATGACACATATGCCAACAGCACCGCCACCC
CTGTGGGCCCCCGAGGGGGTGGCAGCCACACCAAGACCCTCATAGAGCGGAGTGGGCGT**TAGC**
TGAAGACATGTCTGTCCCACCTGTACCTGACACAGAAGCTGGGGAGCCTAGGAGAGCTGGTGG
AAGTGTGTCTGAACCTCGGAGTGCTCTGGGAGCGGGCTCCACAGCCTCCTTGTGGGCTCCAGCC
CCTTGTGTCAGCCGACGCTCTCTTGAAGGGGACTCCCTGTCTCCTGAGGCCAGCTGGGCCAGG
ACTCCATCCTTTTCAAGTGCCTTGCAGGCTGGGGCTCCTTCTGGGAAGTATGGGGCTAGGG
CTTGGTCCCCCTCTTCTGAGGCCCTCTCCTGTATCCCGACCTGGAAGCTTTGATGGGTCTAGG
GCCATGCCATACCCCTGTGGCAATGGAGTGTGTGGATGCTCACCTGTGCCATCTGTCTCCT
GTCTGTGCCAGGAGGCACCTGAGTTCTCTGCTGTTATCCTGCCCCAAGGGCCTGGGCCGAGCC
TCTACCTGAAGCAACTCTGCTCTTCTGTGCTCTCAAAGCACAAGGAGGTTTACGCCAGGAG
GAAGCCAGCTGCAATGTGGAGACACGTCCTCCTCCCAACCCACCTCATGCCACCGCCAACCC
CCTGCCCCAGGAGCGGGCCTGAGCCACGTCCCTTAGGAGCAGCTGGAGATGGCCAAAAGAGTG
AGCTCAGGACTACTGGATCCCATGCCCAGGTGTCCAGCAGACCTCAAGGCAGAAGGGTCACCT
AACCCAGGAGTCCACAGACTGATGTGACCTCAGGTTCCACATCAGTGGCCACAGGGCAGGGC
CCACCTGGTAGAAGTGTCTGGATATGGCCAGGGTGGGTGTGTGGCTAAGTGGGCCTGAACAG
AGGGAACCTAGGGCCCTTGGCCAATGTGATTAAAGCTGCCATCTTGAAA

58/550

FIGURE 58

MVRHQPLQYYEPQLCLSLCTGIYGCRWKRYQRSHDDTTPGTAPFLHVGAVAAVTMLSWIVAGQ
FARAERTSSQVTILCTFFTVVFALYLAPLTISSPCIMEKKDLGPKPALIGHRGAPMLAPEHTL
MSFRKALEQKLYGLQADITISLDGVPFLMHD TTLRRTTNVEEEFP ELARRPASMLNWTTLQRL
NAGQWFLKTDPFWTASSLSPSDHREAQNQSICSLAEELLE LAKGNATLLLNL RDPPREHPYRSS
FINVTLEAVLHSGFPQHQM WLP SRQRPLVRKVAPGFQQTSGSKEAVASLRRGHIQRLNLRYT
QVSRQELRDYASWNLSVNL YTVNAPWLF SLLWCAGVPSVTSDNSHTLSQVPSPLWIMPPDEYC
LMWVTADLVSF TLI VGIFVLQKWLGGIRSYNPEQIMLSAAVRRTSRDVSIMKEKLIFSEISD
GVEVSDVLSVCS DNSYDTYANSTATPVGPRGGGSHTKT LIERSGR

Important features of the protein:**Signal peptide:**

amino acids 1-24

Transmembrane domains:

amino acids 47-61, 77-93, 335-350, 380-399

N-glycosylation sites.

amino acids 182-186, 217-221, 233-237, 255-259, 329-333, 462-466

Tyrosine kinase phosphorylation site.

amino acids 130-139

N-myristoylation sites.

amino acids 21-27, 48-54, 294-300, 404-410, 442-448, 473-479

59/550

FIGURE 59

CCTGAGCAAACACAGCAGCCCCGAGTGTTCCCAAGGCCAAAATGCTGAGAACGTCCACTCCTAA
TCTGTGTGGTGGTCTGCATTGCCGGGCCCCCTGGCTCTCTTCTGGCATTCTCTGCCTCTGCCT
CATATTCTTGTAGGCCAGGTGGGCTTGCTGCAGGGACACCCCCAGTGCCTGGATTACGGGCC
CCCTTTCCAGCCCCCTCTGCACCTTGAGTTTGTCTGACTATGAGTCCTTCGGCTGCTGTGA
TCAGCACAAGGACCGCCGCATCGCTGCCCCGTAAGGACATCATGGAATATTTTGATCTGAA
GAGACATGAGCTGTGTGGAGATTACATTAAAGACATCCTTTGCCAGGAGTGCTCGCCCCACGC
AGCCCACCTCTACGACGCCGAAAACACCCAGACGCTCTCCGGAATCTCCCGGGCTCTGCTC
TGATTACTGCTCTGCCTTCCATTCTAACTGTCACTCAGCCATTTCCTGCTGACCAATGACCG
CGGCCTCCAGGAGTCTCATGGAAGGGACGGTACCCGCTTCTGCCACCTCCTGGACCTTCCTGA
CAAGGACTATTGCTTCCCTAATGTCCTGAGGAACGACTATCTCAACCGCCACCTGGGCATTGGT
GGCCCAAGATCCTCAGGGCTGCCTGCAGCTCTGCCTGAGCGAGGTGGCCAACGGGCTGAGGAA
CCCCGTCTCCATGGTCCATGCTGGGGACGGCACCCATCGCTTCTTTGTTGCCGAGCAGGTAGG
AGTGGTGTGGGTCTACCTCCCTGATGGGAGTCGCTGGAGCAACCCTTCCTGGACCTCAAGAA
CATCGTGTGACCAACCCATGGATCGGGGATGAGAGAGGCTTCTTGGGGTTGGCTTTTACCC
CAAATTCGCCCACAATCGCAAGTTCTATATTTATTATTCGTGCCTGGACAAGAAGAAGGTAGA
AAAGATCCGAATTAGTGAGATGAAGTTTCTCGGGCTGATCCTAACAAGCTGACCTGAAATC
AGAGAGGGTCATCTTGGAGATTGAAGAACCAGCCTCAAACCATAATGGCGGACAACCTTTT
TGGCCTGGATGGCTATATGTACATATTCACCTGGGGACGGGGACAGGCTGGAGATCCCTTTGG
CCTGTTTGGAAATGCTCAGAACAAAAGTTCCCTGCTGGGAAAAGTTTAAAGGATCGATGTGAA
CAGGGCAGGCTCACATGGCAAGCGGTACCGAGTCCCTCGGACAATCCATTGTGTTCTGAGCC
AGGGGCCCCACCCGCCATCTATGCCTATGGGATCAGGAACATGTGGCGTTGTGCTGTGGACCC
AGGGGACCCCATCACGCGCCAGGGCCGAGGCCGATATTCTGTGGGGACGTGGGCCAGAACAG
GTTTGAAGAGGTTGACCTCATTTTGAAGGTGGAACTATGGCTGGAGAGCAAAGGAAGGGTT
TGCATGTTATGACAAAAAAGTTTGTACAAATGCCTCTTTGGATGATGTTCTGCCAATCTATGC
TTATGGCCATGCAGTGGGGAAGTCAGTCACTGGAGGTTATGTCTATCGTGGTTGTGAATCCCC
AAATCTCAATGGCCTGTATATCTTTGGAGACTTCATGAGTGGTCGACTTATGGCTTTCAGGA
AGATAGAAAAAACAAGAAATGGAAGAAGCAGGATCTTTGCCTGGGCAGCACACGTCCTGTGC
CTTCCCAGGGCTGATCAGCACCCATAGCAAGTTCATCATCTCCTTTGCTGAAGATGAAGCAGG
GGAGCTGTATTTCTGGCGACCTCTTACCCAAGTGCCTATGCACCACGTGGATCTATTTACAA
GTTTGTGACCCCTCAAGGCGAGCACCCCCAGGCAAGTGCAAATACAAGCCAGTGCCCGTGAG
AACCAAGAGTAAGCGGATCCCGTTCAGACCACTCGCCAAGACAGTCTTGGACTTGCTAAAGGA
ACAATCAGAGAAAGCTGCTAGAAAATCTTCCAGTGCAACCTTAGCTTCTGGCCAGCCCAGGG
TTTGTCTGAGAAAAGGCTCCTCAAGAAGCTGGCTTCTCCTACAAGCAGCAAGAATACATTGCG
AGGGCCTGGTACAAAAGAAAGCCAGAGTGGGGCCCCACGTCCGCCAGGGCAAGAGGAGGAA
GAGCCTGAAAAGCCACAGTGGCAGGATGAGGCCATCAGCAGAGCAGAAGCGAGCTGGCAGAAG
TCTCCCTTGAACCTATTGGTCAAGGTGGCCGACAGGGTGACGTGAGAGAGGAGAGCCACCTCAT
CAAATGAAAGTCACTGCTGAATAAAGACCTTAGAAGTCTGGGAAGCCAGGGTAGAGGTGGGGC
AGGGCGGTTTTCTCTCCCTGGGAAATCTTGCTGTCTACTGAATAAATAAATGCACCTTCTCT
GTATGCAGTGCTTCTGTGGGAGACCATATCCAGATTGCTGGTGCACCTGGGTTATGGTAAGC
ACTAGTCCATGAGCCTGCTTGGAAATCACACTGGATGTCTCCGTTTTGTCTTGTAATGCCTAC
AACCTGAGGTAATAAATCAACATTTGCTCA

60/550

FIGURE 60

MLRTSTPNLCGGLHCRAPWLSSGILCLCLIFLLGQVGLLQGHQPCLDYGPPFPPLHLEFCSD
YESFGCCDQHKDRRIAARYWDIMEYFDLKRHELCDYIKDILCQECSPYAAHLYDAENTQTPL
RNLPGLCSDYCSAFHSNCHSAISLLTNDRGLQESHGRDGTFRCHLLDLPDKDYCFPNVLRNDY
LNRHLGMVAQDPQGCQLCLSEVANGLRNPVSMVHAGDGTFRFFVAEQVGVVVYLPDGSRL
QPFDLKNIVLTTPWIGDERGFLGLAFHPKFRHNRKFYIYYSCLDKKKVEKIRISEMKVSRAD
PNKADLKSERVILEIEEPASNHNNGGQLLFGLDGYMIIFTGDGGQAGDPFGLFGNAQNKSSLLG
KVLRIDVNRAGSHGKRYRVPDNPFPVSEPGAHPAIYAYGIRNMWRCAVDRGDPITRQGRGRIF
CGDVGQNRFEEDLILKGGNYGWRAKEGFACYDKKLCHNASLDDVLPYAYGHAVGKSVTGGY
VYRGCEPNLNGLYIFGDFMSGRLMALQEDRKNKKWKKQDLCLGSTTSCAFPGLISTHSKFII
SFAEDEAGELYFLATSYPAYAPRGSYKFDPSRRAPPGKCKYKVPVVRTKSKRIPFRPLAK
TVLDLLKEQSEKAARKSSSATLASGPAQGLSEKGSSKKLASPTSSKNTLRGPGTKKKARVGPH
VRQGKRRKSLKSHSGMRPSAEQKRAGRSLP

Important features of the protein:**Signal peptide:**

amino acids 1-41

Transmembrane domain:

amino acids 17-36

N-glycosylation sites.

amino acids 372-376, 480-484

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 645-649, 699-703

Tyrosine kinase phosphorylation site.

amino acids 81-89

N-myristoylation sites.amino acids 11-17, 37-43, 156-162, 165-171, 357-363, 365-371,
368-374, 408-414, 459-465, 548-554, 557-563**Amidation sites.**

amino acids 391-395, 696-700

Cell attachment sequence.

amino acids 428-431

Leucine zipper pattern.

amino acids 25-47

61/550

FIGURE 61

CTCCATTAAACCACCACCAGCTCCCCAAGCCACCCCTTCAGCCATGAAGTTCCTGCTCCTGGT
CTTGGCAGCCCTCGGATTCCTGACCCAGGTGATCCCAGCCAGTGCAGGTGGGTCAAAATGTGT
GAGTAACACCCCAGGATACTGCAGGACATGTTGCCACTGGGGGGAGACAGCATTGTTTCATGTG
CAACGCTTCCAGAAAATGCTGCATCAGCTACTCCTTCCTGCCGAAGCCTGACCTACCACAGCT
CATCGGTAACCACTGGCAATCAAGGAGAAGAAACACACAAAGGAAAGACAAGAAGCAACAAAC
GACCGTAACATCATAATAACCACTGCTATCGCCTCCACCAACTCAGAGAAATATCATTTCCAC
AGTTCCAATTCTCCTACATTGCTGAGTACTAGCCAAGGCTCCTCTTTATGGGGCAGATATCT
ATAGCCAACCCCAAAACTTCTGTCTTCTATCATTCTGTCAATTCATCTAGTAACATAATTTGGAG
TTTGTATCTATCTTACGAGAACAATCATCATGCAGATTTCGTCCACAGGGGATCTGTCAGTTTG
GGTCTCCAAATGAAAAATGTCAAGACAGAATTGGACATGCAAAAGATTGACTGGGAGAACAC
ACCTCTGATGGACAAAGGTGAGACAGAGCAGCCACAGGCAGGGAGAGCCTTCAGACTGCAACG
CTGGCCTGATACGTGTCAAAGGAGAGAGGGATAGAGGAGGATTGAATAGAAGGAGACTAAGAC
TGCAGCTCTAAGAAAGTCTCAGCCAAACAGATGGGGAGGCCCAAAGCAAGGCTTGCCCCCTCAG
AGGAGCTCACGCAGGGCAGGAATAGCCAGGTTCTCATATCCCAGGGGTTTCAGACTTGGCTGAG
AACAGCCCCCTGGAGAACATGGGGTGACTGCTACCATAGGTCTGGAAGTATGAGGCTGTCCACC
AACTATCCCCCTGAAGCAAGTTCTCTTGAAAGGAAATCTAAACAGTGCACCCCCATGGCTGCC
ACGGAGTATAAGGAGGGAGAGAAAGGAGCTGAAAGTCTAGGTTTGGCCAGCTAGGTAGACTGA
CTTGTGAGGTATTTATTTATTTATTTGAGTAACAAAGCAGACAGAATACATAGCCACCATTGG
TAGTACACCCCAAAAGCAAGGATGGCATGATGCTGGTGACTCAAACGTGCCTACTCATGGTGT
CAAATTGGCATAATCCTCTTGGAAGCTGTGTGGAAATAAGCACAGAGAAGCAGAACTCTAAT
TGCTTAATCCACTAAACATTACTTCTGGGAATTGGCTCATCATAAATTATCCAAGAGAAAGCA
CAAAGTTATGGGCACAAAGGTTTTCCATATAATATTATTTAAAATGCTGAGAAAATGAAAAA
TCTAAATGGTGAAATATATACTAATGCCATCTATAAATACAAACAAATAGAATGTTTATAGAA
TAATGGAACATAATAACATTATTCAAATTGCATTTATGCTATAGTTGTCAAATTTGCTCCT
TATATGATACAAAACCTCATGAAATTATGACTTTTTTGTGTTGGTTGGAAAGCAGAATTATGCA
TAAATTTCTCTTACAGTTCGATGCCCATTAGTTTTATATAACATTTATTTGACACGTACTGA
CTTCTATCTGAGAAGAACAACCAAAACACTCAGGCCTAAATAATTAAAAACGGTCCTAAAAA
CTAGCAAACCAGATAAGAAAAGATGTTAATGCCCATTCCTTAACCTTATGTCTTAGACCAAAAT
TAATTCTAGATGGTTTTAAATGACAGTGTAAGTAAAGTATTAAAAGATTGTGTGGTCAAA
TATTCAATTTAAGAGCAAGGAAATCTTATAAATATAACAATAGAGGCAGAACTCATGTAAGA
ATAAATTGATTAGGTGGTATTAAATATTAAGTTCTTATGTATGTCAAAGATATCATTTTGAA
ATTCATCCATCTTATTGGGTATTGCAGGAGTTCATTCCTTTTTGTTTATAAATACTCTTCCGT
CATATGAATAGTATTCATTTGTATACTGGTTTTGTTGATGGACATTTGGGTGTTCCCAGTTTA
TGGCTATTACAAATAAAGCTTCTATGAACATTTATGTACA

62/550

FIGURE 62

MKFLLLVLAALGFLTQVIPASAGGSKCVSNTPGYCRTCCHWGETALFMCNASRKCCISYSFLP
KPDLPQLIGNHWQSRRRNTQRKDKKQQTTVTS

Important features of the protein:

Signal peptide:

amino acids 1-16

Transmembrane domain:

amino acids 1-22

N-glycosylation site.

amino acids 50-53

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 79-82

N-myristoylation site.

amino acids 23-28

63/550

FIGURE 63

GCGGAGCGCCTGGGAGAGGAGAAGGAGCCGACCTGCCGAGATGGAGGCGACCGGCACCTGGGC
GCTGCTGCTGGCGCTGGCGCTGCTCCTGCTGCTGACGCTGGCGCTGTCCGGGACCAGGGCCCCG
AGGCCACCTGCCCCCGGGCCACGCCGCTACCACTGCTGGGAAACCTCCTGCAGCTACGGCC
CGGGGCGCTGTATTACAGGGCTCATGCGGCTGAGTAAGAAGTACGGACCGGTGTTACCATCTA
CCTGGGACCCTGGCGGCTGTGGTGGTCTGGTTGGGCAGGAGGCTGTGCGGGAGGCCCTGGG
AGGTCAGGCTGAGGAGTTCAGCGGCCGGGGAACCGTAGCGATGCTGGAAGGGACTTTTGATGG
CCATGGGGTTTTCTTCTCCAACGGGGAGCGGTGGAGGCAGCTGAGGAAGTTTACCATGCTTGC
TCTGCGGGACCTGGGCATGGGGAAGCGAGAAGGCGAGGAGCTGATCCAGGCGGAGGCCCGGTG
TCTGGTGGAGACATTCCAGGGGACAGAAGGACGCCCATTTCGATCCCTCCCTGCTGCTGGCCCA
GGCCACCTCCAACGTAGTCTGCTCCCTCCTCTTTGGCCTCCGCTTCTCCTATGAGGATAAGGA
GTTCCAGGCCGTGGTCCGGGACGTGGTACCCTGCTGGGAGTCAGCTCCCAGGGGGGTCA
GACCTACGAGATGTTCTCCTGGTTCTGCGGCCCTGCCAGGCCCCACAAGCAGCTCCTCCA
CCACGTGACACCTTGGCTGCCTTCACAGTCCGGCAGGTGCAGCAGCACCAGGGGAACCTGGA
TGCTTCGGGCCCCGCACGTGACCTTGTCGATGCCTTCCTGCTGAAGATGGCAGAGGAGGAACA
AAACCCAGGCACAGAATTACCAACAAGAATGCTGATGACAGTCATTTATTTGCTGTTTGC
TGGGACGATGACGGTCAGCACACCGTCCGGCTATACCCTCCTGCTCCTGATGAAATACCCTCA
TGTCAAAAGTGGGTACGTGAGGAGCTGAATCGGGAGCTGGGGGCTGGCCAGGCACCAAGCCT
AGGGGACCGTACCCGCCTCCCTTACACCGACGCGGTTCTGCATGAGGCGCAGCGGCTGCTGGC
GCTGGTGCCCATGGGAATACCCCGCACCCCTCATGCGGACCACCCGCTTCCGAGGGTACACCCT
GCCCCAGGGCAGGAGGTCTTCCCCCTCCTTGGCTCCATCCTGCATGACCCCAACATCTTCAA
GACCCAGGAAGATTCAACCCAGACCGTTTCTGGATGCAGATGGACGGTTCAGGAAGCATGA
GGCGTTCTGCCCCTTCTCCTTAGGGAAGCGTGTCTGCCTTGGAGAGGGCCTGGCAAAAGCGGA
GCTCTTCTCTTCTTACCACCATCCTACAAGCCTTCTCCCTGGAGAGCCCGTGCCCGCCGGA
CACCTGAGCCTCAAGCCACCGTCAGTGGCCTTTTCAACATTCCCCAGCCTTCCAGTGC
AGTCCGTCCCCTGACCTTCACTCCACCACGCAGACCAGATGAAGGAAGGCAACTTGGAAAGT
GTGGGTGCCCAGGACGGTGCCTCCAGCCTCAACAGTGGGCATGGACAGGGTTAATGTCTCCAG
AGTGTAAGTGCAGGCAGCCACATTTACACGCCTGCAGTTGTTTTCCGGAGTCTGTCCCACGG
CCCACACGCTCACTTGAATCATGCTGCTAAGATGCACAACCGCACACCCATACACAACCTACAA
GGGCCACAAAGCAACTGCTGGGTAGCTTTCACAGACATAAATATAGTCCATCTGCAATCAC
AAGCATAGCCAGGTAACCCACCAACTCCCCGGATCTGCAGCCACACGTGGGAGTCTGGC
TGTCACCTTCACAAGCCACAGAAACGGCCACACATGTTTACAGCTCACACGCCCTCTCCATTC
ATCGAACTTCTCAGTGTCCCTGTCCCTGGTGCCTGGCACAGGGAACAGCATGCCCCCTCCGGG
GTCATGCCACCCAGAGACTGTGCTGTCTATGGCCCCAACTCATGCTCCCTCTCTTGGCTACA
CCTCTCCCAGCCTGTGACCACCGATGTCCACACACCCCAACCACTTGTCCACACAGCTAC
CCACGTACAACATCGTCCCTGGCTCCCAGAGTATCTTCCCACTGAGACACGCCGCCCCACAG
AGGCACAGTCCCCAGCCACCTCTGCAACTGCAGCCCTCAGTCACCCCTTTTTAAGCACCCCTGA
TTCTACCAAATGCAAACACATCTGGGTCTGCGATTATGCACAGAGACTTTGGACATACGAGGA
CCCTCAGACCGGAGGAACACCTGCCCAACCCCAACACGTGCTTATGTAACCACGTGGAAAGCG
GCCCCGCTGCCCCCTCCACACACACATACACTCACTGATCTACAGCCCTGTTCCGGCGTCA
GAGTCCCCACTAGACCCAGTGAAGGGGTTAGAGACCAAGTAGGGGCCAGTTTCCAATTCACC
CTGTACAGGGAGTGAGCCGATCTGACGTTCTTGTGACTTAAGGGTCCGGCTTGGGAATTA
GTTTGTCTTCTGGCCTTTAGCCTAAAAA

64/550

FIGURE 64

MEATGTWALLLALALLLLTLALSGTRARGHLPPGPTPLPLLGNLLQLRPGALYSGLMRLSKK
YGPVFTIYLGWPWPVVVLVGQEAVERALGGQAEFEFSGRGTVMLEGTFDGHGVFFSNGERWRQ
LRKFTMLALRDLGMGKREGELIQAEARCLVETFQGTGRPFDPSSLQAATSNVVCSSLFGL
RFSYEDKEFQAVVRAAGGTLLGVSSQGGQTYEMFSWFLRPLPGPHKQLLHHVSTLAAFTVRQV
QQHQGNLDASGPARDLVDAFLKMAQEEQNPGTEFTNKNMLMTVIYLLFAGTMTVSTTVGYTL
LLLMKYPHVQKWVREELNRELGAGQAPSLGDRTLPYTDVLAHQRLALVPMGIPRTLMRT
TRFRGYTLPQGTEVFPLLSILHDPNIFKHPEEFNPDRFLDADGRFRKHEAFLPFSLGKRVCL
GEGLAKAELFLFFTTILQAFSLESPPDTLCLKPTVSGLFNIPPAFQLQVRPTDLHSTTQTR

Important features of the protein:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 294-313

Glycosaminoglycan attachment site.

amino acids 99-103

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 128-132

N-myristoylation sites.amino acids 51-57, 109-115, 115-121, 188-194, 207-213, 257-263,
284-290, 339-345, 370-376, 444-450**Amidation sites.**

amino acids 140-144, 435-439

Leucine zipper pattern.

amino acids 32-54, 39-61

Cytochrome P450 cysteine heme-iron ligand signature.

amino acids 433-443

65/550

FIGURE 65

CGGACGCGTGGGGCCGTATGCGCGGCTCTGTGGAGTGCACCTGGGGTTGGGGGCACTGTGCCC
CCAGCCCCCTGCTCCTTTGGACTCTACTTCTGTTTGACGCCCCATTTGGCCTGCTGGGGGAGA
AGACCCGCCAGGTGTCTCTGGAGGTCATCCCTAACTGGCTGGGCCCCCTGCAGAACCTGCTTC
ATATACGGGCAGTGGGCACCAATTCCACACTGCACTATGTGTGGAGCAGCCTGGGGCCTCTGG
CAGTGGTAATGGTGGCCACCAACACCCCCACAGCACCTGAGCATCAACTGGAGCCTCCTGC
TATCCCCTGAGCCCGATGGGGGCTGATGGTGCTCCCTAAGGACAGCATTCACTTTTCTTCTG
CCCTTGTTTTTACCAGGCTGCTTGAGTTTGACAGCACCAACGTGTCCGATACGGCAGCAAAGC
CTTTGGGAAGACCATATCCTCCATACTCCTTGGCCGATTTCTCTTGGAACAACATCACTGATT
CATTGGATCCTGCCACCCTGAGTGCCACATTTCAAGGCCACCCCATGAACGACCCTACCAGGA
CTTTTGCCAATGGCAGCCTGGCCTTCAGGGTCCAGGCCTTTTCCAGGTCCAGCCGACCAGCCC
AACCCCTCGCCTCCTGCACACAGCAGACACCTGTCAGCTAGAGGTGGCCCTGATTGGAGCCT
CTCCCCGGGGAAACCGTTCCCTGTTTGGGCTGGAGGTAGCCACATTGGGCCAGGGCCCTGACT
GCCCCTCAATGCAGGAGCAGCACTCCATCGACGATGAATATGCACCGGCCGTCTTCCAGTTGG
ACCAGCTACTGTGGGGCTCCCTCCCATCAGGCTTTGCACAGTGGCGACCAGTGGCTTACTCCC
AGAAGCCGGGGGGCCGAGAATCAGCCCTGCCCTGCCAAGCTTCCCCTCTTCATCCTGCCTTAG
CATACTCTCTTCCCCAGTCACCCATTGTCCGAGCCTTCTTTGGGTCCCAGAATAACTTCTGTG
CCTTCAATCTGACGTTGCGGGCTTCCACAGGCCCTGGCTATTGGGACCAACACTACCTCAGCT
GGTCGATGCTCCTGGGTGTGGGCTTCCCTCCAGTGGACGGCTTGTCCCCACTAGTCTGGGCA
TCATGGCAGTGGCCCTGGGTGCCCCAGGGCTCATGCTGCTAGGGGGCGGGCTTGGTTCTGCTGC
TGCACCACAAGAAGTACTCAGAGTACCAGTCCATAAATTAAGGCCCGCTCTCTGGAGGGAAGG
ACATTACTGAACCTGTCTTGCTGTGCCTCGAACTCTGGAGGTTGGAGCATCAAGTTCCAGCC
GGCCCCTTCACTCCCCATCTTGCTTTTCTGTGGAACCTCAGAGGCCAGCCTCGACTTCCTGG
AGACCCCAAGTGGGGCTTCTTCATACTTTGTTGGGGGACTTTGGAGGCGGGCAGGGGACAG
GGCTATTGATAAGGTCCCCTTGGTGTTGCCTTCTTGCACTCTCCACACATTTCCCTTGGATGG
ACTTGCAGGCCTAAATGAGAGGCATTCTGACTGGTTGGCTGCCCTGGAAGGCAAGAAAATAGA
TTTATTTTTTTTCACAGGGAAAAAAAAAAAA

66/550

FIGURE 66

MRGSVECTWGWGHCAPSPLLLWTLTLLFAAPFGLLGKTRQVSLEVIPNWLGPQLNLLHIRAVG
TNSTLHYVWSSLGPLAVVMVATNTPHSTLSINWSLLLSPEPDGGLMVLPKDSIQFSSALVFTR
LLEFDSTNVSDTAAKPLGRPYPPYSLADFSWNNITDSLDPATLSATFQGHMNDPTRTFANGS
LAFRVQAFSRSSRPAQPPRLLHTADTCQLEVALIGASPRGNRSLEFLEVATLGQGPDCPSMQE
QHSIDDEYAPAVFQLDQLLWGS LPSGFAQWRPVAYSQKPGGRESALPCQASPLHPALAYSLPQ
SPIVRAFFGSQNNFCAFNLTFGASTGPGYWDQHYLSWSMLLGVGFPPVDGLSPLVLGIMAV
GAPGLMLLGGGLVLLLHHKKYSEYQSIN

N-glycosylation sites:

amino acids 65-69, 95-99, 134-138, 159-163, 187-191, 230-234,
333-337

cAMP- and cGMP-dependent protein kinase phosphorylation site:

amino acids 397-401

Casein kinase II phosphorylation sites:

amino acids 151-155, 249-253, 255-259

N-myristoylation sites:

amino acids 3-9, 63-69, 235-241, 273-279, 292-298, 324-330

Leucine zipper pattern.

amino acids 371-393

FIGURE 67

CGGACAGGCGCGTGGAGGCCACAACACATGCTGTATCTTGCTTGGGCTATCTTCCCTGCTCTGCCACGCCGGGT
CTGGAGAAGGGGTTTCAGCCCCAGGACATTTACTGAGAGTCGGCGAATATTGGGAGCCGCGCATGTTCCCCCTTCG
GGCCTGTGGTTGGTCTGGGCGCTTCTAGGAGTGGCCGGATCATGCGCGAGGCGGTGCGCTGCGTGGACAGATA
CGCTACCCAGTTTCGCGGAGTGCCTTACAAAGAGTTGCGTGAGGTGCCGAAGGACTGCCTGCGCAACGTGACGAC
GCTTAGTCTGTCCGCGAACAGATCACTGTCTGCGGCGCGGGGCTTCGCGGACGTACACAGGTCACGTCGCT
GTGGCTGGCGCACAAATGAGTGGCAGCGTGAGCCAGGCGCACTGGCCGCTGCTGAGTCAGCTCAAGAACTCGA
TCTGAGCCACAACCTTCATATCCAGCTTTCCGTGGAGCGACTGCGCACTGAGCCGCTGCAGCTGCTCAAAAT
GAACCACAACCCGCTGGGCTCTCTGCCCGGGACGCACTCGGTGCGCTACCCGACCTGCGTTCCTTGGCATCAA
CAACAACCGGCTGCGTACGCTGGCGCCTGGCACCTTCAGACGCGCTTAGCGCGCTGTCACACTTGCAACTCTATC
CAATCCCTTCCACTGCGGCTGCGGCTTGTGTGGCTGCAAGCCTGGGCCGCGAGCACCCGGGTGTCTTACCCGA
GCCCCACTCCATTGCTTGTGCTTCGCTCCCGCGCTGCGGGGTGCCGCTACCGCTGCGCGCCTGCCCTG
TGCACCGCCACGCTGCATCTGAGTGCCGAGCCACCGCTGAAGCACCCGTGACCGCTGCGCGGCTGCCCTG
GTTCTGTTACAGTGCATCGCCGACGGCACCCCTACGCTCGCTGCAATGGCAACTTCAGATCCCGGTGGCAC
CGTAGTCTTAGAGCCACCGGTTCTAGCGGGGAGGACGACGGGGTTGGGGCGGAGGAAGGAGAGGGAGAAGGAGA
TGGGGATTTGCTGACGACAGAACCAAGCCAAAGCCGACTCCAGACACCCGCTTGGCGGGCGCCCCAGCCACACC
GCGCTTCTGGCCCTCGCAATGGCTCCCTGTTGGTGGCTTCGAGTGCAGGAGGCGGCGGCTCTACACTTG
CCGTGCACACAATGAGTGGGCGCAACTCTACGTCAATACGCTGGCGGTGGCAGCAACCGGGGCCCCAAAAACA
CGCGCTGGCGCGGGGGAACCCGAGCGGACAGGCCCCGACCTCTGAGCGCAAGTCCACAGCCAAGGGCGGGG
CAACAGCGTCTCTGCTTCCAAACCCGAGGCAAAATCAAAGGCCAAGGCTGGCCAGGTGACGATTCTCGGGGA
GACCGAGACGGAGCCGGAGGAGGACACAAGTGAGGAGGAGGAGGCGCAAGACAGATCTCTCGGAGCCCGCGGA
GGAGCAGCGCTGTGGCAACCGGGACCCCTCTCGGTACGTTTCTAACCACGCGTTCAACGAGCGCAGAGCTCAA
CGCGACGCTCTTCAGCTGGGCGTATCGCGCTGGATGTGGCGGAGCGCGAGGCGCGGTTGACGTGACTCCGCT
GGCTGCGCGCTGGGCGCTGGGCGCGGGGCTGGCGGAGCCCGCGCAACCGGGCGGCGACCCCTGCGCTACT
CTATCTGTGTCCAGCGGGGGCGGCGCGGCGAGTCAGTGGTCCGCGTAGAGGAAGCGCTCAACGCTACTGGTT
CCGCGGCTGCGGCGGGGTACCAACTACTCCGTGTGCTGGCGCTGGCGGGCGAAGGCTGCCAGCTGCAAGTGGT
GTTTCCACCAAGAAGGAGCTCCCTCGCTGCTGGTATAGTGAGCGTAGCGTATTCCTCCTGGTGCTGGCCAC
AGTGGCCCTTCTGGGCGCGCTGCTGCCATCTGTGCTGCTAAACACCCGGGCAAGCCCTACGCTCTGATCTGCG
GCCTCAGGCCCTGACCTATGGAGAAGCGCATCTGCCGCGACTTCGACCCGCTGCTTCGTACCTCGATCCGA
GAAAGCTACCCGGAGCGCGGAGGCGGGCGGCGAGGAGCCAGAGGACGTGCAAGGGGAGGCGCTGATGAAGA
CGCGGAGCAGGAGACCAAGTGGGAGCTGCAGAGAGAGAGAGCCTGGCGGCTGCTACTGGTGGAGTCCCA
GTCCAAGGCCAACCAAGAGAGTTCGAGGCGGCTCTGAGTACAGCATCGGCTGCCCTGGGCGCGGAGCGGT
CAACATCGCCAGGAGATTAATGCAACTACAGGACAGCGGCGAGCTGCAACTCCGCGCTCCGCGCCGCCCTT
CCCGACCTCCACCTAGGCTGCTGGGAGCAGAGTCTAGGCTGGCAGGACTTATGTCCCGCTCCCCAACCTTC
ACCTACTCTCTCCCCCTTACTACTCCCCAACCTTGACTACCAGGACTTCTATTAGGGAGTGGGCGGATTTCACCA
GTCTCTGTACCCAGGCTGCCATTCTCCCTCGGGGTGAATCCCTTCCCCGCAAGCACAGTGTATTCTTAC
CCCATGCAAGACTTCCACCCGACAGGTGGGCGATATCTGCTCCCTCACTCCCGTCCGGATTATCTGCGAAAT
CCACCCGCGAGCCCGCCCCACCGTGGGCTCTGGAGCCAGAGGAACGAGCAAGACTTTGGAACCTCGCGGTAA
CGCGGTGGTTTCGGGGGCGAGCAAGGCCAGTGGAGTCTGTGGGGTCCACCTCGACCCCTCTCTCCCTTTC
TTCTTTCTCTTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTT
CAGGCTGGAGTGCAGTGGCGCATCTCGGCTCACTGCATCTTCGCGCTCCCGGTTCAAGCATCTCTGCTGCTCGC
AGCCTGCCTAGTAGCTGGGACTACAGGCGCGCGCCACACGACCTAATTTCTTCTATTTTATTTAGTAGACGG
GGTTTACCATTGTTGGCCAGGATGGTCTGGATCTCTTGACCTCAGGTGATCATCTGCTCGGCTCTCAAAGTG
CTGGGATACAGCGGTGAGGACCGCGCCCGGCGCTCTCTCCCTTCAATCCCTACTCCGAGAAGCGGGATTCTG
TGGCAACCCCTAGTTTATTTAGTTCCAAAGCCTCTGCGGCGAGGAACCAATCTTCTGTCTCTCCACCCACC
CCACTTCTGGCCAGTTGAGTCCAGCCGGTGCCTGGGCGCTTTCAGCTCCGCGCTCAGATTTCCTGTTTCT
GTTGTTTTCAAAGACAGCGACATTTCCGGTCTGGTGCTAACACCCCTTCCAGCTTGGGAAATCGAGTG
TGTGTCGGGGGTAGGGAGGGAATGCTTTTCTGTCTCTCTCTCCTAACTTAAAGCGCCGACGACCGCGGCC
CCTTGGCGGTGAGCCTGAGCTTGGCTTGGTCGCGGGCAATTTCTGTGCTCTCTCTCCTAACTTAAAGCGCCGACGACCGCGCC
GCGCCCAACAGCGCGCTGCGCGGCTCCACGAGCCACGACCTAGTGGAAAGCGCGGAGCGGAGGAGAGCT
GACTGTGGCCTCCCGGGCGCGGCTCTGTGAGGCTCGCGCCTAGTTCGACAAAGCGCTGCTGCTGCTGCTG
GACTGTGCGACGGATCCGATGGAGCCGAGCCCTCGTCTCTGCGTCTCGGCTCTCGGCTCGGCGGCTCCAC
CCGCCCCCTGCTTCGGCGGAATCGTGTTCGCGGCGGTGTAGTCCCTGACAAGCGTGCCCTGTAGGAGAAAAGTC
TGTGCTGCTGAAGTGTACCGTGTAGTGTAGGGGGCGGGCGGGGGCGGAGTGGCGGGGAGGAGGGAAGGG
GAGGGGCGCGGCGCGGACTCGGGCGGGGTCTTTTTTTCATTTTGAAGAAAGCGTGGGGTGGGGTGGGG
GGAGTTTCACTCTCGGATCAGCCCTCTCCGCAAGCGCAGCAAGCGCGGCTGGGACGAGTAGCCCCC
GGAGCCCGTGCCTTTTCTAAACGCGTCTGTATGAGTCAATAAACCAATCGATTGAAA

68/550

FIGURE 68

MFPLRALWLWVWALLGVAGSCPEPCACVDKYAHQFADCAVKELREVPEGLPANVTTLSSLSANKI
TVLRRGAFADVTQVTSWLAHNEVRTVEPGALAVLSQLKNLDLSHNFISFPWSDLRNLALQ
LLKMNHNRLGSLPRDALGALPDLRLRINNRLRTLAPGTFDALSALSHLQLYHNPFHCGCGL
VWLQAWAASTRVSLPEPDSIACASPPALQGVVPYRLPALPCAPPSVHLSAEPPEAPGTPLRA
GLAFVLHCIADGHPTPRLQWQLQIPGGTVVLEPPVLSGEDDGVGAEEGEGEGDGDLLTQTQAQ
TPTPAPAWPAPPATPRFLALANGSLLVPLLSAKEAGVYTCRAHNELGANSTSIKVAVAATGPP
KHAPGAGGEPDGQAPTSEKSTAKGRGNSVLPSKPEGKIKGQGLAKVSILGETETETEPEEDTSE
GEEAEDQILADPAEEQRCGNGDPSRYVSNHAFNQSAELKPHVFELGVIALDVAEREARVQLTP
LAARWGP GPGGAGGAPRPGRRPLRLLYLCPAGGGA AVQWSRVEEGVNAYWFRGLRPGTNY SVC
LALAGEACHVQVVFSTKKELPSLLVIVAVSVFLLVLATVPLLGAACCHLLAKHPGKPYRLILR
PQAPDPMEKRIAADFDPRASYLESEKSY PAGGEAGGEEPEDVQGEGLDEDAEQGDPSGDLQRE
ESLAACSLVESQSKANQE EFEAGSEYS DR LPLGAEAVNIAQEINGNYRQTAG

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 587-610

N-glycosylation sites.

amino acids 52-55, 121-124, 337-340, 364-367, 474-477, 563-566

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 397-400

Casein kinase II phosphorylation sites.amino acids 19-23, 202-205, 289-292, 246-249, 411-414, 431-434,
433-436, 440-443, 544-547, 583-586, 650-653, 700-703**N-myristoylation sites.**amino acids 15-20, 48-53, 165-170, 296-301, 351-356, 362-367,
390-395, 419-424, 514-519, 536-541, 557-562, 561-566, 610-615,
661-666, 716-721**Amidation site.**

amino acids 522-525

Prokaryotic membrane lipoprotein lipid attachment sites.

amino acids 10-20, 603-613

69/550

FIGURE 69

GGCGGCGGGAGCAGCGAAGGGGGCGGCAGGGATCCTCCAGGCTGCCGGCTGGGAAGGCGTGGG
CGACCCGGTGTGTGGCGCGCCAGAGCCCCGCGTTTCAGCCCTAGGGAAGGAAGCCAGTTGAG
GGAAGTTCTCCATGAATGTACGTCACAATGATGATGACCGACCAAATCCCTCTGGAAGTGGCA
CCATTGCTGAACGGAGAGGTAGCCATGATGCCCCACTTGGTGAATGGAGATGCAGCTCAGCAT
GTTATTCTCGTTCAAGTTAATCCAGGTGAGACTTTTACAATAAGAGCAGAGGATGGAACACTT
CAGTGCATTCAAGGACCTGCTGAAGTTCCCATGATGTACCCAATGGATCCATTCTCTCCCAT
CATGTGCCCTCCAGGTTATATCTCACAGGTGATTGAAGATAGTACTGGAGTCCGCCGGGTGGTG
GTCACACCCCAAGTCTCTGAGTGTTATCCCCAAGCTACCCCTCAGCCATGTCTCCAACCCAT
CATCTCCCTCCCTATCTGACTCACCATCCACATTTTATTATAACTCACACACGGCTTACTAC
CCACCTGTTACCGGACCTGGAGATATGCCGCCTCAGTTTTTTCCCGAGCATCATCTTCCCCAC
ACAATATATGGTGAGCAAGAAATTATACCAATTTTATGGAATGTCAAGCTACATCACCCGAGAA
GACCAGTACAGCAAGCCTCCGCACAAAAAAGTGAAGACCGCCAGATCGATCGCCAGAACCGC
CTCAACAGCCCTCCTTCTTCTATCTACAAAAGCAGCTGCACAACAGTATACAATGGCTATGGG
AAGGGCCATAGTGGTGGAGTGGCGGAGGCGGCAGCGGTAGTGGTCCCGGAATTAAGAAAAACA
GAGCGACGAGCAAGAAGCAGCCCAAAGTCGAATGATTGAGACTTGCAAGAATATGAGTTGGAA
GTAAAGAGGGTGCAAGACATTCTTTTCGGGAATAGAGAAACCACAGGTTTCTAATATTGAGGCA
AGAGCAGTTGTGTTGTCTGGGCTCCCCCTGTTGGACTTTCTGTGGACCCACAGTGGTCTT
TCCTTCCCCTACAGTTACGAGGTGGCCTTATCAGACAAAGGACGAGATGGAAAATACAAGATA
ATTTACAGTGGAGAAGAAATAGAATGTAACCTGAAAGATCTTAGACCAGCAACAGATTATCAT
GTGAGGGTGTATGCCATGTACAATCCGTAAAGGGATCCTGCTCCGAGCCTGTTAGCTTCACC
ACCCACAGCTGTGCAACCCGAGTGTCCTTTCCCCCTAAGCTGGCACATAGGAGCAAAAGTTCA
CTAACCCCTGCAGTGGAGGCAACCAATTGACAACGGTTCAAAAATCACCAACTACCTTTTAGAG
TGGGATGAGGGAAAAAGAAATAGTGGTTTCAGACAGTGCTTCTTCGGGAGCCAGAAGCACTGC
AAGTTGACAAAGCTTTGTCCGGCAATGGGGTACACATTACAGGCTGGCCGCTCGAAACGACATT
GGCACCAGTGGTTATAGCCAAGAGGTGGTGTGCTACACATTAGGAAATATCCCTCAGATGCCT
TCTGCACCAAGGCTGGTTCGAGCTGGCATCACATGGGTACGTTGCAGTGGAGTAAGCCAGAA
GGCTGTTTACCCGAGGAAGTGATCACCTACACCTTGGAATTCAGGAGGATGAAATGATAAC
CTTTTCCACCCAAAATACACTGGAGAGGATTTAACCTGTACTGTGAAAAATCTCAAAGAAGC
ACACAGTATAAATTCAGGCTGACTGCTTCTAATACGGAAGGAAAAAGCTGTCCAAGCGAAGTT
CTTGTTTGTACGACGAGTCTTGACAGGCCTGGACCTCCTACCAGACCGCTTGTCAAAGGCCCA
GTTACATCTCATGGCTTTAGTGTCAAATGGGATCCCCCTAAGGACAATGGTGGTTCAGAAATC
CTCAAGTACTTGCTAGAGATTACTGATGGAATTCGAAGGTGAAGTTTTTGGCAATTGTTTT
ATTCAAATCCAATAGCAAGCTCTGTTTTCTAATATAGTAAATGTCTTTATAGTAATAGTGAGT
AATCATTAATTCTAAAGATAGAATTATTATTACAATAAACAACCTTTAGTCACATATTGGCAG
TTTTTCTATTTCAAACACAGCACCAGAGATCAGAGTCTACTTGAACTTACATTTGTGTTATT
TAACAATTTTTCTGTATCTTTTTTCATTGGTGTTTTGTTTTGTTTTATCTTTTGTTTTTGTTCT
TTGGTTTTGGTTTTGTTTTGTTTTGTTTTGAGATACGATCTCTGTACACACAGGCTGGAGGGC
AGTGGCACAGACATGGCCCATTCAGTCTCAGACTCCTGGGCTTAAGTGAAGTCTTCTGCCACA
GAAGATGAGGAAGAATACATTTTTCATAGTGATGGGGTCTCACTATGTTATCTAGGCTGGTCT
CAAACCTCCTGGCCTCAAGCAACCCCTCCACCTTGGCCTCCCAAAGTGCTGGGACTATAGACATG
AATCACCACTCAGCTTCCATGTCTTTTATGAACTAGGGTTCCTAATTAATCAGATAAATT
TGGTATTTTCATCTCCTAACTTGCCATATGTTTTCTGGAAATTCCTATAAGCAGCCGAGAGTG
GTGGCTCACGCTGTAGTCCCAGCACTTTGGGAGGCTGAGGTGGGTGGTCAGGAGATCAAGACC
ATCCTGGCCAACATGGTGAAACCCGCTCTACTAAAAATACAAAAATTAGCTGGGTGTGGTG
GCAGGCACCTGTAGTCCCAGCTACTTGGGAGGCTGAGGCAGAAGAATTGCTTGAACCCAGCAG
CGGAGGTTGCAGTGAGCTGAGATTGCACCACTGCACTCCAGCCTGGTGACAGAGTGAGACTC
TGCTCAAAAAAAAAAAAA

70/550

FIGURE 70

MMMTDQIPLELPPLLNGEVAMMPHLVNGDAAQHVLVQVNPGETFTIRAEDGTLQCIQGPAEV
PMMSPNGSIPPIHVPPGYISQVIEDSTGVRVVPVTPQSPECYPPSYPSAMSPTHHLPYLTTH
PHFIHNSHTAYYPPVTGPGDMPPQFFPQHHLPHTIYGEQEIIIPFYGMSSYITREDQYSKPPHK
KLKDRQIDRQNRNLNSPPSSYKSSCTTVYNGYKGKHSGGSGGGSGSGPGIKKTERRARSSPK
SNDSDLQEYELEVKRVQDILSGIEKPQVSNIQARAVVLSWAPPVGLSCGPHSGLSFPYSYEVA
LSDKGRDGKYKIIYSGEELEC�LDLRPATDYHVRVYAMNSVKGSCSEPVSFTHHSCAPECP
FPPKLAHRSSSLTLQWKAPIDNGSKITNYLLEWDEGKRNSGFRQCFFGSQKHCKLTKLCPAM
GYTFRLAARNDIGTSGYSQEVVCYTLGNIPQMPSAPRLVRAGITWVTLQWSKPEGCSPEEVIT
YTLEIQEDENDNLFHPKYTGEDLTCTVKNLKRSTQYKFRLTASNTEGKSCPSEVLVCTTSPDR
PGPPTRPLVKGPVTSHGFSVKWDPPKDNGGSEILKYLLEITDGNSEGEVFGNCFIQIQ

Important features of the protein:**N-glycosylation sites.**

amino acids 69-73, 254-258, 401-405

Glycosaminoglycan attachment sites.

amino acids 229-233, 234-238, 236-240

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 416-420, 535-539

Tyrosine kinase phosphorylation site.

amino acids 319-326

N-myristoylation sites.amino acids 52-58, 227-233, 228-234, 230-236, 231-237, 232-238,
235-241, 239-245, 402-408, 610-616**Amidation site.**

amino acids 414-418

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 290-301

ATP/GTP-binding site motif A (P-loop).

amino acids 546-554

CUB domain proteins profile.

amino acids 294-301

71/550

FIGURE 71

AAGTCATTCAAGTGGATGTGATCTTGGCTCACAGGGGACGATGTCAAGCTCTTCTGGCTCCTTCTCAGCCTTGT
GCTGTAAGTGTCTCAGTCCACCATTGAGGAACAGGCCAAGACATTTTGGACAAGTTTAACCACGAAGCCGAA
GACCTGTTCTATCAAAGTTCAGTTGCTTCTTGGAAATATAACACCAATATTACTGAAGAGAATGTCCAAAACATG
AATAATGCTGGGGACAAATGGTCTGCCTTTTAAAGGAACAGTCCACACTTGCCCAAATGTATCCACTACAAGAA
ATTCAGAATCTCACAGTCAAGCTTCAGCTGCAGGCTCTTCAGCAAAATGGGTCTTCAGTGTCTCAGAAAGCAAG
AGCAAACGGTTGAACACAATCTAAATACAATGAGCACCATTACAGTACTGAAAAGTTTGTAAACCAGATAAT
CCACAAGAATGCTTATTACTTGAACCAGTTTGAATGAAATATGGCAACAGTTTAGACTACAATGAGAGGCTC
TGGCTTGGGAAAGCTGGAGATCTGAGGTCGGCAAGCAGCTGAGGCCATTATGAAGAGTATGTGGTCTTGAAA
AATGAGATGGCAAGAGCAAATCATTATGAGGACTATGGGGATTATTGGAGAGGAGACTATGAAGTAAATGGGGTA
GATGGCTATGACTACAGCCGCGGCCAGTTGATTGAAGATGTGAACATACCTTTGAAGAGATTAAACCATTATAT
GAACATCTTCATGCCTATGTGAGGGCAAAGTTGATGAATGCCTATCCTTCTATATCAGTCCAATTGGATGCCTC
CCTGCTCATTGCTTGGTATATGTGGGTAGATTTTGGACAAATCTGTACTCTTTCAGAGTTCCCTTTGGACAG
AAACCAACATAGATGTTACTGATGCAATGGTGGACCGGCTGGGATGCACAGAGAATATTCAAGGAGCCGAG
AAGTTCTTTGTATCTGTTGGTCTTCTAATATGACTCAAGGATCTGGGAAATTCATGCTAACGGACCCAGGA
AATGTTTCAAGAACAGCTGCTCCATCCACAGCTTGGGACCTGGGGAAGGGCGACTTCAGGATCCTTATGTGCACA
AAGGTGACAATGGACGACTTCTGACAGCTCATCATGAGATGGGGCATATCCAGTATGATATGGCATATGCTGCA
CAACCTTTTCTGCTAAGAAATGGAGCTAATGAAGGATTCCTATGAAGCTGTTGGGAAATCATGTCTACTTCTGCA
GCCACACCTAAGCATTTAAATCCATTGGTCTTCTGTACCCGATTTTCAAGAAGACAATGAAACAGAAATAAAC
TTCTGCTCAACAAGCACTCACGATGTTGGGACTCTGCCATTTACTTACATGTTAGAGAAGTGGAGGTGGATG
GTCTTTAAAGGGGAAATCCCAAAGACCAAGTGGATGAAAAGTGGTGGGAGATGAAGCGAGAGATAGTTGGGGTG
GTGGAACCTGTGCCCCATGATGAAACATACTGTGACCCCGCATCTCTGTTCCATGTTTCTGATGATTACTCATT
ATTGATATTACACAAGGACCCTTTACCAATTCAGTTTCAAGAAGCACTTTGTCAAGCAGCTAAACATGAAGGC
CCTCTGCACAAATGTGACATCTCAAACCTCTACAGAAGCTGGACAGAACTGTTGTAAGAAATACCTCAAATGTT
GAACCTCTCTAGTATTAGTATTACTCATTTCATGCCTAGGTTTGTATTTGATTCTTTGTTCTAAAAAGAAA
ATTTTATGGCTCAAAATGCTCATTACAAACCAACATTTAATTTGTGGTCAGACAGGAACCTAGACCATAC
AACAATTGGGTGGGCCACCTCTTTCTCCCTATCATACTACAGCCCTCTCTTCTGGTAATTGGAAGGAAAGAG
CGGTTTAGGTGGAATATATCTGTTAATATGCATTCTTTCTTATCTGCCAGAAGCAATTTAGCCAAGTCAAG
AGAAGAACCATAGATCATAGATGTAATATATGTACATCTGGAACCCCTCAAAGGCCCTGAACCCCTTTTTT
TGTGTAGCAATGATGAGGCTTGGAAATCAGAACCTGGACCCCTAGCATTGGAATGTTGTAGGAGCAAGAA
CATGAATGTAAGGCCACTGCTCAACTACTTTGAGCCCTTATTTACCTGGCTGAAAGACCAGAACAAAGATTCTTT
TGTGGGATGGAGTACCGACTGGAGTCCATATGCAGACCCAAAGCATCAAAGTGAAGATAAGCCTAAAATCAGCTC
TTGGAGATAAAGCATATGAATGGAACGACAATGAAATGTACCTGTTCCGATCATCTGTTGCATATGCTATGAGGC
AGTACTTTTTAAAGTAAAAAATCAGATGATTCTTTTGGGAGAGGAGTGTGCGAGTGGCTAATTTGAAACCAA
GAATCTCCTTTAATTTCTTTGTCACTGCACCTAAAAATGTGTCTGATATCATTCTAGAACTGAAGTTGAAAGG
CCATCAGGATGTCCCGAGCCGTATCAATGATGCTTTCCGTCTGAATGACAACAGCCTAGAGTTTCTGGGGATAC
AGCCAACACTTGGACCTCCTAACCAGCCCCCTGTTTCCATATGGCTGATTGTTTTTGGAGTTGTGATGGGAGTGA
TAGTGGTTGGCATTGTCTATCCTGATCTTCACTGGGATCAGAGATCGGAAGAAGAAAAATAAGCAAGAAGTGGAG
AAAATCCTTATGCCTCCATCGATATTAGCAAGGAGAAAAATATCCAGGATTCCAAACACTGATGATGTTTCA
CCTCCTTTTAGAAAAATCTATGTTTTCTCTTGGAGTATTTTGTGTATGTAATGTTAATTTTATGTTATAG
AAAATATAAGATGATAAAGATATCATTAAATGTCAAACCTATGACTCTGTTTCAAAAAAATTTGTCCAAAGACA
ACATGGCCAAGGAGAGAGCATCTTCATTGACATTGCTTTCAGTATTTATTTCTGTCTCTGGATTGACTTCTGTT
CTGTTTCTTAATAAGGATTTTGTATTAGAGTATATTAGGGAAGTGTGATTTTGGTCTCACAGGCTGTTTCAAGGA
TAATCTAAATGTAATGTCTGTGAATTTCTGAAGTTGAAACAAGGATATATCATTGGAGCAAGTGTGGATCT
TGTATGGAATATGGATGGATCACTTGTAAAGGACAGTGCTGGGAAGTGTGTAGCTGCAAGGATTGAGAATGGCA
TGCATTAGCTCACTTTCATTTAATCCATTGTCAAGGATGACATGCTTCTTACAGTAACTCAGTTCAAGTACTA
TGGTATTGGCTACAGTATGTTTGGAAATCGATCATGCTTCTTCAAGGTGACAGGTCTAAAGAGAGAAGAATC
CAGGGAACAGGTAGAGGACATTGCTTTTTCACTTCCAAGGTGCTTGATCAACATCTCCCTGACAACACAAAATA
GAGCCAGGGGCTCCGTGAACCTCCCAAGAGCATGCCTGATAGAACTCATTTCTACTGTTCTTAAGTGTGGAGT
GAATGGAATTTCAACTGTATGTTTCAACCTCTGAAGTGGGTACCCAGTCTCTTAATCTTTTGTATTTGCTCACA
GTGTTTGAAGCAGTGTGAGCACAAGCAGACACTCAATAATGCTAGATTTACAAAA

72/550

FIGURE 72

MSSSSWLLLSLVAVTAAQSTIEEQAKTFLDKFNHEAEDLFYQSSLASWNYNTNITEENVQNMN
NAGDKWSAFLKEQSTLAQMYPLQEIQNLTVKLQLQALQONGSSVLSEDKSKRLNTILNTMSTI
YSTGKVCNPDNPQECILLLEPGLNEIMANSLDYNERLWAWESWRSEVGKQLRPLYEEYVVLKNE
MARANHYEDYGDYWRGDYEVNGVDGYDYSRGLIEDVEHTFEEIKPLYEHLHAYVRAKLMNAY
PSYISPIGCLPAHLLGDMWGRFNTLYSLTVPFQKPNIDVTDAMVDQAWDAQRIKFAEKFF
VSVGLPNMTQGFWENSMLTDPGNVQKAVCHPTAWDLGKGDFRILMCTKVTMDDFLTAHHEMGGH
IQYDMAYAAQPFLLRNGANEGFHEAVGEIMSLSAATPKHLKSIGLLSPDFQEDNETEINFLK
QALTIVGTLPTFTYMLEKWRWMVFKGEIPKDQWMKKWEMKREIVGVVEPVPHDETYCDPASLF
HVSDDYSFIRYYTRTLYQFQFQEAALCQAAKHEGPLHKCDISNSTEAGQKLL

Important features of the protein:**Signal peptide:**

amino acids 1-17

N-glycosylation sites.

amino acids 53-57, 90-94, 103-107, 322-326, 432-438, 546-550

N-myristoylation sites.

amino acids 260-266, 286-292, 395-401

Cell attachment sequence.

amino acids 204-207

Neutral zinc metalloproteinases, zinc-binding region signature.

amino acids 371-381

73/550

FIGURE 73

CCCACGCGTCCGAGCGGGGTGGACAAGTGGCGTGTGTGCTGCGACCCCGAGGGAAGATGAACG
GGACGCGGAACCTGGTGTACCCCTGGTGGACGTGCACCCAGAGGACCAGGCGGCGGGCAGGA
AGACCTATGCCATGGTGTCCAGCCACTCAGCTGGTCATTCTCTGGCTTCAGAACTGGTGGAGT
CCCATGATGGACATGAGGAGATCATTAAAGGTGTACTTGAAGGGGAGGTCTGGAGACAAGATGA
TTCACGAGAAGAATATTAACCAGCTGAAGAGTGAGGTCCAGTACATCCAGGAGGCCAGGAACCT
GCCTACAGAAGCTCCGGGAGGATATAAGTAGCAAGCTTGACAGGAACCTAGGAGATTCTCTCC
ATCGACAGGAGATACAGGTGGTGTAGAAAAGCCAAATGGCTTTAGTCAGAGTCCCACAGCCC
TGTACAGCAGCCACCTGAGGTGGACACCTGTATAAATGAGGATGTTGAGAGCTTGAGGAAGA
CGGTGCAGGACTTGCTGGCCAAGCTTCAGGAGGCCAAGCGGCAACACCAGTCAGACTGTGTGG
CTTTTGAGGTACACTCAGCCGGTACCAGAGGGAAGCAGAACAAAGTAATGTGGCCCTTCAGA
GAGAGGAGGACAGATGTCCAGAGTGAATTGGAGAATGTCCTGGGGGAATGAAGTTCCTTCCACA
AACACAGCTCAGTTCTTAGCAACAAACTGTTTGTCTTTCTACTTGCTCCATCTGCAGCCTACG
CTGCCCTGGCCTCCTGCAGACAGATAGTGGGGTTACCTGGCAAGGCCTGGTGAGAGCCAGTGA
ACCTAAGCTTTGACTGGGTGGCCTTGTCTTTCTGGGGAGGAGGGAATGTACATTGAGGGAGTA
GCCTTTTGCGGAAAAATTCTCTAGGGCTACAGACAGTCATGTGTGACTTCTCTCTGCTGTGAA
AACTCCCAGAGTCTCTTTAGGGATTTTCCCTAAGGTGTACCACCAGGCACACCTCAGTCTTCT
TGACCCAGAGCCTGAAAACTGTTTCTACTGGGTTCACCAGTCCCAGCAAAATCCTCTTTGTA
TTTATTTTGCTAAGTTATTGGTGGTTTTGCTTACATCTCATGATTGATATAATACCAAAGTTC
TATAGCCTTCTCTTGCAGTATTTGGATTTGCTTGAAACCGGGAAAACTGTTCCCATTAGGCTT
GTTAATGTCAGAGTGACACTATTATGAATCTTTCTCTCCCTTTCCTCTGCCTGTTTCTTCTCT
CTTTCTCCTTCAAACCTTGCTCTGCAGCTAAGGAAGGTGAGTCTACTTTCCCTGAGGCTTTGGG
GTCAGAGTATATGTTGTTTGGAGAAAGAGGGCAATCAGGACTCTTCTGGGACCCAGATGAGTT
CTTCACTAGCCCTTCTGAACCCCTTGCTCCATAAATGGTCTTTTATCCTGGCTCTGAATGACC
CTGCAGGTCATCATGGTTTTCTTTTTTTATTGTTTTTTTTTTTTTCTGAGACAGAGTCTCACT
CTGTACCCAGGCTGGAGTGCAGTGGCGGATCTCAGCTCACTGCAACCTCTGCCTCCCGGAT
TTAAGCGATTCTTCTGCCTCAGCCTCCCGAGTAGCTGGGACTACAGGTGTGCCACCACGCCTG
GCTGATTTTTGTATTTTAGTAGAGATGGGGTTTACCATACTGGCTAGGCTGGTCTCGAATT
CCTGACCTCAGGTGATCCACCCACCTCGGCTTCCCAAAGTGCTAGGATTATAGGCTTGAGCTA
CTGCGCCCGGCCCATGGTGTCTTTAGGGCTCTTCCCTACAGCCTTGAGAAGTAGATAGGC
ATCAGAGTATGGTACTATAGGAATCAGAAAAATTCAAAACAAATGTGGATTAAAGTGTTTAGGC
TCTATGTGGCTCACGCAGCCAGAATCCTTAAGTCTGTGTGTTTCTGTGTCTCAAGACTGGGCT
CACATTCTGGCTTTGTCCATAACAATGCTCTGGGATTTAGGGAGTTCCTCATTTGTAAAT
GAGGGGGTCAGAGCAGGTGATATCCATGTTTCTTCCCTTCTGATATTGTTGTCTGTGGCATA
TTCTTTGTATGGCGAATTTAATAAATTATATTAATGTGTCA

74/550

FIGURE 74

MNGTRNWCTLVDVHPEDQAAAGRKTYAMVSSHSAGHSLASELVESHGHEEIIKVYLKGRSGD
KMIHEKNINQLKSEVQYIQEARNCLQKLREDISSKLDRLGDSLHRQEIQVVLEKPNGFSQSP
TALYSSPPEVDTCINEDVESLRKTVQDLLAKLQEAQRHQSDCVAFEVTLSTRYQREAEQSNVA
LQREEDRCPE

Important features of the protein:

Signal peptide:

amino acids 1-39

N-glycosylation site.

amino acids 2-6

Amidation site.

amino acids 21-25

75/550

FIGURE 75

GCTTGACACATGGCTCCGGAGGCTCCGGTTGCCATCCGAGCCCTGCCAGGCTCTAACGTTCCCAACTGACAA
CACCAGTAACATAATAGGAGCAGATGGTGGGGACGGGCTGTCGACGCGCTCCTTTGCAGAGGTCTCCGGACT
GCAGATAAGGCTCAGGCCCTTTTGTGAGAAGCAGACCAGCTGGGGGCTGGCGGCAGGACACCTGTGTCTGCATG
CTGAAGAAGATGGGTGAGGCCGTGGCCAGAGTAGCAAGGAAGGTCAACGAGACGGTGGAGAGCGGCTTGACACT
CTGGACCTGGCCGAGTGCAAGCTGGTCTCCTTTCCATTGGCATCTACAAGGTCTGCCGAATGTCTCTGGCCAG
ATCCACCTCATCACCTGGCTAACACGAGCTTAAGTCCCTCACCAGCAAGTTCATGACCACATTAGTCAGCTC
CGAGAGCTCCACCTGGAGGGGAACCTTCTACACCGCTCCCCAGCGAGGTCAAGTTCAGTACCATTCAGTCAGCTC
ATTGACCTGTCCCGAACCAGTTCAGGACTTCCCTGAGCAGCTTACCGCTGCGCGCTGGAGACCATCAAC
CTGGAGGAGAAGCAGATCGTAGATGTGCCCGTGGAGAAGCTGGCCGCCATGCCAGCCTTGCGCAGCATCAACCTC
CGCTTCAACCCACTCAACGCCGAGGTGCGCGTGATCGCCCCGCGCTCATCAAGTTTGACATGCTCATGTCTCCG
GAAGGCGCAAGAGCCCCCTACCTTAGGCCACCTCCTCATGCCACCCAGCAAGGGACAGAGGCCACAGGCCCTG
GAACCTTGAAGGGAGGGAGGCCATGGGAGGCCAAGCCTGGGGCTGGGGGCGGGTGGGCGGAGCAGCAGCTGG
TGGGTGGGGTGCAGCTGGTCTGGATAGATAGCTTACAGCAGTAGTGGGCTCTGGAATGCCAAGGGAAGAGCCAA
GGTGGGGCTGCAGCCTGGACTCGGCACTCACAGCTGCTGTGCAAACTCAGGCAGATCTCTGCCCTCTCTGAGC
CTGTGCACTTGAAAAAAACAGGACCTTTCCCTCCTTTGGGCTCCCTGGAGGTTTTTAAGCAGTACGTGCCTCCA
AGTTACCTCCAGATCAGCAGGCACAGGTGGGATTGCGAGGTATTTCTGAGCCCCGCGGGTTTGGGCCCTTGT
TTTTAGTGCTGAGAGCCAGTTGCTGCCCTGAGAAGAGAAGACAACCTCCATCTATTATTGCTTCTGAGAGCT
ACCTGGATGCGGCCCTCTGCAGGGCCAGTCTTCAGTCTGTGGTCCCTGGACTGGTGGGAACCTGAAGTAGGAG
TCCTGGGAGAGCTGTGGTGGGAATATGGGCTGGCACTGCTGCAGGGCAAGAACATTATGTAGGAGCCCGAGGAC
CANCANGCTGGGAATGGGAGCAAGTACGTACGTCTGTCTATCCCCACAGTTAACAAATTGGCGGGGTGGGAA
GTCTGAGTGCTCCGTCCCTCTAGCATCACTCCTGAGCTGCGGGAGAGGTGGCCAGAGAACAGCAGAGTCACTT
ACACCTGCAGCTCTTGTCTAAAGTGATTAGATGGCCACCCTCACCAGTGTCCAGTCCAGCAGCAGCCTGGCTGCC
TTGTCTATGGCCTCCTGGGGGCAAGGGCATGTGGACCACGGGATTTGTAGCCAGCCAGCTCCAGGCCAACGCC
CAAAGCCCTGATGACCTGGTCTTCTGAGGCCCTCAACCTGGCATCTTAGGGTATGGTCAGGCAACAGGGTGACC
AGCTGTCTGGTTTCCAGGACATGGAACCTTCAATGTCTAAACTGGGACATTACCCAGCAAGTGGGGATGGTTG
GTCCCCCTACCAGGAGAGGGGCTGGGGCTCTGTCTCCCGAGAAGCCTGTGGCTTGAAGAACCTTGACTGCTTGG
TCCTCAGGTATCTACCTCCCACCTTCTCCTCATCTGTGGAGCAAGCCAACCTCAGTGCCCCAGACCCACCTGATC
TGCACTCTTGTGTTGCTCCAGAGACACCTGAGGCCCCAGAGCTTGAGGCAAAGCCAGGCCGTCCTCAATCTGTG
CCGTGGACGAGTGGCCACTTTACTACTCCTAAGGCTAAGATGTTGAGAGCTCAGACCACTGCTCAGAGAGTAAT
CCCTGCTCAGAATGCTCCAGTTCCTCGTCCCTGCCAGGTCTCTGTCTCTTGGGAAGGAACTGATAGGTCCGG
GCCATTGTTGGGCCATCACTGAGCGCTCAGTATCTCAAGAGACTCTGTTTATTCTGCTCGTATCCCAAGGCCCTGG
TTGGTCAAACTCTGGGCAAAGGGTTTTTCCAGATGAGGAGGTCAAGACAGGATGTCCAGAGCTACCGAGTTCATCT
GTGGGTGTTGGGGCAAGTGGGGCTGAAGTCTGTGACGGCTGCGCTGGCCCCACCTGCCTTGTGCCCTGGAGT
GGGGTTTCTCCTTGTGAAGAAGAGGCATCCTTCTCTGATGTGCACAAACACAATGTATGACCAGAGCCTTGCAA
CTCAAAGTGTGGTCTGTGGACCAGCAGCGGCAGTGACACCTGGGAGCTTGTTAGGAATGCAGAGTCTAGGCCTCA
CCCTATACCTCCGACTCAGACCCTGCATTTTAGCAAGACCCCGAGTGTCTCTATAAGCACTTTAGAGTTTGA
GAAGCAAGGACCTAGGCTGGGGATGTCTCCGAGCAGAGGGTGAAGTTTCTCTCAGTTCTCTCCCTGCCACTTCC
AGGGATCTGAGCCTGTGTTACGCTCCTCCCTAACCCACCCTGGGAGACACTTGGCCTGTAGATTGTTCCAGAG
TCTGCATGGCACTCCTGAAGAAGGGAGTGTGACCTGCAGTACCAGGAGATAGGGTTAGGTGTGCCAGCCCTC
CAGACCGGCCCTTCTGGTTAACCCCTGCATGCCAAGCTGCCTGCTGCCCGAGGTCTCACCTCAGGCCTTTGAA
GGGGCAGCTTCTGGAAGTTGTTTTCTCTCTGCTTGGAGAGTTTGCCTTGTCTGTCTTGGAAAGTGTGGGCAGC
CACAGATGCCCCCAAATCAGAGCTCACAGTGAAGTGAAGCTTCAAGCTTCAAGTCTGCAATAAAGAATGCATTGGTT
TCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

76/550

FIGURE 76

MLKKMGAEAVARVARKVNETVESGSDTLDLAECKLVSFPIGIYKVLNRNVSGQIHLITLANNELK
SLTSKFMTTFSQLRELHLEGNFLHRLPSEVSALQHLKAIDLSRNQFQDFPEQLTALPALETIN
LEENEIVDVPVEKLAAMPALRSINLRFNPLNAEVRVIAPPLIKFDMLMSPEGARAPLP

Important features of the protein:

N-glycosylation sites.

amino acids 17-21, 47-51

77/550

FIGURE 77

CACCAACAAGCAATCGTTCATGAGAAAGCCGTGCACCCGCTGCAGTTGGGCCATGTGGTCCGCATCGTATTCCAC
TAGGTCCCCATTGTACACCAAGTACTGTCCCGCGCTCTCCAGCAGATGCCTGCAGCCTTCCACCTTCTCAAGCAG
GGTGGTGTGAGTGCCTGCTTTCTCTCGCTGACCGGAGCCGTGCGGGAGGCACCCCGGGGGTGGAGAA
AAAGCCGGCCTGGCCTCGGAGGTGGTCTCGGCCCGCCGCCACCGACTCCCTCCCTCCCTCCAGAGCGGCGGC
GGCTCCGGCGGCAGCAGCGGCAGGCAGCAACGTAAGCGGGATGCTCTCCAGGCTGCTTTTCTGCTCGGTAGCAA
ATGGCTGAGCTGGTACATCTCGCTCTCCAGGTAGGAGATCTCGCGGGCGCTCTCTATGAACGCGGCTAGTTCTG
GTAGACGTTGCGCTTCAGGTTCTGCGCGCTCTCTCCGCGAGCGCCTGGATGCGCTGCGGCTGCTCTGGAGGTC
CCGCTCCCATCCGACTGCTGCGAGAGCTGCTTACGTACAGCGCGCTCAAAACCCCTGACTCCAGCTGCCG
ACGCAGGCGGCTCGCCCCACTGTCCGACATCGCCATTTCTCTCGGGTCTCACGACTCACTGTCACTA
TCGGCGCCGAGCGCGCGGGTGTCTAGACCCACCAAGGCCAACCAGCTCCTGGGCTGAGGAAGCAGGAATG
GGAACGAGACGAGTACGCTGCGCGGGTCTGAGCGTCAGACACTGCGCCTGCGCAAGTGGGCCGAGCGCAGACA
TTGCGCCTGCGCAGCAATGCCATCGGTTAAAGCGCATGCCAAGATGAGCTATTGCGGAAGTGAGGGGAGGGAGA
GGCCGAGAGAAATTTCTGACTGCGCATGAACCGAGCGTGACGTTGAGGTTTGAATAACCGCAAGAGATAAG
GCTGAAACTAGCTTCTGAAAGCTTCGTAGGGCCCGAGCCCTGTGAGCCAGGTTCTGCGCCACTAGGAGGTGT
CATGCTGACTGCTTTTTTTAAAGCCCTAGAATCCTTGGCTTGGCGTTTGGGGTAAGCTCCGTTCTCGTTCTCAA
GCGCGTTTCCGCGAACTCTCGCGGGATTGACGGGCGCTCTCGAGAGCGCGCATCTCTAGGAGCTAGTCTGGTC
CTCGGCTAGCGGCTTGGGGTTCGCGCGTAAGTGGGGAGCCAGCCTGACGCGCGGCGACCCGCTGTGATCCTG
GCAACGATGGATGATGACTTGATGTTGGCACTGCGGCTTCAGGAGGAGTGGAATTGCAGGAGCGGAGCGCGAT
CATGCCAGGAGTCCCTGTGCTAGTGGACGCGCTGTTGGGAGTTGGTGGACCCACACCGGACTTGCAGGCACTG
TTTGTTCAGTTTAAACGACCAATCTTCTGGGCGCAGCTGGAGGCGCTCGAGGTGAAGTGAGCGTGGCAATGACC
CTGTGTGCTGGGATATGCAGCTATGAAGGGAAGGGTGAATGTGTTCCATCCGCTCTCAGCGAACCCCTTTGAAG
TTGAGGCCAAGAAAGGATCTTGTAGAGACCTCCTGCTGAAATGATACATGCCTATTTATTTGTCACTAATAAC
GACAAAGACCGAGAAGGGCATGGTCCAGAATTTGTAAACATATGCATCGCATCAACAGCCTGACTGGAGCCAAT
ATAACGGTATACCATACTTTTACGATGAGGTGGATGATCGGCGCACTGGTGGCGCTGCAATGGGCGGTGC
CAGCACAGGCCACCGTATTACGGCTATGTCAAACGAGCTACTAACAGGGAACCCCTGCTCATGACTATTGGTGG
GCTGAGCACCAGAAACCTGTGGAGGCATTACATAAAATCAAGGAACAGAGAATTACTCAAAAAGGCAAA
GGAAGGCAAAACTAGGAAAGGAACAGTATTGGCCGAGAGAATAAAGGTACCTTCGTGTATATTCTTCTGATT
TTTTATGACCAATAGCTATGATGTAAGACAATACTGTCTTTCAGAGAACTGGTATTAAAGATAAACTTAAGGATC
GTTTCTGGTGTAGAAGTCTTCAAGTGTAGACTTAAAGGAAAAATCCCACTGTCCATGAAATGATGGTAGGAAAAAC
AGACTTTGCTCTGTACAGAAAGTAAAGTAAAGTAGGAATAGTTCCATGGATATTTTTATTTTATTAACCTTTTTT
CAGTTTCTTTTTATTCAAAGAAACAAATTCATCTCTGATAATATTGAGGTAAAGTCCCTTCCCTATCTTGA
CTCACTGAGTTATTAGGAAACAGAGGCAAAAGATTGTCAAAATAAAACAATAATTCAAGTAACAATGCCCGG
AATATACGTCCTAATACACCCCTTCTATCAGCTGGATTCTATCCAAGTGACTCTATTGATGTATGTATGTTCA
TTCAAAGAATGGGAAAGGATATGACATATATTTGCCAGTACTTCTATCTTCAAGATTACCTTTTCTGTGAAG
TTCAGAGTTACTGAAGATGCTTCTTCCCTTGGGAAGTTGTTGACCCAAGAACATAGGTTATATTTCCCAATCTT
TAATTATTGAGTGAAAGAGCTATAGATGAATTGATATGGAAGACCGTATCTTCATTTCTGTGAGTAGAAGGAAA
GATAAGAATGAGGCAGCAGATTTTCCCTCCTGGAATTACACATAAAGGACACTAAGCAATTTTCAAGGTAATGT
TGCTTGTGTTGGTCTTTGGCATGATAAGATTCTTTATTTAAATATGAGAGAATTTTTTTTTATCCTTTATATT
CTCTCAATATCAGAACTCCTGAATTCTGAAGATTGCCCTCTCCATTAATAGGATTGTATGGATGTAAGATGGA
ATAAAATACTAGTTCTTCATTTTGAGAAAAGTACATTAGTTTAAATGTTTGTACTGTATTCTTTTGAGTTGA
GGCACTTACATAACAATCTCTTTGCTTTTTTGGCAGATAAACCAACAGAGGTGAGGCCAGCTAGTAATCCCT
TTAGTGGGAAAGGATATGTTCTAGGAGAAACAAGCAATTTACCTTACCTGGGAACTGATCACTTCACATGCC
ATTAATAAAACCAAGATCTTTTAAATCAAAACCATTCAGCAAATGCTGTAAGACCTAATTCTAAATCAAGGTG
AAATTTGAACAGAATGGTTCAAGTAAAAATCTCATCTGGTCTCCCTGCTGTTAGTAACAGTACCAAAATGTT
CTAAGCAACTACTTTCTAGAGTATCATTTGCCAACCAGGCTTTCAGAGGTGTAATGGATCTCCAAGGATA
AGTGTAAACAGTTGGCAACATCCCTAAAAACTCAGTCTCTTCTAGTTCTCAGAGAAGGGTTTCATCTTCTAAGATA
TCCCTAAGAAATCTTCAAAAGTAACGGAATCAGCATCTGTGATGCCATCCAGGATGTGAGTGGGTCTGAAGAT
ACATTTCCCAATAAACGACCTAGGCTAGAAGATAAAAAAAA

78/550

FIGURE 78

MDDDLMLALRLQEEWNLQEAERDHAQESLSLVDASWELVDPTPDLQALFVQFNDQFFWGQLEA
VEVKWSVRMTLCAGICSYEGKGMCSIRLSEPLLKLRPRKDLVETLLHEMIHAYLFVTNNDKD
REGHGPEFCKHMRINSLTGANITVYHTFHDEVDEYRRHWWRCNGPCQHRPPYYGYVKRATNR
EPSAHDYWWAEHQKTCGGTYIKIKEPENYSKKGKGKAKLGKEPVLAAENKGT FVYILLIFM

Important features of the protein:

Signal peptide:

amino acids 1-41

N-glycosylation sites.

amino acids 148-151, 217-220

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 184-187

Casein kinase II phosphorylation sites.

amino acids 30-33, 121-124, 154-157, 187-190, 192-195

Tyrosine kinase phosphorylation site.

amino acids 211-218

N-myristoylation sites.

amino acids 59-64, 85-90, 146-151

Neutral zinc metallopeptidases, zinc-binding region signature.

amino acids 108-117

79/550

FIGURE 79

CGGACGCGTGGGTGGCAACCAGGAGAAGCCAAACTTGGTCCCCCGGCTCGCGGAGTGCCTGCG
AGCGGTGCTC**ATG**GCGCTCTATGAGGTCTTCTCTACCCGGTCGAGCGCAGTTACCGCGCGGG
GCTCTGCTCCAAAGCCGCGCTGTTCTGCTGCTGGCCGCTGCGCTCACGTACATCCCGCCGCT
GCTGGTGGCCTTCCGGAGCCACGGGTTTTGGCTGAAGCGGAGCAGCTACGAGGAGCAGCCGAC
CGTGCGCTTCCAACACCAGGTGCTGCTCGTGGCCCTGCTCGGACCCGAAAGCGACGGGTTCCCT
CGCCTGGAGCACGTTCCCCGCCTTCAACCGGCTGCAAGGGGATCGCCTGCGCGTCCCGCTCGT
TTCGACTAGAGAAGAAGACAGGAACCAGGATGGGAAGACGGACATGTTACATTTTAAGCTGGA
GCTTCCCCTGCACTCCACGGAGCACGTTCTCGGTGTGCGCTCATCCTGACTTTCTCCTATCG
ATTACACAGGATGGCGACCCTCGTGATGCAGAGCATGGCGTTTCTCCAGTCCTCCTTCCCTGT
CCCGGGATCCCAGTTATACGTGAACGGAGACCTGAGGCTGCAGCAGAAGCAGCCGCTGAGCTG
TGGTGGCCTAGATGCCGATACAACATATCCGTGATCAACGGGACCAGCCCTTTGCCTATGA
CTACGACCTCACCCATATTGTTGCTGCCTACCAGGAGAGGAACGTTACCACCGTCTGAATGA
TCCCAACCCCATCTGGCTGGTGGGACGGGCGCAGATGCTCCATTTGTGATTAATGCTATCAT
CCGATACCCTGTGGAAGTCATTTCTTATCAGCCAGGATTCTGGGAGATGGTAAAGTTGCGCTG
GGTACAGTATGTCAGCATCCTGCTTATCTTCTCTGGGTGTTTGAAAGAATCAAGATCTTCGT
GTTTCAGAATCAGGTGGTGACCACCATTCCTGTGACAGTGACGCCCCGGGGAGACTTGTGTAA
GGAGCACTTATCC**TAG**AAAGGCCATTTCTGAAGACTCAGCAGGACCGTGGCTGCCTCATTGTC
ATCTTCTGGGAACATCTTAGGACCTTTTGAAAGAGCCAGCGGACACCTGCGGGCTTGTGTGC
TTTTCCCTCAGAGACAACGGTTCTTCCGGTTTTGCTCTACACAGTTCCGTATCTTCAGAGCT
CCTGCAGAATTGTCAGGGACTAGTTTTGTGGAAAGGCTCTGAGAGTTCTTGAGGCTATAATTAG
CTTTTTGGGTTTTCTTCTTTGCTTAGCGTTGAATTTAGGAGAAAATTGCAGTCAGTTTCAG
ACATCTTGGAAGAGTCCCATCTCTGGTCAAGCAGAGACTTTTCTCTGTTGAAGTGAAGAAC
AACTGTGCATTTCTTCTTCTGTTGTGAGCCACTTACTCTTTTCAGGGCTCTCTTGTGAC
AAACATGCCAATCACTAGCACTTGCACCCCTGGGCTTCTCCATTTCCCATTCACAGCTTTGA
TTCCAGAGCTGAGGCCTTTAACTGGAGACCTGGAGGGGAGGGCCCAAGGGCAAGGGCCGCA
TTAGCACAGGCAATCAGGGAGGGCCGCTGAAGGACACTTGGACCGTCCACCTGCCCCAGCCCA
ACAGTCAGTCATCTGTCTCAGCTCAGCTGAGCAGCCCTGGATCTTTGCCGTACTGTGACTGG
GCTCTTTGCCCTATTTTTCCCTCTGTCTGTGCCCCCTGGATGGCAGGCTGAAGTCAGAGGGCT
GTTTCATTCTCAGCCCCCTCAGCAGCACTGGGGGAAGAAAGCATTGTCAACAGGTTCTTTC
TGGCCCTCACCCAACAGCCTGGGCACTTGGCCCTCCTCCTCTTGACAGCCCTCCCCCTTCTCT
GCAAAGGACAGGGGCGACAGGGGTTGGTGTGGGATTGGCTCCCGCTGCCTGACAACCACAAG
TTTATTTGGAAGGCTAGCGGGAAGCCAGCGGCTGGCGTTTCCCTTGACTAAGGAACAGGGTG
CCCATCAGAGTGGGGCGGGCAGCTTTGGGAAGGACACAAGAAGCAGTAAGAGTGTAAGAGGA
TGCTGGCCTGGGCAGGCCAGTCCAGCCTGGCCACTAGCAGAATACCAAGCAGTCCAGTGGAAT
ACCCTCGTGGCTAAGCAAGTGTCTGCAGGAGCAGAGATGGCTGGAAGGGGCTCTGCACACGG
AAGATGGCTTGTTCAGCCATTACCTCCTGAGGATGTGGGCAGTCTCCTCCAAGAACACATG
GAGCTGCTTCTGATCCCAAGCAGGTCATTGCCACTGGAAGGACATGGCCCCGGTGATCCATG
CTTCATGCCCCACCCAGAAACACACCCCTCAGTGTGTGCCTCAGTTTACTTTGGAGATCAGTTG
TCGTTTTTAGTGCTCCTTTAGGCTTACTAAAACAGTTTTGGAAACAAAGCTATTTTGAAGTAT
TCAAGCAGAGGAATCCCTAACACTGACCCCTTGTCTTTTTTTAATATTACAGGCTGTTTTAT
ATGCCTAAATTTTTTCTTAAGATCTAAACGAAAAATAGTTTTCTTGTTTAAATTACATAAGG
CAATGAGATATGGAAAGATGACAAGATACGTATAAACATTGGTTTGCATCTTATTAAATTATT
CTAATGCAAATCTTGATAAAGAACCCATGATGTTTTGTAACTTTCTAATTTAAATGTTCAAA
ATGAG

80/550

FIGURE 80

MALYEVFESHVPERSYRAGLCSKAALFLLLAALTYIPLLVAFRSHGFWLKRSSYEEQPTVRF
QHQVLLVALLGPESDGFLAWSTFPAFNRLQGDRLRVPLVSTREEDRNQDGKTDMLHFKLELPL
QSTEHVLGVQLILTFSYRLHRMATLVMQSMFLQSSFPVPGSQLYVNGDLRLQKQPLSCGGL
DARYNISVINGTSPFAYDYDLTHIVAAYQERNVTTVLNDPNPIWLVGRAADAPFVINAIIRYP
VEVISYQPGFWEMVKFAWVQYVSILLIFLWVFERIKIFVFQNVVTTIPVTVTPRGDLCKEHL

Important features of the protein:

Signal peptide:

amino acids 1-34

Transmembrane domain:

amino acids 268-284

N-glycosylation sites.

amino acids 194-198, 199-203, 221-225

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 51-55

Tyrosine kinase phosphorylation site.

amino acids 250-259.

N-myristoylation site.

amino acids 187-193

Cell attachment sequence.

amino acids 307-310

81/550

FIGURE 81

GCCGGGAGCTTCCTGATGGTGCCGCCGCTCCGAGCCGGGGAGGAGCTGCCAGGGGCCAGCTGGGCAGGAGCCT
GGGTCCGCTGCTGCTCCTGGCGTTGGGACACACGTGGACCTACAGAGAGGAGCCGGAGGACGGCGACAGAGA
AATCTGCTCAGAGAGCAAAATCGCGACGACTAAATACCCGTGTCTGAAGTCTTCAGCGGAGCTCACCACATGCTA
CAGGAAAAAGTGCTGCAAGGATATAAATTTGTTCTTGGACAATGCATCCCAGAAGATTACGACGTTTGTGCCGA
GGCTCCCTGTGAACAGCAGTGCACGGACAACTTGGCCGAGTGCTGTGTACTTGTATCCGGGATACCGATATGA
CCGGGAGAGACACCGGAAGCGGGAGAAGCCATACTGTCTGGATATTGATGAGTGTGCCAGCAGCAATGGGACGCT
GTGTGCCACATCTGCATCAATACCTTGGGCGAGTACCGCTGCGAGTGCCGGGAAGGCTACATCCGGGAAGATGA
TGGGAAGACATGTACCAGGGGAGACAAATATCCCAATGACACTGGCCATGAGAAGTCTGAGAACATGGTGAAGC
CGGAACCTGTGTGCCACATGCAAGGAGTTCTACCAGTGAAGCAGACCGTGCTGCAGCTGAAGCAAAAGATTGC
TCTGCTCCCAACAATGCAGCTGACCTGGGCAAGTATATCACTGGTGACAAGGTGCTGGCCTCAAAACACCTACCT
TCCAGGACCTCCTGGCCTGCTTGGGGCCAGGGCCCTCCCGGCTCACCAGGACCAAGGGAAGCCAGGCTCCC
CGGTATGCGAGGCCCTCCTGGGCGAGCCCGGCCACGGGGCTCAATGGGACCCATGGGACCATCTCCTGATCTGTC
CCACATTAAAGCAAGGCCGAGGGGCCCTGTGGGTCCACCAGGGGCACAGGAAGAGATGGTTCTAAGGGGAGAG
AGGAGCGCTGGGCCAGAGGGTCTCCAGGACCCCTGGTTCTTTGACTTCTCTGCTACTTATGCTGGCTGACAT
CCGCAATGACATCACTGAGCTGCAGGAAAAGGTGTTCCGGGCACCGGACTCACTCTCAGCAGAGGAGTCCCTTT
ACCTCAGGAATTTCCAGCTACCCAGAAGCCATGGACCTGGGCTCTGGAGATGACCATCCAAGAAGAACTGAGAC
AAGAGACTTGAGAGCCCCCAGAGACTTCTACCCATAGCACATCCCAACACCGTCACGCCAAAGGAAGAGAAAGAT
CAACTCACCTGCAGTTAAACCATCTAAAGAGAAGAAAGACCACCTGGAGACCTAGAAAACATACATTTTCTCTTC
TCTTCTCCTGACGTCTCTCCACTCCTCTCTTCCAAATACGATGCTATTTTCAGAGTCCCCTCCTAGGCCTGCAG
ACATGAGGGAGTGAATGATTGATTTACCTGCTTCTCACTAAGAGTCCATTGGGGTGGTTTGCATTGTAACCTTTTC
TTTTACATCCTATTTTCCAGGAACCTTGGATTAAAGTACTCTCACAGTGTCTTAAATCATAAATTTCTTGAAGTT
AAATTTGGCAGAGTATCAAAAGGGGAAAATGACAAAGTGAGCTCTAAGAAAATGTGAGGCTACTTCTAAGATGT
GTGTTCACAATAGACCATAACTCCTCTAGTATCAAAATGGGGCTCTCAGTTAAAAGGGGTGGGAGGACAAA
CGTGTCGATGTGCTTTGGTGGAGAATTTTCTTGTGCTTCTAGTAGACTTTAAATATTGTATCCCTTTGTCAA
ACCTTGTTTCCCAAATTCATTAAGAGAGGAGAGAATTGAATGGCGTTTAGAGAAGATAGAAAAGAATCACAGT
CATATATTTACTGTTATATAGATTGCCACATTCTAAAATTCAAATACGGTGCTTAAGGTTTCATGCCATGCTTAT
CTGTAAGTATCCTATTTAGGGAAGAAGATAAACTCTCTTTTCAAAAAACAAAGTGAATGCCTGGATTACAT
TAAACAATGGGCTCTCGTTTGCTATAATATTTTAAAGCTGTTTAAATCAACAGTGGAAGTCTGCTCTATAAATATA
GATTATTTGTTCAATAAACTGGCTGAGCTTAGAGAGAGGTGCAGAATTCTGGTCTGAGCAGGTGCCAGAAGG
TACCATTAGGTGCCATGATCCAGGCTGAACCAATATACAGTGGGGCTGAAGTCTGCAAGGAGGTTGCTGGCTTGG
GCTGACCTCACTAATGCCATCAGCAGCGTAGGTAAATTTTCTCCTTGGGTATTACAAGTTTTTGTCTGGAGC
CAACCAAGCTTGCCACCAACATATTGAGAGTAATACACTATTGAAAGTTATCTTGGATGGGGAGAAAAAAAATA
GTGTTTTCTTCTTGTGCAAAAACCTCCTTCTTCTCATTCTTCTTAAATTTCTTAAATTTAGTCCAAGTTC
CAGTTCTTTTAGGCCCTTCTCTTTGATTATTTTCCCTCCATGTGAGAAGCAGTTCAGAAAAAGGTCTATATCTC
CACCTCCTAGTGAGTTAGAGTGTCTTCTCAGAGCACCTCTGGGTGGCAAAGGGAAGCATGTTCTGCCAAGGTTT
GCTGTGGATTGAGAAGCACCAGGAGCAAGAGACCAGAAGGATGATCTGCTCCTTTGTAACGTTGTTGAGGGCCCT
CTTGTTTCCAATGAGCAGCTTATAGTTACTCACAGTCCACTTCTCACTGGACACACAAAGTGGCTCTTATCT
ACCTTTGCGGGAGATTTTCACTCTCCTGCAAAATGATCGTTCTCACACTCATATTAGCTCATGTTGGAATTTCCCA
TCTGCCATGTCTTTCCCATTTCTTTTGGCTTTTGGCTCCACCTTTTAGCCACATCATTTAACTCCACTA
CTGTGAAAGCTTGCTTAAAGAAAATCCCTCTTGGCCGGGTGTGGTAGCCACGCCTCTAATCCAGCACTTTGGG
AGGCTGAGGCGGGGAGATCAAGGTGAGGAGATCGAGACCAGCCTGACCAACATGGTGAACCTGTCTCTACT
AAAAATACAAAATTAGCTGGGCGGTGGGCACACACCTGTAATCCAGCTACTCAGGAGGCTGAGGCAGGAGAA
TTACTTTAACCTGCGGGGGAGCCTAGATTGCGCTACTGCACTCCAGCCTAGGCAACAGAGGGAGACTCTGTCTC
TTAAAAA

82/550

FIGURE 82

MVPPPPSRGGAARGQLGRSLGPLLLLLLALGHTWTYREEPEDGDREICSESKIATTKYPCLKSS
GELTTCYRKKCKCKGYKFVLGQCIPEYDVCAEAPCEQQCTDNFGRVLCTCYPGYRYDRERHRK
REKPYCLDIDECASSNGTLCAHICINTLGSYRCECREGYIREDDGKTCTRGDKYPNDTGHEKS
ENMVKAGTCCATCKEFYQMKQTVLQLKQKIALLPNNAADLGKYITGDKVLASNTYLPGPPGLP
GGQGPPGSPGPKGSPGFPGMPGPPGQPGPRGSMGPMGSPDLSEHIKQRRGPVGPFGAPGRDG
SKGERGAPGPRGSPGPPGSFDFLLMLADIRNDITELQEKVFGHRTHSSAEFPLPQEFPSYP
EAMDLSGSGDDHPRRTETRDRLRAPRDFYP

Important features of the protein:**Signal peptide:**

amino acids 1-34

N-glycosylation sites.

amino acids 142-148, 182-188

Tyrosine kinase phosphorylation site.

amino acids 125-132

N-myristoylation sites.

amino acids 10-16, 143-149, 155-161, 196-202, 250-256

Amidation site.

amino acids 299-303

Aspartic acid and asparagine hydroxylation site.

amino acids 150-162

Cell attachment sequence.

amino acids 176-179

Clq domain proteins.

amino acids 247-280

Calcium-binding EGF-like domain proteins pattern proteins.

amino acids 144-165

83/550

FIGURE 83

ATCTGAGTGAGCTAACTGACACAATGAACTGTCAGGCATGTTTCTGCTCCTCTCTCTGGCTC
TTTTCTGCTTTTAAACAGGTGTCTTCAGTCAGGGAGGACAGGTTGACTGTGGTGAGTTCCAGG
ACCCCAAGGTCTACTGCACTCGGGAATCTAACCACACTGTGGCTCTGATGGCCAGACATATG
GCAATAAATGTGCCTTCTGTAAGGCCATAGTGAAAAGTGGTGGAAAGATTAGCCTAAAGCATC
CTGGAAAATGCTTGAGTAAAGCCAATGTTTCTTGGTGACTTGCCAGCTTTTGCAGCCTTCTTT
TCTCACTTCTGCTTATACTTTTGCTGGTGGATTCTTTAATTCATAAAGACATACCTACTCTG
CCTGGGTCTTGAGGAGTTCAATGTATGTCTATTTCTCTTGATTCACTTGTCAATAAAGTACATTC
TGCAAAAGCAAAA

84/550

FIGURE 84

MKLSGMFLLLSLALFCFLTGVFSQGGQVDCGEFQDPKVYCTRESNPFCGSDGQTYGNKCAFCK
AIVKSGGKISLKHPGKC

Important features of the protein:

Signal peptide:

amino acids 1-23

N-myristoylation sites.

amino acids 26-32, 52-58, 56-62, 69-75

Kazal serine protease inhibitors family signature.

amino acids 40-63

85/550

FIGURE 85

GGAGCAGACACACAGACCCGGGCGGAGGCCCTCTTCTAGCCCTGCGGGAACCGGACAGTTC
CCCAACTGGGGACTCTGGAACCACAGCTCCTAAATCATCAAATTTCTCAAGCTTTTTTTTTTCCC
TCTCTTCGTCCCAGCCATCCCAGTCTTCTTCTTCTTTTTTTTTTTTTTAACTTATTGTTTTTT
TCGCTCCTGTCTATTATGAAAGTGGTCACGCCATTCAATATTAAGACTTGGAGGGAATTGGGGA
AAGAAAAGAAAGAAATCTAAAAGAAGAGAAGCGACCGGTGCTTTTAAGGGTGTCTAATTTTCAA
AAGAGACGTCTGGGAGTATTTTGCTCTGGGCGTTTGGAGCAACTTCGCGGACAGCGGAGCTCG
CCCAGCATGGATGTTCCAGGTTTACAGGCGCCTTTCTTCTGAGAACGACCCTGGCCTTGAACG
TCAGAGCCGGGACGAAGGCCCCGGAGGCTGCTGCGAGCTCCGCGCGTTCTTTCGCGCCCTT
CCGCGCCGCTCGCGCCGGCGCCGGCCTCCACCCCGCGCGCCGCTCCACCACTCCCGATGC
AGGCGCCCGGCGGGGGGCCACTCGGGCTGCGGCTGATGATGCCCGGGCGCGGGGGGCGCTGC
GCGAGCTGGCGGCTGCGGATCTGCTGGGGTGGCGCTGGCCCTGCTGTTGCTGCTACTGC
CCGCTGCTGCCCCGTGCGGGCGCAGAACGACGAGCCCATCGTGTGAGGGCAAGTGCC
TGGTGGTGTGCGACTCCAGCCCGTGGCGGACGGCGCCGTACCTCCTCCCTAGGCATCTCCG
TGCGCTCCGGCAGCGCAAGGTGGCCTTCTCCGCCACGCGGAGCACCACGAGCCGTCCG
AGATGAGCAACCGCACCATGACCATCTATTTGACCCAGGTATTAGTAAATATTGGCAACCACT
TTGATCTTGCTTCCAGTATATTTGTAGCACCAGAGAAAAGGGATTTATAGCTTCAGCTTCCACG
TGGTCAAAGTGTATAACAGACAAACCATCCAGGTGAGTTAATGCAGAATGGCTACCCAGTGA
TCTCGGCCTTTGCAGGAGACCAGGATGTCACCAGAGAAGCTGCTAGCAATGGCGTGCTGCTGC
TCATGGAAGGGAAGACAAAGTGCATCTCAAACCTTGAGAGAGGCAACCTCATGGGGGGCTGGA
AATACTCCACATTCTCGGGCTTCTTGGTGTTCCTCTATAAACACAGAGCCCCCTAGATGGTG
GGGGAATGGCAAACCTGGACCCAGGACTCCGCCCTTTAAACACCCCTGAACTTACTGGAATTGG
ACACCTTGTTTCCAACCTCCGTCAGACTGTTGCGAGTAGAAGAATGATTTCCCTTGAAACCTCC
AGTACTTTTGTGTTTTGTTTTTGAATACTGACAATTCCTCGGGAACCTGGCCTCTAATTAGT
TTTAGATGACAAGGTCTTAAGGAGAAATGAAATTATCGATTTGAGCAATTTGTATGTTGATTG
GTAAAGTCAATATCGGATTTTATTGTTGGGACCATGGACCTCTTTTGTGTTGTATGTTGATTG
TCGTCCCAACGGAAGGAGAGCTCCTGACTCCAGGATGGGCTGCAGGTTGCAGTCAGGGCTTGA
AGTAGGAGCCAGCAAAGAACCACCTGCTGGACAGTCTTGACATGTGTTCTGTGTGTGTCTG
TATAGCCTTAAGAAAAGAATGGCTTCACTTCTATTCTGTATTCTTCCCCCACCATGTGGCT
GGGAGGACTTGGGAGGGGGATGGGACATTGGGAACCTGTCAAGAAGTGCTTTATCCAGAGAA
GCAAATTTGACGATTGGACTGCAATTTTTGTTTTGTATTGTTTGTGTTTTTCTTGAAAG
CTTTACTTTTCTTTCCACACTCAGCTCTCCCTCCTCAACCCCACTTTTATTTTCTTGCTGGG
GTTGAGGAGAGAAAATATAGAATTCCTGGATAAGACCAAACAAAACAAATTAATAACCT
GTATGTTTTGTTTTAGACGAGACCAAACATAAAGTATCTGTTTATCAAAGTAAAGTA
ACACAATGGACAATTCGCTTATTCTCTCAAAGAGATTCTAAGATGCACCTTTAGAACTATTA
ATAGCAACCTGCATTTTTTTTTTAATTTATACTTCAGAATCCTTTAAGAACCTGGTGTCTCTGA
GTGGTCCCTGAATCATATAAGTTGGTAATGGAAGCTGTAATGACCAAGTCCCTAAACATACTA
TGCTTTTGCCACGTGTGCTGTGACTTCTCTGTGGGTGATTTAATTTATTTGGATCCACCTCTG
AGTGAGCGCACAGTGATCAGGTGCTTCAAAGCCAACAGACCAGCTCCTCTTCTCCGGATCCT
CTTTTGATCTGCCAGGAAAGGGATGCATTGACACTCTCCTGCATGCACCTGGCGAGAAGCCA
CCTGAAAGTCACTGTGGTTAAAGATATTGGTGGAGGTACCCAGGAGCACTGTTACAAATCCT
TCTTGTTTTGGCATCTCGTACAACATTATTAAGACACAGCTGAGAGTTGATGGGTGTGTAATG
CATATGCCAAGGAAATGTCACTAATCCCAAAGCAATCAAAAAGGAGACCTCAAACCAGATGTT
AATTTGTTCTTTGTGTAACAATGTAACCAAAATATTGATGATAAAGTCATAATTTAAGATTC
AGAATAAATGGGTTTGATGTCTGGCAAAAAAAAAAAAAA

86/550

FIGURE 86

MQAPGRGPLGLRLMMPGRRGALREPGGCGSCLGVALALLLLLPACCPVRAQNDTEPIVLEGK
CLVVCDSPPSADGAVTSSLGISVRSGSAKVAFSATRSTNHEPSEMSNRTMTIYFDQVLVNIGN
HFDLASSIFVAPRKGIIYSFSFHVVKVYNRQTIQVSLMQNGYPVISAFAGDQDVTREAASNGVL
LLMEREDKVHLKLERGNLMGGWKYSTFSGFLVFPL

Important features of the protein:

Signal peptide:

amino acids 1-48

N-glycosylation sites.

amino acids 53-57, 110-114

N-myristoylation sites.

amino acids 26-32, 27-33, 29-35, 33-39, 76-82, 205-211

Amidation site.

amino acids 16-20

Clq domain signature.

amino acids 117-148

Clq domain proteins.

amino acids 115-149

87/550

FIGURE 87

AGGGCCCGCGGGTGGAGAGAGCGACGCCGAGGGGATGGCGGCAGCGTCCCGGAGCGCCTCTG
GCTGGGCGCTACTGCTGCTGGTGGCACTTTGGCAGCAGCGCGCGGCCGGCTCCGGCGTCTTCC
AGCTGCAGCTGCAGGAGTTCATCAACGAGCGCGGCGTACTGGCCAGTGGGCGGCCCTTGCGAGC
CCGGCTGCCGGACTTTCTTCCGCGTCTGCCTTAAGCACTTCCAGGCGGTCTGCTCGCCCGGAC
CCTGCACCTTCGGGACCGTCTCCACGCCGGTATTGGGCACCAACTCCTTCGCTGTCCGGGACG
ACAGTAGCGGCGGGGGGCGCAACCCTCTCCAAGCTGCCCTTCAATTTACCTGGCCGGGTACCT
TCTCGCTCATCATCGAAGCTTGGCAGCGCCAGGAGACGACCTGCGGCCAGAGGCCTTGCCAC
CAGATGCACTCATCAGCAAGATCGCCATCCAGGGCTCCCTAGCTGTGGGTGAGAACTGGTTAT
TGGATGAGCAAACCAGCACCTCACAAGGCTGCGCTACTCTTACCGGGTCATCTGCAGTGACA
ACTACTATGGAGACAACTGCTCCCGCCTGTGCAAGAAGCGCAATGACCACTTCGGCCACTATG
TGTGCCAGCCAGATGGCAACTTGTCTGCTGCCCGGTTGGACTGGGGAATATTGCCAACAGC
CTATCTGTCTTTCGGGCTGTCTGAACAGAATGGCTACTGCAGCAAGCCAGCAGAGTGCCTCT
GCCGCCCAGGCTGGCAGGCGCGGTGTGTAAACGAATGCATCCCCACAATGGCTGTGCGCCACG
GCACCTGCAGCACTCCCTGGCAATGTACTTGTGATGAGGGCTGGGGAGGCCTGTTTTGTGACC
AAGATCTCAACTACTGCACCCACCACTCCCCATGCAAGAATGGGGCAACGTGCTCCAACAGTG
GGCAGCGAAGCTACACCTGCACCTGTGCGCCAGGCTACACTGGTGTGGACTGTGAGCTGGAGC
TCAGCGAGTGTGACAGCAACCCCTGTGCAATGGAGGCAGCTGTAAGGACCAGGAGGATGGCT
ACCACTGCCTGTGTCTCCGGGCTACTATGGCCTGCACTGTGAACACAGCACCTTGAGCTGCG
CCGACTCCCCCTGCTTCAATGGGGGCTCCTGCCGGGAGCGCAACCAGGGGGCCAACCTATGCTT
GTGAATGTCCCCCAACTTACCGGCTCCAAGTGCAGAGAAGAAAGTGGACAGGTGCACCAGCA
ACCCCTGTGCCAACGGGGGACAGTGCCTGAACCGAGGTCCAAGCCGCATGTGCCGCTGCCGTC
CTGGATTACGGGCACCTACTGTGAATCCACGTCAGCGACTGTGCCCCGTAACCCCTGCCGCC
ACGGTGGCACTTGCCATGACCTGGAGAATGGGCTCATGTGCACCTGCCCTGCCGGCTTCTCTG
GCCGACGCTGTGAGGTGCGGACATCCATCGATGCCCTGTGCCTCGAGTCCCTGCTTCAACAGGG
CCACCTGTACACCGACCTCTCCACAGACACCTTTGTGTGCAACTGCCCTTATGGCTTTGTGG
GCAGCCGCTGCGAGTTCCCCGTGGGCTTGCCGCCAGCTTCCCCTGGGTGGCCGTCTCGCTGG
GTGTGGGGCTGGCAGTGCTGCTGGTACTGCTGGGCATGGTGGCAGTGGCTGTGCGGCAGCTGC
GGCTTCGACGGCCGGACGACGGCAGCAGGGAAGCCATGAACAACTTGTGCGACTTCCAGAAGG
ACAACCTGATTCTTCCGCCCCAGCTTAAAAACACAAACCAGAAGAAGGAGCTGGAAGTGGACT
GTGGCCTGGACAAGTCCAAGTGTGGCAAACAGCAAAACCACACATTGGACTATAATCTGGCCC
CAGGGCCCCCTGGGGCGGGGACCATGCCAGGAAAGTTTCCCCACAGTGACAAGAGCTTAGGAG
AGAAGGCGCCACTGCGGTTACACAGTGAAAAGCCAGAGTGTGCGATATCAGCGATATGCTCCC
CCAGGGACTCCATGTACAGTCTGTGTGTTGATATCAGAGGAGAGGAATGAATGTGTCAATTG
CCACGGAGGTATAAGGCAGGAGCCTACCTGGACATCCCTGCTCAGCCCCGCGGCTGGACCTTC
CTTCTGCATTGTTTACA

88/550

FIGURE 88

MAAASRSASGWALLLLVALWQQRAAGSGVFQLQLQEFINERGVLASGRPCEPGCRTFFRVCLK
HFQAVVSPGPCTFGTVSTPVLGTNSFAVRDDSSGGGRNPLQLPFNFTWPGTFSLLIEAWHAPG
DDLRLPEALPPDALISKIAIQGSLAVGQNWLLDEQTSTLTRLRYSYRVICSDNYYGDNCSRCK
KRNDHFGHYVCQPDGNSCLPGWTGEYCQQPICLSGCHEQNGYCSKPAECLCRPGWQGRCLNE
CIPHNGCRHGTCSTPWQCTCDEGWGGLFCDQDLNYCTHHSPCKNGATCSNSGQRSYTCTCRPG
YTGVDCELELSECDSNPCRNGGSCKDQEDGYHCLCPPGYGLHCEHSTLSCADSPCFNGGSCR
ERNQGANYACECPPNFTGNSCEKKVDRCTSNPCANGGQCLNRGPSRMCRCRPGFTGTYTELV
SDCARNPCAHHGTCHDLENGLMCTCPAGFSGRRCVRTSIDACASSPCFNRTCYTDLSTDTF
VCNCPYGFVGSRCFFPVGLPPSFPWVAVSLGVGLAVLLVLLGMVAVAVRQLRLRRPDDGSREA
MNNLSDFQKDNLIPAAQLKNTNQKKELEVDCGLDKSNCGKQONHTLDYNLAPGPLGRGTMPGK
FPHSDKSLGEKAPLRHLHSEKPECRISAICSPRDSMYQSVCLISEERNECVIATEV

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 530-552.

N-glycosylation sites.

amino acids 108-112, 183-187, 205-209, 393-397, 570-574, 610-614

Glycosaminoglycan attachment site.

amino acids 96-100

Tyrosine kinase phosphorylation site.

amino acids 340-347

N-myristoylation sites.amino acids 42-48, 204-210, 258-264, 277-283, 297-303, 383-389,
415-421, 461-467, 522-528, 535-541, 563-569, 599-605, 625-631**Amidation site.**

amino acids 471-475

Aspartic acid and asparagine hydroxylation site.

amino acids 339-351

EGF-like domain cysteine pattern signature.amino acids 173-185, 206-218, 239-251, 270-282, 310-322, 348-360,
388-400, 426-438, 464-476, 506-518**Calcium-binding EGF-like:**amino acids 224-245, 255-276, 295-316, 333-354, 373-394, 411-432,
449-470

89/550

FIGURE 89

GTCTCCGCGTCACAGGAACCTTCAGCACCCACAGGGCGGACAGCGCTCCCCTCTACCTGGAGAC
TTGACTCCCGCGCGCCCCAACCCCTGCTTATCCCTTGACCGTCGAGTGTGAGAGATCCTGCAGC
CGCCCAGTCCCGGCCCTCTCCCGCCCCACACCCACCCCTCCTGGCTCTTCTGTTTTTTACTCC
TCCTTTTCATTTCATAACAAAAGCTACAGCTCCAGGAGCCCAGCGCCGGGCTGTGACCCAAGCC
GAGCGTGGAAGAATGGGGTTCCTCGGGACCGGCACTTGGATTCTGGTGTTAGTGCTCCCGATT
CAAGCTTTCCCAAACCTGGAGGAAGCCAAGACAAATCTCTACATAATAGAGAATTAAGTGCA
GAAAGACCTTTGAATGAACAGATTGCTGAAGCAGAAGAAGACAAGATTAAAAAACATATCCT
CCAGAAAACAAGCCAGGTCAGAGCAACTATTCTTTTGTGATAACTTGAACCTGCTAAAGGCA
ATAACAGAAAAGGAAAAAATTGAGAAAGAAAGACAATCTATAAGAAGCTCCCCACTTGATAAT
AAGTTGAATGTGGAAGATGTTGATTCAACCAAGAATCGAAAAGTATCGATGATTATGACTCT
ACTAAGAGTGGATTGGATCATAAATTTCAAGATGATCCAGATGGTCTTCATCAACTAGACGGG
ACTCCTTTAACCGCTGAAGACATTGTCCATAAAATCGCTGCCAGGATTTATGAAGAAAATGAC
AGAGCCGTGTTTGACAAGATTGTTTCTAAACTACTTAATCTCGGCCTTATCACAGAAAGCCAA
GCACATACTGGAAGATGAAGTAGCAGAGGTTTTACAAAAATTAATCTCAAAGGAAGCCAAC
AATTATGAGGAGGATCCCAATAAGCCCACAAGCTGGACTGAGAATCAGGCTGGAAAAATACCA
GAGAAAGTGACTCCAATGGCAGCAATTCAAGATGGTCTTGCTAAGGGAGAAAACGATGAAACA
GTATCTAACACATTAACTTGACAAATGGCTTGGAAGGAGAACTAAACCTACAGTGAAGAC
AACTTTGAGGAACTCCAATATTTCCCAAATTTCTATGCGCTACTGAAAAGTATTGATTTCAGAA
AAAGAAGCAAAAGAGAAAGAAACACTGATTACTATCATGAAAACACTGATTGACTTTGTGAAG
ATGATGGTGAAATATGGAACAATATCTCCAGAAGAAGGTGTTTCCTACCTTGAAAACCTGGAT
GAAATGATTGCTCTTCAGACCAAAAACAAGCTAGAAAAAAATGCTACTGACAATATAAGCAAG
CTTTTCCCAGCACCATCAGAGAAGAGTCATGAAGAAACAGACAGTACCAAGGAAGAAGCAGCT
AAGATGGAAAAGGAATATGGAAGCTTGAAGGATTCCACAAAAGATGATAACTCCAACCCAGGA
GGAAAGACAGATGAACCCAAAGGAAAAACAGAAGCCTATTTGGAAGCCATCAGAAAAAATATT
GAATGGTTGAAGAAACATGACAAAAGGGAAATAAAGAAGATTATGACCTTTCAAAGATGAGA
GACTTCATCAATAAACAAGCTGATGCTTATGTGGAGAAAGGCATCCTTGACAAGGAAGAAGCC
GAGGCCATCAAGCGCATTTATAGCAGCCTGTAAAAATGGCAAAGATCCAGGAGTCTTTCAAC
TGTTTCAGAAAACATAATATAGCTTAAAACACTTCTAATTCTGTGATTAAAATTTTTTGACCC
AAGGGTTATTAGAAAGTGCTGAATTTACAGTAGTTAACCTTTTACAAGTGGTTAAACATAGC
TTTCTTCCCGTAAAACTATCTGAAAGTAAAGTTGTATGTAAGCTGAAAAAAAAAAAAAAAAA
AAA

90/550

FIGURE 90

MGFLGTGTWILVLVLP IQAFPKPGGSQDKSLHNRELSAERPLNEQIAEAEEDKIKKTYPPENK
PGQSNYSFVDNLNLLKAITEKEKIEKERQSIRSSPLDNKLNVEDVDSTKNRKLIDDDYSTKSG
LDHKFQDDPDGLHQLDGTPLTAEDIVHKIAARIYEENDRAVFDKIVSKLLNLGLITESQAHTL
EDEVAEVLQKLISKEANNYEEDPNKPTSWTENQAGKIPKVT PMAAIQDGLAKGENDETVSNT
LTLTNGLERRTKTYSEDNFEELQYFPNFYALLKSIDSEKEAKEKETLITIMKTLIDFVKMMVK
YGTISPEEGVSYLENLDEMIALQTKNKLEKNATDNISKLFAPSEKSHEETDSTKEEAAKMEK
EYGLSKDSTKDDNSNPGGKTDEPKGKTEAYLEAIRKNIEWLKKHDKKGNKEDYDLSKMRDFIN
KQADAYVEKGILDKEEA EAIKRIYSSL

Important features:**N-glycosylation sites:**

amino acids 68-71, 346-349, 350-353

Casein kinase II phosphorylation site:amino acids 70-73, 82-85, 97-100, 125-128, 147-150, 188-191, 217-
220, 265-268, 289-292, 305-308, 320-323, 326-329, 362-365, 368-
341, 369-372, 382-385, 386-389, 387-390**N-myristoylation sites:**

amino acids 143-148, 239-244

91/550

FIGURE 91

TGCATCAGTGCCCAGGCAAGCCCAGGAGTTGACATTTCTCTGCCCAGCCATGGGCCTCACCCCT
GCTCTTGCTGCTGCTCCTGGGACTAGAAGGTCAGGGCATAGTTGGCAGCCTCCCTGAGGTGCT
GCAGGCACCCGTGGGAAGCTCCATTCTGGTGCAGTGCCACTACAGGCTCCAGGATGTCAAAGC
TCAGAAAGGTGTGGTGCCGGTTCTTGCCGGAGGGGTGCCAGCCCCTGGTGTCTCAGCTGTGGA
TCGCAGAGCTCCAGCGGGCAGGCGTACGTTTCTCACAGACCTGGGTGGGGGCCTGCTGCAGGT
GGAAATGGTTACCCTGCAGGAAGAGGATGCTGGCGAGTATGGCTGCATGGTGGATGGGGCCAG
GGGGCCCCAGATTTTGCACAGAGTCTCTCTGAACATACTGCCCCCAGAGGAAGAAGAAGAGAC
CCATAAGATTGGCAGTCTGGCTGAGAACGCATTCTCAGACCCTGCAGGCAGTGCCAACCCTTT
GGAACCCAGCCAGGATGAGAAGAGCATCCCCTTGATCTGGGGTGCTGTGCTCCTGGTAGGTCT
GCTGGTGGCAGCGGTGGTGTGTTTGCTGTGATGGCCAAGAGGAAACAAGAATCCCTCCTCAG
TGGTCCACCACGTCAGTGACTCTGGACCGGCTGCTGAATTGCCTTTGGATGTACCACACATTA
GGCTTGACTCACACCTTCATTTGACAATACCACCTACACCAGCCTACCTCTTGATTCCCCAT
CAGGAAAACCTTCACTCCCAGCTCCATCCTCATTGCCCCCTCTACCTCCTAAGGTCCTGGTCT
GCTCCAAGCCTGTGACATATGCCACAGTAATCTTCCCGGGAGGGAACAAGGGTGGAGGGACCT
CGTGTGGGCCAGCCCAGAATCCACCTAACAATCAGACTCCATCCAGCTAAGCTGCTCATCACA
CTTTAAACTCATGAGGACCATCCCTAGGGGTTCTGTGCATCCATCCAGCCAGCTCATGCCCTA
GGATCCTTAGGATATCTGAGCAACCAGGGACTTTAAGATCTAATCCAATGTCCTAACTTTACT
AGGGAAAGTGACGCTCAGACATGACTGAGATGTCTTGGGGAAGACCTCCCTGCACCCAACTCC
CCCACTGGTTCTTCTACCATTACACACTGGGCTAAATAAACCTAATAATGATGTGCAAAAAA
AA

92/550

FIGURE 92

MGLTLLLLLLGLLEGQIVGSLPEVLQAPVGSSILVQCHYRLQDVKAQKVWCRFLPEGCQPLV
SSAVDRRAPAGRRTFLTDLGGLLQVEMVTLQEEDAGEYGCMVDGARGPQILHRVSLNILPPE
EEEETHKIGSLAENAFSDPAGSANPLEPSQDEKSIPLIWGAVLLVGLLVAAVVLFAVMAKRKQ
ESLLSGPPRQ

Important features of the protein:

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 161-181

N-myristoylation sites.

amino acids 17-23, 172-178

Amidation site.

amino acids 73-79

93/550

FIGURE 93

GGCGGCGTTGCCGGGCTCTCCGGAAGGAGACGTGGCGGCGGTTGGGCGCGGTGATACCCGGGCG
CTTTATAGTCCCGCCGCCTCCTCCTCCACCTCCTCCTCCTCCTCCTCCTCCTGCGGCGAGAG
GAGGTTGTGGCGGTGGCTGGAGAAAGCGGCGGCGGAGGATGGAGGAAGGAGGCGGCGGCGTAC
GGAGTCTGGTCCCGGGCGGGCCGGTGTACTGGTCCTCTGCGGCCTCCTGGAGGCGTCCGGCG
GCGGCCGAGCCCTTCCCTCAACTCAGCGATGACATCCCTTTCCGAGTCAACTGGCCCCGGCACC
AGTTCTCTCTGCCCCACAACGGAGTTTATATAAAGAAGATAATTATGTCATCATGACAACCTG
CACATAAAGAAAAATATAAATGCATACTTCCCTTGTGACAAGTGGGGATGAGGAAGAAGAAA
AGGATTATAAAGGCCCTAATCCAAGAGAGCTTTTGGAGCCACTATTTAAACAAAGCAGTTGTT
CCTACAGAATTGAGTCTTATTGGACTTACGAAGTATGTCATGGAAAACACATTCCGGCAGTACC
ATGAAGAGAAAGAACTGGTCAGAAAATAAATATTCACGAGTACTACCTTGGGAATATGTTGG
CCAAGAACCTTCTATTTGAAAAAGAACGAGAAGCAGAAGAAAAAGGAAAAATCAAATGAGATTC
CCACTAAAAATATCGAAGGTCAGATGACACCATACTATCCTGTGGGAATGGGAAATGGTACAC
CTTGTAGTTTGAACAGAACC GGCCAGATCAAGTACTGTGATGTACATATGTCATCCTGAAT
CTAAGCATGAAATCTTTTCAGTAGCTGAAGTTACAACCTGTGAATATGAAGTTGTCATTTTGA
CACCCTCTTGTGCAGTCATCCTAAATATAGGTTTCAAGCATCTCCTGTGAATGACATATTTT
GTCAATCACTGCCAGGATCTCCATTTAAGCCCTCACCTGAGGCAGCTGGAGCAGCAGGAAG
AAATACTAAGGGTGCCTTTTAGGAGAAATAAAGAGGGTGTGCGGTTGGTGGAAATATGAATTCT
GCTATGGCAAACATGTACATCAATACCATGAGGACAAGGATAGTGGGAAAACCTCTGTGGTTG
TCGGGACATGGAACCAAGAAGAGCATATTGAATGGGCTAAGAAGAATACTGCTAGAGCTTATC
ATCTTCAAGACGATGGTACCCAGACAGTCAGGATGGTGTACATTTTATGGAAATGGAGATA
TTTGTGATATAACTGACAAACCAAGACAGGTGACTGTAAAACATAAGTGCAAAGAATCAGATT
CACCTCATGCTGTACTGTATATATGCTAGAGCCTCACTCCTGTCAATATATTTCTGGGGTTG
AATCTCCAGTGATCTGTAAAATCTTAGATACAGCAGATGAAAATGGACTTCTTCTCTCCCCA
ACTAAAGGATATTAAAGTTAGGGGAAAGAAAAGATCATTGAAAGTCATGATAATTTCTGTCCC
ACTGTGTCTCATTATAGAGTTCTCAGCCATTGGACCTCTTCTAAAGGATGGTATAAAATGACT
CTCAACCACTTTGTGAATACATATGTGTATATAAGAGTTATTGATAAACTTCTGAGGCAGAC
ATTTGTCTCGCTTTTTTTCATTTTTGTTGTGCTTATAAACTGACTGTTTTTCTTGTGTTGGA
TACTGTGATTCCAAAATAAATCTCATCCAAGCAAGTTAGAGTCCAGCCTAATCAAATGTCATA
ATTGTTGTACCTATTGAAAGTTTTTAAATAATAGATTTATTATGTAAATTATAGTATATGTAA
GTAGCTAATGAAGTAAAGATCATGAAGAAAGAAATTGATAGGTGTAAATGAGAGACCATGTAA
AATATGTAAATCTAGTACCTGAAATCCTTTCAACAGATTTTATATAGCAACTGCTCTCTGC
AAGTAGTTAAACTAGAACTGGGCACATGGTAGAGGCTCACATGGGAGTTGTCCTCACCTTG
TTAATCTCAAGAACTCTTATTTATAATAGGTTGCTTCTCTCTCAGAACTTTTATCTATTACT
TTTTTCTTCTTATGAGTATGTTTACTCTCAGAGTATCTATCTGATGTAGACAGTTGGTGATGC
TTCTGAGACTCAGAAATGGTTTACTCTAACAAAACACTGTGCTGTCTATCCCTTGTACTTGCCT
ACTGTAATATGGATTTCACTTCTGAACAGTTTACAGCACAATATTTATTTTAAAGTGAATAAA
ATGTCCACAAGCAAAA

94/550

FIGURE 94

MEEGGGGVRS LVPGGPVLLVLCGLLEASGGGRALPQLSDDIPFRVNWPGTEFSLPTTGVLYKE
DNYVIMTTAHKEKYKCILPLVTSGDEEEKDYKGPNPRELLEPLFKQSSCSYRIESYWTYEVC
HGKHIRQYHEEKETGQKINIHEY YLG NMLAKNLLFEKEREAEKEKSNEIPTKNIEGQMT PYY
PVGMGNGTPCSLKQNRPRSSTVMYICHPE SKHEILSVAEVTTC EYEVVILTPLLCSHPKYRFR
ASPVNDIFCQSLPGSPFKPLTLRQLEQQEEILRVPFRRNKEGVGWWKYEF CYGKHVHQYHEDK
DSGKTSVVVG TWNQEEHIEWAKKNTARAYHLQDDGTQTVRMVSHFYGN GDICDITDKPRQVTV
KLKCKESDSPHAVTVYMLEPHSCQYILGVESPVICKILDTADENGLLSLPN

Important features of the protein:**Signal peptide:**

amino acids 1-30

Glycosaminoglycan attachment site.

amino acids 28-32

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 337-341

N-myristoylation sites.amino acids 6-12, 23-29, 29-35, 49-55, 141-147, 152-158, 192-198,
196-202**Gram-positive cocci surface proteins 'anchoring' hexapeptide.**

amino acids 54-60

95/550

FIGURE 95

TTCCGTTTCTGGGAGGAGTGAGGGGCAACGGGTCCGAGAAAAAGGAAAAAGAAGGGCTCAGC
GCCTCCCCGCCGGGCCGTGGACAGAGGGGCACAGTTTCGGCAGGCGGGTGAGGTCGCTGAGGG
CCCGCCGGAGATGTTTTTCTTGTGAGCAGCGGTGCAACCCAGGTTACAGTTCCTCTGAGTCA
TCTCATCAATGCCTTCCATACACAAAAACACTTCTGTTTCTCTCAGTGAGGTGTCAGTTTC
TCAAAACCAGCATCGAGATGTAGTTCTGAGCATGAGGCTCCAGCAGTGAGCCTTCACTTAA
CTTAAGGGACCTTGGATTATCTGAACTAAAAATTGGACAGATTGATCAGCTGGTAGAAAATCT
ACTTCCTGGATTTTGTAAAGGCAAAACATTTCTTCCCATTGGCATACTCCCATGTCTCTGC
ACAATCCTTCTTTGAAAAATAAATATGGTAACTTAGATATATTTAGTACATTACGTTCTCTTG
CTTGATCGACATCATTCAAGAGCTCTTCAAAGCATTTGTTTCAGATCTTTCAGTACTGGCCAGT
TTTCATACAGTCTCGGGGTTTTTAAACTTTGAAATCAAGGACACGACGTCTCCAGTCTACCTC
CGAGAGATTAGCTGAAACACAGAATATAGCGCCATCATTCGTGAAGGGGTTTTCTTTTGCGGGA
CAGAGGATCAGATGTTGAGAGTTTGGACAAACTCATGAAAACCAAAATATACCTGAAGCTCA
CCAAGATGCATTTAAACTGGTTTTGCGGAAGGTTTTCTGAAAGCTCAAGCACTCACACAAAA
AACCAATGATTCCCTAAGGCGAACCCGTCTGATTCTCTTCGTTCTGCTGCTATTTCGGCATTTA
TGGACTTCTAAAAAACCCATTTTTATCTGTCCGCTTCGGACAACAACAGGGCTTGATTCTGC
AGTAGATCCTGTCCAGATGAAAAATGTCACCTTTGAACATGTTAAAGGGGTGGAGGAAGCTAA
ACAAGAATTACAGGAAGTTGTTGAATTCTTGA AAAATCCACAAAAATTTACTATTCTTGGAGG
TAAACTTCCAAAAGGAATTCTTTTAGTTGGACCCCCAGGGACTGGAAAGACACTTCTTGCCCCG
AGCTGTGGCGGGAGAAGCTGATGTTCCTTTTTATTATGCTTCTGGATCCGAATTTGATGAGAT.
GTTTGTGGGTGTGGGAGCCAGCCGTATCAGAAATCTTTTTAGGGGAAGCAAAGGCGAATGCTCC
TTGTGTTATATTTATTGATGAATTAGATTCTGTTGGTGGGAAGAGAATTGAATCTCCAATGCA
TCCATATTCAAGGCAGACCATAAATCAACTTCTTGCTGAAATGGATGGTTTTAAACCCAATGA
AGGAGTTATCATAATAGGAGCCACAACTTCCCAGAGGCATTAGATAATGCCTTAATACGTCC
TGGTCGTTTTGACATGCAAGTTACAGTTCCAAGGCCAGATGTAAAAGGTCGAACAGAAATTTT
GAAATGGTATCTCAATAAAATAAAGTTTGTATCAATCCGTTGATCCAGAAATTATAGCTCGAGG
TACTGTTGGCTTTTCCGGAGCAGAGTTGGAGAATCTTGTGAACCAGGCTGCATTAAAAGCAGC
TGTTGATGGAAAAGAAATGGTTACCATGAAGGAGCTGGAGTTTTTCAAAGACAAAATTTCTAAT
GGGGCCTGAAAGAAGAAGTGTGGAATTGATAACAAAAACAAAACCATCACAGCATATCATGA
ATCTGGTCATGCCATTATTGCATATTACACAAAAGATGCAATGCCTATCAACAAAGCTACAAT
CATGCCACGGGGGCCAACACTTGGACATGTGTCCCTGTTACCTGAGAATGACAGATGGAATGA
AACTAGAGCCCAGCTGCTTGACAAATGGATGTTAGTATGGGAGGAAGAGTGGCAGAGGAGCT
TATATTTGGAACCGACCATATTACAACAGGTGCTTCCAGTGATTTTGATAATGCCACTAAAAT
AGCAAAGCGGATGGTTACCAAATTTGGAATGAGTGAAAAGCTTGGAGTTATGACCTACAGTGA
TACAGGGAAACTAAGTCCAGAAACCAATCTGCCATCGAACAAGAAATAAGAATCCTTCTAAG
GGACTCATATGAACGAGCAAAACATATCTTGA AAACTCATGCAAAGGAGCATAAGAATCTCGC
AGAAGCTTTATTGACCTATGAGACTTTGGATGCCAAAGAGATTCAAATTTGTTCTTGAGGGGAA
AAAGTTGGAAGTGAGATGATAA ACTCTCTTGATATGGATGCTTGCTGGTTTTATTGCAAGAATA
TAAGTAGCATTGCAGTAGTCTACTTTTACAACGCTTTCCCCTCATTCTTGATGTGGTGTAATT
GAAGGGTGTGAAATGCTTTGTCAATCATTTGTACATTTATCCAGTTTGGGTTATTCTCATT
TGACACCTATTGCAAATTAGCATCCCATGGCAAATATATTTTGA AAAATAAAGAACTATCAG
GATTGAAAACAAAAA

96/550

FIGURE 96

MFSLSSTVQPQVTVPLSHLINAFHTPKNTSVSLSGVSVSQNQHRDVVPEHEAPSSEPSLNLRD
LGLSELKIGQIDQLVENLLPGFCKGKNISSHWHTSHVSAQSFFENKYGNLDIFSTLRSSCLYR
HHSRALQSICSDLQYWPVFIQSRGFKTLKSRTTQLQSTSERLAETQNIAPSFVKGFLLRDRGS
DVESLDKLMKTKNIPEAHQDAFKTGFAEGFLKAQALTQKTNDSLRRTRLILFVLLLFGIYGLL
KNPFLSVRFRTTGLDSAVDPVQMKNVTFEHVKGVEEAKQELQEVVEFLKNPQKFTILGGKLP
KGILLVGPPGTGKTLARAVAGEADVFFYYASGSEFDEMFGVGASRIRNLFREAKANAPCVI
FIDELDSVGGKRIESPMHPYSRQTINQLLAEMDGFKNPNEGVIIGATNFPEALDNALIRPGRF
DMQVTVPRPDVKGRTILKWLKIKFDQSVDPETIARGTVGFSGAELENLVNQAAKAAVDG
KEMVTMKELEFSKDKILMGPERRSVEIDNKNKTITAYHESGHAIAYYTKDAMPINKATIMPR
GPTLGHVSLLPENDRWNETRAQLLAQMDVSMGGRVAEELIFGTDHITTGASSDFDNATKIAKR
MVTKFGMSEKLGVMYTSYDTGKLSPETQSAIEQEIRILLRDSYERAKHILKTHAKEHKNLAEAL
LTYETLDAKEIQIVLEGKKLEVR

Important features of the protein:**Transmembrane domain:**

amino acids 238-259

N-glycosylation sites.amino acids 28-32, 90-94, 230-234, 278-282, 535-539, 584-588,
623-627**N-myristoylation sites.**

amino acids 35-41, 266-272, 286-292, 325-331, 357-363, 599-605

Amidation site.

amino acids 387-393, 709-713

ATP/GTP-binding site motif A (P-loop).

amino acids 322-330

AAA-protein family proteins

amino acids 315-336, 343-386, 405-451

97/550

FIGURE 97

GATGGCGCAGCCACAGCTTCTGTGAGATTTCGATTCTCCCCAGTTCCCCTGTGGGTCTGAGGG
GACCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCCCAAA
ACAAGTTTGTACATTTCCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTT
CCAGGCCTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACG
ACCTGTGCCACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAG
GCTTGGCAGTTTTTCTTACTCCTGTGGTCTCCAGATTTTCAGGCCTAAGATGAAAGCCTCTAGT
CTTGCCTTCAGCCTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAG
ACACTCAATTTGGGAAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCT
GAGATACGGGGCAGTGTGCAAGCCAAAGATGGAACATTGACATCAGAATCTTAAGGAGGACT
GAGTCTTTGCAAGACACAAAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTC
TATCTGGACAGGGTATTTAAAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGC
AGCCTCGCCAATTCCTTTCTTACCATCAAGAAGGACCTCCGGCTCTCTCATGCCCACATGACA
TGCCATTGTGGGGAGGAAGCAATGAAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTG
GAACCTCAGGCAGCAGTTGTGAAGGCTTTGGGGGAAGTAGACATTCTTCTGCAATGGATGGAG
GAGACAGAAATAGGAGGAAAGTGATGCTGCTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCT
TCAATACCTGCAGAGGAGGCATGACCCCAAACCACCATCTCTTTACTGTACTAGTCTTGTGCT
GGTCACAGTGTATCTTATTTATGCATTACTTGCTTCCTTGCATGATTGTCTTTATGCATCCCC
AATCTTAATTGAGACCATACTTGTATAAGATTTTTGTAATATCTTTCTGCTATTGGATATATT
TATTAGTTAATATATTTATTTATTTTTTGCTATTTAATGTATTTATTTTTTTTACTTGGACATG
AACTTTAAAAAAATTCACAGATTATATTTATAACCTGACTAGAGCAGGTGATGTATTTTTAT
ACAGTAAAAAAAACCTTGTAATTTCTAGAAGAGTGGCTAGGGGGGTATTTCATTTGTAT
TCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGATATTTGAAATTGAACCAATGAC
TACTTAGGATGGGTGTGGAATAAGTTTTGATGTGGAATTGCACATCTACCTTACAATTACTG
ACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAGCCAGGAATCCTACACGG
CCAGCATGTATTTCTACAAATAAAGTTTTCTTTGCATACCAAAAAAAAAAAAAAAAAAAAAA

98/550

FIGURE 98

MKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVIATNLQEIRNGFSEIRGSVQAKDGNIDIR
ILRRTESLQDTKPANRCCLLRHLLRLYLDRVFKNYQTPDHYTLRKISSLANSLFTIKKDLRLC
HAHMTCHCGEEAMKKYSQILSHFEKLEPQAAVVKALGELDILLQWMEETE

Signal sequence:

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 107-110, 140-143

N-myristoylation site.

amino acids 51-56

Interleukin 10:

amino acids 9-176

FIGURE 99

[illegible]

100/550

FIGURE 100

MRLLEWFLLLFGPWLLRKAVSAQIPESGRPQYLGLRPAAAGAGAPGQQLPEPRSSDGLGVGR
AWSWAWPTNHTGALARAGAAGALPAQRTKRKPSIKAARAKKIFGWGDFYFRVHTLKFSLLVTG
KIVDHVNGTFSVYFRHNSSSLGNLSVSIVPPSKRVEFGGVWLPGPVPHPLQSTLALEGVLPGL
GPPLGMAAAAAGPGLGGSLGGALAGPLGGALGVPGAKESRAFNCHVEYEKTNRARKHRPCLYD
PSQVCFTENTQSQAAWLCAKPFKVICIFVSFLSFDYKLVQKVC PDYNFQSEHPYFG

Important features of the protein:

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 273-288

N-glycosylation sites.

amino acids 72-76, 133-137, 143-147, 149-153

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 93-97

N-myristoylation sites.

amino acids 35-41, 58-64, 60-66, 81-87, 84-90, 184-190, 194-200,
203-209, 205-211, 206-212, 209-215, 217-223, 221-227, 224-230

Cytochrome b/b6 Qo site signature.

amino acids 5-11

101/550

FIGURE 101

AATGCCCCATGCGCACCCACAGCTCGCGCTCCTGCAAGTGTCTTTCTGGTGTTCCTCCGATG
GCGTCCGGCCTCAGCCCTCTTCCTCCCCATCAGGGGCAGTGCCACGTCTTTGGAGCTGCAGC
GAGGGACGGATGGCGGAACCCTCCAGTCCCCCTCAGAGGCGACTGCAACTCGCCCGCCGTGC
CTGGACTCCCTACAGTGGTCCCTACTCTCGTGACTCCCTCGGCCCCCTGGGAATAGGACTGTGG
ACCTCTTCCCAGTCTTACCGATCTGTGTCTGTGACTTGACTCCTGGAGCCTGCGATATAAATT
GCTGCTGCGACAGGGACTGCTATCTTCTCCATCCGAGGACAGTTTTCTCCTTCTGCCTTCCAG
GCAGCGTAAGGTCTTCAAGCTGGGTTTGTGTAGACAACTCTGTTATCTTCAGGAGTAATTCCC
CGTTTCCTTCAAGAGTTTTCATGGATTCTAATGGAATCAGGCAGTTTTGTGTCCATGTGAACA
ACTCAAACCTAACTATTTCCAGAAGCTTCAAAGGTCAATGCAACCAACTTCCAGGCCCTGG
CTGCAGAGTTTGGAGGCGAATCATTCACTTCAACATTCCAACTCAATCACCACCATCTTTTT
ACAGGGCTGGGGACCCATTCTTACTTACTTCCCCAAGTGGTCTGTAATAAGCTTGCTGAGAC
AACCTGCAGGAGTTGGAGCTGGGGGACTCTGTGCTGAAAGCAATCCTGCAGGTTTCCTAGAGA
GTAAAAGTACAACCTGCACTCGTTTTTTCAAGAACCTGGCTAGTAGCTGTACCTTGATTTCAG
CCCTCAATGCTGCCTCTTACTATAACTTCACAGTCTTAAAGGTCCAAGAAGCATGACTGATC
CACAGAATATGGAGTTCCAGGTTCTGTAACTTACCTCACAGGCTAATGCTCCTCTGTTGG
CTGGAAACACTTGTGAGAATGTAGTTTTCTCAGGTCACCTATGAGATAGAGACCAATGGGACTT
TTGGAATCCAGAAAGTTTTCTGTCAGTTTGGGACAAACCAACCTGACTGTTGAGCCAGGCGCTT
CCTTACAGCAACACTTCATCCTTCGCTTCAGGGCTTTTCAACAGAGCACAGCTGCTTCTCTCA
CCAGTCCTAGAAGTGGGAATCCTGGCTATATAGTTGGGAAGCCACTCTTGGCTCTGACTGATG
ATATAAGTTACTCAATGACCCTCTTACAGAGCCAGGGTAATGGAAGTTGCTCTGTTAAAAGAC
ATGAAGTGCAGTTTGGAGTGAATGCAATATCTGGATGCAAGCTCAGGTTGAAGAAGGCAGACT
GCAGCCACTTGCAGCAGGAGATTTATCAGACTCTTCATGGAAGGCCAGACCAGAGTATGTTG
CCATCTTTGGTAATGCTGACCCAGCCAGAAAGGAGGGTGGACCAGGATCCTCAACAGGCACT
GCAGCATTTAGCTATAAACTGTACTTCCTGCTGTCTCATACCAGTTTCCCTGGAGATCCAGG
TATTGTGGGCATATGTAGGTCTCCTGTCCAACCCGCAAGCTCATGTATCAGGAGTTCGATTCC
TATACCAGTGCCAGTCTATACAGGATTCTCAGCAAGTTACAGAAGTATCTTTGACAACTCTTG
TGAACCTTTGTGGACATTACCCAGAAGCCACAGCCTCCAAGGGGCCAACCCAAAATGGACTGGA
AATGGCCATTGCACTTCTTTCCCTTCAAAGTGGCATTACGCAGAGGAGTATTCTCTCAAAAAT
GCTCAGTCTCTCCATCCTTATCCTGTGCCTCTTACTACTTGAGATTCTCAACCTAGAGACTA
TGTGAAGAAAAGAAAATAATCAGATTTTCACTTTTCCCTATGAGAACTCTGAGGCAGCCACTT
ATCTTGGCTAAATAGAACCTCACCTGCTCATGACCAGAGAGCATTTAGGATAATAGATGACCT
AACTGAAGGAATCCTTGTATATGAAAGGAGTATTTTAGAAAAGCAATAAAAATATTTTATTC
ATCNTAAAAAAAAA

102/550

FIGURE 102

MRTPQLALLQVFFLVFPDGVRPQPSSSPSGAVPTSLELQRGTDGGTLQSPSEATATRPVAVPGL
PTVVPTLVTPSAPGNRTVDLFPVLPICVCDLTPGACDINCCCDRCYLLHPRTVFSFCLPGSV
RSSSWVCVDNSVIFRSNSPFPSRVFMDSNQIRQFCVHVNNNSLNQYFQKLQKVNATNFQALAAE
FGGESFTSTFQTQSPPSFYRAGDPILTYFPKWSVISLLRQPAGVGAGGLCAESNPAGFLESKS
TTCTRFFKNLASSCTLDSALNAASYNFTVLKVP RSMTDPQNMEFQVPVILTSQANAPLLAGN
TCQNVVSQVTYEIETNGTFGIQKVSVSLEGQTNLTVEPGASLQQHFILRFRAFQQSTAASLTSP
RSGNPGYIVGKPLLALTDDISYSMTLLQSQNGSCSVKRHEVQFGVNAISGCKLRLKKADCSH
LQQEIYQTLHGRPRPEYVAIFGNADPAQKGGWTRILNRHCSISAINCTSCCLIPVSLEIQVLW
AYVGLLSNPQAHVSGVRFLYQCQSIQDSQOVTEVSLTTLVNFVDITQKPQPPRGQPKMDWKWP
FDFFPFKVAFSRGVFSQKCSVSPILILCLLLLGVNLNLETM

Important features of the protein:**Signal peptide:**

amino acids 1-22

Transmembrane domains:

amino acids 484-505, 581-600

N-glycosylation sites.amino acids 78-82, 165-169, 179-185, 279-285, 331-337, 347-351,
410-414, 487-491**N-myristoylation sites.**

amino acids 30-36, 41-47, 124-130, 232-238, 236-242, 409-415

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 420-431

103/550

FIGURE 103

CCTAATTCTCAAGGTGATGCTATTTAGGAAGTCATAACTCATGTGAGTGGAGCCATGTGGGAT
TAAGAAGTGATAGGAGAGCTTGCTGTCTGTCTCTGCTCTCCACTGTGTGAGGATACAACAGGA
AGACAGCCATCTGGTGAGGAAGAGAGGGCCCTCGCCAGATACCGGACCTGCTGACACCTTGAT
CTTGGA CT TCCCATCTTCCAGGAAGGCCTGACCTCAGTTGTTCCAGGGTAAAGAATTTGGGCA
GTGCCACACCCACGCTGTTGGATAACATTTCTTACCATAACCAGTGAGGGTGAATGTGTACA
CGCCCAGCTTCTGCTGTTACTCTCCACAGTATGCGAAGAATATCCCTGACTTCTAGCCCTG
TGCGCCTTCTTTTGTCTGCTGTTGCTACTAATAGCCTTGGAGATCATGGTTGGTGGTCACT
CTCTTTGCTTCACTTCACTATAAAATCATTGTCCAGACCTGGACAGCCCTGGTGTGAAGCGC
AGGTCTTCTTGAATAAAAATCTTTTCCTTCAGTACAACAGTGACAACAACATGGTCAAACCTC
TGGGCCTCCTGGGGAAGAAGGTATATGCCACCAGCACTTGGGGAGAATTGACCCAAACGCTGG
GAGAAGTGGGGCGAGACCTCAGGATGCTCCTTTGTGACATCAAACCCAGATAAAGACCAGTG
ATCCTTCCACTCTGCAAGTCGAGATGTTTTGTCAACGTGAAGCAGAACGGTGCACCTGGTGCAT
CCTGGCAGTTCGCCACCAATGGAGAGAAATCCCTCCTCTTTGACGCAATGAACATGACCTGGA
CAGTAATTAATCATGAAGCCAGTAAGATCAAGGAGACATGGAAGAAAGACAGAGGGCTGGAAA
AGTATTTCAAGGAAGCTCTCAAAGGGAGACTGCGATCACTGGCTCAGGGAATTCCTAGGGCACT
GGGAGGCAATGCCAGAACCGACAGGCAGAAGATCCACCTAGAGGTGATACCACGGCGGCGCAG
AGTTGTTACCTGTGGTCCTCGATCGCTGACAGCCTTGGCTCCCACTGCTGTGTGTTCCCTGA
GTCAAGTGGAGGCGGAGCCTGCAATGAGCGGAGATCGCGCCTCTGCATTCCAGTCTTGGCAAC
AGAGCAAGACTCCGTCTCAAAAAAAAAAATTTTTTTTTCAGTACATATTTTTTAAAAGATAGG
GCTGGGCACAGCAGCTCACATCTATAATCCCAACACTTTGGGAGGCCTAGGCAGGAGGATCAC
TTGAGCCCAGGAATCTGAAGCTGCAGTGAGCCTTTGCTCGTGAGATTGTGGACCTATGATCCT
ACCACCAGCCACCTGGTTCTAACACCCCCTCCTCTATGTGTGAGAGGGAGAGAAGAAAAGTG
AGGGAGAAAAGAGAGATAAGCAAAGAACAGAGAGGAAAAATGGAAAATAAGAGGAAATTGGGG
GAATTAAACAGAGGGGAGGGCATGGATCCCCGGGAGTTAGAAGAGTAGCAGCTTGTGGATTAC
TACGCAGTGGAGGAAGAAGAGTTGTTGGAAATTATTTGAGAGGTAGTATAATCATTTGTGAGG
CAGTTTTCTGCATTACCATTTCTCACAGACTAAGTTACTCATAAGCAAACGTGCAATTCACA
TTACACTGAAATTCTTCCCTAATACATCATTTGCATTGGAATAAAGTACGGTTTTCAAACAAC
CTGATATAGCAGAACTGACTGTATAAATTATGTGAGCACAGTGCAAGTAATTCTTTGTTTGT
TGTTTTGTTTTTTTGGAGACAGAGTCTCACTCTATCTCCAGGCTGGAGTGTAGTGGTGCGATCC
CGGCTCACTGCAACCTCGATCTCCAGGCTCAAGCGATTCCCCTGCCTCAGCCTCCTGAGTAG
CTGGGATTACAGGCATGAGCCACCACGCGGCTAATTTTTGTATTTTAGTAGAGACGGGT
TTCACCCTGTTGGCCAGGCTGGTCTCGAACTACGGACCTCAGGTGATCTGCCCCCTCAGCCT
CTCAAAGTGCTGGGATTATAGCATGAGCCACTGAGCCAGACACAAGTAGTTCTTTCTGATAA
ACACTTTAACACTGAATGCA

104/550

FIGURE 104

MRRISLTSSPVRLLLFLLLLLLIALEIMVGGHSLCFNFTIKSLSRPGQPWCEAQVFLNKNLFLQ
YNSDNNMVKPLGLLGKKVYATSTWGELTQTLGEVGRDLRMLLCDIKPQIKTSDPSTLQVEMFC
QREAERCTGASWQFATNGEKSLLFDAMNMTWTVINHEASKIKETWKKDRGLEKYFRKLSKGDC
DHWLREFLGHWAMPEPTGRRST

Important features of the protein:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 11-30 (possible type II protein)

N-glycosylation site.

amino acids 36-39, 154-157

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 2-5, 182-185, 209-212

Casein kinase II phosphorylation site.

amino acids 86-89, 93-96, 142-145, 185-188

N-myristoylation site.

amino acids 46-51

Amidation site.

amino acids 77-80, 207-210

105/550

FIGURE 105

TTTTCCGAGTGACCTTCTTGATGCTGGCTGTTTCTCTCACCGTTCCCCTGCTTGGAGCCATGA
TGCTGCTGGAATCTCCTATAGATCCACAGCCTCTCAGCTTCAAAGAACCCCCGCTCTTGCTTG
GTGTTCTGCATCCAAATACGAAGCTGCGACAGGCAGAAAGGCTGTTGAAAATCAACTTGTTG
GACCGGAGTCCATAGCACATATTGGGGATGTGATGTTTACTGGGACAGCAGATGGCCGGGTCG
TAAAACTTGAAAATGGTGAAATAGAGACCATTGCCCGGTTTGGTTCGGGCCCTTGCAAAACCC
GAGATGATGAGCCTGTGTGTGGGAGACCCCTGGGTATCCGTGCAGGGCCCAATGGGACTCTCT
TTGTGGCCGATGCATACAAGGGACTATTTGAAGTAAATCCCTGGAAACGTGAAGTGAAGTGC
TGCTGTCTCCGAGACACCCATTGAGGGGAAGAACATGTCTTTGTGAATGATCTTACAGTCA
CTCAGGATGGGAGGAAGATTTATTTACCGATTCTAGCAGCAAATGGCAAAGACGAGACTACC
TGCTTCTGGTGATGGAGGGCACAGATGACGGGCGCCTGCTGGAGTATGATACTGTGACCAGGG
AAGTAAAAGTTTTATTGGACCAGCTGCGGTTCCCGAATGGAGTCCAGCTGTCTCCTGCAGAAG
ACTTTGTCCTGGTGGCAGAAACAACCATGGCCAGGATACGAAGAGTCTACGTTTCTGGCCTGA
TGAAGGGCGGGGCTGATCTGTTTGTGGAGAACATGCCTGGATTTCCAGACAACATCCGGCCCCA
GCAGCTCTGGGGGGTACTGGGTGGGCATGTGACCATCCGCCCTAACCTGGGTTTTCCATGC
TGGATTTCTTATCTGAGAGACCCTGGATTAAAGGATGATTTTTAAGCTCTTTAGTCAAGAGA
CGGTGATGAAGTTTGTGCCGCGGTACAGCCTCGTCCTAGAACTCAGCGACAGCGGTGCCTTCC
GGAGAAGCCTGCATGATCCCGATGGGCTGGTGGCCACCTACATCAGCGAGGTGCACGAACACG
ATGGGCACCTGTACCTGGGCTCTTTCAGGTCCCCCTTCCCTCTGCAGACTCAGCCTCCAGGCTG
TTTTAGCCCCCTCCAGATAGCTGCCCTGCCACGCAGGCCAGGAGTCTTCACTCAGGCACCAG
GCCTGGTCCAGGAGGAGCTGTGGACACAGTCGTGGTTCAAGTGTCCACATGCACCTGTTAGTC
CCTGAGAGGTGGTGGGAATGGCTGCTTCATTCTCGAGGATGCCCGGGCCCCACCTGGGCTTG
TCTTTCTGTTTAGAGGGAAGTGTAACATATCTGCCATGAGGAACATAAATTCATGTAAAGCCA
TTTTCTCTTAAACAAAACAAAACCTTTCTAAGTACAATCATTCTCTAGGATTTGGGAAGCTCCT
TGCACTTGGAACAGGGCTCAGGTGGGTGGAGCAGTAAGGCACTACCCAGAGAGCTTGCTGCTG
CGGCCCTGTCTGCGGCCTCAAAGTTCTTCTTTACTATATATAACGTGCGGTACATACCTTTCT
TCGTTGTGGTGGGGATGGAAGAGCAGAGGGAGCATGGCCCAGGGGTGTTGAGGCCAGCGGTGA
GAGCCGTGTTAGCCAAGACATGGAAGTGTGTTCTCAAGGGTTATGTGGGGCGTGGGCTCTCCA
TAGTGTGTATGAAAAGCTTGTTGACTCTAGCGGCTCAGAGAGGACTTTGCTGGGTTTCTTTCT
GTGAATATCTCCGTGCTGACCATGCTGGAATTGGATGATTCTGCAATTCGGGACCTACTGCAG
GGGTCCGTTTAGTAACGTCTTGTCTGTGATCTTTGTTCTTGACCTCTAGACCCCAAGATGTGA
ACAGTGCACGTGTTAATGTCATCTTTGCTCATGTGTTATAAGCCCCAAGTTGCTGTATATTTT
CACAAGTATGTCTACACACTGG

106/550

FIGURE 106

MLAVSLTVPLL GAMMLLES PIDPQPLSFKEPPLL LGVLHPNTKLRQAERLFENQLVGPESIAH
IGDVMFTGTADGRVVKLENGEIETIARFGSGPCKTRDDEPVCGRPLGIRAGPNTL FVADAYK
GLFEVNPWKREVKLLLSSETPIEGKNMSFVNDLTVTQDGRKIYFTDSSSKWQRRDYLLLVMEG
TDDGRLL EYDVTREV KVL LDQLRFPNGVQLSPAEDFVLVAETTMARIRRVYVSGLMKGGADL
FVENMPGFDPNIRPSSSGGYWVGMSTIRPNPGFSMLDFLSERPWI KRMIFKLF SQETVMKFVP
RYSLVLELSDSGAFRRSLHDPDGLVATYISEVHEHDGHL YLGSFRSPFLCRLSLQAV

Important features of the protein:

Signal peptide:

amino acids 1-13

Transmembrane domain:

amino acids 1-21 (possible type II)

N-glycosylation sites.

amino acids 116-119, 152-155

Casein kinase II phosphorylation sites.

amino acids 19-22, 27-30, 98-101, 146-149, 221-224, 286-289, 332-335

N-myristoylation sites.

amino acids 71-76, 92-97, 189-194, 244-249, 338-343

Amidation site.

amino acids 164-167

107/550

FIGURE 107

AACGAAGCGTGCGCGCTTTGGTAACCGGCTAGAAATCCCGCACGCGCGCCTGCCTCCTCTCCC
CAGGCCTGAGCTGCCCCCTCCCACTGCCTTTCCTTCTTCCGCGAGTCAGAAAGCTTCGCGAGGG
CCCAGAGAGGCGGTGGGGTGGGCGACCCCTACGCCAGCTCCGGGCGGGAGAAAGCCACCCTCT
CCCGCGCCCCAGGAAACCGCCGGCGTTCGGCGCTGCGCAGAGCCATGGAATTCTCTGGCTGG
AGACGCGCTGGGCGCGGCCCTTTACCTGGCGTTCGTGTTCTGCCTGGCCCTGGGGCTGCTGC
AGGCCATTAAGCTGTACCTGCGGAGGCAGCGGCTGCTGCGGGACCTGCGCCCCCTCCCAGCGC
CCCCACCCACTGGTTTCCTTGGGCACCAGAAGTTTATTAGGATGATAACATGGAGAAGCTTG
AGGAAATTATTGAAAAATACCCTCGTGCCTTCCCTTTCTGGATTGGGCCCTTTCAGGCATTTT
TCTGTATCTATGACCCAGACTATGCAAAGACACTTCTGAGCAGAACAGATCCCAAGTCCCAGT
ACCTGCAGAAATTCTCACCTCCACTTCTTGGAAAAGGACTAGCGGCTCTAGACGGACCCAAGT
GGTTCAGCATCGTCGCCTACTAACTCCTGGATTCCATTTTAACATCCTGAAAGCATACATTG
AGGTGATGGCTCATTCTGTGAAAATGATGCTGGATAAGTGGGAGAAGATTGCGAGCACTCAGG
ACACAAGCGTGGAGGTCTATGAGCACATCAACTCGATGTCTCTGGATATAATCATGAAATGCG
CTTTCAGCAAGGAGACCAACTGCCAGACAAACAGCACCCATGATCCTTATGCAAAAGCCATAT
TTGAACTCAGCAAAATCATATTTACCGCTTGTACAGTTTGTGTTGATCACAGTGACATAATTT
TCAAACCTCAGCCCTCAGGGCTACCGCTTCCAGAAGTTAAGCCGAGTGTTGAATCAGTACACAG
ATACAATAATCCAGGAAAGAAAGAAATCCCTCCAGGCTGGGGTAAAGCAGGATAACACTCCGA
AGAGGAAGTACCAGGATTTTCTGGATATTGTCTTTCTGCCAAGGATGAAAGTGGTAGCAGCT
TCTCAGATATTGATGTACACTCTGAAGTGAGCACATTTCCTGTTGGCAGGACATGACACCTTGG
CAGCAAGCATCTCCTGGATCCTTTACTGCCTGGCTCTGAACCCTGAGCATCAAGAGAGATGCC
GGGAGGAGGTCAGGGGCATCCTGGGGGATGGGTCTTCTATCACTTGGGACCAGCTGGGTGAGA
TGTCGTACACCACAATGTGCATCAAGGAGACGTGCCGATTGATTCTGCAGTCCCGTCCATTT
CCAGAGATCTCAGCAAGCCACTTACCTTCCCAGATGGATGCACATTGCCTGCAGGGATCACCG
TGGTTCTTAGTATTTGGGGTCTTCACCACAACCCTGCTGTCTGGAAAAACCCAAAGGTCTTTG
ACCCCTTGAGGTTCTCTCAGGAGAATTCTGATCAGAGACACCCCTATGCCTACTTACCATTCT
CAGCTGGATCAAGGAAGTGCATTGGGCAGGAGTTTGCCATGATTGAGTTAAAGGTAACCATTG
CCTTGATTCTGCTCCACTTCAGAGTGACTCCAGACCCCAACAGGCCTCTTACTTTCCCCAACC
ATTTTATCCTCAAGCCCAAGAATGGGATGTATTTGCACCTGAAGAACTCTCTGAATGTAGAG
TCTCAGGGTACAATGATTAAACGTACTTTGTTTTTCGAAGTTAAATTTACAGCTAATGATCCA
AGCAGATAGAAAGGGATCAATGTATGGTGGGAGGATTGGAGGTTGGTGGGATAGGGGTCTCTG
TGAAGAGATCCAAAATCATTTCTAGGTACACAGTGTGTCAGCTAGATCTGTTTCTATATAACT
TTGGGAGATTTTCAGATCTTTTCTGTTAAACTTTCACTACTATTAATGCTGTATACACCAATA
GACTTTCATATATTTTCTGTTGTTTTTAAATAGTTTTTCAGAATTATGCAAGTAATAAGTGCA
TGTATGCTCACTGTCAAAAATTCCCAACACTAGAAAATCATGTAGAATAAAAATTTTAAATCT
CACTTCACTTAGCCGACATTCCATGCCCTGACCAATCCTACTGCTTTTCTAAAAACAGAATA
ATTTGGTGTGCATTCTTTCAGACTTTTTCCTATACATTTTATATGTAGAAATGTAGCAATGTA
TTTGATAGATGTGATCATTCCCTATATTGTTATTGATTTTTTTTCACTTAATAAAAATTCACCT
TATTCCTTAAAA

108/550

FIGURE 108

MEFSWLETRWARPFYLAFFVCLALGLLQAIKLYLRRQRLRLRPFPPAPPTHWFLGHQKFIQD
DNMEKLEEIIEKYPRAPFFWIGPFQAFCCIYDPDYAKTLLSRTDPKSQYLQKFSPPLLKGKGLA
ALDGPKEFQHRRLTPGFHFNILKAYIEVMAHSVKMMLDKWEKICSTQDTSVEVYEHINSMSL
DIIMKCAFSKETNCQTNSTHDPYAKAIFELSKIIFHRLYSLLYHSDIIFKLSPQGYRFQKLSR
VLNQYTDITIIQERKKSLLQAGVKQDNTPKRKYQDFLDIVLSAKDESGSSFS DIDVHSEVSTFLL
AGHDTLAASISWILYCLALNPEHQERCREEVRGILGDGSSITWDQLGEMSYTTMCIKETCRLI
PAVPSISRDLSPKPLTFPDGCTLPAGITVVLSTWGLHHNPAVWKNPKVFDPLRFSQENSQDRHP
YAYLPFSAGSRNCIGQEFAMIELKVTIALILLHFRVTPDPTRPLTFPNHFILKPKNGMYLHLK
KLSEC

Important features of the protein:**Signal peptide:**

amino acids 1-29

Transmembrane domains:

amino acids 310-330, 397-413, 459-473

N-glycosylation site.

amino acids 206-210

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 265-269, 504-520

N-myristoylation sites.

amino acids 25-31, 298-304, 353-359, 450-456, 456-462

Cytochrome P450 cysteine heme-iron ligand signature.

amino acids 447-457

Cytochrome P450 cysteine heme-iron ligand proteins.

amino acids 444-475

109/550

FIGURE 109

GGCGTTCGGGGCCTCAACTTTGGCGTCGTGAGATTCTTGTGAGGCGTCTGCCTGGAAGCCGGC
AGCAATTTTGCTTCTTTAAAGAGAAAAAGAAGGCTAGGGACTCAGATTCCTGGATTCTGAGAT
CCAGACCAGCTCCTCCCAGACCTCTCCAGAAGAAGCCATGGGAACCCCTCGTATCCAGCATTT
GCTGATCCTCCTGGTCCTAGGAGCCTCCCTCCTGACCTCGGGCCTAGAGCTGTATTGTCAAAA
GGGTCTGTCCATGACTGTGGAAGCAGATCCAGCCAATATGTTTAACTGGACCACAGAGGAAGT
GGAGACTTGTGACAAAGGGGCACTTTGCCAGGAAACCATACTAATAATTAAAGCAGGGACTGA
GACAGCCATTTTGCCACGAAGGGCTGCATCCCGGAAGGGGAGGAGGCCATAACAATTGTCCA
GCACTCTTCACCTCCCGGCCTGATCGTGACCTCCTACAGTAACTACTGTGAGGATTCCTTCTG
TAATGACAAAGACAGCCTGTCTCAGTTTTGGGAGTTCAGTGAGACCACAGCTTCCACTGTGTC
AACAACCCTCCATTGTCCAACCTGTGTGGCTTTGGGGACCTGTTTCAGTGCTCCTTCTCTTCC
CTGTCCCAATGGTACAACCTCGATGCTATCAAGGAAAACCTTGAGATCACTGGAGGTGGCATTGA
GTCGTCTGTGGAGGTCAAAGGCTGTACAGCCATGATTGGCTGCAGGCTGATGTCTGGAATCTT
AGCAGTAGGACCCATGTTTGTGAGGGAAGCGTGCCACATCAGCTGCTCACTCAACCTCGAAA
GACTGAAAATGGGGCCACCTGTCTTCCCATTCCTGTTTGGGGGTACAGCTACTGCTGCCATT
GCTGCTGCCATCATTTATTCACTTTTCCTAGAAGGCACTTCTGGGCCTGGGTCTGAGGACAT
CTTTTTTGA CTGGGAGCCTTCTTACTGTTGAGGTTCACAAGCTGAGGAGTAGATGGGAATTT
GAGGGAGAATACAGAGATACTATGAACGTATTTGACATTTTTAATAACAATTTCTGCTATAATT
TTTGTATGCAGTAGGCCGTTACTAATAAACATTTCTGCTGTGA

110/550

FIGURE 110

MGTPRIQHLLILLVLGASLLTSGLELYCQKGLSMTVEADPANMFNWTTEEVEETCDKGALCQET
ILIIKAGTETAILATKGCIP EGEEAITIVQHSSPPGLIVTSYSNYCEDSF CNDKDSLSQFWEF
SETTASTVSTTLHCPTCVALGTCFSAPSLPCPNGTTRCYQGKLEITGGGIESSVEVKGCTAMI
GCRLMSGILAVGPMFVREACPHQLLTQPRKTENGATCLPIPVWGLQLLLPLLLPSFIHFS

Important features of the protein:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 184-201

N-glycosylation sites.

amino acids 45-49, 159-163

N-myristoylation sites.

amino acids 31-37, 70-76, 99-105, 147-153, 160-166, 174-180,
175-181

111/550

FIGURE 111

CGAGAAGAGGACAGAGGAGACTGAGCAAAGGGGGGTGGGCTCCAGGCGACCCCTAGCCCAATTCTGCCCTCCAT
CCCAGGGGACAGAGAAATTGTCTTTTGTGCTGACTCCTACGAGGAAAAAAAAAAAAAAAAAAAAACCATTAA
AGGGAAGATAAACGGAGACGGAGGAAAGGTGGCAGCCAGATTACTTAGAGAGGCACAGAGGAGAGATCGGGG
TGAGTCGCCATGGGACTCCCAGGGCCAGCACCCGCCCTCCCCAGCTGCTGTTCTAATTCTGCTGAGCTGT
CCCTGGATCCAGGGTCTGCCCTGAAGGAGGAGGAGATATTGCCAGAGCCTGGAAGTGAGACCCCCACGGTGGCC
TCTGAGGCCCTGGCTGAAGTGTTCATGGGGCCTGCTGAGGAGGGGCCAGAGATGGGCTACCTGCCAGGATCT
GATCCGGACCCACGCTAGCCACCCCTCCGGCCGGCCAGACTCTCGCAGTGCCCTCCCTGCCACGGGCCACTGAG
CCGGGGACAGGGCCTTGACAACAGCCGTACCCCTAACGGGGTACGGGGGCGAGGCCCACTGCGCCAGAATG
CTGACCCCGCCCCAGGAACACAGCCCCACCCCAACCCAGCCCTGCCCTCCCCAGGGCCTCCCTTGGGCCTGAG
GGAGGAGAGGAGGAGACGACGACCACCATCATCACCACGACAACTGTTACCACTACGGTGACCAAGCCAGTTCTG
TGTAATAACAACATCTCCGAGGGCGAAGGGTATGTGGAGTCTCCAGATCTGGGGAGCCCCGTACGCCGACCCCTG
GGGCTCCTGGACTGCACTTACAGCATCCATGTCTACCCCTGGCTACGGCATTGAGATCCAGGTGCAGACGCTGAAC
CTGTACAGGAAGAGAGGCTCCTGGTGTGGTGGGATCCCCAGGCCTGGCCCCCGACTCCTGGCCAACT
TCATCCATGCTTGGAGAAGGACAAGTCTTCCGAGGCCCAACCAACCGGCTGCTTCTGCACTCCAGAGCCACGG
GTCCCAAGGGGCGGTGGCTTCAGGATCCATATCAGGCCACCTCCTGAGCTGTGGCTTCCCTCCCCGGCCGGCC
CATGGGGACGTGAGTGTGACGGACCTGCACCTGGGGGCACTGCCACCTTTACTGTGATTCGGGCTACCAGCTG
CAGGAGAGGAGACCCCTCATCTGCCTCAATGGCACCCGGCCATCCTGGAACGGTGAAACCCCGACTGCATGGCA
TCCTGTGGTGGCACCATCCACAATGCCACCTGGGCCGATCGTGTCCCAAGAGCCTGGGGAGCCGTAGGGCCC
AACCTCACTGCCGTGGGTCTGAAGCAGCTGAGGGGCGCCGGCTGCACCTGCACCTTGAAGGGTCTCGCTG
GATGAGGACAATGACCGGCTGATGGTGGCTCAGGGGGCAGCCCCCTATCCCCGTGATCTATGATTGGGACATG
GACGATGTCCCCGAGCGGGGTCTCATCAGTGACGCCAGTCCCTCTACGTGGAGCTGCTGTGAGAGACCTGCC
AATCCCTGCTGTTAAGCCTTCGATTTGAAGCCTTGGAGGAGTCTGCTGCTTCCGCCCCCTCCTGGCACATGGA
AATGTCACTACCACGGACCCCTGAGTATCGCCAGGGGCACTGGCAACCTTCTCGTGCCTCCAGGATATGCCCTG
GAGCCCCCTGGGCCCCCAATGCCATCGAATGTGTGGATCCACAGAACCCCACTGGAACGACACAGAGCCGGCC
TGCAAAGCCATGTGTGGAGGGGAGCTGTGGAACAGCTGGCGTGGTCTCTCTCCGACTGGCCCCAGAGCTAT
AGCCCGGGCCAAGACTGCGTGTGGGGCGTGACGTCCAGGAAGAGAAGCGCATCTTGCTCCAAGTTGAGATATTG
AATGTGCGGGAAGGGGACATGCTGACGCTGTTGACGGGGACGGTCCAGCGCCCGAGTCTTGGCCAGCTGCGG
GGACCTCAGCCGCGCCGCGCCTTCTCTCTCTGGGCCGACCTCACACTGCAGTTTCAGGCACCGCCCGGGCCC
CCAAATCCAGGCTGGGCCAGGGCTTCGTATTGCACTTCAAAGAGGTCCCGAGGAACGACACGTGCCCGGAGCTG
CCACCTCCGGAGTGGGGCTGGAGAACGGCATCCACGGGGACCTGATCCGGGGCACGGTGCTCACCTACCACTGC
GAGCCTGGCTACGAGCTGTAGGCTCCGACATTCTCACTTGCCAGTGGGACCTGTCTTGGAGCGCCGCGCCGCC
GCCTGCCAAAAGATCATGACTTGTGCTGACCCCTGGCGAGATTGCCAACGGGCACCGCACCGCCTCGGACGCGGGC
TTCCCGGTTGGCTCCCACGTCCAGTACCGCTGCCCTGCCAGGGTACAGCCTCGAGGGGGCAGCCATGCTCACCTGC
TACAGCCGGGACACAGGCACACCAAGTGAGCGATAGGGTCCCAATGCGCCTTGAAGTACGAGCCGTGCCCTG
AACCCGGGGGTTCGAGAAATGGCTACCAGACGCTGTACAAGCACCCTACAGGCGGGCGAGTCTCTGCGCTTC
TTCTGCTATGAGGGCTTGGAGCTTATCGGCGAGGTCAACATCACCTGTGTGCCCCGGCCACCCCTCCAGTGGACC
AGCCAGCCCCACTCTGCAAGTGACCCAGACCACAGATCCATCACGGCAGCTGGAAGGGGGGAACCTGGCCCTG
GCCATCCTGTGCTCTAGGCTTGGTCAATTGTCTCGGCAGTGGCGTTTACATCTACTACACCAAGCTTCAGGGA
AAGTCCCTTTTCGGCTTCTCGGGCTCCCACTCCTACAGCCCCATACCGTGGAGTCGGAATTCAGCAACCCGCTG
TATGAAGCTGGGGATACGCGGGAGTATGAAGTTCCATCTGAACCCCAAGACTACAGCTGCAGGACCCAGGACGC
CCCTCCCTCCTCATTCGGGCAGAGGAAATACGGGACCCGCTCTGCTCCTGGCTGCCCTCCTCCCTGGCTG
TGTAATAGTCTCCCTATCCCACGAGGGGGCTTGTATGGCCCTGGAGATCCTACAGTAAATAAACAGCATCCTG
CCGCCAAAAA

112/550

FIGURE 112

MGTPRAQHPPPPQLLFLILLSCPWIQGLPLKEEEILPEPGSETPTVASEALAEELLHGALLRRG
PEMGYLPGSDPDPTLATPPAGQTLAVPSLPRATEPGTGPLTTAVTPNGVRGAGPTAPELLTTP
PGTTAPPPSPASPGPPLGPEGGEEETTTTIIITTTVTSTVSPVLCNNNISEGEGYVESPD
GSPVSRTLGLLDCTYSIHVYPGYGIEIQVQTLNLSQEEELLVLAGGGSPGLAPRLANSSMLG
EGQVLRSPTNRLLLHFQSPRVPRGGGFRIHYQAYLLSCGFPPRPAHGDVSVTDLHPGGTATFH
CDSGYQLQGEETLICLNTRPSWNGETPSCMASCGGTIHNATLGRIVSPEPGGAVGPNLTCRW
VIEAAEGRRLLHLHFERVSLDEDNDRMLMVRSGGSPLSPVIYDSMDDDVPERGLISDAQSLYVEL
LSETPANPLLLSLRFEAFEEDRCFAPFLAHGNVTTTDPEYRPGALATFSCLPGYALEPPGPPN
AIECVDPTPEPHWNTTEPACKAMCGGELSEPAGVVLSPDWQSYSPGQDCVWGVHVQEEKRILL
QVEILNVREGDMLTLFDGDGPSARVLAQLRGPQRRRLSSGPDLTQFQAPPGPPNPGLGQG
FVLHFKEVPRNDTCPELPPPEWGWRRTASHGDLIRGTVLTQCEPGYELLGSDILTCQWDLWS
AAPPACQKIMTCADPGEIANGHRTASDAGFPVGSVQYRCLPGYSLEGAAMLTCYSRDTGTPK
WSDRVPKCALKYEPCLNPGVPENGYQTLYKHHYQAGESLRFFCYEGFELIGEVTITCVPGHPS
QWTSQPPLCKVTQTTPSRQLEGGNLAAILLPLGLVIVLGSVYIYYTKLQGKSLFGFSGSH
SYSPITVESDFSNPLYEAGDTREYEVS

Important features of the protein:**Signal peptide:**

amino acids 1-27

Transmembrane domain:

amino acids 842-864

N-glycosylation sites.amino acids 176-180, 222-226, 247-251, 332-336, 355-359, 373-377,
473-477, 517-521, 641-645**Tyrosine kinase phosphorylation site.**

amino acids 61-69

N-myristoylation sites.amino acids 2-8, 84-90, 111-117, 114-120, 190-196, 198-204,
235-241, 309-315, 333-339, 351-357, 472-478, 484-490, 528-534,
626-632, 665-671, 775-781, 842-848**Amidation site.**

amino acids 384-388

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 12-23

CUB domain proteins profile.

amino acids 202-218, 376-392, 553-569

113/550

FIGURE 113

GCCGCGGGCGGAGCTGCTGCCGGTCCCGCGCGCGCTCCGCACTCCTCGGCCCTCGGGCGGTTCGATGGGACGG
GGCGCCGCGGAGCAGGAGGCGCGCCCGTCCGGGGTCTCGGGCCGCGCGGGAGCCCACTGTGGGGCTCGGGCATG
GCGGGCCGCGGAGCCTGAGCTCTCCTCAGGGGAGCGGGGAGGAGCTGCTGGCCGGCGATGGGGACGGAGTGGGG
CCGTGCGCCGCGCGCGCGAGCCGTGAGCGCCGAGCCACCGCCGCGCTACCTCAGCCCTTCGCGAAGCGCCGGCA
GCTCGGGAACATGCGCCCTGGAGCGGCTCTGCTCGGTCTCAAAGTGTGTAAACAGTACTGGTAGTGGAAGG
GATTGCCGTGGCCCAAAAAACCAAGATGGACAAAATATTGGAATCAAGCATATTCTGCAACCCAGTGTGGCAT
TTGGGTTCTGAACCAGCAATGGAGGTCAATTTGCTTCGCCAAATTATCCTGACTCATATCCACCAACAGGAGTG
TATCTACATTTTGGAAAGCTGCTCCACGTCAAAGAATAGAGTTGACCTTTGATGAACATTATTATATAGAACCATC
ATTTGAGTGTGGTTTGTACTTGGAGTTTCGAGATGGGCCATTGGTTTCTCTCCTCTTATAGATCGTTACTG
TGGCGTGAAAAGCCCTCCATTAATTAGATCAACAGGGAGATTTCATGTGGATTAAGTTTAGTTCTGATGAAGAGCT
TGAAGGACTGGGATTTTCGAGCAAAATATTCAATTTATTCAGATCCAGACTTTACTTACCTAGGAGGTATTTAAA
TCCCATTCAGATTGTCACTTCGAGCTCTCGGGAGCTGATGGAATAGTGGCTCTAGTCAGGTAGAACAAGAGGA
GAAAAACAAACAGGCCAAGCCGTTGATTGCATCTGGACCATTAAGCCACTCCAAAAGCTAAGATTATTTGAG
GTTCTTAGATTATCAAATGGAGCACTCAAATGAATGCAAGAGAACTTCGTTGCAGTCTATGATGGAAGCAGTTC
TATTGAAAACCTGAAGGCCAAGTTTTCGAGCACTGTGGCCAAATGATGTAATGCTTAAACAGGAATTGGAGTGAT
TCGAATGTGGGCAGATGAAGGTAGTGGCTTAGCAGGTTTCGAATGCTCTTACTTCTTGTGGAGCCTCCCTG
CACAAGCAGCACTTTCTTTTGCATAGCAACATGTGCATCAATAATTCTTAGTCTGTAATGGTGTCCAAAATTG
TGCATACCTTTGGGATGAAAATCATTGTAAGAAAAAGAAAAAGCAGGAGTATTTGAACAAATCACTAAGACTCA
TGGAAACAATTATGGCATTACTTCAGGGATTGTCTTGGTCTCTCATTATTTCTATTTTAGTACAGTGAAACA
GCCTCGAAAAAGGTGATGGCTTGCAAAACCGCTTTTAATAAAACCGGGTTCCAAGAAGTGTGTATCCTCTCA
TTATGAAGTGTCTTCACTAAGGGACAAAGAGATTCTGCAGACCTGGCAGACTTGTGGAAGAATTGGACAACATA
CCAGAAGATGCGGGCTCTCCACCGCTCCCGCTGCATCCAGACCACTGTGGGTGCGAGGCTCCAGCGT
CAAACAAAGCAGGACCAACCTCAGTTCCATGGAATTCCTTTCCGAAATGACTTTGCAACAACACAGCCAATGAA
AACATTTAATAGCACCTTCAAGAAAGTAGTTACACTTTCAAACAGGGACATGAGTGCCCTGAGCAGGCTCGGA
AGACCGAGTAATGGAGGAGATTCCCTGTGAAATTTATGTGAGGGGCGAGAAGATTCTGCACAAGCATCCATATC
CATTGACTTCTAATCTTCTGCTAATGGTGATGTGAATTTAGGGTGTGTACGTACGCAGCCTCCAGGGCACCAT
ACTGTTTCCAGCAGCCAACCTTTTCTCCCATCACAACCTACGAAGACCTTGATTTACCGTTAACCTATTGTATGG
TGATGTTTTTATTCTCTCAGGCAGTCTATATATGTTAAACCAATCAAGGAACCTTACTCTATTTCAGTGGAACAAT
AATCATCTCTATTGCTTGGTGTCAATTTATAGGAAGCACTGCCAGTTAAAGAGCATTAGAAGAGGTGGTTGGATGG
AGCCAGGCTCAGGCTGCCTCTTCGTTTGTAGCAACAAGAAGACTGCTCTTGACTGATAACAGCTCTGCAATATT
TGATGCCACAATAAACTTGATTTTTTTTACATTCCTTTTATTTTCTCTTCTTAAATTTAATTTGTTTTATAA
GCCTATCGTTTTACCATTTCATTTCTTACATAAGTACAAGTGGTTAATGTACCACATACTTCAGTATAGGCATT
TGTTCTTGAGTGTGTCAAATAACAGCTAGTTACTGTGCCAATTAAGACCCAGTTGATTTACCCATCTGTTTCT
TCTTGGCTAATCTCTGACTTCTGCCTTTTAATTAAGTGGGCCCTTATTCCTTATTTTCTGTGAGAAATAATAGAT
GATATGATTTATTACCTTCAATTATATTTTCTCAGTTATACTAGAAAATTTCAATCCTGGGATATATGTAC
CATTGTCAGCTATGACTAAAAATTTGAAAAAGATAAAAAATTTCTAGCAAGCCTTTGAAGTTTACCAAGTATAGTC
ACATTGAGTGACAGCCATTCAATCCAGTAAAGATCATTTCATTCACTTTGGGAGAGGCCTATAATTACATTTA
TTTGAATGTTTCTCTCGCTAGATTGTTACATAGCTCCCATTTCTGTTGGTTTTGCTTACAGCATATGGTAACCA
AGGTTAGATGCCAGTTAAATTCCTTAGAAATGGATGAGCCTTGAGATTGCTTCTTAAGTGGACATGACATTT
TTCTAGCTCTTATCAAGAATAACAACTTCCACTTTTTTTTTAACTGCATTTTGACTTTTTTTATGGTATAAAAA
CAATAATTTATAACATAAAAGCTCATTGTGTTTTTAGACTTTTGATATTATTGATACTGTACAACTTTATT
AAATCAAGATGAAAGACCTACAGGACAGATTCTTTTCACTGTTTACATCAGTGGCTTTGTATGCAAAATATGCTGT
GTTGGACCTGGACGCTATAACTTATTGTAAGACCTTGGAATGTGGACATAAGCTCTTTCTTCTCTTTGTTAC
TGATTTTAGTTTGTGATAAATTTTCACTGTGTGATATTTATGCTCTAATCACTACACAATCCCATATTTAAAA
TATACATTGTACCTGAAAAAAA

114/550

FIGURE 114

MALERLCSVLKVLITVLVVEGIAVAQKTQDGQNIGIKHIPATQCGIWVRTSNGGHFASPNYP
DSYPPNKECIYILEAAPRQRIELTFDEHYIIEPSFECRFDHLEVRDGPFGFSPLIDRYCGVKS
PPLIRSTGRFMWIKFSSDEELEGLGFRKYSFIPDPDFTYLGGILNPIPDCQFELSGADGIVR
SSQVEQEETKPGQAVDCIWTIKATPKAKIYLRLDYQMEHSNECKRNEFVAVYDGSSSIENLK
AKFCSTVANDVMLKTGIGVIRMWADEGSRLSRFRMLFTSFVEPPCTSSTFFCHSNMCINNSLV
CNGVQNCAYPWDENHCKEKKKAGVFEQITKTHGTIIGITSGIVLVLLIISILVQVKQPRKKVM
ACKTAFNKTGFQEVFDPPHYELFSLRDKEISADLADLSEELDNYQKMRRSSTASRCIHDHHC
SQASSVKQSRTNLSSMELPFRNDFAPQPMKTFNSTFKKSSYTFKQGHECPEQALEDRVMEEI
PCEIYVRGREDQAQASISIDF

Important features of the protein:**Signal peptide:**

amino acids 1-22

Transmembrane domain:

amino acids 348-369

N-glycosylation sites.

amino acids 311-315, 385-389, 453-457, 475-479

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 426-430, 479-483

N-myristoylation sites.amino acids 22-28, 32-38, 54-60, 186-192, 279-285, 318-324,
348-354, 352-358, 441-447

115/550

FIGURE 115

GGTCTCTGTCTTGGCTGTGGCTCCTGCGCTCTGGCTGAGCCATGTTCTTCTCCTCGCCCTC
CTCACTGAGCTTGGAACTGCAAGCCCACGAAGGTTCTGAAGGAATATTTCTGCATGTCACA
GTTCCACGGAAGATTAAGTCAAATGACAGTGAAGTTTCAGAGAGGAAGATGATTTACATCATT
ACAATTGATGGACAACCTTACACTCTACATCTCGGAAAACAATCATTCTTACCCCAAGAACTTT
TTGGTTTATACATATAATGAACTGGATCTTTGCATTCTGTGTCTCCATATTTTATGATGCAT
TGCCATTACCAAGGATATGCTGCCGAATTTCCAAATTCATTTGTGACACTCAGTATATGTTCT
GGTCTCAGGGGATTTCTCCAGTTTGAAAATATCAGTTATGGAATTGAACCAGTAGAATCTTCA
GCAAGATTTGAGCATATAATTTATCAAATGAAAAATAATGATCCAAATGTATCCATTTTAGCA
GTAAATTACAGTCATATTTGGCAGAAAGACCAGCCCTACAAAGTTCCTTTAACTCACAGATA
AAAAATCTTTCAAACCTATTACCCCAATATCTGGAATATACATTATAGTGGAAGAAAGCTTTG
ATGTTTACCCAGTTCAAATTGACTGTTATACTGTCTTCTTGGAAATTGTGGTCAAATGAAAAC
CAGATTTCCACCAGTGGGGATGCTGATGATATATTACAAAGATTTTGGCATGGAAACGGGAC
TATCTCATCCTACGGCCCCATGACATAGCATACTTACTTGTTTACAGGAAACATCCATAATAT
GTGGGAGCAACATTTCTGGCACCGTATGCAATAAAAGCTATGATGCAGGTATTGCTATGTAT
CCAGATGCAATAGGTTTGGAGGGATTTTCGGTTATTATAGCTCAACTGCTTGGCCTTAATGTA
GGATTAACATATGATGACATCACTCAGTGTCTGTCTGAGAGCTACATGCATCATGAATCAT
GAAGCAGTGAGTGCCAGTGGTAGAAAGATTTTAGCAACTGCAGCATGCACGACTATAGATAT
TTTGTTCAAAATTTGAGACTAAATGCCTTCAGAAGCTTTCAAATTTGCAACCATACATCAA
AATCAACCAGTGTGTGGTAATGGGATTTTGAATCCAATGAAGAATGTGACTGTGGTAATAAA
AATGAATGTCAATTTAAGAAGTGCTGTGATTATAACACATGTAACTGAAGGGCTCAGTAAAA
TGTGGTTCTGGACCATGTTGTACATCAAAGTGCTGAGTTGTCAATAGCAGGCACTCCATGTAGA
AAGAGTATTGATCCAGAGTGTGATTTTACAGAGTACTGCAATGGAACCTCTAGTAATTGTGTT
CCTGACACTTATGCACTGAATGGCCGTTTGTGCAAGTTGGGAACTGCCTATTGCTATAACGGA
CAATGTCAAACCTACTGATAACCAGTGTGCCAAGATATTTGGAAAAGGTGCTCAAGGTGCTCCA
TTTGCCTGTTTTAAAGAAGTTAATTCTCTGCATGAAAGATCTGAAAAGTGTGGTTTTAAAAAT
TCACAACCATTACCTTGTGAACGGAAGGATGTTCTCTGTGGAAAATTAGCTTGTGTTTCAGCCA
CATAAAAATGCTAATAAAAGTGACGCTCAATCTACAGTTTATTTCATATATTCAAGACCATGTA
TGTGTATCTATAGCCACTGGTTCCTCCATGAGATCAGATGGAACAGACAATGCCTATGTGGCT
GATGGCACCATTGTGGTCCAGAAATGTACTGTGTAAATAAAACCTGCAGAAAAGTTTCAATTA
ATGGGATATAACTGTAATGCCACCACAAAATGCAAAGGGAAAGGGATATGTAATAATTTTGGT
AATTGTCAATGCTTCCCTGGACATAGACCTCCAGATTGTAAATTCCAGTTTGGTTCCCCAGGG
GGTAGTATTGATGATGGAAATTTTCAGAAATCTGGTGACTTTTATACTGAAAAGGCTACAAT
ACACACTGGAACAACCTGGTTTATTCTGAGTTTCTGCATTTTCTGCCGTTTTTCATAGTTTTTC
ACCACTGTGATCTTTAAAAGAAATGAAATAAGTAAATCATGTAACAGAGAGAATGCAGAGTAT
AATCGTAATTCATCCGTTGTATCAGAAAGCGATGACGTGGGACATTAATATTGCACAGAATCT
CCATAGCAAATAACCTAAAGGAACGAATGTGCTTTATTTATAACCTTACGTTATCCCCAATGC
ATTGTAAATGTCAAACCTTTTGGAAAATAAAGCCTGCGTGCCCTCCC

116/550

FIGURE 116

MFLLLALLTELGRQLQAHEGSEGIFLHVTVPRIKISNDSEVSEKMIYIITIDGQPYTLHLGKQ
SFLPQNFLVYTYNETGSLHSVSPYFMMHCHYQGYAAEFPSFVTLISICSGLRGFLQFENISYG
IEPVESARFEHIIYQMKNNDPNVISILAVNYSHIWQKDQPYKVPLNSQIKNLSKLLPOYLEIY
IIVEKALMFTQFKLTIVILSSLELWSNENQISTSGDADDILQRFLAWKRDYLILRPHDIAYLLV
YRKHPKYVGATFPGTVCNKSVDAGIAMYPDAIGLEGFSVIIAQLLGLNVGLTYDDITQCFCLR
ATCIMNHEAVSASGRKIFSNCSMDYRYFVSKFETKCLQKLSNLQPLHQNPVCGNGILESNE
ECDGKNECQFKKCCDYNCTCKLKGSVKCGSGPCCTSKCELSIAGTPCRKSIDPECDFTEYCN
GTSSNCVPDITYALNGRLCKLGTAYCYNGQCQTNDNQCAKIFGKGAQGAPFACFKEVNSLHERS
ENCGFKNSQPLPCERKDVLCGKLACVQPHKNANKSDAQSTVYSYIQDHVCVSIATGSSMRSDG
TDNAYVADGTMCGPEMYCVNKTCKRVHLMGYNCNATTKCKGKGICNNFGNCQCFPGHRPPDCK
FQFGSPGGSIDGNGFQKSGDFYTEKGYNTHWNNWFILSFCIFLPPFFIVFTTVIFKRNEISKSC
NRENAEYNRNSSVVSSESDDVGH

Important features of the protein:**Signal peptide:**

amino acids 1-16

Transmembrane domain:

amino acids 665-684

N-glycosylation sites.amino acids 36-39, 76-79, 122-125, 149-152, 156-159, 177-180,
270-273, 335-338, 441-444, 537-540, 587-590, 601-604, 703-706**Casein kinase II phosphorylation sites.**amino acids 74-77, 208-211, 221-224, 304-307, 337-340, 346-349,
376-380, 415-418, 499-502, 639-642, 708-711**Tyrosine kinase phosphorylation site.**

amino acids 243-249

N-myristoylation sites.amino acids 53-58, 79-84, 266-271, 298-303, 372-377, 403-408,
408-413, 442-447, 462-467, 469-474, 488-493, 567-572, 610-615,
616-621, 634-639**Amidation site.**

amino acids 328-331

117/550

FIGURE 117

CCCACGCGTCCGCGGACGCGTGGGGCTCAGTGGGCGTCGCGCGAAGGCTAAGGGAGTGTGGCG
GGCGGCTCCGGGAGCCAACATGCCTCGGTATGCGCAGCTGGTCATGGGCCCCGCGGGCAGCGG
GAAGAGCACCTACTGTGCCACCATGGTCCAGCACTGTGAAGCCCTCAACCGGTCTGTCCAAGT
TGTAACCTGGATCCAGCAGCAGAACAATTCAACTACTCCGTGATGGCTGACATCCGGGAACT
GATCGAGGTGGATGATGTAATGGAGGATGATTCTCTGCGATTCCGGTCCCAACGGAGGATTGGT
ATTTTGCATGGAGTACTTTGCCAATAATTTTGACTGGCTGGAGAACTGTCTTGGCCATGTAGA
GGACGACTATATCCTTTTTGATTGTCCAGGTCAGATTGAGTTGTACACTCACCTGCCTGTGAT
GAAACATCTGGTCCAGCAGCTCGAGCAGTGGGAGTTCCGAGTCTGTGGAGTTTTTCTTGTTGA
TTCTCAGTTCATGGTGGAGTCATTCAAGTTTATTTCTGGCATCTTGGCAGCCCTGAGTGCCAT
GATCTCTCTAGAAATTCCGCAAGTCAACATCATGACAAAAATGGATCTGCTGAGTAAAAAAGC
AAAAAAGGAAATTGAGAAATTTTAGATCCAGACATGTATTCTTTATTAGAAGATTCTACAAG
TGACTTAAGAAGCAAAAAATTCAAGAACTGACTAAAGCTATATGTGGACTGATTGATGACTA
CAGCATGGTTCGATTTTTACCTTACGATCAGTCAGATGAAGAAAGCATGAACATTGTATTGCA
GCATATTGATTTTGCCATTCAATATGGAGAAGACCTAGAATTTAAAGAACCAAAGGAACGTGA
AGATGAGTCTTCCTCTATGTTTGACGAATATTTTCAAGAATGCCAGGATGAATTGAAGAGTTTA
CTAAAGTAACCATCTAAAGAGCTTGTGGCCAAACCAGCAGAACATTCTTCTCTTCAAAGGAT
GCAATAGTAGAAAGCTACTTATTTTAATGAAAAAAGTAAAACTTCGTTCTTTATCAGCCCTCA
TGCCTGAATCAAATTTTAAATTATTCTGAAACTGCTGCTGTTTAAAGTGGAATCTTTTAGTAT
TATAACAGCATCACTTTAGATTTTGTAAGTCAAAATTGAAATGAATGCACATAGATTTATATA
TAAATTAGCACCTGAGCTAAGGTTAAGGCCGGTCTAAACTTATTTTCACTTTTTGTATTATTT
TTGAGATGCAGGAATTACTGTAACAAAATATGTATGTCCGAAGGGAAAAAGCTGCAAGGATAT
ATATAAGACCACTGCTTATCTGTATCTTCCATTTTCTATATTGAAAATGTATATTATTTAT
ATAACTTAAAAAGTAAAAATAACTATGTTTTGAGAT

118/550

FIGURE 118

MPRYAQLVMGPAGSGKSTYCATMVQHCEALNRSVQVVNLDPAAEHFNYSVMADIRELIEVDDV
MEDDSLRFPGPNGGLVFCMEYFANNFDWLENCLGHVEDDYILFDCPGQIELYTHLPVMKHLVQQ
LEQWEFRVCGVFLVDSQFMVESFKFISGILAALSAMISLEIPQVNIMTKMDLLSKKAKKEIEK
FLDPDMYSLLEDSTSDLRSKKFKKLTKAICGLIDDYSMVRFLPYDQSDEESMNIVLQHIDFAI
QYGEDLEFKEPKEREDESSMFDEYFQECQDE

Important features of the protein:

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 151-170

N-glycosylation sites.

amino acids 31-35, 47-51

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 212-216

Tyrosine kinase phosphorylation site.

amino acids 189-197

N-myristoylation sites.

amino acids 13-19, 76-82, 154-160

ATP/GTP-binding site motif A (P-loop).

amino acids 10-18

119/550

FIGURE 119

GGGCGCTGGGAGACACCGGACGCCCCGCTCGGCTGCGCTGCGGCTCAGGCCCCCGCTCGGGCCC
GACCCGCTCGGTACCGCCGGCTCGGGCGCGCACCTGCCGGCTGCGGCCCCAGGGCCATGCGG
AGGCCCACGAGGAGGCCGGCGGCCACGCGCATCCCGTAGCCAGGTGGCCAGGTCTGCACCG
CGGCGGCTCGGCGCCATCGAGCCCCCGTATTGCTGACGGCGCACTACGATGAGTTCCAAGA
GGTCAAGTACGTGAGCCGCTGCGGCGCGGGGGGCGCGCGGGGGCTCCCTGCCCCGGGCTT
CCCGTTGGGCGCTGCGCGCAGCGTCACCGGGGCGCGGTCCGGGCTGCCGCGCTGGAACGGCG
CGAGGTGTGCTGCTGTCGGGGCTGGTGTTCGCCGCGGCTCTGCGCCATTCTGGCGGCTAT
GCTGGCCCTCAAGTACCTGGGCCCCGCTGCGGGCGCGGGCGGCGGCTGTCCCGAGGGCTGCCC
TGAGCGCAAGGCCTTCGCGCGCGCCGCTCGCTTCCTGGCCGCCAACCTGGACGCCAGCATCGA
CCCATGCCAGGACTTCTACTCGTTTCGCTGCGGCGGTTGGCTGCGGCGCCACGCCATCCCCGA
CGACAAGCTCACCTATGGCACCATCGCGGCCATCGGCGAGCAAAACGAGGAGCGCCTACGGCG
CCTGCTGGCGCGGCCCCGGGGTGGGCTGGCGGCGCGGCGCCAGCGCAAGGTGCGCGCCTTCTT
CCGCTCGTGCCTCGACATGCGCGAGATCGAGCGACTGGGCCCCGCGACCCATGCTAGAGGTCAT
CGAGGACTGCGGGGGCTGGGACCTGGGCGCGCGGAGGAGCGTCCGGGGGTCGCGGCGCGATG
GGACCTCAACCGGCTGCTGTACAAGGCGCAGGGCGTGTACAGCGCCGCGCGCTCTTCTCGCT
CACGGTCAGCCTGGACGACAGGAACCTCGCGCTACGTCATCCGCATTGACCAGGATGGGCT
CACCTGCCAGAGAGGACCCTGTACCTCGCTCAGGATGAGGACAGTGAGAAGATCCTGGCAGC
ATACAGGGTGTTCATGGAGCGAGTGCTCAGCCTCCTGGGTGCAGACGCTGTGGAACAGAAGGC
CCAAGAGATCCTGCAAGTGGAGCAGCAGCTGGCCAACATCACTGTGTGAGAGTATGACGACCT
ACGGCGAGATGTGAGTCCATGTACAACAAGGTGACGCTGGGGCAGCTGCAGAAGATCACCCC
CCACTTGCGGTGGAAGTGGCTGCTAGACCAGATCTTCCAGGAGGACTTCTCAGAGGAAGAGGA
GGTGGTGCTGCTGGCGACAGACTACATGCAGCAGGTGTGCGAGCTCATCCGCTCCACACCCCA
CCGGTCCCTGCACAACCTACCTGGTGTGGCGCGTGGTGGTGGTCTGAGTGAACACCTGTCCCC
GCCATTCCGTGAGGCACTGCACGAGCTGGCAGAGATGGAGGGCAGCGACAAGCCACAGGA
GCTGGCCCCGGTCTGCTTGGGCCAGGCCAATCGCCACTTTGGCATGGCGCTTGGCGCCCTCTT
TGTACATGAGCACTTCTCAGCCGCCAGCAAGGCCAAGGTGCAGCAGCTAGTGAAGACATCAA
GTACATCCTGGGCCAGCGCCTGGAGGAGCTGGACTGGATGGACGCCGAGACCAGGGCTGCTGC
TCGGGCCAAGCTCCAGTACATGATGGTGTGCTGCGCTACCCGGAATCTCTGCTGAAACCCGA
TGCTGTGGACAAGGAGTATGAGTTTGAGGTCCATGAGAAGACCTACTTCAAGAACATCTTGAA
CAGCATCCCCCTCAGCATCCAGCTCTCAGTTAAGAAGATTCGGCAGGAGGTGGACAAGTCCAC
GTGGCTGCTCCCCCACAGGCGCTCAATGCCTACTATCTACCCAACAAGAACCAGATGGTGT
CCCCGCGGGCATCCTGCAGCCACCCTGTACGACCCTGACTTCCCACAGTCTCTCAACTACGG
GGGCATCGGCACCATCATTGGACATGAGCTGACCCACGGCTACGACGACTGGGGGGGCCAGTA
TGACCGCTCAGGGAACCTGCTGCACTGGTGGACGGAGGCTCCTACAGCCGCTTCTGCGAAA
GGCTGAGTGCATCGTCCGTCTCTATGACAACTTCACTGTCTACAACCAGCGGGTGAACGGGAA
ACACACGCTTGGGGAGAACATCGCAGATATGGGCGTCTCAAGCTGGCCTACCACGCCTATCA
GAAGTGGGTGCGGGAGCACGGCCAGAGCACCCACTTCCCCGGCTCAAGTACACACATGACCA
GCTCTTCTTCAATTGCCCTTTGCCCAGAACTGGTGCATCAAGCGGCGGTGCGAGTCCATCTACCT
GCAGGTGCTGACTGACAAGCATGCCCCTGAGCACTACAGGGTGTGCGGAGTGTGTCCAGTT
TGAGGAGTTTGGCCGGGCTTCCACTGTCCCAAGGACTCACCCATGAACCCTGCCCACAAGTG
TTCCGTGTGGTGAAGCTGGCTGCCCGCTGCACGCCCCCACTGCCCCCGCACGAATCACTCC
TGCTGGCTACCGGGGAGGCATGCACCCGGTGCCAGCCCCGCTCTGGGCACCACCTGCCTTCC
AGCCCCCTCAGGACCCGGTCCCCCTGCTGCCCCCTCACTTCAGGAGGGGCTGGAGCAGGGTGA
GGCTGGACTTTGGGGGGCTGTGAGGGAAATATACTGGGGTCCCCAGATTCTGCTCTAAGGGGG
CCAGACCCTCTGCCAGGCTGGATTGTACGGGCCCCACCTTCGCTGTGTTCTTGTGCAAAGTC
TGGTCAATAAATCACTGCACTGTTAAAAA

120/550

FIGURE 120

MEPPYSLTAHYDEFQEVKYVSRGAGGARGASLPPGFPLGAARSVTGARSGLPRWNRREVCLL
SGLVFAAGLCAILAAMLALKYLG PVAAGGGACPEGC PERKAFARAARFLAANLDASIDPCQDF
YSFACGGWLR RHAI PDDKLT YGTIAAIGE QNEERLRRL LARPGGGPGGAAQRKVRAFFRSCLD
MREIERLGPRPMLEVEDCGG WDLGGA EERPGVAARWDLNRLLYKAQGVYSA AALFSLTVSLD
DRNSSRYVIRIDQDGLTLPERTLYLAQDEDESEKILAA YRVFMERVL SLLGADAVEQKAQEILQ
VEQQLANITVSEYDDLRRDVSSMYNKVTLGQLQKITPHLRWKWLLDQIFQEDFSEEEEVVLLA
TDYMQQVSQ LIRSTPHRVLHNYLVWRVVVVLSEHLSPPFREALHELAQEMEGSDKPQELARVC
LGQANRHFGMALGALFVHEHFS AASKAKVQQLVEDIKYILGQRLEELD WMDAETRAAARAKLQ
YMMVMVGYPDFLLKPD AVDKEYEF EVHEKTYFKN ILSIPFSIQLSVKKIRQEV DKSTWLLPP
QALNAYYLPKNQMVFPA GILQPTLYDPDFPQSLNYGGIGTIIGHELTHGYDDWGGQYDRSGN
LLHWWTEASYSRFLRKAECIVRLYDNFTVYNQ RVNGKHTLGENIADMGVLK LAYHAYQKWVRE
HGPEHPLPRLKYTHDQLFFIAQNWCIKRRSQSIYLQVLT DKHAP EHYRVLG SVSQFE EFGR
AFHC PKDSPMNP AHKCSVW

Important features of the protein:**Transmembrane domain:**

amino acids 64-88

N-glycosylation sites.

amino acids 255-259, 322-326, 656-660

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 722-726

N-myristoylation site.amino acids 24-30, 26-32, 27-33, 40-46, 47-53, 65-71, 148-154,
169-175, 170-176, 237-243, 450-456, 604-610, 607-613**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 85-96

Prenyl group binding site.

amino acids 772-777

Neutral zinc metalloproteinases, zinc-binding region signature.

amino acids 609-619

Neutral zinc metalloproteinases, zinc-binding region proteins.

amino acids 609-619

121/550

FIGURE 121

CGGACTGCCCCGACCGCGCG~~ATG~~GAGTCGACCGGCAGCGTCGGGGAGGCCCCGGGCGGACCCC
GGGTGCTGGTGGTGGGCGGCGGCATCGCGGGGCTGGGCGCGGCGCAGAGGCTCTGCGGCCACT
CCGCCTTCCCGCACCTGCGGGTCCTGGAGGCCACGGCCCGCGCCGGGGGCCGCATCCGCTCGG
AGCGCTGCTTCGGTGGCGTGGTGGAGGTGGGCGCGCACTGGATCCATGGGCCCTCCCGGGGTA
ACCCCGTCTTCCAGCTGGCTGCTGAGTACGGGCTGCTGGGGGAGAAGGAGCTGTCCAGGAGA
ACCAGCTGGTGGAGACCGGGGGTCACGTGGGCCCTGCCCTCCGTGAGCTACGCCAGCTCCGGGG
CCAGCGTGAGCCTCCAGCTGGTGGCGGAGATGGCGACTCTGTTCTACGGCCTGATAGACCAGA
CCCGGGAGTTCCTGCACGCTGCAGAGACCCCGGTGCCAGCGTCGGGGAGTACCTCAAGAAGG
AGATTGGCCAGCACGTGGCCGGCTGGACAGAGGATGAGGAGACCAGGAAGCTGAAGCTGGCCG
TCCTGAACCTCCTTCTTCAACCTGGAATGCTGTGTGAGCGGCACCCACAGCATGGACCTGGTGG
CCCTGGCACCCCTTTGGGGAGTATACCGTGCTGCCGGGGCTGGACTGCACCTTTTCTAAGGGCT
ATCAAGGACTCACAACTGCATGATGGCCGCCCTGCCGGAGGACACTGTAGTTTTTGAGAAGC
CTGTGAAGACCATCCACTGGAACGGGTCTTCCAGGAGGCAGCCTTTCCCGGGGAGACCTTTT
CAGTGTGGTAGAGTGTGAGGATGGAGACCGGTTCCCGGCGCACCATGTCATCGTCACCGTGC
CCTTAGGTTTTCTTAGGGAACATTTGGACACCTTCTTTGACCCCTCCCCTGCCGGCTGAGAAGG
CAGAAGCAATCAGGAAGATAGGCTTTGGGACCAACAACAAAATCTTCCTGGAGTTTGAGGAGC
CCTTCTGGGAGCCAGACTGCCAGCTGATCCAGCTGGTGTGGGAGGACACGTCGCCCCTGGAGG
ATGCTGCCCCTGAGCTACAGGACGCCTGGTTCGGAAGCTCATTGGCTTTGTGGTCCTGCCTG
CCTTTGCGTCTGTCCACGTTCTCTGTGGGTTCA TTGCCGGA CTGAGTCTGAGTTCATGGAGA
CTCTGTGGATGAAGAAGTACTTCTGTGTCTCACCCAAGTGCTCCGGAGAGTGACAGGAAACC
CACGGCTCCCCGCGCCCAAGAGCGTCTGCGGTCTCGCTGGCACAGCGCCCCGTACACTAGGG
GGTCTACAGCTACGTGGCCGTGGGCAGTACTGGGGGCGACCTGGACCTGCTGGCTCAGCCCC
TCCCTGCAGACGGCGCCGGCGCCAGCTCCAGATCCTGTTTGCGGGGGGAAGCCACACATCGCA
CGTTTTACTCCACGACGCACGGGGCTCTGCTGTGCGGGATGGAGGGAGGCCGACCGCCTCCTCA
GTCTGTGGGCCCCGAGGTGCAGCAGCCCAGGCCGAGGCTCT~~TAG~~CTGGGCCCAGCCTACTCTG
TTCCACCCGTGTGCGGGGTAGGCTGGGACCGTCATTTCTTCTGACAGATTTAGTCTGGCTTG
AAATTTGGGGATGTTAATGAGGGTCCTCTGGTTTTTTGGTAACCAGGGCCACCTTCTCAGTTCT
TGTGTCTGTTATTGGAGTCTGGCCAGGGTTGACTTGAGCTGAGACACCAGATGCTCACGGAGA
TGCTGGACACATAAAGCAAGTTACAGCCACAAAAAAAAAAAAA

122/550

FIGURE 122

MESTGSVGEAPGGPRVLVVGGGIAGLGAAQRLCGHSAFPHLRVLEATARAGGRIRSERCFGGV
VEVGAHWIHGPSRGNPVFQLAAEYGLLGEKELSQENQLVETGGHVGLPSVSYASSGASVSLQL
VAEMATLFYGLIDQTREFLHAAETPVPSVGEYLLKKEIGQHVAGWTEDEETRKLKLAVLNSFFN
LECCVSGTHSMDLVALAPFGEYTVLPGLDCTFSKGYQGLTNCMMAALPEDTVVFEKPVKTIHW
NGSFQEAAFPGETFPVSVECEDGDRFPAHHVIVTVPLGFLREHLDTFFDPPLPAEKAEAIRKI
GFGTNNKIFLEFEEPFWEPCQLIQLVWEDTSPLEDAAPELQDAWFRKLIGFVVLPAFASVHV
LCGFIAGLESEFMETLSDEEVLLCLTQVLRRTGNPRLPAPKSVLRSRWHSAPYTRGSYSYVA
VGSTGGDLDLLAQPLPADGAGAQLQILFAGEATHRTFYSTTHGALLSGWREADRLLSLWAPQV
QQPRPRL

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 364-385

N-glycosylation site.

amino acids 253-257

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 408-412

N-myristoylation sites.amino acids 20-26, 21-27, 25-31, 105-111, 119-125, 164-170,
216-222, 227-233, 443-449, 484-490**Aminooxidase Flavin containing amine oxidase:**

amino acids 23-497

123/550

FIGURE 123

CGGACGCGTGGGGGAAGATGGATAAATAATTCTGTACACGCTGCCCTGGCCTCTGGAGCTCAGCTGCCAGTCCAC
GTCTAGGGAATCTTAGCATCTGGGACCAAGACACTTTACAGCAATCATCACCCTTTCAGAGGAGGTGAGCTCAC
CAGGACTCATCTGCCATTTAGACCTTTTGCTGTCTACCTGCCAGGTGGCCCCACTGCTGACGAGAGATGGTGGA
TCTCTCAGTCTCCCCGACTCCTTGAAGCCAGTATCGCTGACCAGCAGTCTTGCTCTCTCATGCACCTCCTCCT
CCTTCAGCCTGGGGAGCCGAGCTCAGAGGTCAAGGTGCTAGGCCCTGAGTATCCCATCCTGGCCCTCGTCGGGA
GGAGGTGGAGTTCCCGTGCCACCTATGGCCACAGCTGGATGCCAGCAAATGGAGATCCGCTGGTTCCGGAGTCA
GACCTTCAATGTGGTACACCTGTACCAGGAGCAGCAGGAGCTCCCTGGCAGGCAGATGCCGGCGTTCCGGAACAG
GACCAAGTTGGTCAAGGACGACATCGCCTATGGCAGCGTGGTCTGTCAGCTTACAGCATCATCCCCCTCTGACAA
GGGCACATATGGCTGCCGCTTCCACTCCGACAACTTCTCTGGCGAAGCTCTCTGGAACTGGAGGTAGCAGGGCT
GGGCTCAGACCCTCACCTCTCCCTTGAGGGCTTCAAGGAAGGAGGCATTAGCTGAGGCTCAGATCCAGTGGCTG
GTACCCCAAGCCTAAGGTTTCACTGGAGAGACCACAGGACAGTGCCTGCCTCCAGAGTTTGAGCCATCGTCTG
GGATGCCCAGGACCTGTTCACTCTGGAAACATCTGTGGTTGTCCGAGCGGGAGCCCTCAGCAATGTGTCCGTCTC
CATCCAGAATCTCCTCTTGAGCCAGAAGAAAGAGTTGCTGAGTCCAGATAGCAGACGTGTTCTGTTACCCGAGCCTC
TGCGTGGAAGAGCGCGTTCGTGCGGACCTGCGCGTGTGTTGGTCTGCGCGCGCTGGCGCTGGGCGTCCCTCCG
GAAGCAGCGGAGAAGCCGAGAAAGCTGAGGAAGCAGGCGGAGAAGAGACAAGAGAACTACTGCAGAGCTGGA
AAAGCTTCAGACAGAGCTTGAAGGAGCGGGCTGAAGGCCAGGCTGAGTGGAGAGCAGCCCAAAAATATGCACT
GGAGTACTTCGTCTGCGCCCGCACCGCTCGCGCTCACCTGCGCGTGCCCCGCGCGCTGGGCGTCTCTCT
CGGGGCGCGCCAGGCGCGCGCTGGCCACCCGACGCGTTCTCGGAGCAGACGTGCGCGCTGAGCCTGCGGCGCTG
CGAGTACTTCGTCTGCGCCCGCACCGCTCGCGCTCACCTGCGCGTGCCCCGCGCGCTGGGCGTCTCTCT
GGACTACGAGGCGCGGAGAGCTGTCTTCTCAACGTGTCCGACGCTCCACATCTTACCTTCCACGACACCTT
CTCGGGCGCGCTCTGTGCGTACTTCAGGCCAGGGCCACGACGGCGGCGAACATCCGGATCCCCTGACCATCTG
CCCGCTGCCGTTAGAGGGACGGGCTCCCCGAAGAGAAAGCAGTACACCTGGCTACAGCCCTATGAGCCCGC
GGACCCCGCCTGGACTGGTGCTGAGGCGCCCTGCTGCGCGCGGACTGGCCCCGGGGGGCCCCCTGGATCCCAG
GCCAGCGCTTGTCTCTGCTCCGCTGAAGGGAGCAGGTGCACAGCCAAATGTAGCGAGGGGGACAAAGA
GAGGGACCTTTGCCTACGTAGATGTGTATGTGTAGTGCATTTTCTTCAAGGAAAGGAGACAAGTCCAAAGCTCG
TTTGTGGATTGTGGGACTGAGCGAAGGAGTACAAATATATCCACGTCGCTCAGAGCTGGGGTGTCTACGGTGGGC
GGTGGGCAAGAAGCCAGCATGGAAGAAAGAGGAGAAAACCTTTGGTGAAGTGCCTTAGAGGGATCAGTTAATTTG
TATAGTTTTATATTTTTTGTATATGTTTGTAGCTCTAAAAAGGTCGAGATGCAATAACACTTCGTAAGCAACGA
GTTACCTAAGTAAGGCTCAGATCCTAGTTTTAAAAACCATTTCCCATTAATAAGTGGAGGAACAGCTGCT
TCTGAGCCGGGGCAAAAATTTCAAGGTGAGCCTGGAGCATTGTGTGTGGTGAAGTAAATAAAGGCTCAAAACGT
GACGGCAACCCGGCAAAAGGTTAGGGAGCCAGGCGGAAGGGGCTCACTGACCAATTGTGGGACAATTTGAACAT
CAGGATGAATAATGACAGGAGAGATTATAACACACTGAATAAAAACATAATCCATGAGTTCATGCTGATACTCAA
ATTTCTTTTTAAAAAGGAGAAACAGGAAGGTTTCTTTGGAGGTGAAATCTAATTATTGGTGAGAGTCTTGAGAGA
ACAGGCTGTTTCCAGTCTCAAAGCAGTAACCTTATACACTACTTATAAGTTTGAAGGGGAAAGGTTACCTTTAC
AATGGAGACATCTACCAGATCATCAAGTGATTAAATTTAATCATCAATGATGGGACCAAGGACATTATTAGT
TTGACAACTGGGGAAAGAAGTGTCTTCACCCCCTACCCCCAAGACATTCTCTGTGCGCCAGGCTGGAGTGCA
GCCTCAACCTCCTGGGCCAAGTGATCCTCCACCTCAGCACACAACACCATGCCCAATTTTAAGTGCGTTATAG
AGACGGGGGTCTCACTTTGTTACCCAGGCTGGTCTCAAACTCCTGCGCTCAAGCAATCCTCCACCTGGGCTCC
CAAAATGCTGGGTGTACAGGCATGAGCCGCTGTGCTGGCTTCATTTTCAAGTGAAGACATTTGTACTGTGGCTA
TGTAAGGAGAACATTTGTTCTTAGCAACATACTGAAGTTTTAGATATTAATTACCACAGTGTCTGCCACTGA
ATTTCCAGTGACTAAGTGGAAAAATATAAAACATATGAATATAAAGAAAGAAAGAGACAAGTCAATGTAGTAAA
ATGACAACACTTGGTGACTCTAGGTGACTGGTCGACAGATGTTCAATTGTACTATCAATGTGGCTTTGCTGTGGGT
TTGAAATTTTGCAACTAAGAGTTGGGTGGCGGGGAGAAGGATACACCAAAAACTAAGTGATTATCTTTGGATG
GAAAAATGTTTGGTAATTGCATTCTTAAATGTCTTCTTGTATTTTTAATGTTCAATAATGTATATGTATCAG
TTCTGTAATAAAGGGGAAACACTTTTCA

124/550

FIGURE 124

MVDLSVSPDSLKPVSLTSSSLVFLMHLQLLQPGEPSSEVKVLGPEYPILALVGEEVEFPCHLWP
QLDAQQMEIRWERSQTFENVVHLYQEQQELPGRQMPAFRNRTKLVKDDIAYGSVVLQLHSIIPS
DKGTYGCRFHSDFNFSGEALWELEVAGLGSDPHLSLEGFKEGGIQLRLRSSGWYPKPKVQWRDH
QQQCLPPEFEAIVWDAQDLFSLETSVVVRAGALSNSVSIQNLLLSQKKELVVQIADVFPVGA
SAWKSAFVATLPLLLVLAALALGVLRKQRRSREKLRKQAEKRQEKLTAELEKLQTELDWRRAE
GQAEWRAAQKYAVDVTLDPASAHPSLEVSEDGKSVSSRGAPPGPAPGHPQRFSEQTCALSLE
FSAGRHYWEVHVGRRSRWFLGACLAAPRAGPARLSPAAGYWVLGLWNGCEYFVLAPHRVALT
LRVPPRRLGVFLDYEAGELSFFNVSDGSHIFTFHDTFSGALCAYFRPRAHDGGEHPDPLTICP
LPVRGTGVPEENDSDTWLQPYEPADPALDWW

Important features of the protein:**Signal peptide:**

amino acids 1-34

Transmembrane domain:

amino acids 247-272

N-glycosylation sites.

amino acids 102-106, 139-143, 224-228, 464-468, 516-520

Tyrosine kinase phosphorylation site.

amino acids 105-114

N-myristoylation sites.

amino acids 129-135, 220-226, 399-405, 423-429, 480-486

Amidation site.

amino acids 390-394

125/550

FIGURE 125

TATAGTCCCAGCTACTCATGGGGCTGATGCAGGTTGAGGCAGGAGGTTTCATGAGCCCAGGAGGTTGGAGCTGTAA
TGAGCTAGGATTCTGCCTCTGCACTCCTAGCTGGATGACAGAGCAAGACCCTGTCTCAAAAAAGAAAAA
AAAAAGAAATGCATGAACCAGACATGACAGTTCCTGGCCTCAAAGATCTTCCAAAGGAAATGATTTTTTTTAAACC
ACCAATGCTGCAGGAAAAAGCAACATATTTAAGTTATCCAATAACACCTATCCAATAATTGTAATCATTTATCAT
GACATGGTAGAGTTGTTTATATTTCTTTTCTTTTAGGTGAAACACCATTCAAAGTCGTAGTCAAATCTCTTTCA
CCTAAAGAGTTGGTCCGGATACATGTCCCTAAACCTTTGGACAGGAATGATGGAACATTTTTGATGAGATATAGG
ATGTATGAAACTGTGATGAAGCCTGAAGATAGAGGTCCTTTATGGTGATGAACATGTGGCTCAGTCTCCCTAT
ATTTTGAAGGACCAGTGTACCATGAGTACTGTGAGTGTCCGGAAGATCCTCAGGCCTGGCAGAAGACTCTTTCT
TGTCACCAACCAAGGAACACAGATTGCAAAAGATTTGCTTCTTTCCAGCATCAATCTCCAGCAAATGCTAAAA
GAAGTCCCCAAAAGGTTTGGGGATGAGAGAGGTGCCATTGTTTCATTACACGATTCTCAATAACCATGTTTACCGG
AGATCTTTAGGGAAATACACAGACTTCAAGATGTTCTCTGATGAGATTTTGTATCATTGACAAGAAAGGTCCTT
CTCCCAGATTTAGAATTTTATGTTAATCTTGGAGATTGGCCCTTGAGCATCGAAAAGTCAATGGAACCCCTAGC
CCCATACCTATCATTTTCATGGTGTGGCTCTCTGGATTCAAGAGATGTTGTCTTCCAACGTATGACATCACCAC
TCCATGCTTGAAGCCATGCGGGGTGTTACAAATGATCTCTCTCTATTTCAGGGAATACAGGCCCTTCCGTGATC
AATAAACAGAGAGAGCTTTCTCAGAGGTAGAGACAGCCGAGAGGAGAGGCTCCAGTTGGTACAGCTGTCCAAA
GAAAATCCTCAGTACTAGATGCAGGAATTACAGGATATTTCTTTTCCAAGAGAAAGAAAAGGAGCTTGGAAAA
GCCAAGTTGATGGGTTTCTTTGATTTCTTTAAGTACAAGTATCAAGTAAATGTGGATGGGACCGTGGCTGCTTAC
AGATATCCATATCTCATGCTGGGCGACAGTCTGGTTTAAAGCAGGACTCGCCATATTATGAACATTGTTACATG
GCACTAGAACCTTGAAGCATTATGTTCCAATTAAGAAATCTGAGTGATTTATTAGAGAAAGTTAAATGGGCT
AAGGAAAATGATGAAGAAGCCAAGAAGATTGCAAAAGAGGACAGTTGATGGCTAGGGACCTACTACAGCCACAC
AGGCTTTACTGCTACTATTACCAAGTACTGCAGAAATATGCCGAGCGCCAGTCCAGCAAACCCGAAGTACGTGAT
GGAATGGAACCTTGTCTCAGCCAGAAGATAGCACAGCCATCTGCCAGTGCCACAGGAAAAAGCCTTCAAGAGAA
GAACCTTTCAGTACAGCCAGAATCACACTCTGTGTATCCCGGTACACTTTAAGGAAAGATTGAATCTAAGCTGT
GAAGGACAGTATAGAAGACTGCACCAAGTGGACTAGTTCTCCCGTGGCTTTATATATGTAGATGGATATAGCAG
TACTGGTTGAGTATCCCTCATCTGAAATGCTTAGGACCAGGAGTGTTTCAGGCTTCAGATTTTTTAAGATTTGGG
AATATTTGATGATTTAATATCTTTTGCCTAAACACTGCTATTATCAGCATCATAGTTTCTCTAAAAAGAAAAT
ATATACCTTGTTCACATACCTCGAAGGTAATTTTATATAATATTTTAAATAATTTGTGCATGAAACAAAGTTGT
ATACATTGAACGTGCAGAAAGCAAAGGTGTCACTATCTTAGCGACCCAAAGTGGTGGTGTGACACTCAAAAAGTT
TTGGATTTGGGGTATTTTCAAGTTTTAGATTTTGTATGAGGAATGTTCAACCTGTATTTGAACAAGCATTACCA
AATATCATTAATATTAATATCTTTTGCCTAAACACTGCTATTATCAGCATCATAGTTTCTCTAAAAAGAAAAT
TGGGGATCATAGCCGATAGAGAGACTTGCTAAAATATAAACTCAGCCTCTGCAAAACTGTTTACATATTATTGGT
TTACATATTTTATTGGTTTATTTCTATCCCCTGTTCACTTTTCTCTTCCACTTCCAATTATGAAGAGAAAATAT
TTGTTTCAGGTTGTCCCCCGCCCCCTCACTGCATAATTTCTCTCTTACAAGCTGCTTTTGGCTTTCATTAA
TAACAGCTTCTTTTAGAAGTCTGATAAGGATATTTAAGGAAGAAGAGAAATGACTCTGTTATTAAGGTGGCAT
GGAGACTGTGGAGGGAATATTTTTTAAAGCACTACTCATATCTTTAAACTAAATTTTGCCAAAGCCGAGACAA
CATTAAAGGAGAAATTTGACCTTAAGTTAGTAATTCAAATCTATCTGAGTTGTATACCCATCAAAGACAATACAG
TTATTAACATAGATGAAGGTATGCTATAGGCATCATTCATTATCTCTATATGAATAGGTGAAAGATAACTGTAG
TCAGGTGAAAGCCATTCATCATTTTAAAGCTGAAAAGGGATCCTTGAAAACACTGAAAACCTCTACAACAATCT
TCAGGAAGCCTGCTATCTTGGGATCTACTAATAATAGGCAAGAACAAAGGCAAGCATCCATTCCTCACTCCACC
ACTTTTCTATTTCAAGTGGGTGTCATGTCTACGATGAAGACTTTGGAAATTTCTTTCTTTTAGGACAGGGTCA
GGATTTAGGACTCATAGCCTGAAAGCTCATTACATACTCCTTGTAACCATCAGTCCAAGGTTCAAGTCACTAAAG
TGATGTTCTTAAACAAAGCTATCTCATTCCAAATTTTAAATATGTACTCTGGCCGTTGCAAGTGGCTCACG
CCTGTAATCCCAGCACTTTGGCAGGCCGAGATGGGCGGATCTTTGAGGTCAAGGATTTGAGACCAGCCTGGCCA
ACATGGTGAAACCCGCTCTACTAAAAATACAAAAATTAGCCAGGCATGGTGGCATTGCTGTAAATCCCAGCT
ACTCGGGAGGCTGAGGCAGGAGAATCACTTGAACCTGGGAGGCAGAGGTTGCAGTGAGCTGAGATTACACCACTG
CACTCCAGCCTGGGTGACAGAGTGAGACTCCATCTCAAAACTGAAAATAAAAATAAAAATATGTATTCTCTCTAA
CTGAAATATTTACTTAATCTGGAACAAATGTAACATTTTTTAAAGTGTTACATCTATCTTGTGTAAGAACAA
TAAACAGAATTTTTGACTAAGCATAACCAATTTCAGAACAGTCTAATCAATGCCAAGTATCCAAGGCAAACTC
TAATACCCATCCATTGTGCAAAACCAAGCAGCAAGTATTAATAAGAGCAAGCTGTCTGAGCCATACCTA
ATGAATTTGTCTTAAATATTGTACATTGTGTTTGGAGGCTGTCAAACTGGGATTTAGGCAAGAAAGGTTGCC
TAATCATACCTTTCTGCTCAAAATTCAGGTGCTAAAGGCTAATGGCATTTTAAACATCTTACATTTTAAAAA
TTTATATTGCTCTGCCAAACAGGCTAATAGTTAAAGCAAGTTGAGACAAACAGGCAGATTCAAGTGTGGA
ACAGGAAGGATGTGCTTTAAAAAAGGTGGAATCCCTCAAAAAATCTATAGGGAGACAGCAGCCTTAATCTACA
TAATTTCTCATCTCGCAATTCAGCCGAGCCTTTAAAGAGTTAGTGTTAATGGCTTTCTGGTTTGAACAAAA
ATGCATCTATGTGTTGAAAGTTTGGGAGGAGATTACCAATATCTGAGGAGAAGATGGAGTGAAGGGAATCTT
ACTTTTTGCTTTTACCTTTCTATAATATTTAGATTTTTTTTACTGTAAGTATGGATCAAATGCAAAATAAG
AAAAATGCCAACCTTAGAAAAGACAATAATGCACAAAAGATATAAACAGGAACAGCAAATATTTATATTTTTC
CATTTTGTCTTTTTTAAATCTATGTTTAGAATTTATATCTTGGGACTTATGTATATATATACCTTTTAAATAAA
ATAAATTTTCTAAATAAAAAGTTG

126/550

FIGURE 126

MVELFIFLFLGGETPFKVVVKSLSPKELVRIHVPKPLDRNDGTFLMRYRMYETVDEGLKIEVL
YGDEHVAQSPYILKGPVYHEYCECPEDPQAWQKTLSCPTKEPQIAKDFASFPSINLQQMLKEV
PKRFGDERGAIVHYTILNNHVYRRSLGKYTDFKMFSDEILLSLTRKVLLPDLEFYVNLGDWPL
EHRKVNGTPSPIPIISWCGSLDSRDVVLPTYDITHSMLEAMRGVTNDLLSIQGNTGPSWINKT
ERAFFRGRDSREERLQLVQLSKENQLLDAGITGYFFFQEKELGKAKLMGFFDFKYKYQV
NVDGTVAAYRYPYMLGDSLVLKQDSPYYEHFYMALEPWKHYVPIKRNLSDLLEKVKWAKEND
EEAKKIAKEGQLMARDLLQPHRLYCYYYQVLQKYAERQSSKPEVRDGMELVPQPEDSTAICQC
HRKKPSREEL

Important features of the protein:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 250-254, 363-367

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 444-448

N-myristoylation site.

amino acids 208-214, 319-325, 388-394

Endoplasmic reticulum targeting sequence.

amino acids 448-453

Mitochondrial energy transfer proteins signature.

amino acids 25-34

127/550

FIGURE 127

AGCCGTCGGAGGGAGCCGGAGCGCTTCTCCCGAGTTGGTGATAGATTGGTGGTCATCCAACAT
GCAGAAATGAATGAGCAGTGAAAAGCAGCAGAGCCGATGGGTCATGAGGATGTAAGTGCGTTT
GAAGGCTTCCACACCCTCTACTCCAGGAATCATGAATAAACTGGAGGATAAGCAGGACCAGAT
GATACCAATGAAGAGAAGTTTACAGGCCCTCTATTGCCAACTGTTAAGTTTCTGCTGATCTTG
GCACTGACCGAAGCGCTGGCATTGTCATCCAGGAACCATCTCCAGGGAATCTCTTCAGGTC
CTCCCTTCAGGCACTCCCCCGGAACCATGGTGACAGCACCCACAGCTCTACCAGACATACT
TCTGTGGTGATGCTGACCCCCAATCCCGATGGACCCCCCTCACAGGCTGCAGCTCCCATGGCA
ACACTGACACCCCGTGACAGAGGGGCACCCTCCTACGCACACCATCTCCACCATCGCTGCGACA
GTAACCGCCCCCTATTCTGAAAGCTCCCTGTCCACAGGGCCCGCTCCAGCAGCCATGGCAACC
ACATCCTCCAAGCCAGAGGGCCGCCCTCGAGGGCAGGCTGCCCCACCATCCTGCTGACAAAG
CCACCGGGGGCCACCAGCCGCCCCACCACAGCGCCCCCGCACTACCACACGCAGGCCCCCCC
AGGCCCCCAGGCTCTTCCCAGAAAGGGGCTGGTAATTCATCACGCCCTGTCCCGCTGCACCT
GGTGGCCACTCCAGGAGTAAAGAAGGACAGCGAGGACGAAATCCAAGCTCCACACCTCTGGGG
CAGAAGCGGCCCTGGGGAAATCTTTCAGATCTACAAGGGCAACTTCACAGGGTCTGTGGAA
CCAGAGCCCTCTACCCTCACCCCCAGGACCCCACTCTGGGGCTACTCCTCTTCACCACAGCCC
CAGACAGTGGCTGCGACCACAGTGCCAGCAATACCTCATGGGCACCCACCACCACCTCCCTG
GGCCTGCAAAGGACAAGCCAGGCCTTCGCAGAGCAGCCAGGGGGGTGGTTCTACCTTCACC
AGCCAAGGAGGGACACCAGATGCCACAGCAGCCTCAGGTGCCCTGTCTCAGTCCACAAGCTGCC
CCAGTGCCCTTCTCAGCGCCCCACCACGGTGACCCACAGGATGGCCCCAGCCATAGTGACTCT
TGGCTTACTGTTACCCCTGGCACCAGCAGACCTCTGTCTACCAGCTCTGGGGTCTTCACGGCT
GCCACGGGGCCCCACCCAGCTGCCTTCGATACCAAGTGTCTCAGCCCCCTCCAGGGGATTCTT
CAGGGAGCATCCACAACCCACAAGCTCCAACCCATCCCTCCAGGGTCTCAGAAAGCACTATT
TCTGGAGCCAAGGAGGAGACTGTGGCCACCCTCACCATGACCGACCGGGTGCCAGTCCTCTC
TCCACAGTGGTATCCACAGCCACAGGCAATTTCTCAACCGCTGGTCCCCGCCGGGACCTGG
AAGCCTGGGACAGCAGGGAACATCTCCCATGTGGCCGAGGGGGACAAACCGCAGCACAGAGCC
ACCATCTGCCTGAGCAAGATGGATATCGCCTGGGTGATCCTGGCCATCAGCGTGCCCATCTCC
TCCTGCTCTGTCTGTGACGGTGTGCTGCATGAAGAGGAAGAAGAAGACCGCCAACCCGGAG
AACAACCTGAGCTACTGGAACAACACCATCACCATGGACTACTTCAACAGGCATGCTGTGGAG
CTGCCCAGGGAGATCCAGTCCCTTGAAACCTCTGAGGACCAGCTCTCAGAGCCCCGCTCCCCA
GCCAATGGCGACTATAGAGACACTGGGATGGTCCTTGTTAACCCTTCTGTCAAGAAACACTG
TTTGTGGGAAACGATCAAGTATCTGAGATCTAACTACAGCAGGCATCACTTTGCCATTCCGTA
TTTTTCGTCTCTAAATTATAAATATACAAATATATATATTATAAATATAACCTTGTGTAACCC
TGACTTAATGAGAAACATTTTCAGCTTTTTTTCCTATGAATTGTCAACATCTTTTTTTACAAGT
GTGGTTTTAAAAAAAAAAAAAATTTACAGAATGATCTGTGGCTTTATAAATAAAGGTATTTCT
AAGCAAAAAAAAAAAAAAAAAA

128/550

FIGURE 128

MKRSLQALYCQLLSFLLILALTEALAFAIQEPSPRESLQVLPSGTPPGTMVTAPHSSSTRHTSV
VMLTPNPDGPPSQAAAPMATLTPRAEGHPPTHISTIAATVTAPYSESSLSTGPAPAAAMATTS
SKPEGRPRGQAAPTILLTKPPGATSRPTTAPRRTTTRRPPRPPGSSSRKGAGNSSRPVPPAPGG
HSRSKEGQRGRNPSSTPLGQKRPLGKIFQIYKGNFTGSVEPEPSTLTPRTPLWGYSSSPQPQT
VAATTVPNTSWAPTTSLSGPAKDKPGLRRAAQGGGSTFTSQGGTPDATAASGAPVSPQAAPV
PSQRPHHGDPQDGP SHSDSWLTVTPGTSRPLSTSSGVFTAATGPTPAAFDTSVSAPSQGI PQG
ASTTPQAPTHPSRVSESTISGAKEETVATLTM TDRVPSPLSTVVSTATGNFLNRLVPAGTWKP
GTAGNISHVAEGDKPQHRATICLSKMDIAWVILAI SVPISSCSVLLTVCCMKRKKKTANPENN
LSYWNNTITMDYFNRHAVELPREIQSLETSEDQLSEPRSPANGDYRDTGMVLVNPFCQETLEV
GNDQVSEI

Important features of the protein:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 469-487

N-glycosylation sites.

amino acids 178-182, 223-227, 261-265, 446-450, 504-508, 509-513

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 495-499

N-myristoylation sites.amino acids 44-50, 48-54, 175-181, 222-228, 279-285, 286-292,
288-294, 296-302, 351-357, 374-380, 427-433, 442-448**TonB-dependent receptor proteins signature 1.**

amino acids 1-44

129/550

FIGURE 129

AGGCGAGGCGCGGCGCCGCTGCACACACGCACACGGAGCTATGGGGTGCCATGTTGCCACCAG
CTGCCACGTGGCCTGGCTTTTGGTGCTGATCTCTGGATGCTGGGGCCAGGTGAACCGCTGCC
CTTCTTACCAACCACTTCTTTGATACATACCTGCTGATCAGCGAGGACACGCCTGTGGGTTC
TTCTGTGACCCAGTTGCTGGCCCAAGACATGGACAATGACCCCTGGTGTGGCGTGTCTGG
GGAGGAGGCTCTCGCTTCTTTGCAGTGGAGCCTGACACTGGCGTGGTGTGGCTCCGGCAGCC
ACTGGACAGAGAGACCAAGTCAGAGTTCACCGTGGAGTTCTCTGTCAGCGACCACCAGGGGGT
GATCACACGGAAGGTGAACATCCAGGTCCGGGATGTGAATGACAACGCGCCACATTTACAA
TCAGCCCTACAGCGTCCGCATCCCTGAGAATACACAGTGGGGACGCCCATCTTCATCGTGAA
TGCCACAGACCCCGACTTGGGGGCAGGGGGCAGCGTCTCTACTCCTTCCAGCCCCCTCCCA
ATTCTTCGCCATTGACAGCGCCCCGCGTATCGTCACAGTGTCCGGGAGCTGGACTACGAGAC
CACACAGGCTTACAGCTCAGGTCAACGCCACAGATCAAGACAAGACCAGGCCTCTGTCCAC
CCTGGCCAACTTGGCCATCATCATCACAGATGTCCAGGACATGGACCCATCTTCATCAACCT
GCTTACAGCACCACATCTACGAGCATTCTCCTCCGGGCACGACGGTCCGCATCATACCGC
CATAGACCAGGATAAAGGACGTCCCCGGGGCATTGGCTACACCATCGTTTCAGGGAATACAA
CAGCATCTTTGCCCTGGACTACATCAGCGGAGTGCTGACCTTGAATGGCTGCTGGACCGGA
GAACCCCTGTACAGCCATGGCTTCATCTGACTGTGAAGGGCACGGAGCTGAACGATGACCG
CACCCCATCTGACGCTACAGTCACCACGACCTTCAATATCCTGGTTATTGACATCAATGACAA
TGCCCCGAGTCAACAGCTCCGAGTACAGCGTGGCCATCACTGAGCTGGCACAGGTCCGGCTT
TGCCCTTCCACTTTCATCCAGGTGGTGGACAAGGATGAGAATTTGGGCCTGAACAGCATGTT
TGAGGTGTACTTGGTGGGAACAACCTCCCACTTTCATCATCTCCCCGACCTCCGTCCAGGG
GAAGGCGGACATTTCGTATTTCGGGTGGCCATCCCACTGGACTACGAGACCGTGGACCGCTACGA
CTTTGATCTCTTTGCCAATGAGAGTGTGCCTGACCATGTGGGCTATGCCAAGGTGAAGATCAC
TCTCATCAATGAAAATGACAACCGGCCCATCTTCAGCCAGCCACTGTACAACATCAGCCTGTA
CGAGAACGTACCGTGGGGACCTCTGTGCTGACAGTCTGGTGAGTCCCCGCTTCACTGCAGG
GCCACTGAGCTCTCCAGGGCCGACTGTGGTGAGGCACCCAGAGGGATTTTGTCCAAGGGACCT
CAGCAATCAGGGAAGGAGGCACCCCCAAATCCCTGAGCTGTGTTTGTGGTGTATTAAATAAA
GTTTTTGGACTCTTCAGGAAGGGGCTCCCTTGACCTAGGTTGCAATATGGAAAAGGAGCCAAC
CTGAGGGGTGACGAGACTGAGCTGAGGACACTGGTTTTCTGCCTTCCCTGAGAGAGACTCAG
TGAGGGTGGGCTGGGAGCCCTGGAAGCCCCCTCAAATGGGTGGGAAGGTGCCAGCCATCCTTG
AGAAGGGCAACCTCTCCATGTGAGCACAGGCACAGAGAGGGGCAGGCGCTGGAGGGTACC
GGGGACCCCCAGCTGCCCATGGCTGGACTTGCCCTTTGACAAGGGGCCCTCCCACTGTGATT
TGTATCTGTGAGTACTCTTGGTTGCAAGGGACAGAAACCCTTAAGTAGTTCAAGCAAAAAGG
ATTGGCTCATGTAACCTCAAAGTATAAGTGATTTAGGCCGGGCTCGGTGGCTCACGCCTGTC
ATCCAACACCTTGAGAAAGCCGAGGTGGGCGGATCACTTGAGGTGGGAGTTTGAGACCAGCC
TGCCCAACATGGCAAACCCCGTCTCTACTAAAAATACAAAATTAGCCGGGTGTGGTGGCAC
ACGCCTGTAGTCCCAGCTACTAGGGAGGCTGAGGCAGGAGAATCGCTTGAACCCAGGAGGCGG
AGGTTGCAGTGAGCCGAGATTGTGTCACTGCCCTCCAGCCTGGGCGACAGAGCCAGATTCTGT
CTC

130/550

FIGURE 130

MGCHVATSCHVAWLLVLISGCWGQVNRLPFFFTNHFFDITYLLISEDTPVGSSVTQLLAQDMDND
PLVFGVSGEEASRFFAVEPDTGVVWLRQPLDRETKSEFTVEFSVSDHQGVITRKVNIQVGDVN
DNAPT FHNQPYSVRIPENTPVGTPIFIVNATDPDLGAGGSVLYSFQPPSQFFAIDSARGIVTV
IRELDYETTQAYQLTVNATDQDKTRPLSTLANLAIITDVQDMDPIFINLPYSTNIYEHSPPG
TTVRIITAIDQDKGRPRGIGYTIVSGNTNSIFALDYISGVLTNLGLLDRENPLYSHGFILTVK
GTELNDDRTPSDATVTTTFNILVIDINDNAPEFNSSEYSVAITELAQVGFALPLFIQVVDKDE
NLGLNSMFEVYLVGNNSHHFIISPTSVQGKADIRIRVAIPLDYETVDRYDFDLFANESVPDHF
GYAKVKITLINENDNRPIFSQPLYNISLYENVTVGTSVLTVLVSPRETAGPLSSPGPTVVRHP
EGFCPRDLSNQRRHPQIPELCLLVY

Important features of the protein:**Signal peptide:**

amino acids 1-23

Transmembrane domain:

amino acids 355-374

N-glycosylation sites.amino acids 155-159, 206-210, 349-353, 393-397, 434-438, 466-470,
472-476**N-myristoylation sites.**

amino acids 2-8, 49-55, 162-168, 270-276, 278-284, 316-322

Amidation site.

amino acids 515-519

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 11-22

Leucine zipper pattern.

amino acids 298-320

PTS HPR component serine phosphorylation site signature.

amino acids 377-393

Cadherins extracellular repeated domain signature.

amino acids 120-131, 336-347

Cadherins extracellular

amino acids 120-144, 336-360

131/550

FIGURE 131

GTGGGCCGCCCCCTGCTGCTGCCGTCCATGCTGATGTTTGCGGTGATCGTGGCCTCCAGCGGGC
TGCTGCTCATGATCGAGCGGGGCATCCTGGCCGAGATGAAGCCCCCTGCCCCCTGCACCCGCCCCG
GCCGCGAGGGCACAGCCTGGCGCGGAAAGCCCCCAAGCCTGGGGGCCTGTCCCTCAGGGCTG
GGGACGCGGACTTGCAAGTGCGGCAGGACGTCCGGAACAGGACCCTGCGGGCGGTGTGCGGAC
AGCCAGGCATGCCCCGGGACCCCTGGGACTTGCCGGTGGGGCAGCGGCGCACCCCTGCTGCGCC
ACATCCTCGTAAGTGACCGTTACCGCTTCCTCTACTGCTACGTCCCCAAGGTGGCCTGCTCTA
ACTGGAAGCGGGTGATGAAGGTGCTGGCAGGCGTCCTGGACAGCGTGGACGTCCGCCTCAAGA
TGGACCACCGCAGTGACCTGGTGTTCCTGGCCGACCTGCGGCCTGAGGAGATTGCTACCGCC
TGCAGCACTACTTTAAGTTCCTGTTTGTGCGGGAGCCCTTGGAACGCCTCCTCTCTGCCTACC
GCAACAAGTTTGGCGAGATCCGAGAGTACCAGCAACGCTATGGGGCTGAGATAGTGAGGCGGT
ACAGGGCTGGAGCGGGGCCAGCCCTGCAGGCGACGATGTCACATTCCCCGAGTTCCTGAGAT
ACCTGGTGGATGAGGACCCTGAGCGCATGAATGAGCATTGGATGCCCCGTGTACCACCTGTGCC
AGCCTTGTGCCGTGCACTATGACTTTGTGGGCTCCTATGAGAGGCTGGAGGCTGATGCAAATC
AGGTGCTGGAGTGGGTACGGGCACCACCTCACGTCCGATTTCCAGCTCGCCAGGCCTGGTACC
GGCCAGCCAGCCCCGAAAGCCTGCATTACCACTTGTGCAGTGCCCCCGGGCCCTGCTGCAGG
ATGTGCTGCCTAAGTATATCCTGGACTTCTCCCTCTTTGCCTACCCACTGCCTAATGTCACCA
AGGAGGCGTGTGAGCAGTGAACCATGGGTGTGGGGCCAGCAGCTGGTGGGGACTGGTTTCAACG
CCAGCTTCTGTGCTTCTGCCTGTCATTCCGAGAACTCTGGCTCTGGGGCTTGGGGCTTCTC
AGGATCCTGGATGGCAGAGACTGCCCTCAGAAGTTCCTTGTCCAGGGTGGGCACCCACAGTGA
CTCAGAGGACAGGGCTAGGCAGGAGACCTGCTGCTCCTCATTGGGGGGATCTCTTGGGGGGCA
GACACCAGTTTGCCAATGAAGCAACACATCTGATCTAAAGACTGGCTCCAGACCCCGGGCTGC
CAGGATTATGCAGTCCACTTGGTCTACCTTAATTTAACCTGTGGCCAACTCAGAGATGGTAC
CAGCCAGGGGCAAGCATGACCAGAGCCAGGGACCCTGTGGCTCTGATCCCCATTTATCCACC
CCATGTGCCTCAGGACTAGAGTGAGCAATCATACCTTATAAATGACTTTTGTGCCTTTCTGCT
CCAGTCTCAAAATTTCCCTACACCTGCCAGTTCTTTACATTTTCCAAGGAAAGGAAAACGGAA
GCAGGGTTCTTGCCTGGTAGCTCCAGGACCCAGCTCTGCAGGCACCCAAAGACCCTCTGTGCC
CAGCCTCTTCCTTGAGTTCTCGGAACCTCCTCCCTAATTCTCCCTTCCTTCCCCACAAGGCCT
TTGAGGTTGTGACTGTGGCTGGTATATCTGGCTGCCATTTTCTGATGCATTTATTTAAATT
TGACTTTTTGATAGAACCCTTGTAAGGGCTTTGTTTTCTAATAGCTGACTTTTAAATAAG
CAGTTTTATATAT

132/550

FIGURE 132

MLMFAVIVASSGLLLMIERGILAEKPLPLHPPGREGTAWRGKAPKPGGLSLRAGDADLQVRQ
DVRNRTLRAVCGQPGMPRDPWDLFVGQRRTLLRHILVSDRYRFLYCYVPKVACSNWKRVMKVL
AGVLDSVDVRLKMDHRSDLVFLADLRPEEIRYRLQHYFKFLFVREPLERLLSAYRNKFGEIRE
YQORYGAEIVRRYRAGAGPSPAGDDVTFPEFLRYLVDEDPERMNEHWMPVYHLCQPCAVHYDF
VGSYERLEADANQVLEWVRAPPHVRFPARQAWYRPASPESLHYHLCSAPRALLQDVLPKYILD
FSLFAYPLPNVTKEACQQ

Important features of the protein:

Signal peptide:

amino acids 1-23

N-glycosylation sites.

amino acids 67-71, 325-329

Tyrosine kinase phosphorylation sites.

amino acids 152-159, 183-183

N-myristoylation sites.

amino acids 89-95, 128-134

133/550

FIGURE 133

CGGCAGTTCTGGCCCCTGCAGCTGGAGGTACCCTGAGTTCTGAGGGTCGTAGTGCTGTTTCTG
GTATTCTCATCGCGGTACCTCTACCGGTGTGGACAAGTAAAGTTTGAATCAGCTTCTCCATG
GCCTGGGCACCAGTTCCCGGTGAGCCATTTTCCTTTTGGCTAAAAGTCCCCGCCAGAGGCC
AATTCGTCGCGGCGGCGGTGGAGATCGCAGGTCGCTCAGGCTTGCAATGGGTCAAGGGTTGT
GGAGAGTGGTCAGAAACCAGCAGCTGCAACAAGAAGGCTACAGTGAGCAAGGCTACCTCACCA
GAGAGCAGAGCAGGAGAATGGATGCGAGCAACATTTCTAACACCAATCATCGTAAACAAGTCC
AAGGAGGCATTGACATATATCATCTTTTGAAGGCAAGGAAATCGAAAGAACAGGAAGGATTCA
TTAATTTGGAAATGTTGCCTCCTGAGCTAAGCTTTACCATCTTGTCTACCTGAATGCAACTG
ACCTTTGCTTGGCTTCATGTGTTTGGCAGGACCTTGCGAATGATGAACTTCTCTGGCAAGGGT
TGTGCAAAATCCACTTGGGGTCACTGTTCCATATACAATAAGAACCACCTTTAGGATTTTCTT
TTAGAAAATTGTATATGCAGCTGGATGAAGGCAGCCTCACCTTTAATGCCAACCCAGATGAGG
GAGTGAACACTTTTATGTCCAAGGGTATCCTGGATGATTCGCCAAAGGAAATAGCAAAGTTTA
TCTTCTGTACAAGAACACTAAATTGGAAAAAAGTGAATCTATCTTGATGAAAGGAGAGATG
TCTTGGATGACCTTGTAACATTGCATAATTTTAGAAATCAGTTCTTGCCAAATGCACTGAGAG
AATTTTTTCGTCATATCCATGCCCCCTGAAGAGCGTGGAGAGTATCTTGAAACTCTTATAACAA
AGTTCTCACATAGATTCTGTGCTTGCAACCCTGATTTAATGCGAGAACTTGGCCTTAGTCCTG
ATGCTGTCTATGTACTGTGCTACTCTTTGATTCTACTTTCCATTGACCTCACTAGCCCTCATG
TGAAGAATAAAATGTCAAAAAGGGAATTTATTGAAATACCCGTCGCGCTGCTCAAAATATTA
GTGAAGATTTTGTAGGGCATCTTTATGACAATATCTACCTTATTGGCCATGTGGCTGCATAAA
AAGCACAATTGCTAGGACTTCAGTTTTTACTTCAGACTAAAGCTACCCAAGGACTTAGCAGAT
ATGGGGGTTACATCAGTGCTGGTCATTGTAGCCTGAGTATACAATCAAGCTTCAGTGTGCAAC
CTTTTTTTCTTTTGCCATTTTCTATTTTAGTAATTTTCCTTGGGGAACTAAATAATTTTGCAGA
ATTTTTCTAATTTTGTATATCACGTTTTGCACAAAGCAGAGCCACTGTCTAACACAGCTGTT
AACGAATGATAAACTGACATTATACTCTAAAAGATGGTGTATTTGTGCATTAGATTTGCCTGA
AAAACCTTTATCCATTTCCATTCTTTATACAAATACCATGTAATGTGTACATATTTAACTAAAG
AGATTTATAGTCATAATTATTTTATTGTAAAGATTTTAACTAAAGTTTTTCCTTTCTCTC

134/550

FIGURE 134

MGQGLWRVVRNQQLQQEGYSEQGYLTREQSRMDASNISNTNHRKQVQGGIDIYHLLKARKSK
EQEGFINLEMLPPELSFTILSYLNATDLCLASCWQDLANDELLWQGLCKSTWGHCSIYNKNP
PLGFSFRKLYMQLDEGSLTFNANPDEGVNYFMSKGILDDSPKEIAKFIFCTRTLNWKKLRIYL
DERRDVLDLVTLHNFNRNQFLPNALREFFRHIHAPEERGEYLETLITKFSHRFCACNPDLMRE
LGLSPDAVYVLCYSLILLSIDLTSPHVKNKMSKREFIRNTRRAAQNISEDVFGHLYDNIYLIG
HVAA

Important features of the protein:

Transmembrane domain:

amino acids 253-272

N-glycosylation sites.

amino acids 37-41, 87-91, 298-302

N-myristoylation site.

amino acids 110-116

135/550

FIGURE 135

GGCACGAGGGAGCCTCCGTTAGGGGGTGGGAAAGGACTTTGCCATAGGTCGCTGAGGCCACCA
TCTGCTCTCTTACTGGCCAAGGGCGTAAAAAGATAGTCTTCCCATTAGCTAGAGAGCAAACCC
CAGAAAGCCTATTGGCTGCGCCGTCCGCGGGCCTTGGTCCGCTTTGAAGGCGGGCTGCGGCTG
CGAGAGGAGGGCGGGGAGGCTAGCTGTTGTCGTGGTTGCTCGGAGGCACGTGTGCAGTCC
CGGAAGCGGCGAGGGGAACTGCTCCGCGCGCGCCGCGGGAGGAGGAACCGCCCGTCTTTA
GGGTCCGGGCCCCGGCCGGGCCATGGATTCAATGCCTGAGCCCCGCTCCCGCTGTCTTCTGCTT
CTTCCCTTGCTGCTGCTGCTGCTGCTGCTGCTGCCGGCCCCGGAGCTGGGCCCCGAGCCAGGCC
GGAGCTGAGGAGAACGACTGGGTTTCGCTGCCAGCAAATGCGAAGTGTGTAATATGTTGCT
GTGGAGCTGAAGTCAGCCTTTGAGGAAACCGGCAAGACCAAGGAGGTGATTGGCACGGGCTAT
GGCATCCTGGACCAGAAGGCCTCTGGAGTCAAATACACCAAGTCGGACTTGCGGTTAATCGAA
GTCACTGAGACCATTTGCAAGAGGCTCCTGGATTATAGCCTGCACAAGGAGAGGACCGGCAGC
AATCGATTTGCCAAGGGCATGTGAGAGACCTTTGAGACATTACACAACCTGGTACACAAAGGG
GTCAAGGTGGTGATGGACATCCCCTATGAGCTGTGGAACGAGACTTCTGCAGAGGTGGCTGAC
CTCAAGAAGCAGTGTGATGTGCTGGTGGAAGAGTTTGAGGAGGTGATCGAGGACTGGTACAGG
AACCACCAGGAGGAAGACCTGACTGAATTCTCTGCGCCAACCACGTGCTGAAGGGAAAAGAC
ACCAATTGCCTGGCAGAGCAGTGGTCCGGCAAGAAGGGAGACACAGCTGCCCTGGGAGGGAAG
AAGTCCAAGAAGAAGAGCAGCAGGGCCAAGGCAGCAGGCGGCAGGAGTAGCAGCAGCAAACAA
AGGAAGGAGCTGGGTGGCCTTGAGGGAGACCCCAGCCCCGAGGAGGATGAGGGCATCCAGAAG
GCATCCCCCTCTACACACAGCCCCCTGATGAGCTCTGAGCCCCACCCAGCATCCTCTGTCTTG
AGACCCCTGATTTTGAAGCTGAGGAGTCAGGGGCATGGCTCTGGCAGGCCGGGATGGCCCCGC
AGCCTTCAGCCCCTCCTTGCCCTGGCTGTGCCCTCTTCTGCCAAGGAAAGACACAAGCCCCAG
GAAGAACTCAGAGCCGTATGGGTAGCCCACGCCGTCTTTCCCCCTCCCCAAGTGTCTCTC
CTGACCCAGGGTTCAGGCAGGCCTTGTGGTTTCAGGACTGCAAGGACTCCAGTGTGAACTCAG
GAGGGGCAGGTGTCAGAACTGGGCACCAAGGACTGGAGCCCCCTCCGGAGACCAAACCTACCAT
CCCTCAGTCCTCCCCAACAGGGTACTAGGACTGCAGCCCCCTGTAGCTCCTCTCTGCTTACCC
CTCCTGTGGACACCTTGCACTCTGCCTGGCCCTTCCCAGAGCCCAAAGAGTAAAAATGTTCTG
GTTCTGATTTCTGAAAAAAAAAAAAAAAAAAATTCCT

136/550

FIGURE 136

MDSMPEPASRCLLLLPLLLLLLLLLLPAPELGPSQAGAEENDWVRLPSKCEVCKYVAVELKSAF
EETGKTKEVIGTGYGILDQKASGVKYTKSDLRLIEVTETICKRLLDYSLHKERTGSNRFAGM
SETFETLHNLVHKGVKVVMDIPYELWNETSAEVADLKKQCDVLVEEFEEVIEDWYRNHQEEDL
TEFLCANHVLKGKDTSCLAEQWSGKKGDTAALGGKSKKKSSRAKAAGGRSSSSKQRKELGGL
EGDPSPEEDEGIQKASPLTHSPPEL

Important features of the protein:

Signal peptide:

amino acids 1-26

N-glycosylation site.

amino acids 153-157

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 227-231, 228-232

Tyrosine kinase phosphorylation site.

amino acids 142-150

N-myristoylation sites.

amino acids 36-42, 74-80, 86-92, 125-131, 222-228, 237-243,
250-256, 263-269

Amidation sites.

amino acids 212-216, 222-226

ATP/GTP-binding site motif A (P-loop).

amino acids 62-70

137/550

FIGURE 137

CACGCCTCCCGCTGCCAGCCCGGCACCGGGATCTTAATCAGTCACTATGAAAACCTATTAGCT
CCACAGCAATGAGTCCCTCCACTGCTGAAGCTTGGCGCTGTGCTTAGTACCATGGCAATGATCT
CAAACCTGGATGTCCCAAACCTCTCCCATCCTTGGTGGGACTGAACACCACGAGGCTGTGCGACTC
CGGATACCTTAACTCAGATTAGTCCTAAAGAAGGGTGGCAGGTGTACAGCTCAGGATC
CTGATGGGCGGTGCATTTGCACAGTTGTTGCTCCAGAACAAAACCTGTGTTCCCGGGATGCCA
AAAGCAGGCAACTTCGCCAACTACTGGAAAAGGTTTCAAGACATGTCCCAGTCTATTGAAGTCT
TAAACTTGAGAACTCAGAGAGATTTCCAATATGTTTTAAAAATGGAAACCCAAATGAAAGGGC
TGAAGGCAAAATTTTCGGCAGATTGAAGATGATCGAAAGACACTTATGACCAAGCATTTCAGG
AGTTGAAAGAGAAAATGGACGAGCTCCTGCCTTTGATCCCCGTGCTGGAACAGTACAAAACAG
ATGCTAAGTTAATCACCCAGTTCAGGAGGAAATAAGGAATCTGTCTGCTGTCCTCACTGGTA
TTCAGGAGGAAATTTGGTGCCTATGACTACGAGGAACTACACCAAAGAGTGCTGAGCTTGGAAA
CAAGACTTCGTGACTGCATGAAAAAGCTAACATGTGGCAAACTGATGAAAATCACAGGCCCAG
TTACAGTCAAGACATCTGGAACCCGATTTGGTGCTTGGATGACAGACCCTTTAGCATCTGAGA
AAAACAACAGAGTCTGGTACATGGACAGTTATACTAACAATAAAATTGTTTCGTGAATACAAAT
CAATTGCAGACTTTGTGTCAGTGGGGCTGAATCAAGGACATACAACCTTCCTTTCAAGTGGGCAG
GAACTAACCATGTTGTCTACAATGGCTCACTCTATTTTAAACAAGTATCAGAGTAATATCATCA
TCAAATACAGCTTTGATATGGGGAGAGTGCTTGCCCAACGAAGCCTGGAGTATGCTGGTTTTTC
ATAATGTTTTACCCCTACACATGGGGTGGATTCTCTGACATCGACCTAATGGCTGATGAAATCG
GGCTGTGGGCTGTGTATGCAACTAACCAGAATGCAGGCAATATTGTCATCAGCCAACCTTAACC
AAGATACCTTGGAGGTGATGAAGAGCTGGAGCACTGGCTACCCCAAGAGAAGTGCAGGGGAAT
CTTTCATGATCTGTGGGACACTGTATGTCACCAACTCCCACTTAACTGGAGCCAAGGTGTATT
ATTCCTATTCCACCAAAACCTCCACATATGAGTACACAGACATTCCCTTCCATAACCAATACT
TTCACATATCCATGCTTGACTACAATGCAAGAGATCGAGCTCTCTATGCCTGGAACAATGGCC
ACCAGGTGCTGTTCAATGTCACCCCTTTCCATATCATCAAGACAGAGGATGACACATAGGCAA
ATGTGACATGTTTTTATTGATTTAAACAGTGTGATTTGTGATAAACTCTATAAGACCCCTTCC
GTTTTTTTCTTCACTATTATTTTTCATCATTTCTCCAAAGCAAAGCATTTTTATTGTAAAGTT
GGTGTTTTCAAAAACATAGCTGAGCTTGTCTAACTTACCATGTTGGAAACACATCTTAACCTTCT
AAATTTACAAGGCCTATCATGTCCTTGTGATGAAAAGCACTAAAAAAAAAAAAAGAGTTTAAGT
GGCTAAAGTCATAGTTTTGCAAGAGATTAATGATCTGCCTTATATTAGAGTCAGAGACTAATG
GTGGCTTAAATGCACGAATGTCTTTTTTTTTTAAACTGTCATTTTTTTACTGTCTTTTGCTCCA
TCTCAGGAAATATTTTGGTAGGAATTAGGAGAACAAAAAGCACTTTTATCCCATTTATTTCTT
TAAAAATGTAAGGATTTTATTTATATTGAAAAATAATATTAATCATTTTGTGTTAACACAA
TTCTCTGATGCGGTGCTGTACAGTCATTTTTTAAATCTCTTGCTAACATTTTATTGGCAGTATG
TATTTCTACCATTGTAACCACCATTTGTGCTATTGTATCTCTTCACTTCTGTGAAAGTAATATT
TTTTATAAANACACTGNAATTTTAAAAAAAAAAAAAAAAAAAAA

138/550

FIGURE 138

MSPPLLKLGAVLSTMAMISNWMSQTLPSLVGLNTRRLSTPDTLTQISPKEGWQVYSSAQDPDG
RCICTVVAPEQNLCSRDAKSRQLRQLLEKVQNMSQSIEVLNLRRTQRDFQYVLKMETQMKGLKA
KFRQIEDDRKTLMTKHFQELKEKMDLLPLIPVLEQYKTDAKLITQFKEEIRNLSAVLTGIE
EIGAYDYEELHQRVLSLETRLRDCMKKLTGKLMKITGPVTVKTSGTRFGAWMTDPLASEKNN
RVWYMDSYTNNKIVREYKSIADFEVSGAESRTYNLPFKWAGTNHVVYNGSLYFNKYQSNIIKY
SFDMGRVLAQRSLEYAGFHNVPYTWGGFSDIDLMADEIGLWAVYATNQNAGNIVISQLNQDT
LEVMSWSWSTGYPKRSAGESFMICGTLYVTNSHLTGAKVYYSYSTKTSTYEYTDIPFHNQYFHI
SMLDYNARDRALYAWNNGHQVLEFNVTLFHHIKTEDDT

Important features of the protein:

Signal peptide:

amino acids 1-16

N-glycosylation sites.

amino acids 33-37, 95-99, 179-183, 299-303, 465-469

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 215-219

Tyrosine kinase phosphorylation site.

amino acids 106-114

N-myristoylation sites.

amino acids 9-15, 31-37, 235-241, 239-245

139/550

FIGURE 139

GAAGCAGTGCAGAGAGGAGAGCGGAGCGGAGCTGCCGCTGAGCAAAGGCCTTCACCAATGGCCG
AGTCCCCCGGCTGCTGCTCCGTCTGGGCCCCGCTGCCTCCACTGCCTGTATAGCTGCCACTGGA
GGAAATGCCCCAGAGAGAGGATGCAAACCAGCAAGTGCGACTGTATCTGGTTTGGCCTGCTCT
TCCTCACCTTCCTCCTTTCCCTGAGCTGGCTGTACATCGGGCTCGTCCTTCTCAATGACCTGC
ACAACCTCAATGAATTCCTCTTCCGCCGCTGGGGACACTGGATGGACTGGTCCCTGGCATTCC
TGCTGGTCATCTCTACTGGTCACATATGCATCCTTGCTATTGGTCCTGGCCCTGCTCCTGC
GGCTTTGTAGACAGCCCCCTGCATCTGCACAGCCTCCACAAGGTGCTGCTGCTCCTCATTATGC
TGCTTGTGGCGGCTGGCCTTGTGGGACTGGACATCCAATGGCAGCAGGAGTGGCATAGCTTGC
GTGTGTCACTGCAGGCCACAGCCCCATTCCCTTCATATTGGAGCAGCCGCTGGAATTGCCCTCC
TGGCCTGGCCTGTGGCTGATACCTTCTACCGTATCCACCGAAGAGGTCCCAAGATTCTGCTAC
TGCTCCTATTTTTTGGAGTTGTCCTGGTCATCTACTTGGCCCCCTATGCATCTCCTCACCT
GCATCATGGAACCCAGAGACTTACCACCCAAGCCTGGGCTGGTGGGACACCGAGGGGCCCCCA
TGCTGGCTCCCGAGAACACCCTGATGTCTTGC GGAAGACAGCTGAATGCGGAGCTACTGTGT
TTGAGACTGATGTGATGGTCAGCTCCGATGGGGTCCCCTTCCTCATGCATGATGAGCACCTCA
GCAGGACCACGAATGTAGCCTCTGTATTCCCAACCCGAATCACAGCCCACAGCAGTGACTTCT
CCTGGACTGAACTGAAGAGACTCAATGCTGGATCCTGGTTCCCTAGAGAGGCGACCCTTCTGGG
GGGCCAAACCGCTGGCAGGCCCTGATCAGAAAGAGGCTGAGAGTCAGACGGTACCAGCATTAG
AAGAGCTATTGGAGGAAGCTGCAGCCCTCAACCTTTCCATCATGTTGACTTGCGCCGACCCC
CACAGAACCACACATACTATGACACTTTTGTGATCCAGACATTGGAGACTGTGCTGAATGCAA
GGGTGCCCCAAGCCATGGTCTTTTGGCTACCAGATGAAGATCGGGCTAATGTCCAACGACGGG
CACCTGGAATGCGCCAGATATATGGACGTCAGGGAGGCAACAGAACGGAGAGGCCCCAGTTTC
TTAACCTCCCCTATCAAGATCTGCCACTATTGGATATCAAGGCATTGCATAAGGATAATGTCT
CGGTGAACCTATTTGTAGTGAACAAGCCCTGGCTCTTCTCTCTGCTTTGGTGTGCAGGGGTGG
ATTCGGTCACCACCAACGACTGCCAGCTGCTGCAGCAGATGCGTTACCCTATCTGGCTTATTA
CCCCCTCAAACCTACCTAATCATATGGGTCATTACCAATTGTGTTTCCACCATGCTGCTTTTGT
GGACCTTCCTCCTCCAAAGGAGATTTGTTAAGAAGAGAGGGAAAAGTGGCTTAGAAACAGCAG
TGCTGCTGACAAGGATCAACAATTTTCATGATGGAGTGAATGCCCTGCCCTGCTTCCCCACCCA
AGCCAGTCTACATTGCCCAAACAGCAAGGGTTGGAGAGTGGCTTAAGTGAATGCTTCAGGGG
TGGTGGGTTGCAAGTGGGGGAGCTTTGCCAACAGGAGGTTTTGAACCATGAGGGCCCTCTGC
CCAGGTGATGGGCATTCCCTAAGCTGCTATGGAATCTGCTCCCTTTGGGGTTTTGACCTGAGA
TGTTTGGGAAGAGAGTGAGTAATGAGAAGTTTCTCCTCAAATGAACTAGAACAGAGGAAGTA
AAAGGGAGATTGCTCGGA

140/550

FIGURE 140

MAESPGCCSVWARCLHCLYSCHWRKCPRERMQTSKDCIWFGLLFLTFLLSLSWLYIGLVLLN
DLHNFNEFLFRRWGHWMWDSLAFLLVISLLVTYASLLLVLALLRLCRQPLHLHSLHKVLLLL
IMLLVAAGLVGLDIQWQEWHSRLRVSLQATAPFLHIGAAAGIALAWPVADTFYRIHRRGPKI
LLLLLFFGVVLVIYLAPLCISSPCIMEPRDLPPKPGLVGHRGAPMLAPENTLMSLRKTAECGA
TVFETDVMVSSDGVPFMLHDEHLSRTTNVASVFPTRIAHSSDFSWTELKRLNAGSWFLERRP
FWGAKPLAGPDQKEAESQTVPALEELLEEEAALNLSIMFDLRRPPQNHTYYDTFVIQTLETVL
NARVPQAMVFWLPDEDRANVQRRAPGMRQIYGRQGGNRTERPQFLNLPYQDLPLLDIKALHKD
NVSVNLFVVNKPWLFSLLWCAGVDSVTTNDQCQLLQOMRYPIWLITPQTYLIIWVITNCVSTML
LLWTFLLQRRFVKRGTGLETAVLLTRINNFME

Important features of the protein:**Transmembrane domains:**

amino acids 38-60, 83-107, 122-138, 156-173, 189-210, 484-506

N-glycosylation sites.

amino acids 349-353, 362-366, 415-419, 442-446

N-myristoylation sites.

amino acids 163-169, 413-419, 523-529

Leucine zipper pattern.

amino acids 93-115, 109-131

Glutamine amidotransferases class-II active site.

amino acids 1-13

[illegible]

142/550

FIGURE 142

MYLVAGDRGLAGCGHLLVSLGLLLLLLARSSTRALVCLPCDESKCEEPRNCPGSIVQGVCGCC
YTCASQRNESCGGTFGIYGTCDRGLRCVIRPPLNGDSLTEYEAGVCEDENWTDDQLLGFKPCN
ENLIAGCNIINGKCECNTIRTCSNPFEPFSQDMCLSALKRIEEKPDCKARCEVQFSRCP
DSVLIIEGYAPPGECPLPSRCVCNPAGCLRKVCQPGNLNILVSKASGKPGECCLYECKPVFG
VDCRTVECPVQQTACPPDSYETQVRLTADGCCTLPTRCECLSGLCGFPVCEVGSTPRIVSRG
DGTPGKCCDVFECVNDTKPACVFNNVEYYDGMFRMDNCRFCRCQGGVAICFTAQCGEINCR
YYVPEGECCPVCEDPVYPFNNPAGCYANGLILAHGDRWREDDCTFCQCVNGERHCVATVCGQT
CTNPVKVPGECCPVCEPTIITVDPPACGELSNCITLTGKDCINGFKRDHNGCRTCQCINTEEL
CSERKQGCTLNCDFGLTDAQNCEICECRPRPKKCRPIICDKYCPLGLLKNKHGCDICRCKK
PELSCSKICPLGFQQDSHGCLCKCREASASAGPPILSGTCLTVDGHHHKNEESWHDGCRECY
CLNGREMCALITCPVPACGNPTIHPGQCCPSCADDFVQKPELSTPSICHAPGGGEYFVEGETW
NIDSCTQCTCHSGRVLCETEVCPPLLCQNPSTQDSCCPQCTDQPFPSLSRNNVSNYCKND
EGDIFLAAESWKPDVCTSCICIDSVISCFSESCPSVSCERPVLKRGQCCPYCIEDTIPKKVVC
HFSGKAYADEERWDLDSCTHCYCLQGQTLCTVSCPPPCVEPINVEGSCCPMCPMEYVPEPT
NPIEKTNRHGEVDLEVPLWPTSENDIVHLPRDMGHLQVDYRDNRHPSLSDSIASVVV
PIIICLSIIIAFLFINQKKQWIPLLCWYRTPKPSLNNQLVSVDCKKGTRVQVDSSQRMRLRI
AEPDARFSGFYSMQKQNLQADNFYQTV

Important features of the protein:**Signal peptide:**

amino acids 1-34

Transmembrane domain:

amino acids 940-962

N-glycosylation sites.

amino acids 71-75, 113-117, 330-334, 474-478, 746-750

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 992-996

N-myristoylation site.amino acids 9-15, 58-64, 61-67, 75-81, 79-85, 362-368, 402-408, 407-413,
439-445, 492-498, 511-517, 551-557, 558-564, 586-592, 606-612, 625-631,
845-851**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 52-63, 844-855

Cell attachment sequence.

amino acids 314-317

Leucine zipper pattern.

amino acids 3-25

Eukaryotic thiol (cysteine) proteases cysteine active site.

amino acids 57-69

VWFC domain proteins.

amino acids 448-456, 382-390

C-terminal cystine knot proteins

amino acids 60-86

143/550

FIGURE 143

GACGTCTGGCCGGCTCCCGGCGAAGGGCAGCGGAGGAGCGGCCCCAGAGCGCGCAGCTAGGGCA
CTGGCGAAACCCCGGGACAGTCCCTCTCCGTGCGGGGGCGGCGCAGAGCAGTCCCATCCCCGG
GGTCCCGGGCGCGGCTGACTGCCGGCTGGTTCCCTGCGCGCAGTAGCTCCCCGAGCCGGGCTG
CACCGGAGGCGGCGAGATGGTTCGCGCGCGTCCGGCTCCTGCTGCGCGCCCTGCAGCTGCTACT
GTGGGGCCACCTGGACGCCCAGCCCGCGGAGCGCGGAGGCCAGGAGCTGCGCAAGGAGGCGGA
GGCATTCCCTAGAGAAGTACGGATACCTCAATGAACAGGTCCCCAAAGCTCCCACCTCCACTCG
ATTCAGCGATGCCATCAGAGCGTTTCAGTGGGTGTCCAGCTACCTGTCAGCGGCGTGTGGAG
CCGCGCCACCCTGCGCCAGATGACTCGTCCCCGCTGCGGGGTACAGATACCAACAGTTATGC
GGCCTGGGCTGAGAGGATCAGTGACTTGTGTTGCTAGACACCGGACCAAAATGAGGCGTAAGAA
ACGCTTTGCAAAGCAAGGTAACAAATGGTACAAGCAGCACCTCTCCTACCGCCTGGTGAAGTG
GCCTGAGCATCTGCCGGAGCCGGCAGTTTCGGGGCGCCGTGCGCGCCGCTTCCAGTTGTGGAG
CAACGTCTCAGCGCTGGAGTTCTGGGAGGCCCCAGCCACAGGCCCCGCTGACATCCGGCTCAC
CTTCTTCCAAGGGGACCACAACGATGGGCTGGGCAATGCCTTTGATGGCCCAGGGGGCGCCCT
GGCGCACGCCTTCCTGCCCCGCCGCGGCGAAGCGCACTTCGACCAAGATGAGCGCTGGTCCCT
GAGCCGCCGCCGCGGGCGCAACCTGTTTCGTGGTGCTGGCGCACGAGATCGGTACACGCTTGG
CCTCACCCACTCGCCCGCGCCGCGCGCTCATGGCGCCCTACTACAAGAGGCTGGGCCGCGA
CGCGCTGCTCAGCTGGGACGACGTGCTGGCCGTGAGAGCCTGTATGGGAAGCCCCCTAGGGGG
CTCAGTGGCCGTCCAGCTCCCAGGAAAGCTGTTCACTGACTTTGAGACCTGGGACTCCTACAG
CCCCAAGGAAGGCGCCCTGAAACGCAGGGCCCTAAATACTGCCACTCTTCCTTCGATGCCAT
CACTGTAGACAGGCAACAGCAACTGTACATTTTTAAAGGGAGCCATTTCTGGGAGGTGGCAGC
TGATGGCAACGTCTCAGAGCCCCGTCCACTGCAGGAAAGATGGGTGCGGCTGCCCCCAACAT
TGAGGCTGCGGCAGTGTCAATGATGGAGATTTCTACTTCTTCAAAGGGGGTCGATGCTG
GAGGTTCCGGGGCCCCAAGCCAGTGTGGGGTCTCCACAGCTGTGCCGGGCAGGGGGCCTGCC
CCGCCATCCTGACGCCGCCCTCTTCTTCCCTCCTCTGCGCCGCTCATCCTCTTCAAGGGTGC
CCGCTACTACGTGCTGGCCGAGGGGGACTGCAAGTGGAGCCCTACTACCCCGAAGTCTGCA
GGACTGGGGAGGCATCCCTGAGGAGGTGAGCGGCGCCCTGCCGAGGCCCGATGGCTCCATCAT
CTTCTTCCGAGATGACCGCTACTGGCGCCTCGACCAGGCCAACTGCAGGCAACCACCTCGGG
CCGCTGGGGCACCGAGCTGCCCTGGATGGGCTGCTGGCATGCCAACTCGGGGAGCGCCCTGTT
CTGAAGGCACCTCCTCACCTCAGAACTGGTGGTGCTCTCAGGGCAAAATCATGTTCCCCACC
CCCGGGGAGAGAACCCCTCTTAGAAGCCTCTGAGTCCCTCTGCAGAAGACCGGGCAGCAAAGCC
TCCATCTGGAAGTCTGTCTGCCTTTGTTCTTGGAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

144/550

FIGURE 144

MVARVGLLLRALQLLLWGHLDQAERGQELRKEAEAFLEKYGYLNEQVPKAPTSTRFSDAI
RAFQWVSQLPVSGVLD RATLRQMTRPRCGVTD TNSYA AWAERISDLFARHRTKMRRKKRFAKQ
GNKWKQHL SYRLVNWPEHLPEPAVRGAVRAAFQLWSNVSALEFWEAPATGPADIRLTFFQGD
HNDGLGNAFDGPGGALAHAF LPRRGEAHFDQDERWSLSRRRGRNLFVVL AHEIGHTLGLTHSP
APRALMAPYYKRLGRDALLSWDDVLAVQSLYGKPLGGSVAVQLPGKLFTDFETWDSYSPQGRR
PETQGPKYCHSSFDAITVDRQQQLYIFKGS HFEVAADGNVSEPRPLQERWVGLPPNIEAAAV
SLNDGDFYFFKGGRCWRFRGPKPVWGLPQLCRAGGLPRHPDAALFFPPLRRLILFKGARYYVL
ARGGLQVEPYYP RSLQDWGGIPEEVSGALPRPDGSIIFFRDDRYWRLDQAKLQATTSGRWATE
LPWMGCWHANSGSALE

Important features of the protein:**Signal peptide:**

amino acids 1-22

N-glycosylation sites.

amino acids 164-168, 355-359

N-myristoylation sites.amino acids 92-98, 153-159, 193-199, 202-208, 288-294, 368-374,
509-515**Amidation site.**

amino acids 312-316

Neutral zinc metallopeptidases, zinc-binding region signature.

amino acids 237-247

Matrixins cysteine switch

amino acids 231-262, 271-284

Hemopexin domain protein

amino acids 66-108, 231-262

145/550

FIGURE 145

GCCGGCTAGGGCGCCGGAGCCGCACGCAGCCGCGGGGCTCCGAGAGGCGCGCACTGGGGCTGGGACTGCGCGGGC
CCGCCGCTGCGAGCGCCACTGAGCGGTGCGCAACTTCGGAGGACAGCGCCGAGCCAGGCGAGCGCTCAGAGA
CCCGGAGCCAGAGGGGCGCGCGGAGCCTCGTTTCGAGAGCCGCGCCAGGCACCCACCGCTCCGAGTGCCAGG
CGGCCCTCCGCGCAGCGTGGCTTCCGCTGCCCCACGGAAGGCACGGGCTGGCGCTGCCGGGCGCGGGGAGGAC
GGCGAGGAGGAGGCGCGCGGCGGAGACGGCGCGGAGACTGGGGCCAGGGAGACAGCCCTGGGGGAGAGGC
GCCCCAACCAGGCCGCGGGAGCATGGGGGGCCGAGCGGAGCTCGGGGCGCGCTGCTGCTGGCACTGCTGCTCTG
CTGGGACCCGAGGCTGAGCCAAGCAGGCACTGATTCTGGCAGCGAGGTGCTCCCTGACTCCTTCCCGTACGCGCC
AGCAGAGCCGCTGCCCTACTTCTGCGAGGACACAGGACGCTACATTGTGAAGAACAAGCCTGTGGAGCTCCG
CTGCCGCGCTTCCCCGCCACACAGATCTACTTCAAGTGAACGGCGAGTGGGTACGCCAGAACGACACGCTCAC
ACAGGAAGGCCTGGATGAGGCCACCGGCTGCGGGTGCAGAGGTGCGAGTGCAGGTGTGCGGCGAGCGGTGGA
GGAGCTCTTTGGGCTGGAGGATTACTGGTGCCAGTGCCTGGCCTGGAGCTCCGAGGCACCAAGAGTGCCTG
AGCCTACGTCCGCATCGCCTACTTGCAGCAAGAACTTCGATCAGGAGCCTCTGGGCAAGGAGGTGCCCTTGGACCA
TGAGGTCTCTCTGAGTGGCGCCGCGGGGCTGCTGTTGGCGAGGTGGAATGGCTCAAGAATGAGGATGT
CATCGACCCACCCAGGACACCAACTTCTGCTCACCATCGACCAACCTCATCATCCGCCAGGCCGCTGTC
GGACACTGCCAACTATACCTGCGTGGCCAAAGAACATCGTGGCCAAACGCGGAGCACCCTGCCACCGTCTCGT
CTACGTGAATGGCGGCTGGTCCAGCTGGGCAGAGTGGTCACCCTGCTCCAACCGCTGTGGCCGAGGTGGCAGAA
GCGCACCCGAGCTCCACCAACCCGCTCCACTCAACGAGGGGCTTCTGCGAGGGCCAGGCATTCAGGAAGAC
CGCCTGCACCACCATCTGCCAGTGCATGGGGCGTGACGAGTGGAGCAAGTGGTTCAGCCTGCAGCACTGAGTG
TGCCCACTGGCGTAGCCGCGAGTGCATGGCGCCCCACCCAGAACGAGGCGGTGACTGCAGCGGGACGCTGCT
CGACTCTAAGAACTGCACAGATGGGCTGTGCATGCAAAATAAGAAAATCTAAGCGACCCCAACAGCCACCTGCT
GGAGGCTCAGGGGATGCGGCGCTGTATGCGGGCTCGTGGTGCCATCTTCTGGTTCGTTGGCAATCCTCATGGC
GGTGGGGGTGGTGGTGTACCGCGCAACTGCCGCTGACTTCGACACAGACATCACTGACTCATCTGTGCCCTGAC
TGGTGGTTTCCACCCCGTCAACTTTAAGACGGCAAGGCCAGCAACCCGAGCTCCTACACCCCTCTGTGCCTCC
TGACCTGACAGCCAGCGCCGCGCATCTACCGCGGACCCGTGTATGCCCTGCAGGACTCCACCGACAAATCCCCAT
GACCAACTCTCTCTGCTGGACCCCTTACCAGCCTTAAGGTCAAGGTCTACAGCTCCAGCACCAGGGCTCTGG
GCCAGGCTGGCAGATGGGGCTGACCTGCTGGGGCTTCCGCTGGCACATAACCTAGCGATTGCGCCGCCCTGAC
CACCACCTTCTGCACCTGCGCAGCGCCAGCCTCGGTTCACAGCAGCTCTTGGGCTGCCCGAGACCCAGGGAG
CAGCGTCAGCGGCACCTTTGGCTGCCTGGGTGGGAGGCTCAGCATCCCCGGCACAGGGGTGAGCTTGTGGTGCC
CAATGGAGCCATTCCCCAGGGCAAGTTCTACGAGATGTATCTACTCATCAACAAGGCAGAAAGTACCCTCCCGT
TTCAGAAGGGACCCAGACAGTATTGAGCCCTCGGTGACCTGTGGACCCACAGGCTCCTGCTGTGCCCGCCGT
CATCCTCACCATGCCCCACTGTGCCGAAGTCAGTGCCCGTGAATCTTTCAGCTCAAGACCCAGGCCACCA
GGGCACTGGGAGGAGGTGGTGACCTGGATGAGGAGACCTGAACACACCCCTGCTACTGCCAGCTGGAGCCAG
GGCTGTACATCCTGCTGGACAGCTGGGCACCTACGTGTTACGGGCGAGTCTTATCCCGCTCAGCAGTCAA
GCGGCTCAGCTGGCGCTTTCGCCCCCGCCCTCTGCACCTCCCTGGAGTACAGCCTCCGGGTCTACTGCTGGA
GGACAGCCTGTAGCACTGAAGGAGGTGCTGGAGCTGGAGCGGACTCTGGGCGGATACTTGGTGGAGGAGCCGAA
ACCGCTAATGTTCAAGGACAGTTACCACAACCTGCGCCTCTCCCTCCATGACCTCCCCATGCCATTTGAGGAG
CAAGCTGCTGGCCAAATACCAGGAGATCCCCTTCTATCACATTTGGAGTGGCAGCCAGAAGGCCCTCCACTGCAC
TTTACCCTGGAGAGGCACAGCTTGGCTCCACAGAGCTCACCTGCAAGATCTGCGTGGGCAAGTGGGAAGGGGA
GGGCCAGATATTCCAGCTGCATACCACTCTGGCAGAGACACCTGCTGGCTCCCTGGCACTCTCTGCTCGCCCC
TGGCAGCACTGTACCACCCAGCTGGGACCTTATGCTTCAAGATCCCACTGTCCATCCGCCAGAAGATATGCAA
CAGCTTAGATGCCCCAACTACGGGGCAATGACTGGCGGATGTAGCACAGAAGCTCTCTATGGACCGGTACCT
GAATTACTTTGCCACCAAGCGAGCCACGGGTGTGATCCTGGACCTCTGGGAAGCTCTGCAGCAGGACGATGG
GGACCTCAACAGCCTGGCGAGTGCCTTGGAGGAGATGGGCAAGAGTGAGATGCTGGTGGCTGTGGCCACCGACGG
GACTGCTGAGCCCTCTGGACAGCGGGCTGGCAGGACTGGCAGGAGGAGGTGCAGGGAGGCCTGGGGCAGCC
TCCTGATGGGGATGTTTGGCTCTGCTTCCCTCCAGTTTACAGCCAGAGTTGCCTCTCTCTCTCTTCCCCAA
CCCCAGACCATGACAGCCTTAGAAAATCCATGTACTCTGTTGTAGAGGGCCAGAGTTCTTCTCCACCCCC
GCTCTCTCTCTTGGGCTGAGATCTCTGTGCAGGAACCAAGATGGGGCTGAAGCCTCTGGAGGAGTGGTTGG
GGGCGGGCAGGAGGAGCCCTCCCTCCACCCCCCACCCTCAGCCCGGCAACTTCTGGGTCCGTGGGTTTTAG
TTCGTTCTCTGTTTTCTCTCTCCGTATTGATTCTCTCTTCTCCCTAAGCCCCCTTCTGCTTCCACGCCCCCTT
TCCTCTTTGAAGAGTCAAGTACAATTAGACAACTGCTTCTCTCTGTCAAAAGCAAAAAGGCAAGGAAAGAA
AGAAAGCTTACAGCCGCTAGTAAGGCTCAAGAAGGAAGAAACCAAAACCAAGGCAAGGAAAGAAACCCAG
TTTCTTAGGAAACGCAACGATTTATTATCCAGATTATTTGGATAAGTCTTTTTTAAAA

146/550

FIGURE 146

MGARSGARGALLLALLLCWDPRLSQAGTDSGSEVL PDSFPSAPAEPLPYFLQEPQDAYIVKNK
 PVELRCRAFPATQIYFKCNGEWSQNDHVTQEGLEATGLRVREVQIEVSRQQVEELFGLEDY
 WCQCVAWSSAGTTKSRRAYVRIAYLRKNFDQEPLGKEVPLDHEVLLQCRPPEGVPVAEVEWLK
 NEDVIDPTQDTNELLTIDHNLII RQARLSDTANYTCVAKNIVAKRRSTTATVIVYVNGGWSSW
 AEWSPCSNRCGRGWQKRTRTCTNPAPLNGGAFCEGQAFQKTACTTICPVDGAWTEWSKWSACS
 TECAHWSRRECMAPPPQNGGRDCSGTLLDSKNCTDGLCMQNKKTLSDPNSHLLLEASGDAALYA
 GLVVAIFVVVAILMAVGVVVYRRNCRDFDITDSSAALTGGFHPVNFKTARPSNPQLLHPSV
 PPDLTASAGIYRGPVYALQDSTDKIPMTNSPLLDPLPSLKVKVYSSSTTGSGPGLADGADLLG
 VLPPGTYPSTDFARDTHFLHLSASLGSQQLLGLPRDPGSSVSGTFCGLGGRLSIPGTGVSLLV
 PNGAIPQGKFYEMYLLINKAESTLPLSEGTQTVLSPSVTCGPTGLLLCRPVILTMPHCAEVSA
 RDWIFQLKTOAHQGHWEVVTLDEETLNTPCYQCLEPRACHILLDQLGTIVFTGESYSRSVAK
 RLQLAVFAPALCTSLEYSLRVYCLEDTPVALKEVLELERTLGGYLVEEPKPLMFKDSYHNRL
 SLHDLPHAHWSRKLAKYQEI PFYHIWSGSQKALHCTFTLERHSLASTEITCKICVRQVEGEG
 QIFQLHTTLAETPAGSLDTLCSAPGSTVTTQLGPYAFKIPLSIRQKICNSLDAPNSRGNDRM
 LAQKLSMDRYLNYFATKASPTGVILDLWEALQQDDGDLNSLASALEEMGKSEMLVAVATDGDC

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 374-395

N-glycosylation sites.

amino acids 222-225, 347-350

Glycosaminoglycan attachment site.

amino acids 492-495

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 233-236, 234-237

Casein kinase II phosphorylation sites.

amino acids 30-33, 87-90, 251-254, 341-344, 359-362, 629-632, 651-654, 706-709, 757-760, 827-830, 925-928, 941-944

Tyrosine kinase phosphorylation sites.

amino acids 216-223, 773-780

N-myristoylation sites.

amino acids 2-7, 6-11, 27-32, 96-101, 137-142, 179-184, 247-252, 281-286, 334-339, 379-384, 491-496, 495-500, 509-514, 542-547, 547-552, 550-555, 553-558, 560-565, 611-616, 785-790, 834-839, 844-849

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 541-551

ATP/GTP-binding site motif A (P-loop).

amino acids 926-933

Growth factor and cytokines receptors family signature 2.

amino acids 306-312

147/550

FIGURE 147

GAGAGGGACAGAGGCTGGAGAAGGATGTATGGCCTGCCCTGGGCTTGTCTGTTCCCTCCTGAGCCTGAGCCCCCTT
ACCTTCTCTGACCCCATGAAGCACACACTGGCTCTGCTGGCTCCCCTGCTGGGCCTGGGCCTGGGGCTGGCCCTGA
GTCAGCTGGCTGCAGGGGCCACAGACTGCAAGTTCCTTGGCCCGGCAGAGCACCTGACATTCACCCAGCAGCCA
GGGCCCGGTGGCTGGCCCCCTCGAGTTCGTGCGCCAGGACTCCTGGACTCCCTCTATGGCACCGTGCGCCGCTTCC
TCTCGGTGGTGCAGCTCAATCCTTTCCCTTCAGAGTTGGTAAAGGCCCTACTGAATGAGCTGGCCCTCCGTGAAGG
TGAATGAGGTGGTGCAGGTACGAGGCGGGCTACGTGGTATGCGCTGTGATCGCGGGCCTCTACCTGCTGCTGGTGC
CCACTGCCGGGCTTTGCTTCTGCTGCTGCCGCTGCCACCGGCGCTGCGGGGACGAGTGAAGACAGAGCACAAGG
CGCTGGCCTGTGAGCGCGCGGCCCTCATGGTCTTCCTGCTGCTGACCACCTCTTGCTGCTGATTGGTGTGGTCT
GTGCCCTTGTACCAACCAGCGCACGATGAACAGATGGGCCCCAGCATCGAGGCCATGCCTGAGACCTGCTCA
GCCTTGGGGCTGGTCTCTGATGTCCCCAAGAGCTGCAGGCCGTGGCAGCAATTCTCCCTGCCCCAGGAGC
AAGTCTCAGAGGAGCTGGATGGTGTGGTGTGAGCATTGGGAGCGGATCCACACTCAGCTCAGGAGCTCCGTGT
ACCCCTTGTGCGGGCCGTGGGCAGTTTGGGCCAGGTCTGCAGGTCTCCGTGCACCACCTGCAACCTTGAATG
CTACAGTGGTAGAGCTGCAGGCCGGGCAGCAGGACCTGGAGCCAGCATCCGGGAACACCGGGACCGCCTCCTTG
AGCTGCTGCAGGAGGCCAGGTGCCAGGAGATTGTGCAGGGGCCCTGAGCTGGGCCCCGACCCTGGAGCTGGGTG
CTGACTTCAGCCAGGTGCCCTCTGTGGACCATGTCTGCACCAGCTAAAAGGTGTCCCGAGGGCCAACTTCTCCA
GCATGGTCCAGGAGGAGAAGCAGCACCTTCAACGCCCTTCCAGCCCTGGCTGCCATGCAGACATCCAGCGTGGTGC
AAGAGCTGAAGAAGGCAGTGGCCCCAGCAGCCGGAAGGGGTGAGGACACTGGCTGAAGGGTTCCCGGGCTTGGAGG
CAGCTTCCCGCTGGGCCCCAGGCACTGCAGGAGGTGGAGGAGAGCAGCCGCCCTACCTGCAGGAGGTGCAGAGAT
ACGAGACCTACAGGTGGATCGTGGGCTGCGTGTGCTCCGTGGTCTTATTCGTGGTGTCTGCAACCTGCTGG
GCCTCAATCTGGGCATCTGGGGCCTGTCTGCCAGGAGCAGCCCCAGCCACCCAGAAGCCAAGGGCGAGGCTGGAG
CCCGCTTCTCATGGCAGGTGTGGGCCCTCAGCTTCCTCTTGTCTGCACCCCTCATCTCTGGTGTTCGCCACCT
TCCTGTGGGTGGCAACGTGCAGACGCTGGTGTGCCGGAGCTGGGAGAACGGCGAGCTCTTTGAGTTTGCAGACA
CCCCAGGGAACCTGCCCCCGTCCATGAACCTGTGCAACTTCTTGGCCTGAGGAAGAATCAGCATCCACCAAG
CCTATCAGCAGTGAAGGAAGGGGCAGCGCTCTGGACAGTCTGCAGCTCAACGACTCCTACGACCTGGAGGAGC
ACCTGGATATCAACCAGTATACCAACAAGCTACGGCAGGAGTTGCAGAGCCTGAAAGTAGACACACAGAGCCTGG
ACCTGTCTGAGCTCAGCCCGCCCGCGGGACCTGGAGGCCCTGCAGAGCAGTGGGCTTCAGCGCATCCACTACCCCG
ACTTCTCTCGTTCAGATCCAGAGGCCCGTGGTGAAGACCAGCATGGAGCAGCTGGCCCCAGGAGCTGCAAGGACTGG
CCCAGGCCCAAGACAATTCTGTGCTGGGGCAGCGCTGCAGGAGGAGGCCCAAGGACTCAGAAACCTTCACCAGG
AGAAGGTCGTCCCCCAGCAGAGCCTTGTGGCAAAGCTCAACCTCAGCGTCAGGGCCCTGGAGTCTCTGCCCCGA
ATCTCCAGCTGGAGACTCAGATGTCTAGCCAAATGTCACTACCTGAAAGGAGAGCTGCCTGCCTGGGCAGCCA
GGATCCTGAGGAATGTGAGTGAGTGTTCCTGGCCCGGGAGATGGGCTACTTCTCCAGTACGTGGCCTGGGTGA
GAGAGGAGGTGACTCAGCGCATTGCCACCTGCCAGCCCTCTCCGGAGCCCTGGACAACAGCCGTGTATCCTGT
GTGACATGATGGCTGACCCCTGGAATGCCTTCTGGTCTGCCTGGCATGGTGCACCTTCTTCTGATCCCCAGCA
TCATCTTTGGCGTCAAGACCTCCAATACTTCCGTCTATCCGAAACGCCCTCAGCTCCACCAGCTTGAGGAGA
CTCAGCTCTTCCACATCCCCCGGGTTACCTCCCTGAAGCTGTAGGGCCCTTGTGGGGTGGAGTGACCTGAGGCTG
CCTGTCTCCCTTTGATTTAGCCTGGGCCACAGGACTTCGGTAGCTCTTGCCCCAGAGCCCAGGCTGGCATCCA
GGCCTGGACTGTCCCAAGTTCGGGTTACCTGGCCCCACCTTGCTGCTCTTTCACCCCTTTCTGCTCACGAC
CCCCATCATTACGCTCAGAATCACATGGGACTTCTGTGCAGCTGCAGAGCCAGCAAGTCCCTACAGGTGTACC
CGTTACCCCATGCTGGTGGCATCCTCACAGGAAGAGCCTGTTCTCCACCTGCTGGAGCCTGGACCTGGGGTGG
GACAGAGGCCTCGTCAACCCCACTCCCTTCCCGTGTGTCTTCCCTGCCAAGCCTCCCTGCCAAGCCTCC
CCCTGCCCCCTCTGAGCCCTCGCCCCCACACCGTCTCATCTGGCCTCCCCCTGGCCCCCACTTCCCTCTT
ATGCCCTTCTGGCCCTTGTCTTCTCCCTTAGTCCCTCTTACCATATCTCCACTGCTACCTTGTGGCCCCA
GAGACCACCTTGCCCAACCAACCACTCAGGTAACGCCACTAATCAGGCAGGGGCCACCATGGCCTAGGTCTGGG
CTGGCTGCAGGCCCTGCCTCATGGCCTCTGAGCCCTCCACTGCCCCAGGGCCTTGGGCCCTCTGCAGATCTCATC
CAGGATTTATTGTGTCCAGTGGGGTGGGGAGGCTGTCTGAAGGCCGAGCCTCCCTGCCTGCACCCAAGTTAG
AAATGGGGGTACCAGCACTTAGCTTCTCTGAGTGTGGTCCCAAGGAAGGGACCTGGGACCTGGGCCACAGT
GGGGGCTTGCCCTTACCTTTCAGAAGGAAGCATCTTCCACAGCCCCACCAACTTCTTAGGAGTGATCTGGT
GGCCAGAACAGGATTTTGCAGGCCCTTTTATCTGCGCATGTGGCCTAGGGTATCCCCAGCCCATCCCTGTG
TCAGCCCTGAGTGTGGACACTGCGTTCAGAAATGAGGAAGAGGAGAGAGAAGAGATGGACAGACCTCAGATCC
ATTAAGTGTCTCACTTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

148/550

FIGURE 148

MKHTLALLAPLLGLGLGLALSQLAAGATDCKFLGPAEHLTFTPAARARWLAPRVRAPGLL
DSLYGTVRREFLSVVQLNPFPSSELVKALLNELASVKVNEVVRYEAGYVVCVAVIAGLYLLL
PTAGLCFCCCRCHRRCGGRVKTEHKALACERAALMVFLLLTLLLLIGVVCAVFNQRT
EQMGPSIEAMPETLLSLWGLVSDVPQELQAVAQQFSLPQEQVSEELDGVGVSIGSAIHTQ
LRSSVYPLLAAGVSLGQVLQVSVHHLQTLNATVVELQAGQDLEPAIREHRDRLELLQE
ARCQGDCAALSWARTLELGADFSQVPSVDHVLHQLKGVPEANFSSMVQEENSTFNALPA
LAAMQTSSVVQELKKAVAQQPEGVRTLAEGFPGLEAASRWAQALQEVEESSRYPYLQEVQR
YETRWIVGCVLCSVVLVLCNLLGLNLGIWGLSARDDPSHPEAKGEAGARTLMAGVGL
SFLFAAPLILLVFATFLVGGNVQTLVCRSWENGELFEFADTPGNLPPSMNLSQLLGLRKN
ISIHQAYQQCKEGAALWTVLQLNDSYDLEEHLDINQYTNKLRQELQSLKVDTSQSLDLLSS
AARRDLEALQSSGLQRIHYPDFLVQIQRPVVKTSMEQLAQELQGLAQADNSVLGQRLQE
EAQGLRNHLHQEKVVPQQSLVAKLNLSVRALESSAPNLQLETSDVLANVTYLGELPAWAA
RILRNVSECFLAREMGYFSQYVAWVREEVTQRIATCQPLSGALDNSRVILCDMMADPWNA
FWFCLAWCTFFLIPSIIFAVKTSKYFRPIRKRLSSTSSEETQLFHIPRVTSCLK

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 105-125, 153-173, 428-449, 476-500, 778-797

N-glycosylation sites:amino acids 270-273, 343-347, 352-356, 530-534, 540-546, 563-567,
684-688, 707-711, 725-729**cAMP- and cGMP-dependent protein kinase phosphorylation site.**

amino acids 811-815

Tyrosine kinase phosphorylation site.

amino acids 95-103

N-myristoylation sites.amino acids 13-19, 15-21, 17-23, 26-32, 58-64, 124-130, 168-174,
228-234, 230-236, 320-326, 338-344, 393-399, 429-435, 446-452,
477-483, 500-506, 536-542, 644-650, 761-767**Phospholipase A2 histidine active site.**

amino acids 129-137

4Fe-4S ferredoxins, iron-sulfur binding region signature.

amino acids 126-138

Mitochondrial energy transfer proteins signature.

amino acids 80-89

149/550

FIGURE 149

CACAGCTCCCTTCCCAGGACGTGAAAATCTGCCTTCTCACCATGAGGCTTCTAGTCCTTTCCA
GCCTGCTCTGTATCCTGCTTCTCTGCTTCTCCATCTTCTCCACAGAAGGGAAGAGGCGTCTG
CCAAGGCCTGGTCAGGCAGGAGAACCAGGCTCTGCTGCCACCGAGTCCCTAGCCCCAACTCAA
CAAACCTGAAAGGACATCATGTGAGGCTCTGTAAACCATGCAAGCTTGAGCCAGAGCCCCGCC
TTTGGGTGGTGCCTGGGGCACTCCCACAGGTGTAGCACTCCCAAAGCAAGACTCCAGACAGCG
GAGAACCTCATGCCTGGCACCTGAGGTACCCAGCAGCCTCCTGTCTCCCCCTTTCAGCCTTCAC
AGCAGTGAGCTGCAATGTTGGAGGGCTTCATCTCGGGCTGCAAGGACCCTGGGAAAGTTCCAG
AACTCCACGTCCTTGTCTCAATTGTGCCATCAACTTTCAGAGCTATCATGAGCCAACCTCACC
CCACAGGGCCTCAGTCGCCACCATGTGGGCCTCTCCAGTGCAAACCACCGAGCATTCACCAT
GACCGGTCACAGCTACAAATCCAGAGACCATCAATCCTGCTAGAGTGCAGGGTGGCAAGCACC
CAAGGGTGGCTGACCAAGACTGCAGAGTCTCCTCCATCTTCAGGTCCATTAGCCTCCTGGCA
TTTAACTACCAGCATCCAGTGGTCCCCAAGGAATCCCTTCCTAGCCTCCTGACATGAGTCTGC
TGGAAAGAGCATCCAAACAAACAAGTAATAAATAAATAAATAAACTCA

150/550

FIGURE 150

MRLLVLSSLLCILLLCFSIFSTEGKRRPAKAWSGRRTRLCCHRVSPNSTNLKGHHVRLCKPC
KLEPEPRLWVVP GALPQV

Important features of the protein:

Signal peptide:

amino acids 1-21

N-glycosylation site.

amino acids 48-52

Amidation sites.

amino acids 23-27, 33-37

151/550

FIGURE 151

CACCGGAGGGGCACGCAGCTGACGGAGCTGCGCTGCGTTTCGCTCGTTTGCCTCGCGCCCTCCA
CTGGAGCTGTTTCGCGCTCCCGGCTCCCACCGCAGCCCACCCGGCAGAGGAGTCGCTACCAGC
GCCAGTGCCTCTGTCTAGTCCGCAAACCTCCTTGCCGCCCCGCCCCGGGCTGGGCACCAAATAC
CAGGCTACCATGGTCTACAAGACTCTCTTCGCTCTTTGCATCTTAAGTGCAGGATGGAGGGTA
CAGAGTCTGCCTACATCAGCTCCTTTGTCTGTTTCTCTTCCGACAAACATTGTACCACCGACC
ACCATCTGGACTAGCTCTCCACAAAACACTGATGCAGACACTGCCTCCCCATCCAACGGCACT
CACAACAACCTCGGTGCTCCAGTTACAGCATCAGCCCCAACATCTCTGCTTCCTAAGAACATT
TCCATAGAGTCCAGAGAAGAGGAGATCACCAGCCCAGGTTTCGAATTGGGAAGGCACAAACACA
GACCCCTCACCTTCTGGGTTCTCGTCAACAAGCGGTGGAGTCCACTTAACAACCACGTTGGAG
GAACACAGCTCGGGCACTCCTGAAGCAGGCGTGGCAGCTACACTGTCGCAGTCCGCTGCTGAG
CCTCCACACTCATCTCCCCTCAAGCTCCAGCTCATCACCTCATCCCTATCAACCTACCA
CCTGAGGTCTTTTCTGCCTCCGTTACTACCAACCATAGCTCCACTGTGACCAGCACCCAAACCC
ACTGGAGCTCCAAGTGCACAGAGTCCCCGACAGAGGAGTCCAGCTCTGACCACACACCCACT
TCACATGCCACAGCTGAGCCAGTCCCCCAGGAGAAAACACCCCAACAACCTGTGTGAGGAAA
GTGATGTGTGAGCTCATAGACATGGAGACCACCACCTTTCCAGGGTGATCATGCAGGAA
GTAGAACATGCATTAAGTTAGGCAGCATCGCCGCCATTACCGTGACAGTCATTGCCGTGGTG
CTGCTGGTGTGTTGGAGTTGCAGCCTACCTAAAAATCAGGCATTCTCTCTATGGAAGACTTTTG
GACGACCATGACTACGGGTCTGGGGAAACTACAACAACCCTCTGTACGATGACTCCTAACAA
TGGAATATGGCCTGGGATGAGGATTAAGTGTCTTTATTTATAAGTGCTTATCCAGTAGAATT
AATAAGTACCTGATGCGCATTGAACGACAATCTTAAGCCCTGTTTTGTTGGTATGGTTGTTTT
TGTTTTCTCTCCCTCTCCTCTGGCTGCTACAACCTCCCCTTTCTGGTACAAGAAGAACCTTCT
TTAAAGGTGAGTGGAGGCTGATTTGCAGCTGAAGTGGGCCAGCCTTGACCCAGCCAGGCCAGA
CCACCATGGTGAAGGCTTCTTTCCCACTGCAGGACCCACTTTGAGAAGGATCGAGGAGGAGG
ATTTGGGTGTTTTGTTAGGGGTTACTTTCAGGGGAACATTTTCAATTTGTGTTATTTCTTAAAC
TTCTATTTAGGAAATTACATTAAGTATTAATGAGGGGAAAGGAAATGAGCTCTACGAGGATTT
CACCTTGCATGGGAGAGAGCAGGGTTTTCTCAGATTCCTTTTTTAATCTCTATTTATCTGGTTG
TTTCTGACAGGATGCTGCCTGCTTGGCTCTACGAGCTGGAAAGCAGCTTCTTAGCTGCCTAAT
TAATGAAAGATGAAAATAGGAAGTGCCCTGGAGGGGGCCAGCAGGTACGGGGCAGAATCTCT
CAGGTTGCTGTGGGATCTCAGTGTGCCCTACCTGTTCTCCCCTCCAGGCCACCTGTCTCTGT
AAAGGATGTCTGCTCTGTTCAAAGGCAGCTGGGATCCCAGCCCACAAGTGATCAGCAGAGTT
GCATTTCCAAAGAAAAAGGCTATGAGATGAGCTGAGTTATAGAGAGAAAGGGAGAGGCATGTA
CGGTGTGGGGAAGTGGAAGAGAAGCTGGCGGGGGAGAAGGAGGCTAACCTGCACTGAGTACTT
CATTAGGACAAGTGAGAATCAGCTATTGATAATGGCCAGAGATATCCACAGCTTGGAGGAGCC
CAGAGACTGTTTGCTTTATACCCACACAGCAACTGGTCCACTGCTTTACTGTCTGTTGGATAA
TGGCTGTAAAATGTTTAAAAAC

152/550

FIGURE 152

MVYKTLFALCILTAGWRVQSLPTSAPLSVSLPTNIVPPTTIWTSSPQNTDADTASPSNGTHNN
SVLPVTASAPTSLLPKNISIESREEEITSPGSNWEGTNTDPSPSGFSSTSGGVHLTTTLEEHS
SGTPEAGVAATLSQSAAEPPTLISPQAPASSPSSLSTSPPEVFSASVTTNHSSTVTSTQPTGA
PTAPESPTEESSSDHTPTSHATAEPVPQEKTPPTTVSGKVMCELIDMETTTTFFPRVIMQEVEH
ALSSGSIAAITVTVIAVLLVFGVAAYLKIRHSSYGRLLDDHDYGSWGNYNPLYDDS

Important features of the protein:

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 258-278

N-glycosylation sites.

amino acids 58-61, 62-65, 80-83, 176-179

Casein kinase II phosphorylation sites.

amino acids 49-52, 85-88, 95-98, 100-103, 120-123, 121-124, 141-144, 164-167, 191-194, 195-198, 200-203

Tyrosine kinase phosphorylation site.

amino acids 289-296

N-myristoylation sites.

amino acids 59-64, 115-120, 128-133, 133-138, 257-262, 297-302

FIGURE 153

[illegible]

154/550

FIGURE 154

MLVHCVGLLLTGALLGLTLGAGALLASEPIYQPPSAWVPAGGLVGLALLGALLTLRWPRPFTV
LGTLLGSAVLVACVDYFLEGLALGSLGQRLQTLPALPSLC

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 38-55, 60-78

N-myristoylation sites.

amino acids 7-13, 12-18, 16-22, 22-28, 41-47, 50-56, 84-90, 88-94

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 67-78

155/550

FIGURE 155

TGCAATTAAAGGAGTCGGGTCTCTAACTGTTGATCTGTTTTTTTCCCTTCTGAGCAATGGAGC
TTACCATCTTTATCCTGAGACTGGCCATTTACATCCTGACATTTCCCTTGACCTGCTGAACCT
TTCTGGGCTTGTGGAGCTGGATATGCAAAAAATGGTTCCCTACTTCTTGGTGAGGTTCACTG
TGATATACAACGAACAGATGGCAAGCAAGAAGCGGGAGCTCTTCAGTAACCTGCAGGAGTTTG
CGGGCCCCCTCCGGGAAACTCTCCCTGCTGGAAGTGGGCTGTGGCACGGGGGCCAACTTCAAGT
TCTACCCACCTGGGTGCAGGGTGACCTGTATTGACCCCAACCCCAACTTTGAGAAGTTTTTGA
TCAAGAGCATTGCAGAGAACCGACACCTGCAGTTTGAGCGCTTTGTGGTAGCTGCCGGGGAGA
ACATGCACCAGGTGGCTGATGGCTCTGTGGATGTGGTGGTCTGCACCCTGGTGCTGTGCTCTG
TGAAGAACCAGGAGCGGATTCTCCGCGAGGTGTGCAGAGTGCTGAGACCGGGAGGGGCTTTCT
ATTTTCATGGAGCATGTGGCAGCTGAGTGTTGCACTTGGGAATTACTTCTGGCAACAAGTCCCTGG
ATCCTGCCTGGCACCTTCTGTTTGATGGGTGCAACCTGACCAGAGAGAGCTGGAAGGCCCTGG
AGCGGGCCAGCTTCTCTAAGCTGAAGCTGCAGCACATCCAGGCCCCACTGTCCTGGGAGTTGG
TGCGCCCTCATATCTATGGATATGCTGTGAAATTAGTGTGAGCTGGCAGTTAAGAGCTGAATGG
CTCAAAGAATTTAAAGCTTCAGTTTTACATTTAAAATGCTAAGTGGGAGAAGAGAAACCTTTT
TTTTGGGGGGCGGTTTTTTTGGTTTGTGTTGGTTTTTTTTTTTTTTTTTTGGCAGGAGAATCTC
TTGAACCCAGAAGGCGAAGGTTGCAGTGAACCGAGATCATGCCATTGTACTCTAGCCTGGGTG
ACAAGAGCAAGACTCCGTCTCAAAAAAAAAAAAAAAAAAAGAGTAGAGACAGGGAGAC
GGGGTCTCACTGTGTTGCCTAGGCCGGTCTTGAACCTCCTGGGCTCAAGTGATTCTCCACCTT
GACCTCCTAAATTGTTGGGATTACAGGTGTGAGACAGTGCACCTGGCCGAAATAGCTCAAGTT
TCTGAAAAACAAATCTGAATCTATTTGTTATTCTTAGCGTCACTGGTCTGGCTTTCAGAATTA
ACATACAAGGTTGCCACACCTAGTTCTGCCGAGCTTTATGTCTTTTATTCCAGTATTCCACCA
AAGTTTGTTTTCTGCAATTCAGTTCTCAAGTCTTAAGATAAAGATTGTACTTGACAGTTTAG
TATATCCATAAACTATTTGAGGTGGTTAAGGTTCTTGGGTTCATTTTCTTAATACTTTGCT
GAATATTGTAGATTGTAGGCAATGAAAAAGTCTACTAAATTAGGAAAACCTTGAATAATTAGG
TATCCTAGGTAAGAGCCCCCTAAACATCAAGCAATCTGTGAGTCTGTAAAGAAATAAATATTTT
TTGGATTATCTTATCTAATTCACCCCTGTTGGAAGATGATTTCTTTGTTCTTTGCAACTAT
GGAAGCTGTGAAATCATCACAAGTGCTCTGAAAGCGAGTGTTAGGTTGGTTAGAGGGTTTA
ATATTTTCTGCAATGGTTTGTAGGAATTTTAATAAATGTAGTATATTTTCTGAGATGATTTTG
TAAAAGTACTATTTTAAATATCAAATCAACCAATAAATTCACATTTGTGTTAGGAACAAA

156/550

FIGURE 156

MELTIFILRLAIYILTFPLYLLNFLGLWSWICKKWFPYFLVRFTVIYNEQMASKKRELFSLNQ
EFAGPSGKLSLLEVGC GTGANFKFYPPGCRVTCIDPNPNFEKFLIKSIAENRHLQFERFVAA
GENMHQVADGSVDVVVCTLVLC SVKNQERILREVCRLRPGGAFYFMEHVAAECSTWNYFWQQ
VLDPAWHLLFDGCNLTRESWKALERASF SKLKLQHIQAPLSWELVRPHIYGYAVK

Signal peptide:

amino acids 1-29

N-glycosylation site.

amino acids 203-207

N-myristoylation sites.

amino acids 78-84, 80-86, 91-97, 201-207

157/550

FIGURE 157

CCGCTGAGATGTACGAACTTCCGGTTCTCCGGGCAGCTGCCACTGCTGTAGCTTCTGCCACCT
GCCACGACCGGGCCTCTCCCTGGCGTTTGGTCACCTCTGCTTCATTCTCCACCGCGCCTATGG
TCCCTCTTGAGCCAGCGTGGCGGGCCTGGCGGCTCCCGGGTGGTGAGAGAGCGGTCCGGGAA
CGATGAAGGCCTCGCAGTGCTGCTGTCTCAGCCACCTCTTGGCTTCCGTCCCTCCTCCTGC
TGTTGCTGCCTGAACTAAGCGGGCCCTGGCAGTCCTGCTGCAGGCAGCCGAGGCCGCGCCAG
GTCTTGGGCCTCCTGACCCTAGACCACGGACATTACCGCCGCTGCCACCGGGCCCTACCCCTG
CCCAGCAGCCGGGCCGTGGTCTGGCTGAAGCTGCGGGGCCGCGGGGCTCCGAGGGAGGCAATG
GCAGCAACCTGTGGCCGGCTTGAGACGGACGATCACGGAGGGAAGGCCGGGGAAGGCTCGG
TGGGTGGCGGCCTTGCTGTGAGCCCCAACCTGGCGACAAGCCCATGACCCAGCGGGCCCTGA
CCGTGTTGATGGTGGTGAGCGGCGGGTGCTGGTGTACTTCGTGGTCAGGACGGTCAGGATGA
GAAGAAGAAACCGAAAGACTAGGAGATATGGAGTTTGGACACTAACATAGAAAATATGGAAT
TGACACCTTTAGAACAGGATGATGAGGATGATGACAACACGTTGTTTGATGCCAATCATCCTC
GAAGAATAAGGAATGTGCCTTTTGATGAAAGAACTTTATCTTTCTACAATGAAGAGTGGAATTC
TATGTTTAAGGAATAAGAAGCCACTATATCAATGTTGGGGGGTATTTAAGTTACATATATTT
TAACAACCTTTAATTTGCTGTTGCAATAAATACCGTATCCTTTTATTATATCTTTATATGTAT
AGAAGTACTCTATTAATGGGCTCAGAGATGTTGGGGATAAAGTATACTGTAATAATTTATCTG
TTTGAAAATTACTATAAACGGTGTTTTCTGGTCGGTTTTTGTTCCTGCTTACCATATGATT
GTAAATTGTTTTATGTATTAATCAGTTAATGCTAATTATTTTTGCTGATGTCATATGTTAAAG
AGCTATAAATTCCAACAACCAACTGGTGTGTAAAAATAATTTAAATTTCCCTTACTGAAAGG
TATTTCCCATTTTTGTGGGGAAAAGAAGCCAAATTTATTACTTTGTGTTGGGGTTTTTAAAT
ATTAAGAAATGTCTAAGTTATTGTTTGCAAAACAATAAATATGATTTTAAATTCCTTAAAAA
AAAAA

158/550

FIGURE 158

MKASQCCCLSHLLASVLLLLLLPELSGFLAVLLQAEEAAPGLGPPDPRPRTLPPPLPPGPTPA
QQPGRGLAEAAGPRGSEGGNGSNPVAGLETDDHGKAGEGSGVGGGLAVSPNPGDKPMTQRALT
VLMVVS GAVLVYFVVRTVRMRRNRKTRRYGVLDNIENMELTPLEQDDEDDNTLFDANHPRR

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 124-140

N-glycosylation site.

amino acids 83-87

N-myristoylation sites.

amino acids 69-75, 78-84, 81-87, 97-103, 103-109, 106-112,
157-160

159/550

FIGURE 159

GCTGCAGGCGGCGACGGCTACACCA**ATG**GGCCGGCTGCTGCGGGCCGCCCGGCTGCCGCCGCTG
CTTTTCGCCGCTGCTGCTTCTGCTGGTTGGGGGAGCGTTCTTGGGTGCCTGTGTGGCTGGGTCT
GATGAGCCTGGCCAGAGGGCCTCACCTCCACCTCCCTGCTAGACCTCCTGCTGCCACTGGC
TTGGAGCCACTGGACTCAGAGGAGCCTAGTGAGACCATGGGCCTGGGAGCTGGGCTGGGAGCC
TCTGGCTCAGGCTTCCCCAGCGAAGAGAATGAAGAGTCTCGGATTCTGCAGCCACCACAGTAC
TTCTGGGAAGAGGAGGAAGAGCTGAATGACTCAAGTCTGGACCTGGGACCCACTGCAGATTAT
GTTTTTCTCTGACTTAAGTGAAGAGGAGGTTCCATTGAAGACACTAGCCAGGCTCAAGAGCTG
CCAAACCTCCCCTCTCCCTTGCCCAAGATGAATCTGGTTGAGCCTCCCTGGCATATGCCTCCC
AGAGAGGAGGAAGAAGAGGAAGAGGAAGAGGAGGAGAGGGAGAAGGAAGAGGTAGAGAAACAA
GAGGAGGAGGAAGAGGAGGAGCTGCTCCCTGTGAATGGATCCCAAGAAGAAGCCAAGCCTCAG
GTCCGTGACTTTTCTCTCACCAGCAGCAGCCAGACCCAGGGGCCACCAAAAGCAGGCATGAA
GACTCCGGGGACCAGGCCTCATCAGGTGTGGAGGTGGAGAGCAGCATGGGGCCCAGCTTGCTG
CTGCCTTCAGTCACCCCAACTACAGTGACTCCGGGGGACCAGGACTCCACCAGCCAAGAGGCA
GAGGCCACAGTGTGCCAGCTGCAGGGCTTGGGGTAGAGTTCGAGGCTCCTCAGGAAGCAAGC
GAGGAAGCCACTGCAGGAGCAGCTGGTTTGTCTGGCCAGCACGAGGAGGTGCCGGCCTTGCCCT
TCATTCCCTCAAACCACAGCTCCCACTGGGGCCGAGCACCCAGATGAAGATCCCTTGCCCTCT
AGAACCTCAGCCTCTTCCCCACTGGCCCTGGAGACATGGAAGTACACCTTCTCTGCTACC
TTGGGACAAGAAGATCTCAACCAGCAGCTCCTAGAAGGGCAGGCAGCTGAAGCTCAATCCAGG
ATACCTTGGGATTCTACGCAGGTGATCTGCAAGGACTGGAGCAATCTGGCTGGGAAAACTAC
ATCATTCTGAACATGACAGAGAACATAGACTGTGAGGTGTTCCGGCAGCACCGGGGGCCACAG
CTCCTGGCCCTGGTGGGAAGAGGTGCTGCCCCGCCATGGCAGTGGCCACCATGGGGCCTGGCAC
ATCTCTCTGAGCAAGCCCAGCGAGAAGGAGCAGCACCTTCTCATGACACTGGTGGGCGAGCAG
GGGGTGGTGCCCACTCAAGATGTCCTTTCCATGCTGGGTGACATCCGCAGGAGCCTGGAGGAG
ATTGGCATCCAGAACTATTCCACAACCAGCAGCTGCCAGGCGGGGCCAGCCAGGTGCGCAGC
GACTACGGCACGCTCTTCGTGGTGCTGGTGGTCATTGGGGCCATCTGCATCATCATCATTGCG
CTTGGCCTGCTCTACAAGTCTGGCAGCGCCGGCTGCCCAAGCTCAAGCACGTGTGCGACGGC
GAGGAGCTGCGCTTCGTGGAGAACGGCTGCCACGACAACCCACGCTGGACGTGGCCAGCGAC
AGCCAGTCGGAGATGCAGGAGAAGCACCCAGCCTGAACGGCGGGCGGGGCCCTCAACGGCCCCG
GGGAGCTGGGGGGCGCTCATGGGGGGCAAGCGGGACCCCGAGGACTCGGACGTGTTGAGGAG
GACACGCACCTG**TGA**GCGCAGCCGAGGCGCAGGCCGAGTGGGCCGCCAGGACCAAGCGAGGTG
GACCCCGAAACGGACGGCCCGGAGCCCGCACCAGCCCCGCGCCTACCCGGGCCGCCCCCGCGG
CCTGGCCCTCGGCGCGGGCTCCTTCCCGCTTCCCCCGACTTCACACGGCGGCTTCGGACCAAC
TCCCTCACTCCCCCGCCGAGGGGAGGCCTCAAAGCCCCGCTTGGCCCCGCTTCCCCGCCCTG
AACCCCGGCCCCGCGGGCGGGCGGGCGGCTTCTGCGCCCCGGGACTCAATTAAACCCGCC
GGAGACCACGCCGGGCCAGCAAAA

160/550

FIGURE 160

MGRLLRAARLPPLLSPLLLLLLVGGAFLGACVAGSDEPGPEGLTSTSLLDLLLPTGLEPLDSEE
PSETMGLGAGLGASGSGFPSEENEESRILQPPQYFWEEEEELNDSSLDLGPTADYVFPDLTEK
AGSIEDTSQAQELPNLPSPLPKMNLVEPPWHMPPREEEEEEEEEEREKEEVEKQEEEEEEEL
LPVNGSQEEAKPQVRDFSLTSSSQTPGATKSRHEDSGDQASSGVEVESSMGPSLLLPSVTPTT
VTPGDQDSTSQEAETVLPAAAGLGVFEAPQEASEEATAGAAGLSGQHEEVPALPSFPQTTP
SGAHPDEDPLGSRTSASSPLAPGDMELTPSSATLGQEDLNQQLLEGQAEEAQSRIPWDSTQV
ICKDWSNLAGKNYIILNMTENIDCEVFRQHRGPQLLALVEEVLPRHSGHHGAWHISLSKPSE
KEQHLLMTLVGEQGQVVPTQDVL SMLGDIRRSL EEEIGIQNYSTTSSCQARASQVRSYGTLFVV
LVVIGAICIIIIALGLLYNCWQRRLPKLKHVSHGEELRFVENGCHDNPTLDVASDSQSEM QEK
HPSLNGGGALNGPGSWGALMGGKRPEDSDVFEEETHL

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 499-521

N-glycosylation sites.

amino acids 106-110, 193-197, 395-399, 480-484

Glycosaminoglycan attachment site.

amino acids 77-81

N-myristoylation sites.amino acids 24-30, 28-34, 41-47, 69-75, 71-77, 73-79, 75-81,
216-222, 327-333, 455-461, 519-525, 574-580, 581-587, 584-590**Amidation site.**

amino acids 588-592

161/550

FIGURE 161

CCAGGGCGGAGCGCAGCTGCGCCGGGCTTGGGCGCCTGGGGCCGCGCTCCCCACCGTCGTTT
TCCCCACCGAGGCCGAGGCGTCCCGGAGTCATGGCCGGCCTGAACTGCGGGGTCTCTATCGCA
CTGCTAGGGGTCTGCTGCTGGGTGCGGCGCCTGCCGCGCGGGGCAGAAGCTTTTGAGATT
GCTCTGCCACGAGAAAGCAACATTACAGTTCTCATAAAGCTGGGGACCCCGACTCTGCTGGCA
AAACCTGTACATCGTCATTTCTAAAAGACATATAACCATGTTGTCCATCAAGTCTGGAGAA
AGAATAGTCTTTACCTTTAGCTGCCAGAGTCCTGAGAATCACTTTGTCATAGAGATCCAGAAA
AATATTGACTGTATGTCAGGCCCATGTCCTTTTGGGGAGGTTTCAGCTTCAGCCCTCGACATCG
TTGTTGCCCTACCCTCAACAGAACTTTCATCTGGGATGTCAAAGCTCATAAGAGCATCGGTTTA
GAGCTGCAGTTTTCATCCCTCGCCTGAGGCAGATCGGTCCGGGTGAGAGCTGCCCAGACGGA
GTCACTCACTCCATCAGCGGCCGAATCGATGCCACCGTGGTCAGGATCGGAACCTTCTGCAGC
AATGGCACTGTGTCCCGGATCAAGATGCAAGAAGGAGTGAAAATGGCCTTACACCTCCCATGG
TTCCACCCCAGAAATGTCTCCGGCTTCAGCATTGCAAACCGCTCATCTATAAAACGTCTGTGC
ATCATCGAGTCTGTGTTTGAGGGTGAAGGCTCAGCAACCCTGATGTCTGCCAACTACCCAGAA
GGCTTCCCTGAGGATGAGCTCATGACGTGGCAGTTTGTCTTCCTGCACACCTGCGGGCCAGC
GTCTCCTTCCTCAACTTCAACCTCTCCAAGTGTGAGAGGAAGGAGGAGCGGGTTGAATACTAC
ATCCCGGGCTCCACCACCAACCCGAGGTGTTCAAGCTGGAGGACAAGCAGCCTGGGAACATG
GCGGGGAACCTTCAACCTCTCTCTGCAAGGCTGTGACCAAGATGCCCAAAGTCCAGGGATCCTC
CGGCTGCAGTTCCAAGTTTGGTCCAACATCCACAAAATGAAAGCAGTGAGTGAGAGCCCCACTT
TCCTTTTTCTTCCTCCTCCAGCACCTTCGTTGTTTCTGGGTAGTCTGCCTGGGTGAGGCTCC
CTTCCTGTTTCTCATCTGTGGCTTCTGAAACACTTAGACTCTGGACCCAGCAAGAGTTTCAGG
AAGTGGGTTGCTAGGCAGTTAGACAGGCTTGTTGGTGAACACCCGGTATGTAGTTCCATTTCA
GCACAATAAAAAGAAATCTTGCAATCAAGATGCTAAATTGTTTTTAACGAAAA

162/550

FIGURE 162

MAGLNCGVSIALLGVLLLGAARLPRGAFAFEIALPRESNITVLIKLGTPTLAKPCYIVISKR
HITMLSIKSGERIVFTFSCQSPENHFVIEIQKNIDCMGPCPFGEVQLQPSTSLPTLNRTFI
WDVKAHKSIGLELQFSIPRLRQIGPGESCPDGVTHSISGRIDATVVRIGTFCSNGTVSRIKMQ
EGVKMALHLPWFHPRNVSGFSIANRSSIKRLCIIESVFEGEGSATLMSANYPEGFPEDELMTW
QFVVPALHRASVSFLNFNLSNCERKEERVEYYIPGSTTNPEVFKLEDKQPGNMAGNFNLSLQG
CDQDAQSPGILRLQFQVLVQHPQNESSE

Signal peptide:

amino acids 1-29

N-glycosylation sites.

amino acids 39-43, 122-126, 180-184, 205-209, 213-217, 270-274,
310-314, 339-343

Tyrosine kinase phosphorylation site.

amino acids 276-284

N-myristoylation sites.

amino acids 3-9, 7-13, 158-164, 175-181, 191-197, 303-309

163/550

FIGURE 163

CAACCACACACCTGGGGAATTGCTGGCCTGACTTCTGACCCCTGACTCCTCATACCCTTCCTC
CAGAGCATGACATTTGACCACCAACTGAAACCTGACCTCTGACCCAGACCACTGGCCCTTCC
CCCGCCCTGTGGTGACTTCATAAAGGTTACTAGCTTCTCCCCTGGCCTTGAGACCCACACGAT
GGCCCTGCTGGCTCTGGCCAGTGCCGTCCCCTCTGCCCTGCTGGCCCTGGCTGTCTTCAGGGT
GCCCCCTGGGCCTGTCTCCTCTGCTTCACAACCTACTCTGAGCGCCTCCGCATCTGCCAGAT
GTTTGTGGGATGCGGAGCCCCAAGCTTGAAGAGTGTGAGGAGGCCTTCACGGCCGCTTCCA
GGCCCTCTCTGACACCGAAATCAGTGAGGAGACCATCCACACTTCATCAGTGTCTTGGGGAAG
GTGCAGAGGGAGGGCAGGAGAGGGCCAGAGGGTCAGGCTGAGGGACAGACAGAGAGAAACAGT
CAGAGGAGAAAGGCTCAAAGACCATGAGAACAACAGAGACTTAGGGACAGAGAGACACAGACA
GGGAAGACAGCAGGGCAAAGACTCAGAGAGGGGAGGATGGAGAGTCAGAGAGGGGAAGATGG
AGACTCAGAGAGAGGGGAGGATGGAGACTCAGAGAGAGAGGAAGATGGAGACTCAGAGGGAAA
GATGGAGACTCAGGAGTATGGAGAGTCAGAGAGGGGAGGATGGACACTCAGGGGAGGATGGAG
AGTCAGGAGGATGGAGACTCATAGAAAGGGGAGGATGGAGAGTCAGGAGAGGTTGGAGACTGG
AGAGGGAATAGAGACCCAGAAAGGGGAGGATGGAGACTCAGAGGGTGGAAGATGGAGACTCAA
AGAGGATGGAAACCCAGAGAGAGGAGGACAGAGATGAGAGGCAGAGACTAGGGGAAGCAGGATAG
CGACTGGTCGGGGGCAGAGACTCAGGGAGGATAGAGACTCACAGAGAGGTGAGGATAGAGACT
TGGGAGGGACTCAGGAAGCATAGCGACTGTGGGGCAAAGAGTCAGAGAGGGGAGGATACAGAC
TTGGGAGGGCAGAGACTCAGAAACAGAATGTTTCGATTAGGGACATGGTGTTCGGGGAGCTG
CCTCCCCCAGCCCCCTGCTCCCTCCCTCACC GCCAGACTATGATGAGAGAAGCCACCTGCATGA
CACCTTCACCCAGATGACCCATGCCCTGCAGGAGCTGGCTGCTGCCAGGGATCCTTTGAGGT
TGCCTTCCCTGATGCTGCAGAGAAAATGAAGAAGGTCATTACACAGCTTAAAGAAGCCAGGC
TTGCATCCCTCCCTGCGGTCTCCAGGAGTTCGCCCCGCGTTTCCTCTGCAGCGGGTGCTACTC
TAGGGTCTGCGACCTCCCGCTGGACTGCCAGTTCAGGATGTGACAGTGACTCGGGGCGACCA
GGCTATGTTTTCTTGCATCGTAACTTCCAGCTGCCAAAGGAGGAGATCACCTATTCCTGGAA
GTTTCGAGGAGGAGGTCTCCGACTCAGGACTTGTCTATTTCCGAGATATGCCGCGGGCCGA
AGGATACCTGGCGCGGATCCGGCCGGCTCAGCTCACGCACCGCGGGACGTTCTCCTGCGTGAT
CAAGCAAGACCAGCGCCCCCTGGCCCGGCTCTACTTCTTTCTTAACGTCTCGGGGCCCTCGC
ATCAGCGAGTGCGACAGTGTGGCGTGGTGAGTTCTGGGGACTCCGGAGCCCCAGCATCTAGC
TCCCCGCTGTCTCAGATCCCACCGAGAAGTCTGGGTTCCAGCAACCTCCAACCCAGGAGGAT
GTTCTTTTCGATGGTACTGCAGTGGCAACTAACAAAGGTATCTTTCCTCCTTCCCTATCCTATT
TCCATCCTGAAAATAAAGAATATATTTCAACTCTAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAA

164/550

FIGURE 164

MALLALASAVPSALLALAVFRVPAWACLLCFTTYSERLRICQMFVGMRS PKLEECEEAFTAAF
QGLSDTEISEETIHTSSVSWGRCRGRAGEAQRVRLRDRQRETVRGERLKDHENNRDLGTERHR
QGKTAGQRLREGRMESQRGEDGDSERGEDGDSEREEDGDSEGKMETQEYGESERGGWTLRGGW
RVRRMETHRKGRMESQERLETGEGIETQKGEDGDSEGGRWRLKEDGNPERGGQR

Signal peptide:

amino acids 1-26

N-myristoylation site.

amino acids 65-71

165/550

FIGURE 165

[illegible]

166/550

FIGURE 166

MELSDVTLIEGVGNEVMVVAGVVVLILALVLAWLSTYVADSGSNQLLGAIVSAGDTSVLHLGH
VDHLVAGQGNEPELPHPSSEGNDEKAEAGEGRGDSTGEAGAGGGVEPSLEHLLDIQGLPKR
QAGAGSSSPEAPLRSEDSTCLPPSPGLITVRLKFLNDTEELAVARPEDTVGALKSKYFPGQES
QMKLIYQGRLLQDPARTLRSLNITDNCVIHCHRSPPGSAVPGPSASLAPSATEPPSLGVNVGS
LMVPVFVLLGVVWYFRINRQFFATPATVSLVGVTVFFSFLVFGMYGR

Signal peptide:

amino acids 1-36

Transmembrane domains:

amino acids 246-267, 275-301

N-glycosylation sites.

amino acids 162-166, 211-215

N-myristoylation sites.

amino acids 48-54, 105-111, 109-115, 129-135, 177-183, 247-253

Cell attachment sequence.

amino acids 97-100

167/550

FIGURE 167

GGCGGCTGTGTGTCGCCGGAGCCGAAGCGCGCAGGCCCGTCCCGGTGGCCGGGAGCGGGCGGGTGGGGCGGCCA
TGTGGTTTCATGTACCTGCTGAGCTGGCTGTGCTCTTTCATCCAGGTGGCCTTCATCAGCTGGCTGTGCGGGCTG
GACTCTATTACCTGGCAGAACTGATAGAAGAATACACAGTGGCCACCAGCAGGATCATAAAATACATGATCTGGT
TCTCCACCGCTGTACTGATTGGCCTCTACGTCTTTGAGCGCTTCCCCACCAGCATGATTGGAGTGGGCCTATTCA
CCAACCTCGTCTACTTTGGCCTCCTCCAGACCTTCCCCTTCATCATGCTGACCTCGCCTAACTTCATCCTGTCGT
GTGGACTAGTGGTGGTGAATCATTACCTAGCATTTTCAGTTTTCAGAGAAGAATATTATCCCTTCTCAGAGGTCC
TGGCCTATTTCACTTTCTGCCTGTGATAATTCCGTTTTCGCTTTTTTGTGTCACTTTTCGGCCGGGGAGAACGTCC
TGCCCTCTACCATGCAGCCAGGAGATGATGTCGTCTCCAATTATTTACCAAAGGCAAGCGGGGCAAACGCTTAG
GGATCCTGGTTGTCTTCTCCTTCATCAAAGAGGCCATTCTACCCAGTCGTGAGAAGATATAC**TG**ACCCCCATGCA
GGCAGGATGTGGGGGGCAAGATCAGGAGAGTCAGGCCCTGGGCCTCTATGCCAGGTGGGGACCAGAAGTCGGGA
AGGCACCTACCACCTGCCCTGGCTTTCTTCCCCTCAACTCTGGAGCCCCATCCCCACCCTCCTTGGGGGGCTCAG
CTTGGCTCAGATCTGATGCTTCAAGAGGCTGTAACTCAGAGGGCACCAGGAGGGTGGCAGAGCCTGCTTAGCC
AGGAGGCCGAGGTCCCTCAGTCCCTCCCTGTCCCTTCAAGGTGGGTGAGGAGGTCTGGCCCCGTGGGGCAGG
CAGGGCAGGTCTGTGAAGCTTAAGAGCAGATGGTGACAACTTCTCTGGGCAGGTGCCATGGGGAGGGGCTATG
GCTTGGCATGTCCAACAGAAATAGTTTTTGCTGTTGAACGGTGATTCTGTCCAAGTGCAGATTTCGTTTGAAT
AAAGCTTCGCTCTAGGTGGCAGCTGTTGCCTTAATACCCTGACAGTTCATCTTCTTTCTTCTGCTAACCTTC
TGCTCTGGACTGGACTCACTTTTCTGCTCCAGGACTCCTTTTCTGGGTTTGGGTCTTGCCTTCCCAAGGGACT
GTCTTGTGGCCCTTAATGGGAAGGGGAGGGGTGAGGAGCTGAGCCTGCTCAAGGAGTGGGAAGTGGGGCTAT
AGGCAGCCTCTCTGATGCACTCTCTTCCATCTCTTCCCAAGGCTCCGTGACTGTCAAAGTGGGAGTAGGAGAG
GGGACAATTTAGGACTGGGCTAGATTTTCAAGAAGACATCTACAATATCCTATTTATAAATCTTCTCTGGGAAA
AGGAGTGGTTTCTGGCTGAATACTATCTTAGGCTCAAGGAGAAACAAAATAAAATAGCTTCCAGGCAGCCTGT
TTTAAAGAAATGGGACTAATGGGAGAAGCTGTTGTCACTCTAAGAGCATCCAAGCCCTGGCCGCTCTGTGCAC
TCTTGGCTCCTGGGGAGATATATCTGCCTTCTAAGAAGGCAGGCCAGGTCTTGGGCACAGACCTGCATTGTGA
CCTTGCACCTCAACTATAGTGCCTTGCAAGTGCTCAACAGTACATATGGAATGAAGTCCCTATGAGAGCCATTT
CTGGCCATGTTCTATACCTCAAAGTGAGGCTGGCAGGTACAGAGATGAAGTGTACACATGTGATACATTTAAGCC
ACTGGAAAAACCCCTGTGCTTGAAATATTTCTCTATATCATGCTGGAGTTCATCATAGCCCTTCATTTCCT
TGGCTTTAGCATTTACCTTCTCTTAAGAATACCAGCTTTCCCTTTCCCTGAGAGGAAGAGCACATGTTGGTCTC
CTCTTAGTGTGAACGAGATTGCCAGGCCCTTTCTCCTATGCACACCAGGATAGACAAGGCAGGGGATACTGGCA
GCCTGCATCATCTCCCATTTGGGCTGACAGCTGGCCCTACTTTCTCCCTCTGCTGCTTGGTCCCTCACCTTGAT
GATGTGGCTTCGCCCCCTCCACTCTACTGCCAGTGTTCTCCAGGGGTTGCTAAATCCAGCAGACCCCTTCCCTG
TCTTACTAGATCTGGGCAGCATTTGACATGGCTGATCACCCCTTGCTTCTTGGATGGCACTTCCCTGGCACCTCT
GTGGCTAGTTGTCTACCTCCCTGGCTGTTCTTTTTCAGGCTTCCGTGCAGGCTTCTCCACTTGCCCATGCACAGT
AGGGTCTTTTCAGGGTCTGCTGTGGGCTCCCTAGGGAAGCCCATCCATCTGGATGGTTTCAAGGATGGTGAGGAA
TTTAGAGTTGACCTCCAGCCCCAACATCCTTCTGATCACCTGAACCACAGTTTGTGCCCCCTAGGTGCACAG
ACAATTCAGGTCCATGGCCCAGATGGTACTTGTGCTTCTGCAAACTGCCCTTCTGGGTACTTCCCTTGACC
CCGAGATCACTCAGGAGCCAGACAGGAACTTATTCTATTCCTGTTTCTCTTTCTGCCCACCACATCCAATCTC
TCAAAACGGTCAGGTCTACCTTAACATCTCTTGATTTGAGCCACTCCCACTGTATCAGCTTTCACCTGGATTAT
CGTGACAGCCTCCTACTGCTTCTATCATGTGGCCAGAGCTATCTTCTAAATGCATTGCATAGTTGATCAAG
TCACTCTCTGGCCTAAACCTTCCCTGGCTCCCTGCTGCCCTCAGGATAAAGTCTGGACCCCTCAGCATGGCTTG
TGAGACTCATGGTGTCTTGTCCCTGCTCACCTCTCTGGTCTCATCACTTGCCTTCTTGCATTCTGGGTCCAGC
CTCCTGTATCCAGAGATGCAGTGGCTCTCCATTGCCACTCTGATTCTCTCTTTTGGTTCACAGAGAAAGGGT
ACTTTCTCTGTCAAATCTCAACTTAGACTTGACTTCCCTCAAGGAGCTTTGGCTATACTCTCTCTCCCGACCCC
CACCTGGCATACTACACAGATCACTCTGGGCTCACTTGCTGCTTAATGGTCATCTCCCCAGTAGACTGTAAGC
TCCTTGAGGGCAAGGATTGTGTTGGAATTTTGTATTAAACAGTGCCTGGCTTGGTGCCTGGCACCTAGAAAGCAC
TCAATAAATGTTTGTTTAATGAA

168/550

FIGURE 168

MWFMYLLSWLSLFIQVAFITLAVAAGLYYLAELIEEYTVATSRIIKYMIWFSTAVLIGLYVFE
REPTSMIGVGLFTNLVYFGLLQTFPFIMLTSPNFILSCGLVVVNHLYLAFQFFAEYYPFSEVL
AYFTFCLWIIIPFAFFVSLSAGENVLPSTMQPGDDVVSNYFTKGKRGKRLGILVVFSFIKEAIL
PSRQKIY

Signal peptide:

amino acids 1-25

Transmembrane domain:

amino acids 126-146

Casein kinase II phosphorylation site.

amino acids 145-148

N-myristoylation sites.

amino acids 73-78, 82-87

Amidation sites.

amino acids 168-171, 171-174

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 91-101

169/550

FIGURE 169

CAAAGCCCTACCCTCACCATTACCCAGGTCTGTGGGAAGAGCAGCGTGGAGGTGGGCTGAGG
TTAGAAGGTGCAGAGCGTGGAAGAAGATTGTGAGCTGAGTATTGGACATCTGTTCTTGAATAG
TCCCTGGGCCTGCCATAGGAAAGGAAGTTCTCCAGGGTTACAGTTCTTATCCGCGTGAATACA
CATGGCTCTGTTACGAAAAATTAATCAGGTGCTGCTGTTCCCTTCTGATCGTGACCCCTCTGTGT
GATTCTGTATAAGAAAGTTCATAAGGGGACTGTGCCCCAAGAATGACGCAGATGATGAATCCGA
GACTCCTGAAGAACTGGAAGAAGAGATTCCCTGTGGTGATTTGTGCTGCAGCAGGGAGGATGGG
TGCCACTATGGCTGCCATCAATAGCATCTACAGCAACACTGACGCCAACATCTTGTCTATGT
AGTGGGACTCCGGAATACTCTGACTCGAATACGAAAATGGATTGAACATTCCAACTGAGAGA
AATAAACTTTAAATCGTGGAATTCAACCCGATGGTCCCTCAAAGGGAAGATCAGACCAGACTC
ATCGAGGCCTGAATTGCTCCAGCCTCTGAACTTTGTTTCGATTTTATCTCCCTCTACTTATCCA
CCAACACGAGAAAGTCATCTATTTGGACGATGATGTAATTGTACAAGGTGATATCCAAGAACT
GTATGACACCACCTTGGCCCTGGGCCACGCGCGGCTTTCTCAGATGACTGCGATTTGCCCTC
TGCTCAGGACATAAACAGACTCGTGGGACTTCAGAACACATATATGGGCTATCTGGACTACCG
GAAGAAGGCCATCAAGGACCTTGGCATCAGCCCCAGCACCTGCTCTTTCAATCCTGGTGTGAT
TGTTGCCAACATGACAGAATGGAAGCACCAGCGCATCACCAAGCAATTGGAGAAATGGATGCA
AAAGAATGTGGAGGAAAACCTCTATAGCAGCTCCCTGGGAGGAGGGGTGGCCACCTCCCCAAT
GCTGATTGTGTTTCATGGGAAATATTCCACAATTAACCCCTGTGGCACATAAGGCACCTGGG
CTGGAATCCAGATGCCAGATATTCCGAGCATTCTTCTGCAGGAAGCTAAATTACTCCACTGGAA
TGGAAGACATAAACCTTGGGACTTCCCTAGTGTTTACAACGACTTATGGGAAAGCTGGTTTGT
TCCTGACCCTGCAGGGATATTTAACTCAATCACCATAGCTTGATATAACTCTACCCTTAAAT
ATTCCCTGTATAGAAATGTGGAATTGTCCCTTTGTAGCCAACCTATAACATTGTTCTTTATGAA
TATTACCTTTGATACATATGATCCACAATATAAAAACCAAAACTACTGTGTGCAAATTATAC
CTTGACCATATAGGCATTGATTAACCTCTTTAAGTACATGTGATAACTATGGAAATCAAGAT
TATGTGACTGAAAAACATAAAGGAAGAGACCCATCTAGATAACAGCAATCAACCTGCTTAATT
CTGAATGACAATTATATCCACAAATTTTAAACTTCTACATGTATTTTTCACATGAAGATCT
CCTTAACAGGTTGCCAACCTTTCTTTTATAAACTATTACATTTAAATATGGACGTCTGAA
AAATAAAATATTCATCATTTTTTAAAA

170/550

FIGURE 170

MALLRKINQVLLFLLIVTLCVILYKKVHKGTVPKNDADDESETPEEEEEEIPVVICAAAGRMG
ATMAAINSIYSNTDANILFYVVGLRNTLTRIRKWIEHSLREINFKIVEFNPMVLKGKIRPDS
SRPELLQPLNFVRFYLP LLIHQHEKVIYLD DDVIVQGDIQELYDTTLALGHAAAFSDDCDLPS
AQDINRLVGLQNTYMGYLDYRKKA IKDLGISPSTCSFNPGVIVANMTEWKHQ RITKQLEKWMQ
KNVEENLYSSSLGGGVATSPMLIVFHGKYSTINPLWHIRHLGWNPDARYSEHFLQEAKLLHWN
GRHKPWDFPSVHNDLWESWFVPDPAGIFKLNHHS

Signal peptide:

amino acids 1-20

N-glycosylation site.

amino acids 234-238

Tyrosine kinase phosphorylation site.

amino acids 253-261

N-myristoylation sites.

amino acids 63-69, 86-92, 198-204, 218-224, 229-235, 265-271,
266-272

171/550

FIGURE 171

GCCAGAGGCTGCAGCTGGAGCCCAGAGCCCAAGATGGAGCCCCAGCTGGGGCCTGAGGCTGCC
GCCCTCCGCCCTGGCTGGCTGGCCCTGCTGCTGTGGGTCTCAGCCCTGAGCTGTTCTTTCTCC
TTGCCAGCTTCTTCCCTTTCTTCTCTGGTGCCCCAAGTCAGAACCAGCTACAATTTTGAAGG
ACTTTCCTCGGTCTTGATAAATGCAATGCCTGCATCGGGACATCTATTTGCAAGAAGTTCTTT
AAAGAAGAAATAAGATCTGACAACTGGCTGGCTTCCACCTTGGACTGCCTCCCGATTCTTG
CTTTCTTATCCTGCAAATTACTCAGATGATTCCAAAATCTGGCGCCCTGTGGAGATCTTTAGA
CTGGTCAGCAAATATCAAAACGAGATCTCAGACAGGAGAATCTGTGCCTCTGCATCAGCCCCA
AAGACCTGCAGCATTGAGCGTGTCTCTGCGGAAAACAGAGAGGTTCCAGAAATGGCTGCAGGCC
AAGCGCTCACGCCGGACCTGGTGCAGGACTGTCACCAGGGCCAGAGAGAACTAAAGTTCCTG
TGTATGCTGAGATTAACACCAGTGAAAAAGCCTGGCATGGAGCCCAGCACTGAGAACTTCCAGA
AAGTGTTAGCCTTCTCCCAACTGTGTTATACCAACCACATTTTCAAATAGTAATCATTAAGA
GGCTTCTGCATCAAA

172/550

FIGURE 172

MEPQLGPEAAALRPGWLALLLWVSALSCSFSLPASSLSSLVPQVRTSYNFGRTFLGLDKCNAC
IGTSICKKFFKEEIRSDNWLASHLGLPPDSLLSYPANYSDDSKIWRPVEIFRLVSKYQNEISD
RRICASASAPKTCSIERVLRKTERFQKWLQAKRLTPDLVQDCHQGQRELKFLCMLR

Signal peptide:

amino acids 1-28

N-glycosylation site.

amino acids 100-103

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 158-161

N-myristoylation sites.

amino acids 56-61, 65-70

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 18-28

Prenyl group binding site (CAAX box).

amino acids 179-182

Leucine zipper pattern.

amino acids 5-26

173/550

FIGURE 173

GCTGGACTGCTCGCTGGCCGGCAGCGCACCGTTTTGAAGGTCCTAGCCACCTGGGCTGGCTC
ACGCGCAGGACTAGCCGCTCCCATAACAGCACGCCCCGACTCTGTCTGCTGCTTAAGGCCACTCC
TATTCTACGGCTGACCCCTGGTGGTCACGTGGATCTGTTCGCCACGCAAGTCTGGGTCCCTCG
GCGATTGACCGGGGTCCTTGCTGTTTCGGGAGCCTCTCCTAAGCTGCCTGTTTCGCGGAGAGTT
TGGAGGGGCGGGTTTGGGGTCGGTGTCTGATTGGGGCTCGCACCGCAGCACGCTGGAGTCCCG
CTTAGGTACCACTTAGCGTCAGGGGAGCTGGGTCAGGCGGTCGCCGGGACACCCCGTGTGTGG
CAGGCGGCGAAGCGCTCTGGAGAATCCCGGACAGCCCTGCTCCCTGCAGCCAGGTGTAGTTTC
GGGAGCCACTGGGGCCAAAGTGAGAGTCCAGCGGTCTTCCAGCGCTTGGGCCACGGCGGCGGC
CCTGGGAGCAGAGGTGGAGCGACCCATTACGCTAAAGATGAAAGGCTGGGGTTGGCTGGCCC
TGCTTCTGGGGGCCCTGCTGGGAACCGCCTGGGCTCGGAGGAGCCAGGATCTCCACTGTGGAG
CATGCAGGGCTCTGGTGGATGAACTAGAATGGGAAATTGCCAGGTGGACCCCAAGAAGACCA
TTCAGATGGGATCTTTCCGGATCAATCCAGATGGCAGCCAGTCAGTGGTGGAGGTGCCTTATG
CCCGCTCAGAGGCCACCTCACAGAGCTGCTGGAGGAGATATGTGACCGGATGAAGGAGTATG
GGGAACAGATTGATCCTTCCACCCATCGCAAGAACTACGTACGTGTAGTGGGCCGGAATGGAG
AATCCAGTGAAGTGGACCTACAAGGCATCCGAATCGACTCAGATATTAGCGGCACCCCTCAAGT
TTGCGTGTGAGAGCATTGTGGAGGAATACGAGGATGAACTCATTGAATTCTTTTCCCAGAGG
CTGACAATGTTAAAGACAACTTTGCAGTAAGCGAACAGATCTTTGTGACCATGCCCTGCACA
TATCGCATGATGAGCTATTGAACCACTGGAGCAGCCCACACTGGCTTGATGGATCACCCCCAGG
AGGGGAAAATGGTGGCAATGCCTTTTATATATTATGTTTTTACTGAAATTAAGTAAAAAATA
TGAAACCAAAAGT

174/550

FIGURE 174

MKGWGWLALLLGALLGTAWARRSQDLHCGACRALVDELEWEIAQVDPKKTIQMGSFRINPDGS
QSVVEVPYARSEAHLTELEEICDRMKEYGEQIDPSTHRKNYVRVVGRNGESSELDLQGIRID
SDISGTLKFACESIVEEYEDELIEFFSREADNVKDKLCSKRTDLCDHALHISHDEL

Signal peptide:

amino acids 1-20

N-myristoylation sites.

amino acids 12-18, 16-22, 29-35

Endoplasmic reticulum targeting sequence.

amino acids 179-184

175/550

FIGURE 175

CGCAGCGCGGCAGTCCTGATGCCCCGGCATGGGTTACCGCTGCTGCCCCCTGCTGTCGCTCCTG
GTCGGCGCGTGGCTCAAGCTAGGAAATGGACAGGCTACTAGCATGGTCCAACGCAGGGTGGG
AGATTCCTGATGGGAACAAATTCTCCAGACAGCAGAGATGGTGAAGGGCCTGTGCGGGAGGCG
ACAGTGAAACCCTTTGCCATCGACATATTTCTGTACCAACAAAGATTTTCAGGGATTTTGTG
AGGGAGAAAAAGTATCGGACAGAAGCTGAGATGTTTGGATGGAGCTTTGTCTTTGAGGACTTT
GTCTCTGATGAGCTGAGAAACAAAGCCACCCAGCCAATGAAGTCTGTACTCTGGTGGCTTCCA
GTGGAAAAGGCATTTTGGAGGCAGCCTGCAGGTCCTGGCTCTGGCATCCGAGAGAGACTGGAG
CACCCAGTGTTACACGTGAGCTGGAATGACGCCCCGTGCCTACTGTGCTTGGCGGGGAAAACGA
CTGCCCACGGAGGAAGAGTGGGAGTTTGC CGCCGAGGGGGCTTGAAGGGTCAAGTTTACCCA
TGGGGGAACTGGTTCCAGCCAAACCGCACCAACCTGTGGCAGGGAAGTTCCCCAAGGGAGAC
AAAGCTGAGGATGGCTTCCATGGAGTCTCCCCAGTGAATGCTTTCCCCGCCAGAACAACCTAC
GGGCTCTATGACCTCCTGGGGAACGTGTGGGAGTGGACAGCATCACCGTACCAGGCTGCTGAG
CAGGACATGCGCGTCTCCGGGGGGCATCCTGGATCGACACAGCTGATGGCTCTGCCAATCAC
CGGGCCCCGGTCAACCACAGGATGGGCAACACTCCAGATTCAGCCTCAGACAACCTCGGTTTC
CGCTGTGCTGCAGACGCAGGCCGGCCGCGAGGGGAGCTGTAAGCAGCCGGGTGGTGACAAGGA
GAAAAGCCTTCTAGGGTCACTGTCTATTCCTGGCCATGTTGCAAACAGCGCAATTCCAAGCTC
GAGAGCTTCAGCCTCAGGAAAGAACTTCCCCCTTCCCTGTCTCCCATCCCTCTGTGGCAGGCGC
CTCTCACCAGGGCAGGAGAGGACTCAGCCTCCTGTGTTTTGGAGAAGGGGCCAATGTGTGTT
GACGATGGCTGGGGGCCAGGTGTTTCTGTTAGAGGCCAAGTATTATTGACACAGGATTGCAAA
CACACAAACAGTTGGAACAGAGCACTCTGAAAGGCCATTTTTTAAGCATTTTAAATCTATTC
TCTCCCCCTTTCTCCCTGGATGATTGAGGAAGCTGACATTGTTTCTCAAGGCAGAATTTTCC
TGTTTCTGTTTTCTCAGCCAGTTGCTGTGGAAGGAGAATGCTTTCTTGTGGCCTCATCTGTG
GTTTCGTGTCCCTCTGAAGGAACTAGTTTCCACTGTGTAACAGGCAGACATGTAACATTTTA
AAGCACAGTTCAGTCCTAAAAGGGTCTGGGAGAACCAGATGATGTACTAGGTGAAGCATTGCA
TTGTGGGAATCACAAAGCAAATAGTACTCCAGAAAGACAAATATCAGAAGCTTCCTATTCTTT
TTTTTTTTTTTTTTTTTTTTTTTTGAGACAGGGTCTTTCTCTGTTGCCAGGCTAGAGTGCAGT
GTGATCACGGCTCACTCTAGCCTTGAATTCCTGGGCCCCAAGCAATTCTCCACCTCAGCCTCC
TGAGTAGCTGGGACTACAAGTGTGCACCACCATGCCTGGCTAATTTTTTGAATTTTTGTAGTG
ATGGGATCTCGCTCTGTTGCCAGGGTGGTCTCGAACTCCTGGCCTCAAGCGATCCTCCCACC
TCGACCTCCCAAAGTGCTGGGATTACAGGTGTGAGCCACCTCGCCTGGGCCCCCTTCTCCATA
TGCTTCCAAAACATGTCCCTGGAGAGTAGCCTGCTCCCACTGTCACTGGATGTCATGGGG
CCAATAAAATCTCCTGCAATTGTGTATCTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAA

176/550

FIGURE 176

MARHGLPLLPLLSLLVGAWLKLGNQATSMVQLQGGRFLMGTNSPDSRDGEGPVREATVKPFA
IDIFPVTNKDFRDFVREKKYRTEAEMFGWSFVFEDFVSDELRNKATQPMKSVLWWLPVEKAFW
RQPAGPGSGIRERLEHPVLHVSWN DARAYCAWRGKRLPTEEEWEFAARGGLKGQVYPWGNWFQ
PNRTNLWQGKFPKGDKAEDGFHGVSPVNAFFAQNNYGLYDLLGNVWEWTASPYQAAEQDMRVL
RGASWIDTADGSANHRARVTTRMGNTPD SASDNLGFRCAADAGRPPGEL

Signal peptide:

amino acids 1-20

N-glycosylation site.

amino acids 191-195

N-myristoylation sites.

amino acids 23-29, 25-31, 175-181

Amidation site.

amino acids 159-163

177/550

FIGURE 177

GCCTTCTCGCGCCTGACCATGCACCCCTGCATCTTCCTGCTGGGCCACAGGCGAGCGCTTTAT
TTCTGGAGCTGAGGGCTAAACTTTTTTGACTTTTCTTCTCCTCAACATCTGAATCATGCCAT
GTGCCCAGAGGAGCTGGCTTGCAAACCTTTCCGTGGTGGCTCAGCTCCTTAACTTTGGGGCGC
TTTGCTATGGGAGACAGCCTCAGCCAGGCCCGGTTGCTTCCCGGACAGGAGGCAAGAGCATT
TTATCAAGGGCCTGCCAGAATACCACGTGGTGGGTCCAGTCCGAGTAGATGCCAGTGGGCATT
TTTTGTCATATGGCTTGCACTATCCCATCACGAGCAGCAGGAGGAAGAGAGATTGGATGGCT
CAGAGGACTGGGTGTACTACAGAATTTCTCACGAGGAGAAGGACCTGTTTTTTAACTTGACGG
TCAATCAAGGATTTCTTTCCAATAGCTACATCATGGAGAAGAGATATGGGAACCTCTCCCATG
TTAAGATGATGGCTTCCTCTGCCCCCTCTGCCATCTCAGTGGCACGGTTCTACAGCAGGGCA
CCAGAGTTGGGACGGCAGCCCTCAGTGCCTGCCATGGACTGACTGGATTTTTTCCAACCTACCAC
ATGGAGACTTTTTTCATTGAACCCGTGAAGAAGCATCCACTGGTTGAGGGAGGGTACCACCCGC
ACATCGTTTACAGGAGGCAGAAAGTTCCAGAAACCAAGGAGCCAACCTGTGGATTAAAGGGTA
TTGTGACTCACATGTCCTCCTGGGTTGAAGAATCTGTTTTGTTCTTTTGGTAGTTTTATTAAA
ACATGACCTATTCTTACTCAAGTCTCTTATCTCCTCTGTATTCTTTTTTTTTTAATATCTTCA
TGACATTCAAATCTCTTCTGTATTCTCTTGCCAGAAAGTGACATTCTTTTTTGCTTGATATAAA
CCCTTTCACCTTGTC

178/550

FIGURE 178

MPCAQRSWLANLSVVAQLLNFGALCYGRQPQPGPVRFPDRRQEHFIKGLPEYHVVG PVRVDAS
GHFLSYGLHYPTSSRRKRDLGSEDWVYYRISHEEKDLFFNLTVNQGFLSNSYIMEKRYGNL
SHVKMMASSAPLCHLSGTVLQQGTRVGTAALSACHGLTGFFQLPHGDFFIEPVKKHPLVEGGY
HPHIVYRRQKVPETKEPTCGLKGIVTHMSSWVEESVLFFW

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 11-15, 105-109, 125-129

N-myristoylation site.

amino acids 149-155

179/550

FIGURE 179

CAGATTTAAAAAGAAAACCTTTACTGAATCAGCTGAGTGTTAATAATACGAATTCCTTTTCT
TGCCAATTCTGATCTGAACAGAAAATCCAAGAACAGGGATATGTGTGGATTACAGTTTTCTCT
GCCTTGCCACGACTGTTTCTGGTTGTTACCTGTTATCTTTTATTATTACTCCACAAAGAAAT
ACTTGGATGTTTCGTCTGTTTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT
CCTTCGAGTATTCCTAAGAATTTTCTGAAAGTACAGTTTTTCTGTATCTGACTGGGAATAA
TATATCTTATATAAATGAAAGTGAATTAACAGGACTTCATTCTCTTGTAGCATTGTATTTGGA
TAATTCACATTCTGTATGTATATCCAAAAGCCTTTGTTCAATTGAGGCATCTATATTTTCT
ATTTCTAAATAATAATTTTCATCAAACGCTTAGATCCTGGAATATTTAAGGGACTTTTAAATCT
TCGTAATTTATATTTACAGTATAATCAGGTATCTTTTGTCCGAGAGGAGTATTTAATGATCT
AGTTTCAGTTCAGTACTTAAATCTACAAAGGAATCGCCTCACTGTCCTTGGGAGTGGTACCTT
TGTTGGTATGGTTGCTCTTCGGATACTTGATTATCAAACAATAACATTTTGGAGATATCAGA
ATCAGGCTTTCAACATCTTGAAAACCTTGCTTGTGTTGATTAGGAAGTAATAATTTAACAAA
AGTACCATCAAATGCCTTTGAAGTACTTAAAGTCTTAGAAGACTTTCTTTGTCTCATAATCC
TATTGAAGCAATACAGCCCTTTGCATTTAAAGGACTTGCCAATCTGGAATACCTCCTCTGAA
AAATTCAGAATTAGGAATGTTACTAGGGATGGGTTTAGTGGAATTAATAATCTTAAACATTT
GATCTTAAGTCATAATGATTTAGAGAATTTAAATCTGACACATTCAGTTTGTTAAAGAATTT
AATTTACCTTAAGTTAGATAGAAACAGAATAATTAGCATTGATAATGATACATTTGAAAATAT
GGGAGCATCTTTGAAGATCCTTAATCTGTCATTTAATAATCTTACAGCCTTGCATCCAAGGGT
CCTTAAGCCGTTGTCTTCATTGATTCATCTTCAGGCAAATCTAATCCTTGGGAATGTAAGT
CAAATTTTGGGCCTTCGAGACTGGCTAGCATCTTCAGCCATTACTCTAAACATCTATTGTCA
GAATCCCCCATCCATGCGTGGCAGAGCATTACGTTATATTAACATTACAAATTGTGTTACATC
TTCAATAAATGTATCCAGAGCTTGGGCTGTTGTAAAATCTCCTCATATTATCACAAGACTAC
TGCGCTAATGATGGCCTGGCATAAAGTAACCACAAATGGCAGTCCTCTGGAAAATACTGAGAC
TGAGAACATTACTTTCTGGGAACGAATTCCTACTTCACCTGCTGGTAGATTTTTTCAAGAGAA
TGCTTTTGTAATCCATTAGAGACTACAGCAGTGTTACCTGTGCAAATACAACTTACTACTTC
TGTTACCTTGAAGTTGGAAAAAACAGTGCTCTACCGAATGATGCTGCTTCAATGTCAGGGAA
AACATCTCTAATTTGTACACAAGAAGTTGAGAAGTTGAATGAGGCTTTTGACATTTTGCTAGC
TTTTTTCATCTTAGCTTGTGTTTTAATCATTTTTTTTGATCTACAAAGTTGTTTCAAGTTTAAACA
AAAATAAAGGCATCAGAAAACCAAGGGAAAATAGACTGAATACTACAGCTTTTATCAGTC
AGCAAGGTATAATGTAAGTGCCTCAATTTGTAACACTTCCCCAAATCTCTAGAAAGTCTGG
CTTGGAGCAGATTGCACTTCATAAACAAATTTGTTCCCTGAAAATGAGGCACAGGTCATTCTTT
TGAACATTCTGCTTTATTAACCTCAACTAAATATTGTCCTATAAGAACTTCAGTGCCATGGACAT
GATTTAAACTGAAACCTCCTTATATAATTATATACTTTAGTTGGAAATATAATGAATTATATG
AGGTTAGCATTATTAAATATGTTTTTNTTAAAAAAAAAAAAAAAAAAAAAAAAA

180/550

FIGURE 180

MCGLQFSLPCLRLFLVVTCTYLLLLLHKEILGCSSVCQLCTGRQINCRNLGLSSIPKNFPSTV
FLYLTGNNISYINESELTGLHSLVALYLDNSNILYVYPKAFVQLRHLYFLFLNNNFIKRLDPG
IFKGLLNLRNLYLQYNQVSFVPRGVFNDLVSQYLNLRNRLTVLGSGTFVGMVALRILDLSN
NNILRISESGFQHLENLACLYLGSNNLTKVPSNAFEVLKSLRRLSLSHNPIEAIQPPFAFKGLA
NLEYLLLKNSRIRNVTRDGFSGINNKKHLILSHNDLENLNSDTFSLLKNLIYKLDRNRIISI
DNDTFENMGASLKILNLSFNNTALHPRVLKPLSSLIHLQANSNPWECNCKLLGLRDWLASSA
ITLNIYCQNPPSMRGRALRYINITNCVTSSINVSRAWAVVKSPHIIHKTTALMMAWHKVTTNG
SPLENTETENITFWERIPTSPAGRFFQENAFGNPLETTAVLPVQIQLTTSVTLNLEKNSALPN
DAASMSGKTSLICQVEVEKLEAFDILLAFFILACVLIIFLIYKVVQFKQKLKASENSRENRL
EYYSFYQSARYNVTASICNTSPNSLESPLGLEQIRLHKQIVPENEAQVILFEHSAL

Signal peptide:

amino acids 1-41

Transmembrane domain:

amino acids 530-547

N-glycosylation sites.amino acids 71-75, 76-80, 215-219, 266-270, 317-321, 331-335,
336-340, 400-404, 410-414, 451-455, 579-583**cAMP- and cGMP-dependent protein kinase phosphorylation site.**

amino acids 231-235

N-myristoylation sites.

amino acids 3-9, 69-75, 126-132, 174-180

ATP/GTP-binding site motif A (P-loop).

amino acids 506-514

181/550

FIGURE 181

GGCCTGGCGCGGCGCTCCGGTAAGGCGTGTGTGCGGCAGGGCGGGGACAGAACCGTCCTCTCG
GGCTCTGGGCGTGTCCGAGACCGCGCTCCCCGCCGAAATCAAGCTCCGAGTCATCCGTGTGGG
GCATTTCGTCCTCCCTGGCACAGTTGGCCTCTTCCAGAAGCCCGTTTTGTTGTTTTACGTCT
AAATTCGCGTCGGTTCTTATTTCTCTCCCTGGCAAGGTCTGAAGACGGGTAGGAGAATAACCT
GTGTCAGCGTGTTATGATGCCGTCCCGTACCAACCTGGCTACTGGAATCCCCAGTAGTAAAGT
GAAATATTCAAGGCTCTCCAGCACAGACGATGGCTACATTGACCTTCAGTTTAAGAAAACCCC
TCCTAAGATCCCTTATAAGGCCATCGCACTTGCCACTGTGCTGTTTTTGATTGGCGCCTTTCT
CATTATTATAGGCTCCCTCCTGCTGTGTCAGGCTACATCAGCAAAGGGGGGCGAGACCGGGCCGT
TCCAGTGCTGATCATTGGCATTCTGGTGTTCCTACCCGGATTTTACCACCTGCGCATCGCTTA
CTATGCATCCAAAGGCTACCGTGTTACTCCTATGATGACATTCCAGACTTTGATGACTAGCA
CCCACCCCATAGCTGAGGAGGAGTCACAGTGGAAGTGTCCAGCTTTAAGATATCTAGCAGAA
ACTATAGCTGAGGACTAAGGAATTCTGCAGCTTGAGATGTTTAAGAAAATAATGGCCAGATT
TTTTGGGTCCCTCCCAAAGATGTTAAGTGAACCTACAGTTAGCTAATTAGGACAAGCTCTATT
TTTCATCCCTGGGCCCTGACAAGTTTTTCCACAGGAATATGTATCATGGAAGAATAGAGGTTA
TTCTGTAATGGAAGAGTGTGCTGCCACCACCCTCTGTAGAGCTGAGCATTCTTTTAAATA
GTCTTCATTGCCAATTTGTTCTTGTAGCAAATGGAACAATGTGGTATGGCTAATTTCTTATTA
TTAAGTAGTTTATTTTAAAAATATCTGAGTATATTATCCTGTACACTTATCCCTACCTTCATG
TTCCAGTGGAAGACCTTAGTAAAATCAAAGATCAGTGAGTTCATCTGTAATATTTTTTTTACT
TGCTTTCTTACTGACAGCAACCAGGAATTTTTTTATCCTGCAGAGCAAGTTTTCAAATGTAA
ATACTTCCTCTGTTTAAACAGTCCTTGGACCATTCTGATCCAGTTCACCAGTAGGTTGGACAGC
ATATAATTTGCATCATTTTGTCCCTTGTAATCAAGATGTTCTGCAGATTATTCCTTTAACGG
CCGGACTTTTGGCTGTTTCCTAATGAAACATGTAGTGGTTATTATTTAGAGTTTATAGCCGTA
TTGCTAGCACCTTGATGATGTCATCATTCTGCTCATGATTCCAAGGATCAGCCTGGATGCCT
AGAGGACTAGATCACCTTAGTTTGATTCTATTTTTTAGCTTGCAAAAAGTGACTTATATTCCA
AAGAAATTAAATGTTGAAATCCAAATCCTAGAAATAAAATGAGTTNNNTCCAAAAAAAAAAAA
AAA

182/550

FIGURE 182

MMPSRTNLATGIPSSKVKYSRLSSTDDGYIDLQFKKTPPKIPYKAIALATVFLIGAFLIIIG
SLLLSGYISKGGADRAVPVLIIGILVFLPGFYHLRIAYYASKGYRGYSYDDIPDFDD

Transmembrane domains:

amino acids 45-66, 79-95

N-myristoylation sites.

amino acids 11-17, 75-81

183/550

FIGURE 183

CTAAAAAATACAAAAATTAGCTGGGCGTGGTGTCTATGTACCTGTAATCCCAGCTACTCAAGAGGCTGAGGCAGGA
GAATCGCTTGAACCCAGGAGGCAGAGGTTGCAGTGAGCCAAGATTAAAGTCACTGCACTCCAGCCTGGGTGACAGA
GCAAGACTCTGTATCAAATAAAATAAAAGTACAACCTCTGGATGGGCATGGTGGCTTATGTCTGTAATCCCAG
CACTTTGGGAACCTTGAGGCGGGTAGATTGCTTGAGTCCGGGAGTTTGAGACCAGTCTGGGTAATATGGTAACCCCT
GTCTACCAAAAAATACAGGTATTAGCCAGTCTCATAACTCGGTCTCAAAATAAAATAAATACATACATACATAGATG
AAAATTTAAAAAATAAAGTCCAACCTCAGCGGTTTTTCAGCATATTTACAGAGTTGTACAATCTTCACCACTATCTA
ATTTTCAGAACATTTTCATCACCCCCAAAAGAAACCTAACCCATTGACTATCTCTCCATTTCTCCCTCTCCCTAG
CCTCTGGCAACCACTAATCTCTTTTTTGTCTCTATAGATTTGCCTATTTTGGACAGTTTCATATACAAGGAATCAT
ACCACATGTAGCCTTTTTGTGTCCGGCTTCTTTGATTAATAGAATGTTTTCAAGGCTCATCTATGCTGTAGCCTGT
ATCAGCACTTCATTCCTTTCTATGGCTGAATAATAGTCCACTGTAGGGATGTGCCATGTTTTCCACTAGCTGAT
GGACATTTGGGTGTTTCCACCTTCTGGCTATTATAAATATTGCTGCTATAAATATTCACTTACAAGTTTTTGTG
TGGACATATGTTTTTATTTCTCTGGTATATCCTTCGGAGTGGAACCTGCTGGATCAGGTGGTAACCTCTAGGTCTA
ACCTGGCAGTTAAACAGAATCCTATGCATGCTGTAGTCCATGAGTTGAAATAAACACTTGACCCATAGTAAGTGC
CAGATCATCTTCATTTTCAGCAACCAAGTAATTTACAGATGAGGAATGAAGGCTCCAGAGGTGAACCTGGCTT
TTCCCATTTGAGCAGTTCCAAGTCAGACAGTTAAAAAGTGGCAGGACCTGGAAGAGAAGCTAGTTCTTTCAACCT
GGCATTGAGGGCTGCTCCTGGGCTACGGGGCTGGCATTAGAAATAGAGCTAAGGTCTGCTGCCAAGGCAGGTGC
CCCAGTCTGCCTCCTCTGTGTCTTATTCACCTTTCTCTGCAGCCCTCCAGGGGACCCCTCTCTCAGCCACCCCTC
TCTCTGGTGATGTCACAGTGTGCGGAAGATCAAAGATACGGTGCAGAACTGGCTTCGGACCATAAGGACATT
CACAGCAGTGATCCCGAGTGGGCAAAGCCATTGACAGGAACCTCGACTCTGAGATCTGTGGTGTGTGTGTGTGTGT
GCGGTGTGGGACGCGCGGGAACAGCAGCAGCAGATCCTGCAGATGGCCATCGTGGAACACCTGTATCAGCAGGGC
ATGCTCAGCGTGGCGGAGGAGCTGTGCCAGGAATCAACGCTGAATGTGGACTTGGATTTCAGCAGCCCTTCCCTA
GAGTTGAATCGAATCCTGGAAGCCCTGCACGAACAAGACCTGGGTCTGCGTTGGAATGGGCCGTCTCCACAGG
CAGCGCCTGCTGGAACCTCAACAGCTCCCTGGAGTTCAAGCTGCACCGACTGCACTTCATCCGCCTCTTGGCAGGA
GGCCCCGGAAGCAGCTGGAGGCCCTCAGCTATGCTCGGCACTTCCAGCCCTTTGCTCGGCTGCACCAGCGGGAG
ATCCAGGTGATGATGGGCAGCCTGGTGTACCTGCGGCTGGGCTTGAGAGAAGTACCCTACTGCCACCTGCTGGAC
AGCAGCCACTGGGCAGAGATCTGTGAGACCTTTACCCGGGACGCTGTTCCCTGCTGGGGCTTTCTGTGGAGTCC
CCCCTTAGCGTCAGCTTTGCTCTGGCTGTGTGGCGCTGCCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT
CGGCAGTGCCTGGGTCTGGAATCACAAAGGACGAGTTACCGATTGAGATTGAACTAGGCATGAAGTGTGTTGAC
GCTCATCTGTGGCCATGTTATCTCCCGAGATGCACTCAATAAGCTCATTAAATGGAGGAAACACTCCGTGTTGCT
TGCCCCATCCTCCGCCAGCAGAGCTCAGATTCCAACCCTCCCATCAAGCTGAAGTGTCCCTACTGTCCCATGGAG
CAGAACC CGGCAGATGGGAAACGCATCATATTCTGATTCCCTACCTGGAAGGAATTTTGTGAAAGGGGTTTTTAC
CTGTGAGCCTTGGTCTGTCTCGGTAGGGTGGTCAACTTCAGTGGACTGTGGTTGGTTTCAGAGCGCCTGGCTGAG
GAGTTCCACTGAGGGGAGCACTGGAGCAGCCCTTTGGCAGAGGCTGAGGAGGGAGATGGACCAGCCACGCCTGG
CACCTGGCTCCATGGCATAAGGAAAGGGAGATGCTGGCCTCTGTGCTCCTGTGTCTTTTCTGTTTCTGTTTGC
GTTTGACTTAGTAGCAACCGACAGAGTGGCAAGGGATTTGGTCTTCAGCAGTAGACATCCTTCCACCCTGCCCT
CAGCCAAGTCTCTTGTGCCATGCCAATGCTATGTCCACCCTTGCCCTCGGCCCAAGAGTGTCCAGCGGTGGCC
CACCTCTTCTCCCACTACAGCCTCAACAGTATGTACCATCTCCCACTGTAAATAGTCCCACTTAGAACGGAATG
CCGTTGTTTTATAACTTTGAACAAATGTATTTACTGCCCTTCTCAAAA

184/550

FIGURE 184

QCCRKIKDTVQKLASDHKDIHSSVSRVGKAIDRNFSEICGVVSDAVWDAREQQQQILQMAIV
EHLYQQGMLSVAEELCQESTLNVDLDFKQPFLELNRILEALHEQDLGPALEWAVSHRQRLEL
NSSLEFKLHRLHFIRLLAGGPAKQLEALSYARHFQPFARLHQREIQVMGSLVYLRLGLEKSP
YCHLLDSSHWAEICETFTRDACSLGLSVESPLSVSFASGCVALPVLMMNIKAVIEQRQCTGVW
NKKDELPIEIELGMKCWYHSVFACPILRQQTSDSNPPIKLCGHVISRDALNKLINGGKLKCP
YCPMEQNPADGKRIIF

Transmembrane domain:

amino acids 222-241

N-glycosylation site.

amino acids 129-133

Tyrosine kinase phosphorylation site.

amino acids 151-159, 184-193

Amidation site.

amino acids 327-331

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 222-233

185/550

FIGURE 185

GAGCGACGCTGTCTCTAGTCGCTGATCCCAAATGCACCGGCTCATCTTTGTCTACACTCTAAT
CTGCGCAAACCTTTTGCAGCTGTCGGGACACTTCTGCAACCCCGCAGAGCGCATCCATCAAAGC
TTTGCGCAACGCCAACCTCAGGCGAGATGACTTGTACCGAAGAGATGAGACCATCCAGGTGAA
AGGAAACGGCTACGTGCAGAGTCCTAGATTCCCGAACAGCTACCCAGGAACCTGCTCCTGAC
ATGGCGGCTTCACTCTCAGGAGAATACACGGATACAGCTAGTGTTTGACAATCAGTTTGATT
AGAGGAAGCAGAAAATGATATCTGTAGGTATGATTTTGTGGAAGTTGAAGATATATCCGAAAC
CAGTACCATTATTAGAGGACGATGGTGTGGACACAAGGAAGTTCCTCCAAGGATAAAATCAAG
AACGAACCAAATTAAATCACATTCAAGTCCGATGACTACTTTGTGGCTAAACCTGGATTCAA
GATTTATTATTCTTTGCTGGAAGATTTCCAACCCGCAGCAGCTTCAGAGACCAACTGGGAATC
TGTCACAAGCTCTATTTAGGGGTATCCTATAACTCTCCATCAGTAACGGATCCCACTCTGAT
TGCGGATGCTCTGGACAAAAAATTGCAGAAATTTGATACAGTGGAAGATCTGCTCAAGTACTT
CAATCCAGAGTCATGGCAAGAAGATCTTGAGAATATGTATCTGGACACCCCTCGGTATCGAGG
CAGGTCATACCATGACCGGAAGTCAAAAGTTGACCTGGATAGGCTCAATGATGATGCCAAGCG
TTACAGTTGCACTCCCAGGAATTACTCGGTCAATATAAGAGAAGAGCTGAAGTTGGCCAATGT
GGTCTTCTTTCCACGTTGCCTCCTCGTGCAGCGCTGTGGAGGAAATTGTGGCTGTGGAAGTGT
CAACTGGAGGTCCTGCACATGCAATTCAGGGAAAACCGTGAAAAAGTATCATGAGGTATTACA
GTTTGAGCCTGGCCACATCAAGAGGAGGGGTAGAGCTAAGACCATGGCTCTAGTTGACATCCA
GTTGGATCACCATGAACGATGCGATTGTATCTGCAGCTCAAGACCACCTCGATTAAGAGAATGT
GCACATCCTTACATTAAGCCTGAGAGAA

186/550

FIGURE 186

MHRLIFVYTLICANFCSCRDTSATPQSASIKALRNANLRRDDLYRRDETIQVKNGYVQSPRF
PNSYPRNLLLTWRLHSQENTRIQLVFDNQFGLLEAENDICRYDFVEVEDISETSTIIRGRWCG
HKEVPPRIKSRTNQIKITFKSDDYFVAKPGFKIYYSLLEDFQPAAASETNWESVTSSISGVSY
NPSVTDPTLIADALDKKIAEFDTVEDLLKYFNPESWQEDLENMYLDTPRYRGRSYHDRKSKV
DLDRLNDDAKRYSCTPRNYSVNIREELKLANVVFPRCLLVQRCGGNCGCGTVNWRSTCNSG
KTVKKYHEVLQFEPGHIKRRGRAKTMALVDIQLDHHERCDCICSSRPPR

Signal peptide:

amino acids 1-18

N-glycosylation site.

amino acids 270-274

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 262-266

Tyrosine kinase phosphorylation site.

amino acids 256-265

N-myristoylation sites.

amino acids 94-100, 186-192, 297-303, 298-304

TonB-dependent receptor proteins signature 1.

amino acids 1-56

187/550

FIGURE 187

CATGCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGACGGGCAGTTCCCTG
TGTCTCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGT
CCTACAATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTT
CATATATGGGCAAAAGAAATGGCTGAATAAATCAGAATGCAGAAATATCAATAGAACCTACTG
TGATCTTTCTGCTGAAACTTCTGACTACGAACACCAGTATTATGCCAAAGTTAAGGCCATTTG
GGGAACAAAGTGTTCCAAATGGGCTGAAAGTGGACGGTTCTATCCTTTTTTAGAAACACAAAT
TGGCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCCTGACAGCTCC
AGAGAAGTGAAGAGAAATCCAGAAGACCTTCCTGTTTCCATGCAACAAATATACTCCAATCT
GAAGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAA
CCACACGCTGGTGCTCACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCCT
CGTCCCAGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGA
TCAATCATCAGAGTTCAAGGCTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGT
GTTTCTTTTTTCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACA
CCCAGCAAATTTGATTTTGATTTATGGAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGA
AAAAATCGTGATTAACCTTTATCACCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGA
TATGAGTTTACTGGGAAAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCAGCGGGAA
CCTGAGGCCCCCTCAGGAGGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGA
AATTTTTTGTGACTCTGAAGAAAACACGGAAGGTACTTCTCTACCCAGCAAGAGTCCCTCAG
CAGAACAATACCCCGGATAAAACAGTCATTGAATATGAATATGATGTCAGAACCACTGACAT
TTGTGCGGGGCTGAAGAGCAGGAGCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATT
ATTGGAGTCGCAGGCAGCGTTGGCAGTCTTGGGCCCCGAAACGTTACAGTACTCATACCCCC
TCAGCTCCAAGACTTAGACCCCCTGGCGCAGGAGCACACAGACTCGGAGGAGGGGCCGGAGGA
AGAGCCATCGACGACCCTGGTCGACTGGGATCCCCAACTGGCAGGCTGTGTATTCTTCGCT
GTCCAGCTTCGACCAGGATTCAGAGGGCTGCGAGCCTTCTGAGGGGGATGGGCTCGGAGAGGA
GGGTCTTCTATCTAGACTCTATGAGGAGCCGGCTCCAGACAGGCCACCAGGAGAAAATGAAAC
CTATCTCATGCAATTCATGGAGGAATGGGGTTATATGTGCAGATGGAAAACTGATGCCAACA
CTTCCTTTTGCCTTTTGTTTCCTGTGCAAACAAGTGAGTCACCCCTTGATCCCAGCCATAAA
GTACCTGGGATGAAAGAAGTTTTTCCAGTTTGTGAGTGTCTGTGAGAA

188/550

FIGURE 188

MPLPPLLLLLLAAPWGRAVPCVSGGLPKPANITFLSINMKNVLQWTPPEGLQGKVTYTVQYF
IYGQKKWLNKSECRNINRTYCDLSAETSDYEHQYYAKVKAIWGTKCSKWAESGRFYPFLETQI
GPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQQIYSNLKYNVSVLNTKSNRTWSQCVTN
HTLVLTWLEPNTLYCVHVESFVPGPPRAQSEKQCARTLKDQSSEFKAKIIFWYVLPISITV
FLFSVMGYSIYRYIHVGKEKHPANLILYGNFDRFFVPAEKIVINFITLNISSDDSKISHQD
MSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFCDSEENTEGTSLTQQESLS
RTIPDPKTVIEYEDVRTTDICAGPEEQELSLQEEVSTQGTLLSQAAALAVLGPQTLQYSYTP
QLQDLPLAQEHTDSEEGPEEEPSTTLVDWDPQTGRLCIPSLSSFDQDSEGCEPSEGDLGEE
GLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYVQMEN

Signal sequence:

amino acids 1-18

Transmembrane domain:

amino acids 240-260

N-glycosylation sites.amino acids 31-34, 72-75, 80-83, 171-174, 180-183, 189-192,
304-307, 523-526**Tyrosine kinase phosphorylation site.**

amino acids 385-392, 518-526

N-myristoylation sites.

amino acids 53-58, 106-111, 368-373, 492-497

Tissue factor

amino acids 1-278

189/550

FIGURE 189

ATGTGCTGCTGGCCGCTGCTCCTGCTGTGGGGGCTGCTCCCCGGGACGGCGGGGGGGGCTCG
GGCCGAACCTATCCGCACCGGACCCCTCCTGGACTCGGAGGGCAAGTACTGGCTGGGCTGGAGC
CAGCGGGGACGCCAGATCGCCTTCCGCCTCCAGGTGCGCACTGCAGGCTACGTGGGCTTCGGC
TTCTCGCCACCGGGGCCATGGCGTCCGCCGACATCGTCGTGGGCGGGGTGGCCACGGGGCGG
CCCTACCTCCAGGATTATTTTACAAATGCAAATAGAGAGTTGAAAAAGATGCTCAGCAAGAT
TACCATCTAGAATATGCCATGGAAAATAGCACACACACAATAATTGAATTTACCAGAGAGCTG
CATACATGTGACATAAATGACAAGAGTATAACGGATAGCACTGTGAGAGTGATCTGGGCCTAC
CACCATGAAGATGCAGGAGAAGCTGGTCCCAAGTACCATGACTCCAATAGGGGCACCAAGAGT
TTGCGGTTATTGAATCCTGAGAAAAGTAGTGTGCTATCTACAGCCTTACCATACTTTGATCTG
GTAAATCAGGACGTCCCCATCCCAAACAAAGATACAACATATTGGTGCCAAATGTTTAAGATT
CCTGTGTTCCAAGAAAAGCATCATGTAATAAAGGTGAGCCAGTGATACAGAGAGGCCATGAG
AGTCTGGTGCACCACATCCTGCTCTATCAGTGCAGCAACAACCTTAAACGACAGCGTTCTGGAG
TCCGGCCACGAGTGCTATCACCCCAACATGCCCGATGCATTCTCCTCACCTGTGAAACTGTGATT
TTTGCCTGGGCTATTGGTGGAGAGGGCTTTTCTTATCCACCTCATGTTGGATTATCCCTTGGC
ACTCCATTAGATCCGCATTATGTGCTCCTAGAAGTCCATTATGATAATCCCACTTATGAGGAA
GGCTTAATAGATAATTCTGGACTGAGGTTATTTTACACAATGGATATAAGGAAATATGATGCT
GGGGTGATTGAGGCTGGCCTCTGGGTGAGCCTCTTCCATACCATCCCTCCAGGGATGCCTGAG
TTCCAGTCTGAGGGTCACTGCACTTTGGAGTGCCTGGAAGAGGCTCTGGAAGCCGAAAAGCCA
AGTGGAATTCATGTGTTTGCTGTTCTTCTCCATGCTCACCTGGCTGGCAGAGGCATCAGGCTG
CGTCATTTTCGAAAAGGGAAGGAAATGAAATTACTTGCCATGATGATGATTTTACTTCAAT
TTCCAGGAGTTTCAGTATCTAAAGGAAGAACAACAATCTTACCAGGAGATAACCTAATTACT
GAGTGTGCTACAACACGAAAGATAGAGCTGAGATGACTTGGGGAGGACTAAGCACCAGGAGT
GAAATGTGTCTCTCATACCTTCTTTATTACCCAAGAATTAATCTTACTCGATGTGCAAGTATT
CCAGACATTATGGAACAACCTTCAGTTTATTGGGGTTAAGGAGATCTACAGACCAGTCACGACC
TGGCCTTTCATTATCAAAAGTCCCAAGCAATATAAAAAACCTTTCTTTCATGGATGCTATGAAT
AAGTTTAAATGGACTAAAAAGGAAGGTCTCTCCTTCAACAAGCTGGTCCTCAGCCTGCCAGTG
AATGTGAGATGTTCCAAGACAGACAATGCTGAGTGGTCGATTCAAGGAATGACAGCATTACCT
CCAGATATAGAAAGACCCTATAAAGCAGAACCTTTGGTGTGTGGCACGTCTTCTTCTCTTCC
CTGCACAGAGATTTCTCCATCAACTTGCTTGTGTTGCCTTCTGCTACTCAGCTGCACGCTGAGC
ACCAAGAGCTTGTGATCAAAATTTCTGTTGGACTTGACAATGTTTTCTATGATCTGAACCTGTC
ATTTGAAGTACAGGTTAAAGACTGTGTCCACTTTGGGCATGAAGAGTGTGGAGACTTTTCTTC
CCCATTTTCCCTCCCTCCTTTTCCCTTTCCATGTTACATGAGAGACATCAATCAGGTTCTCTT
CTCTTTCTTAGAAATACCTGATGTTATATATACATGGTCAATAAAATAAACTGGCCTGACTT
AAGATAACCATTTTAAAAAATTGGGCTGTCATGTGGGAATAAAAGAATTCTTTCTTCTCTAA
AAAAAAA

190/550

FIGURE 190

MCCWPLLLLWGLLPGTAAGGSGRTYPHRTLLDSEGKYWLGWSQRGSQIAFRLQVRTAGYVGFG
FSPTGAMASADIVVGGVAHGRPYLQDYFTNANRELKKDAQQDYHLEYAMENSTHTIIIEFTREL
HTCDINDKSITDSTVRVIWAYHHEDAGEAGPKYHDSNRGTSRLRLNPEKTSVLSTALPYFDL
VNQDVPIPNKDTTYWCQMFKIPVFQEKHHVIKVEPVIQRGHESLVHHILLYQCSNNFNDSVLE
SGHECYHPNMPDAFLTCTVIFAWAIGGEGFSYPPHVGLSLGTPLDPHYVLLEVHYDNPTYEE
GLIDNSGLRLFYTMDIRKYDAGVIEAGLWVSLFHTIPPGMPEFQSEGHCTLECLEEAEAEKPK
SGIHVFAVLLHAHLAAGR GIRLRHFRKGKEMKLLAYDDDFDNFQEFQYLKEEQTILPGDNLIT
ECRYNTKDRAEMTWGGLSTRSEMCLSYLLYYPRINLTRCASIPDIMEQLQFIGVKEIYRPVTT
WPFIIKSPKQYKNLSEMDAMNKFKWTKKEGLSFNKLVLVSLPVNVRCSTDNAEWSIQGMTALP
PDIERPYPKAEPLVCGTSSSSSLHRDFSINLLVCLLLSCTLSTKSL

Signal peptide:

amino acids 1-18

Transmembrane domains:

amino acids 56-73, 378-393, 583-602

N-glycosylation sites.

amino acids 114-118, 247-251, 476-480, 517-521

N-myristoylation sites.amino acids 11-17, 15-21, 20-26, 45-51, 68-74, 79-85, 290-296,
316-322, 337-343, 342-348, 456-462, 534-540, 582-588**Copper type II, ascorbate-dependent monooxygenases proteins.**

amino acids 271-321, 422-474

191/550

FIGURE 191

GCTTCAGCTGAAGAAAGAGAGGAATGAAGCGCCTTCTGCTTCTGTTTTGTTCTTTATAACAT
TTTCTTCTGCATTTCCCTTAGTCCGGATGACGGAAAATGAAGAAAATATGCAACTGGCTCAGG
CATATCTCAACCAGTTCTACTCTCTTGAAATAGAAGGGAATCATCTTGTTCAAAGCAAGAATA
GGAGTCTCATAGATGACAAAATTCGGGAAATGCAAGCATTTTTTGGATTGACAGTGACTGGAA
AACTGGACTCAAACACCCTTGAGATCATGAAGACACCCAGGTGTGGGGTGCCTGATGTGGGCC
AGTATGGCTACACCCTCCCTGGGTGGAGAAAATACAACCTCACCTACAGAATAATAAACTATA
CTCCGGATATGGCAGGAGCTGCTGTGGATGAGGCTATCCAAGAAGGTTTAGAAGTGTGGAGCA
AAGTCACTCCACTAAAATTACCAAGATTTCAAAGGGGATTGCAGACATCATGATTGCCTTTA
GGACTCGAGTCCATGGTCGGTGTCTCGCTATTTTGATGGTCCCTTGGGAGTGCTTGGCCATG
CCTTTCCTCCTGGTCCGGGTCTGGGTGGTGACACTCATTTTGATGAGGATGAAAACCTGGACCA
AGGATGGAGCAGGATTCAACTTGTTTCTTGTTGGCTGCTCATGAATTTGGTCATGCACTGGGGC
TCTCTCACTCCAATGATCAAACAGCCTTGATGTTCCCAAATTATGTCTCCCTGGATCCCAGAA
AATACCCACTTTCTCAGGATGATATCAATGGAATCCAGTCCATCTATGGAGGTCTGCCTAAGG
TACCTGCTAAGCCAAAGGAACCCACTATACCCCATGCCTGTGACCCTGACTTGACTTTTGACG
CTATCACAACCTTCCGCAGAGAAGTAATGTTCTTTAAAGGCAGGCACCTATGGAGGATCTATT
ATGATATCACGGATGTTGAGTTTGAATTAATTGCTTCATTCTGGCCATCTCTGCCAGCTGATC
TGCAAGCTGCATACGAGAACCCAGAGATAAGATTCTGGTTTTTAAAGATGAAAACCTTCTGGA
TGATCAGAGGATATGCTGTCTTGCCAGATTATCCCAAATCCATCCATACATTAGGTTTTCCAG
GACGTGTGAAGAAAATAGATGCAGCCGTCTGTGATAAGACCACAAGAAAACCTACTTCTTTG
TGGGCATTTGGTGCTGGAGGTTTGATGAAATGACCCAAACCATGGACAAAGGATTCCCGCAGA
GAGTGGTAAAACACTTTCCTGGAATCAGTATCCGTGTTGATGCTGCTTTCCAGTACAAAGGAT
TCTTCTTTTTTCAGCCGTGGATCAAAGCAATTTGAATACAACATTAAGACAAAGAATATTACCC
GAATCATGAGAACTAATACTTGGTTTCAATGCAAAGAACCAAAGAACTCCTCATTGTTGGTTTTG
ATATCAACAAGGAAAAAGCACATTACAGGAGGCATAAAGATATTGTATCATAAGAGTTTAAGCT
TGTTTATTTTTGGTATTGTTTCAATTTGCTGAAAAACACTTCTATTTATCAATTAAATTCATAGAC
CTAAAATAAACCTCAACAGGTCTTTTAATATAAATTCTGCTTCAAATAGAAATAAAACCATTC
TTTAACAAC

192/550

FIGURE 192

MKRLLLLLFFITFESSAFPLVRMTENEENMQLAQAYLNQFYSLIEGNHLVQSKNRS LIDDKI
REMQAFFGLTVTGKLDSENTLEIMKTPRCGVPDVGQYGYTLPGWRKYNLT YRIINYTPDMARAA
VDEAIQEGLEVWSKVTP LKFTKISKGIADIMIAFRTRVHGRCPRYFDG PLGLVGHAFPPGPGL
GGDTHFDEDENWTKDGAGENLFLVAAHEFGHALGLSHSNDQTALMF PNYVSLDPRKYPLSQDD
INGIQSIYGGLPKVPAKPKEPTIPHACDPDLTFDAITTFRREVMFFKGRHLWRIYYDITDVEF
ELIASFWPSLPADLQAAYENPRDKILVFKDENFWMIRGYAVLPDYPKSIHTLGFPGRVKKIDA
AVCDKTTTRKTYFFVGIWCWRFDEMTQTMDKGFPQRVVKHFPGISIRVDAAFQYKGGFFFSRGS
KQFEYNIKTKNITRIMRTNTWFQCKEPKNSSFGFDINKEKAHSGGIKILYHKSLSLFI FGIVH
LLKNTSIYQ

Signal peptide:

amino acids 1-17

N-glycosylation sites.

amino acids 55-59, 110-114, 200-204, 452-456, 470-474, 508-512

N-myristoylation site.

amino acids 71-77, 205-211, 223-229

Hemopexin domain signature.

amino acids 171-202, 207-238, 318-334

Neutral zinc metallopeptidases, zinc-binding region signature.

amino acids 213-223

Matrixins cysteine switch.

amino acids 89-97, 207-238

193/550

FIGURE 193

CACAATCAGGTCCCATTCTATAGATGGGGAAACTGAGGCTTGAGGTCACATAGGCGTCGTTCA
AGGCTGGTATACCTGCACCCTCTCCCATGTGAACAACATGGTTCCTGGGTAATGGGGGCTGTCA
TCCAGTCTCCTCCCTGCCCCCTGCTGGTGCACCTTCCTGCCTCTGCTGGTGCACCTTCTGCCCCCT
ACTGGTATATTTGCTGCCTCTGCTGGGGCGCTTCCTGCCTCGGCTGGTGTATCTCCTGCCCCCT
GCTGGTGCACCTTCTGCCCCCGCTGATGCACTTCCTGCCTCTGCTGGTGCACCTTCCTGGCTCT
GCTGGCACACTTCCTGCCTCTGCTGGTGCACCTTCCTGGCTCTGCTGGCGCACTTTCCTGCCCC
TGCTGGTGTATTTCTGCCCCCTGCTGGTGTACTTCCTTCCCCTGCTGGTGCACCTTCCTGCCTC
TGCTGGCGCACTTCTTGCCTCTCCAGGCCCTACCTTAGCCTCTCCCTCTTATATATGGAAGTCT
TCCCAGTTCACCTGACACTGGTAACAGGGACTCTGCTCTTGGTGTGCTGTCTGCCCTGGGGAT
GGGCATCTGTGTCTTCCTTTACTACTGCTGGCTCAGGACCCAGAGCTTTGAAGCATGTCCAGA
TGCAGGTCCGGGCACCAGAGTCTAAGGAGCCCCTACACCCACCAGGATTTTCCAATAAAGAGA
TGTTACCA

194/550

FIGURE 194

MVLGNGGCHPVSSLPLLVFHFLPLLVHFLPLLVYLLPLLGRFLPRLVYLLPLLVHFLPPLMHFL
PLLVHFLALLAHFLPLLVHFLALLAHFPAPAGVFPAPAGVLPSPAGALPASAGALLASPGPT

Signal peptide:

amino acids 1-39

N-myristoylation sites.

amino acids 4-10, 109-115, 116-122

Leucine zipper pattern.

amino acids 14-36, 16-38, 17-39, 21-43, 24-46, 28-50, 31-53,
35-57, 38-60, 42-64, 45-67, 49-71, 52-74, 56-78, 59-81, 63-85,
65-87, 66-88

FIGURE 195

[illegible]

196/550

FIGURE 196

MRRLTRRLVLPVFGVLWITVLLFFWVTKRKLEVPTGPEVQTPKPSDADWDDLWDQFDERRYLN
AKKWRVGGDPYKLYAFNQRESERISSNRAIPDTRHLRCTLLVYCTDLPPTSIIITFHNEARST
LLRTIRSVLNRTPTHLIREIILVDDFSNDPDDCKQLIKLPKVKCLRNNERQGLVRSRIRGADI
AQGTTTLTFLDSHCEVNRDWLQPLLHRVKEDYTRVVCVIDIINLDTFTYIESASELRGGFDWS
LHFQWEQLSPEQKARRLDPTPIRTPIIAGGLFVIDKAWFDYLGKYDMDMDIWGGENFEISFR
VWMCSSSLEIVPCSRVGHVFRKKHPYVFPDGNANTYIKNTKRTAEVWMDEYKQYYAARPFAL
ERPFNGVESRLDLRKNLRCQSFKWYLENIYPELSIPKESSIQKGNIRQRQKCLESQRQNNQET
PNLKLSPCAKVKGEDAKSQVWAFYTYQQILQEELCLSVITLFPGAPVVLVLCKNGDDRQQWTK
TGSHIEHIAHSLCLDMDFGDGTENGKEIVNPNCESSLMSQHWDMVSS

Transmembrane domain:

amino acids 475-493

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 2-6

Tyrosine kinase phosphorylation sites.

amino acids 68-75, 401-409

N-myristoylation sites.

amino acids 178-184, 186-192, 192-198, 346-352, 383-389, 526-532

197/550

FIGURE 197

GCAGCTCACCCCTTCGCAGCCGCGATGCGGGGAAGACGACGCCGCGCTTCGGGCTGGCAGCAGGGGGCTCTCCGACC
CGTGGGCAGACTCAGTGGGAGTGCGACCCCGCACCACGGAGCGCCACATCGCCGTACACAAGCGGGCTTGCTGG
CCTTCGCTGTGTCCTCGTGCCATTGCTCGCGGTACAATGCTCGCTGTGCTGCTCAGCCTGCGCTTCGACGAGT
GCGGGGCGAGTGCCACGCCAGGCGCGGACGGTGGCCCTCAGGCTTCCGGAGCGCGCGGCAACGGGAGCCTCC
CTGGATCGGCCCGGCGCAACCACCAGCGAGGCGGGGACTCCTGGCAGCCGAGGCGGGTGGGGTGGCCAGTCCGG
GGACCAGTTCGGCCAGCCGCGCTCGGAGGAGGAGCGGGAGCCGTGGGAGCCGTGGACGCAGCTGCGCCTGTTCGG
GCCACCTGAAGCCGCTGCACTACAATCTGATGCTCACCGCCTTCATGGAGAACTTCACTTCTCCGGGGAGGTCA
ACGTGGAGATCGCGTGCCGGAACGCCACCCGCTACGTAGTGTGCACGCTTCCCGAGTGGCGGTGGAGAAAGTGC
AGCTGGCCGAGGACCGGGCGTTCGGGGCTGTCCCTGTAGCCGGTTTTTTCTCTACCCGCAACCCAGGTCTTAG
TGGTGGTGTGAATAGGACACTGGACGCGCAGAGGAATTACAATCTGAAGATTATCTACAACGCGCTCATCGAGA
ATGAGCTCCTGGGCTTCTCCGAGCTCCTATGTGCTCCACGGGGAGAGAAGATTCCCTGGTGTACTCAGTTTT
CGCTACACATGCCAGAAAGCATTTCCTTGTGTTGATGAGCCAATCTACAAGGCTACTTCAAAATCAGCATTA
AGCATCAAGCAACCTATTTATCTTTATCTAATATGCCAGTGGAAACTTCCGTGTTTGGAGAAAGATGGATGGGTTA
CGGATCACTTTTACAGACCCCTCTCATGTCCACATATTATTTAGCCTGGGCAATTTGCAACTTCACATACAGAG
AACTACCACCAAGAGTGGGGTTGTAGTACGATTATATGAAGACCTGATGCTATCAGAAGAGGATCCGGGGACT
ATGCTCTCCATATAACAAAGAGATTAAATAGAATTTTATGAAGACTACTTTAAAGTGCCCTATTCTTGGCAAAAC
TAGATCTTTTAGCTGTGCCTAAGCATCCGTATGCTGCTATGGAGAACTGGGGACTAAGTATTTTTTGTGAACAAA
GAATACTGCTGGATCCAGTGTTTCATCTATTCTTATTTGCTGGATGTACCATGGTCATTGTTTCATGAGATAT
GTCACCACTGGTGTGGTGACCTTGTGACGCCGTGTGTTGGTGGGAAGCGTGTGGCTGAAGGAAGGGTTGCTCACT
ACTTTGAATTTGTTGGTACAGACTACCTCTATCTGCTGGTGGAAACATGGAAGCAGAGGTTTCTGACCGATGTTT
TGATGAAGTATGCTGCTGGACGGTTTGGCCAGTTCCTATCCAGTATCACAGGAAGTGTGCAGGCAACAGATA
TTGACAGGGTGTGTTGACTGGATCGCATATAAAAGGGTGTGCTTTAATAAGAATGCTGGCTAATTTTATGGGCC
ATTCAGTTTTCCAGAGGGGTTTGAAGATTATTTAACCATTCTAAGTATGGTAATGCAGCCAGAAATGATCTCT
GGAATCACTTATCGGAGGCTTTAAAAAGAAATGGGAAATATGTAATATACAAGAAGTAATGGATCAGTGGACAC
TCCAGATGGGTTATCCTGTTATCACCATCTTGGGAAACACAACAGCAGAAAAATAGAATAAATTAATTAACCAAGC
ATTTTATCTATGATATCAGTGCTAAAACATAAGCACTTAACTTCAAGATAACAGTTACCTGTGGCAGATTCCAT
TAATATTGTGGTAGGAAATAGAAGCCATGTGCTTTCAGAAACATTAATTTGGGTGTCTAACAAATCAGAGCACC
ACAGATCACTTATTTGGACAAAGGAAGCTGGCTGTGGGAAACATCAATCAAACTGGCTATTTTAGAGTCAACT
ATGACCTAAGGAACCTGGAGATTATTAATTGATCAATTAATCCGGAATCATGAGGTTCTTTCTGTGTAACCGAG
CGGGCTTGATCGATGATGCCTTCAGCCTAGCCAGGGCTGGCTATTTGCCTCAGAATATTCCTCTGGAGATTATCA
GATACCTGTCTGAGGAGAAGGATTTTCTTCTTGGCATGCTGCCAGCCGAGCTCTTTATCCTCTAGATAAATTAC
TGGATCACTTATGGAAGAACTACAACATTTTCAATGAATATATTTAAAGCAAGTTGCAACAACATATATCAAGCTTG
GGTGGCCGAAAAATAATTTTAAATGGATCTCTTGTTCAGCATCTTACCAACATGAAGAACTACGTAGAGAACTTA
TAATGCTGGCCTGCAGTTTGGCAACAAGCACTGTACCAACAGGCATCAACACTTATTTAGATTGGATTTCAC
GCAACAGGAACAGAAATACCAATAATGTTAGAGACATCGTATACTGTACAGGAGTGTCACTACTGGATGAGGATG
TCTGGGAATTCATATGGATGAAATTCATTCCACCACAGCAGTTTCTGAGAAGAAAAATATTATTGGAAGCCTTAA
CTTGCACTGATGACAGGAATTTATTAACAGGCTTCTAAATCTGTCACTGAATTTCTGAGGTGGTGTGCTGGATCAAG
ATGCAATTGATGTCAATCCATGTAGCTCGAAATCCACATGGTCGAGACCTTGCTGGAAGTTTTTTCAGGGATA
AATGGAAGATATTAATACCAGGTATGGAGAAGCATTGTTATGTATTCCAAACCTCATCAGTGGTGTACAGAAAT
TTCTTAATACTGAAGGTGAACCTAAAGAGCTCAAGAACTTCATGAAAACTATGATGGGGTAGCTGTGCTCTCT
TCTCAGGAGCTGTGGAAACTGTGGAAGCCAAATGTGCGCTGGAAAAATGCTTTACCAAGACGAGCTTTTCCAATGGT
TAGGAAAAGCTCTAAGACACTAATATATGATCTTATAAAACAAACATTCAACTCAGAAGTTTATGAGAAGACAC
GCTTTTTTGTGGAATGAGGAAATGTACTACCTAGAAAAATGGCCAGATTTTCAGTGTTAACGTGTGGGAGGAATTT
TTTTTTTAGTTTTTATTTTTTGGTTTTTGGGGGATATTTTTTATTGTTTCATTCTGTTCTGTTTCTCTAC
TGGGTGTTCTCTCTTAAAGAACTCTTGCAAGTGAACTAGCCATGATTGCTTCAGCTGTACATTCCTTGCTGTA
CAGGACCAAAATATGATAGTATGATGCTGTTGATGTTACAGTCAATTTGGAAAAACATATTCAGAAATATCTGTGCAT
GGATATATTGCTGCTGTGTTCCAGCATGCTTATTTCAAACGTCAGTGTGTGTGTAATATGTGTTACACC
TAGGATGGGCATTATGCAAAAGCACAAGATTATATGACAATCAGTATTGCAATGAAAGAAAACTAAAAACA
GAAATGATATTCTCAATTTTGGGCAATGTGAGAGGTAATAAGCCCTTGACATGATGAACATCACTTATTTTCAGC
ACTTGGATTGTCTGGCAATGATTCTGTGTTGCTAACTCAATTTCTTTGAGTTAAAGCTGTGTATACATTTTAAA
AGGCATATAGATAGTGTATGATATGTATATGACATAGGGAAGCCCCATATGTATATAGTATGTTGTACACTGC
ACATGTACAAAGAAATGTCTCAGATCAAGAAAAATTTATCTCTTTTATAAACTTAAGGACAGTTGCAAAAGGCT
TCAAGGAATTTATCTCAACATTATTCTTCTATGTCTAACTAAATTTCTCACTGTTATGAATTTTTTCATCTAC
TTCTTGAACAGTGGTCTATTCTGCTACATGAAGATGAATACAAACAAATTTTGTATAAACTCCCAAAAAAAA
AAAAAAA

198/550

FIGURE 198

MGEDDAALRAGSRGLSDPWADSVGVRPRTERHIAVHKRLVLAFAVSLVALLAVTMLAVLLSL
RFDECGASATPGADGGPSGFFPERGGNGSLPGSARRNHHAGGDSWQPEAGGVASPGTTSAQPPS
EEEREFPWEPWTQLRLSGHLKPLHYNLMLTAFMENFTFSGEVNVEIACRNATRYVVLHASRVAV
EKVQLAEDRAFGAVPVAGFFLYPQTQVLVVVLNRTLDAQRNYNLKIYNALIENELLGFFRSS
YVLHGERRFLGVTQFSPTHARKAFPCFDEPIYKATFKISIKHQATYLSLSNMPVETSVFEEDG
WVTDHFSQTPLMSTYYLAWAICNFTYRETTTKSGVVVRLYARPD AIRRGSGDYALHITKRLIE
FYEDYFKVPYSLPKDLLAVPKHPYAAMENWGLSIFVEQRILLDPSVSSISYLLDVTMVIVHE
ICHQWFGDLVTPVWWEDVWLKEGFAHYFEFVGTDYLYPGWNMEKQRFLTDVLHEVMLLDGLAS
SHPVSQEVLOATDIDRVFDWIAYKKGAALIRMLANFMGHSVFQRLQDYLTIHKYGNAARNDL
WNTLSEALKRNGKYVNIQEVMDQWTLQMGYPVITILGNTTAENRIITQQHFIYDISAKTKAL
KLQNNSYLWQIPLTIVVGNRSHVSSEAIWVSNKSEHHRITYLDKGSWLLGNINQTYFRVNY
DLRNWRLIDQLIRNHEVLSVSNRAGLIDDAFSLARAGYLPQNIPILEIIRYLSEEKDFLPWA
ASRALYPLDKLLDRMENYNIFNEYILKQVATTYIKLGWPKNNFNGSLVQASYQHEELRREVIM
LACSFNGKHCHQOASTLISDWISSNRNRIPLNVRDIVYCTGVSLLEDVWFEIWMKFHSTTAV
SEKKILLEALTCSDDRNLLNRLNLSLNSEVVDQDAIDVIIHVARNPHGRDLAWKFFRDKWK
ILNTRYGEALFMYSKLISGVTEFLNTEGELKELKNFMKNYDGVAAASFSRAVETVEANVRWKM
LYQDELFWLGKALRH

Transmembrane domain:

amino acids 44-63

N-glycosylation sites.amino acids 89-93, 160-164, 175-179, 222-226, 338-342, 605-609,
634-638, 649-653, 663-667, 684-688, 800-804, 906-910**cAMP- and cGMP-dependent protein kinase phosphorylation site.**

amino acids 362-366

Tyrosine kinase phosphorylation site.

amino acids 520-528

N-myristoylation sites.amino acids 78-84, 87-93, 90-96, 118-124, 501-507, 604-610,
825-831, 987-993**Neutral zinc metallopeptidases, zinc-binding region signature.**

amino acids 437-447

199/550

FIGURE 199

GC GCCCGGCGCAGCTCGGCCAGAGCGACCGCGGGGCTGAGCGCGCTCCGCCAGGGGGCTCCGGAAGCTGCCCC
GGCCCGCGGCTCCTCCCTCGCTCCCGCTTCCCCTTTCTCGCTCACC GCCCGCCCTCCTTCCCAGCTCCCTCGCC
GTCCGCCCGCCCCACAGCCAGCGGCTCCGCGCCCCCTGCAGCCACGATGCCCCGCGCCCGGCCCGCCCGCGG
ACTCCGCGGGATCTCGCTGTTCTCGCTCTGCTCCTGGGAGCCCGCGGCAGCGCTGGAGCGAGATGCTCTTCC
CGAGGGAGATGCTAGCCCTTTGGGTCCTTACCTCCTGCCTCAGGAGCCCCGAGAGAGGCAGCTCTGGCAAAGA
GCACCCTGAAGAGAGAGTGGTAACAGCGCCCCCAGTTCTCAGAGTGGCGGAAGTGTGGGCGAGCTGGTGCT
GGATGGGACCGCACCTCTGCACATCACGACATCCCAGCCCTGTCACCGCTGCTTCCAGAGGAGGCCCGCCCCAA
GCACGCTTGCCCCCAAGAAGAACTGCCTTCGCTCAAGCAGGTGAACTCTGCCAGGAAGCAGCTGAGGCCCAA
GGCCACCTCCGCGAGCCACTGTCCAAAGGGCAGGGTCCAGCGAGCTCCAGGGCCTAGATCTCCTCTCCCTCCTC
CACGGAGAAGCCTGGCCACCGGGGACCCGACCCCATCGTGGCCTCCGAGGAGGCATCAGAAGTGCCCCCTTG
GCTGGATCGAAAGGAGAGTGGGTCCCTACAACACCCGACCCCTGCAAAATCTCCCCCTTCACTTCGCAGCCCTA
TGTGGCCACACACTCCCCAGAGGCCAGAACCCGGGAGCCTGGGCTGACATGGCCCAGGAGGCCCCCCAGGA
GGACCCAGCCCCATGGCCCTGATGGACAAAGGTGAGAATGAGCTGACTGGGTGAGCCTCAGAGGAGAGCCAGGA
GACCACTACCTCCACCATTATCACCACCACGGTCATCACCACCGAGCAAGCACCAGCTCTCTGCAGTGTGAGCTT
CTCCAATCTGAGGGGTACATTGACTCCAGCGACTACCCACTGCTGCCCTCAACAACTTTCTGGAGTGCACATA
CAACGTGACAGTCTACACTGGCTATGGGGTGGAGCTCCAGGTGAAGAGTGTGAACCTGTCCGATGGGGAAGTGT
CTCCATCCGCGGGGTGACGGCCCTACCTGACCGTCCAGCCAGGCTCCAGCAACAGACACTCCTGGTGGAGGGCAGGTAAT
CCGAAGCCCCACCAACACCATCTCGTCTACTTCCGGACCTTCCAGGACGACGGCCTTGGGACCTTCCAGCTTCA
CTACCAGGCTTTCATGCTGAGCTGCAACTTTCCCCGCCGGCCTGACTCTGGGGATGTACGGTGATGGACCTGCA
CTCAGGTGGGGTGGCCCACTTCACTGCCACCTGGGCTATGAGCTCCAGGGCGCTAAGATGCTGACATGCATCAA
TGCCTCCAAGCCGCACTGGAGCAGCCAGGAGCCCATCTGCTCAGCTCCTTGTGGAGGGGCAGTGCACAATGCCAC
CATCGGCCGCGTCTCTCCCCAAGTTACCTGAAACACAAATGGGAGCCAATTCTGCATCTGGACGATTGAAGC
TCCAGAGGGCCAGAAGCTGCACCTGCACCTTTGAGAGGCTGTTGCTGCATGACAAGGACAGGATGACGGTTCACAG
CGGGCAGACCAACAAGTCAGCTCTTCTACGACTCCCTTCAAACCGAGAGTGTCCCTTTTGGGGCCTGCTGAG
CGAAGGCAACACCCTCCGCATCGAGTTCACGTCCGACAGGCCCGGGCGGCTCCACCTTCAACATCCGATTTGA
AGCGTTTGAAGAGGCCACTGCTATGAGCCCTACATCCAGAATGGGAACCTTCACTACATCCGACCCGACCTATAA
CATTGGGACTATAGTGGAGTTACCTGCGACCCCGGCCACTCCCTGGAGCAGGGCCCGGCCATCATCGAATGCAT
CAATGTGCGGGACCCATACTGGAATGACACAGAGCCCTGTGCAGAGCCATGTGTGGTGGGAGCTCTCTGCTGT
GGCTGGGGTGGTATTGTCCCAAACTGGCCGAGCCCTACGTGGAAGGTGAAGATTGTATCTGGAAGATCCACGT
GGGAGAAGAGAAACGGATCTTCTTAGATATCCAGTTCCTGAATCTGAGCAACAGTGACATCTTGACCATCTACGA
TGGCGACGAGGTGATGCCCCACATCTTGGGCGAGTACCTTGGGAACAGTGGCCCCAGAACTGTACTCTCCAC
GCCAGACTTAACCATCCAGTTCATTCCGACCCCTGCTGGCCTCATCTTTGGAAAGGGCCAGGGATTTATCATGAA
CTACATAGAGGTATCAAGGAATGACTCCTGCTCGATTACCCGAGATCCAGAATGGCTGGAAAACCACTTCTCA
CACGGAGTTGGTGGGGGAGCCAGAATCACCTACCAGTGTGACCCCGCTATGACATCGTGGGGAGTGACACCCCT
CACCTGCCAGTGGGACCTCAGCTGGAGCAGCGACCCCATTTTGTGAGAAAATTATGTACTGCACCGACCCCGG
AGAGGTGGATCACTCGACCCGCTTAATTTCCGATCCTGTGCTGCTGGTGGGGACCACTCCAATACACCTGCAA
CCCCGGTTTGTGCTTGAAGGGAGTTCTTCTGACCTGCTACAGCCGTGAAACAGGGACTCCCATCTGGACGTC
TCGCCTGCCCACTGCGTTTCGGAGGAGTCCCTGGCATGTGACAACCCAGGGCTGCCTGAAAATGGATACCAAAAT
CCTGTACAAGCGACTACCTGCCAGGAGAGTCCCTCACCTTCATGTGCTACGAAGGCTTTGAGCTCATGGGTGA
AGTGACCATCCGCTGCATCCTGGGACAGCCATCCCACTGGAACGGGCCCTGCCCGTGTGTAAGTTAATCAAGA
CAGTTTGAACATGCTTTAGAAGCAGAAGCGGCAGCAGAGAGCTCGCTGGAAGGGGGGAACATGGCCCTGGCTAT
CTTCATCCCGGTCCTCATCATCTCTTACTGCTGGGAGGAGCCTACATTTACATCACAAGATGTGCTACTATTTC
CAACCTCCGCTGCCTCTGATGTACTCCACCCCTACAGCCAGATCACCGTGGAAACCGAGTTTGACAACCCCAT
TTACGAGACAGGGGAAACAGAGAGTATGAGGTTTCTATCTAAAGAGAGCTACACTTGAGAAGGGGACTTGTGAA
CTCAACCACAATCTCCTCGAGACATTATCCAGAGACCATGTGGCACTTGATTGAAACCCAGAATGTCGACTGT
CTTTTGTAGACTCTTATCAAAGGTTTACTGTTTTCTCCCTGTATTTATTATATTTAAAAGTGAAAAAAA
AAAAA

200/550

FIGURE 200

MPAARPPAAGLRGISLFLALLLGSPAAALERDALPEGDASPLGPYLLPSGAPERGSPGKEHPE
ERVVTAPPSSSSQSAEVLGELVLDGTAPSAHHDIPALSPLLPEEARPKHALPPKKKLPSLKQVN
SARKQLRPKATSAATVQRAGSQPASQGLDLLSSSTEKPGPPGDPDPIVASEEASEVPLWLDRK
ESAVPTTPAPLQISPFTSQPYVAHTLPQRPEPGEPGPDMAQEAPQEDTSPMALMDKGENELTG
SASEESQETTTSTIITTTVITTEQAPALCSVFSNPEGYIDSSDYPLLPLNNFLECTYNVTVY
TGYGVELQVKSVNLSDGELLSIRGVDGPTLTVLANQTLLVEGQVIRSPTNTISVYFRTFQDDG
LGT FQLHYQAFMLSCNFPRRPDSGDVTVMDLHSGGVAHFHCHLGYELQGAKMLTCINASKPHW
SSQEPICSAPCGGAVHNATIGRVLSPSYPENTNGSQFCIWTIEAPEGQKLHLHFERLLLHDKD
RMTVHSGQTNKSALLYDSLQTESVPFEGLLSEGNTIRIEFTSDQARAASTFNIRFEAFEKGHC
YEPYIQNGNFTTSDPTYNIGTIVEFTCDPGHSLEQGPATIECINVRDPYWNDTEPLCRAMCGG
ELSAVAGVVLSPNWPEPYVEGEDCIWKIHVGEKRIFLDIQFLNLSNSDILTIYDGDEVMPHI
LGQYLGNSGPQKLYSSTPDLTIQFHSDPAGLIFGKGQGFIMNYIEVSRNDS CSDLPEIQNGWK
TTSHTELVRGARITYQCDPGYDIVGSDTLTCQWDLWS SDDPPFCEKIMYCTDPGEVDHSTRLI
SDPVLLVGTTIQYTCNPGFVLEGSSLLTCYSRETGTPIWTSRLPHCVSEESLACDNPGLPENG
YQILYKRLLYPGESLTFMCYEGFELMG EVTIRCILGQPSHWNGPLPVCKVNQDSFEHALEAEA
AAETSLEGGMALAI FIPVLIISLLLG GAYIYITRCRYYSNLRLPLMYSHPY SQITVETEFDN
PIYETGETREYEVSI

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 893-915

N-glycosylation sites.amino acids 311-315, 328-332, 350-354, 435-439, 458-462, 474-478,
514-518, 576-580, 618-622, 674-678, 742-746**cAMP- and cGMP-dependent protein kinase phosphorylation site.**

amino acids 188-192

N-myristoylation sites.amino acids 23-29, 87-93, 146-152, 454-460, 475-481, 575-581,
629-635, 695-701, 723-729, 766-772, 877-883, 953-959**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 383-394

201/550

FIGURE 201

GATGGCTACGGCAGGGGGTGGCTCTGGGGCTGACCCGGGAAGTCGGGGTCTCCTTCGCCTTCT
GTCTTTCTGCGTCCTACTAGCAGGTTTGTGCAGGGGAACTCAGTGGAGAGGAAGATATATAT
CCCCTTAAATAAAACAGCTCCCTGTGTTGCGCTGCTCAACGCCACTCATCAGATTGGCTGCCA
GTCTTCAATTAGTGGAGACACAGGGGTATCCACGTAGTAGAGAAAGAGGAGGACCTACAGTG
GGTATTGACTGATGGCCCCAACCCCCCTTACATGGTTCTGCTGGAGAGCAAGCATTTTACCAG
GGATTTAATGGAGAAGCTGAAAGGGAGAACCAGCCGAATTGCTGGTCTTGCAGTGTCTTGAC
CAAGCCCAGTCCTGCCTCAGGCTTCTCTCCTAGTGACAGTGCCCAAATGATGGGTTTGGTGT
TTACTCCAATTCCTATGGGCCAGAGTTTGCTCACTGCAGAGAAATACAGTGGAATTCGCTGGG
CAATGGTTTGGCTTATGAAGACTTTAGTTTCCCCATCTTCTTCTTGAAGATGAAAATGAAAC
CAAAGTCATCAAGCAGTGCTATCAAGATCACAACCTGAGTCAGAATGGCTCAGCACCAACCTT
CCCCTATGTGCCATGCAGCTCTTTTACACATGCATGCTGTGCATCAGCACTGCCACCTGCAT
GCGGCGCAGCTCCATCCAAAGCACCTTCAGCATCAACCCAGAAATCGTCTGTGACCCCTGTG
TGATTACAATGTGTGGAGCATGCTAAAGCCTATAAAATACAACCTGGGACATTAAAGCCTGACGA
CAGGGTTGTGGTTGCTGCCACCCGGCTGGATAGTCGTTCTTTTTCTGGAATGTGGCCCCAGG
GGCTGAAAGCGCAGTGGCTTCTTTGTCAACCGAGTGGCTGCTGCTGAAGCTTTGCAAAAGGC
ACCTGATGTGACCACCTGCCCCGCAATGTCATGTTTGTCTTCTTTCAAGGGGAACTTTTGA
CTACATTGGCAGCTCGAGGATGGTCTACGATATGGAGAAGGGCAAGTTTCCCGTGCAGTTAGA
GAATGTTGACTCATTTGTGGAGCTGGGACAGGTGGCCTTAAGAACTTCATTAGAGCTTTGGAT
GCACACAGATCCTGTTTCTCAGAAAAATGAGTCTGTACGGAACCAGGTGGAGGATCTCCTGGC
CACATTGGAGAAGAGTGGTGTGCTGGTGTCCCTGCTGTATCCTCAGGAGGCCAAATCAGTCCCCA
GCCTCTCCCAACCATCTTCCCTGCAGCGATTTCTTCGAGCTCGAAACATCTCTGGCGTTGTTCT
GGCTGACCACTCTGGTGGCTTCCATAACAAATATTACCAGAGTATTTACGACACTGCTGAGAA
CATTAAATGTGGCTATCCCGAATGGCTGAGCCCTGAAGAGGACCTGAACCTTTGTAACAGACAC
TGCCAAGGCCCTGGCAGATGTGGCCACGGTGCTGGGACGTGCTCTGTATGAGCTTGACAGGAG
AACCAACTTCAGCGACACAGTTTCAGGCTGATCCCCAAACGGTTACCCGCTGCTCTATGGGTT
CCTGATTAAAGCCAACAACCTCATGGTTCCAGTCTATCCTCAGGCAGGACCTAAGGTCTACTT
GGGTGACGGGCCTCTTCAACATTACATCGCTGTCTCCAGCCCCACCAACACCACTTATGTTGT
ACAGTATGCCCTTGCAAAATTTGACTGGCACAGTGGTCAACCTCACCCGAGAGCAGTGCCAGGA
TCCAAGTAAAGTCCCAAGTAAAACAAGGATCTGTATGAGTACTCATGGGTCCAGGGCCCTTT
GCATTCTAATGAGACGGACCGACTCCCCCGGTGTGTGCGTTCTACTGCACGATTAGCCAGGGC
CTTGCTCCTGCCTTTGAACTGAGTCAGTGGAGCTCTACTGAATACTCTACATGGACTGAGAG
CCGCTGGAAAGATATCCGTGCCCGGATATTTCTCATCGCCAGCAAAGAGCTTGAGTTGATCAC
CCTGACAGTGGGCTTCGGCATCCTCATCTTCTCCCTCATCGTCACCTACTGCATCAATGCCAA
AGCTGATGTCTTTTTCATTGCTCCCCGGGAGCCAGGAGCTGTGTCTACTGAGGAGGACCCCA
GCTTTTCTTGCCAGNTCAGCAGTTCACTTCCCTAGAGCATCTGTCCCACTGGGACACAACCACT
AATTTGTCACTGGAACCTCCCTGGGCCTGTCTCAGATTGGGATTAACATAAAAGAGTGGAAC
ATCCAAAAGAGACAGGGAGAAATAAATAAATGCTCCCTTCCCTCCGCTCCCCTTTCCCATCA
CCCCTTCCCCATTTCTCTTCTCTCTACTCATGCCAGATTTTGGGATTACAAATAGAAGCT
TCTTGCTCCTGTTTAACTCCCTAGTTACCCACCCTAATTTGCCCTTCAGGACCCTTCTACTTT
TTCCTTCCCTGCCCTGTACCTCTCTGCTCCTCACCCCCACCCCTGTACCCAGCCACCTTCT
GACTGGGAAGGACATAAAAGGTTTAAATGTCAAGGTCAAACCTACATTGAGCCCCTGAGGACAGG
GGCATCTCTGGGCTGAGCCTACTGTCTCCTTCCCACTGTCTTTCTCCAGGCCCTCAGATGGC
ACATTAGGGTGGGCGTGCTGCGGGTGGGTATCCCACTCCAGCCCACAGTGCTCAGTTGTACT
TTTTATTAAGCTGTAATATCTATTTTTGTTTTGTCTTTTCTTTTATTCTTTTTGTAAATAT
ATATATAATGAGTTTCATTAAATAGATTATCCC

202/550

FIGURE 202

MATAGGGSGADPGSRGLLRLLSFCVLLAGLCRGNSVERKIYIPLNKTAPCVRLLNATHQIGCQ
SSISGDTGVIHVVEKEEDLQWVLTGDPNPPYMVLLSKHFTRDLMEKLGRTSRIAGLAVSLT
KPSPASGFSPSVQCPNDGFGVYSNSYGPEFAHCREIQWNSLGNGLAYEDFSFPIFLLDENET
KVIKQCYQDHNLSQNGSAPTFLCAMQLFSHMHAVISTATCMRRSSIQSTFSINPEIVCDPLS
DYNVWSMLKPINTTGTLKPDDRNVVAATRLDSRSFFWNVAPGAESAVASFVTQLAAAEALQKA
PDVTTLPNRNMFVFFQGETFDYIGSSRMVYDMEKGKFPVQLENVDSFVELGQVALRTSLELWM
HTDPVSQKNESVRNQVEDLLATLEKSGAGVPAVILRRPNQSQPLPPSSLQRFRLARNISGVVL
ADHSGAFHNKYYQSIYDTAENINVSYPEWLSPEEDLNFTDTAKALADVATVLGRALYELAGG
TNFSDTVQADPQTVTRLLYGFLIKANNSWFQSILRQDLRSYLGDGPLQHYIAVSSPTNTTYVV
QYALANLTGTVVNLTREQCQDPSKVPSENKDLYEYSWVQGPLHSNETDRLPRCVRSTARLARA
LSPAFELSQWSSTEYSTWTESRWKDIRARIFLIASKELELITLVGFGILIFSLIVTYCINAK
ADVLFIAPREPGAVSY

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 671-692

N-glycosylation sites.

amino acids 45-49, 55-59, 187-191, 200-204, 204-208, 264-268,
387-391, 417-421, 435-439, 464-468, 506-510, 530-534, 562-566,
573-577, 580-584, 612-616

Glycosaminoglycan attachment site.

amino acids 404-408

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 232-236

N-myristoylation site.

amino acids 5-11, 6-12, 9-15, 29-35, 61-67, 120-126, 146-152,
168-174, 205-211, 294-300, 438-444, 446-452, 504-510, 576-582

203/550

FIGURE 203

GCTAGACCGAGCCCTGGGAGGGCTACGGGCTCCCCGGAAACCCTGCCAGGGGAGCCGGGTTTT
GAGCTCAGGCGCCTCTAGCGGCGGCCCCAGAAATCTGACTCGCGAGGCCAGAGTTGCAGGGA
CTGAATAGCAAACCTGAGGCTGAGTAGGGAACAGACCATGAGGTCAAGTGCAGATCTTCTCTCC
CAATGCCGTTTGCTCCTTCTACTAGTTCGACAATGCTCCTTAAGTCTCTTGCGCAAGATGTA
ATTTTTACCCCTGAAGGGGAGTTTGACTCGTATGAAGTCACCATTCCCTGAGAAGCTGAGCTTC
CGGGGAGAGGTGCAGGGTGTGGTCAGTCCCGTGTCTACCTACTGCAGTTAAAAGGCAAGAAG
CACGTCTCCATTTGTGGCCCAAGAGACTTCTGTTGCCCCGACATCTGCGCGTTTTCTCCTTC
ACAGAACATGGGGAACCTGCTGGAGGATCATCCTTACATAACCAAGGACTGCAACTACATGGGC
TCCGTGAAAGAGTCTCTGGACTCTAAAGCTACTATAAGCACATGCATGGGGGGTCTCCGAGGT
GTATTTAACATTGATGCCAAACATTACCAATTGAGCCCCCTCAAGGCCTCTCCAGTTTGTAA
CATGTCGTCTATCTCCTGAAGAAAGAGCAGTTTGGGAATCAGGTTTGTGGCTTAAGTGATGAT
GAAATAGAATGGCAGATGGCCCTTATGAGAATAAGGCGAGGCTAAGGGACTTCTCTGGATCC
TATAAACACCCAAAGTACTTGGAAATTGATCCTACTCTTTGATCAAAGTAGGTATAGGTTTGTG
AACAACAATCTTTCTCAAGTCATACATGATGCCATTCTTTTACTGGGATTATGGACACCTAC
TTTCAAGATGTTTCGTATGAGGATACACTTAAAGGCTCTTGAAGTATGGACAGATTTTAAACAA
ATACGCGTTGGATATCCAGAGTTAGCTGAAGTTTATAGGCAGATTTGTAATATATAAAAAAAGT
GTATTAATGCTCGCCTGTCATCAGATTGGGCACATTTATATCTTCAAAGAAAATATAATGAT
GCTCTTGATGCTCGTTTGGAAAAGTGTGTTCTCTAGAATATGCTGGATCAGTGAGTACTTTA
CTAGATACAAATATCCTTGCCCCCTGCTACCTGGTCTGCTCATGAGCTGGGTCATGCTGTAGGA
ATGTCACATGATGAACAATACTGCCAATGTAGGGGTAGGCTTAATTGCATCATGGGCTCAGGA
CGCACTGGGTTTAGCAATTGCAGTTATATCTCTTTTTTAAACATATCTCTTCGGGAGCAACA
TGTCTAAATAATATCCCAGGACTAGGTTATGTGCTTAAGAGATGTGGAAACAAATTTGTGGAG
GACAATGAGGAATGTGACTGTGGTTCCACAGAGGAGTGTGAGAAAGATCGGTGTTGCCAATCA
AATTGTAAGTTGCAACCAGGTGCCAAGTGTAGCATTGGACTTTGCTGTCATGATTGTGCGGTTT
CGTCCATCTGGATACGTGTGTAGGCAGGAAGGAAATGAATGTGACCTTGCAGAGTACTGCGAC
GGGAATTCAAGTTCCCTGCCCCAATGACGTTTATAAGCAGGATGGAACCCCTTGCAAGTATGAA
GGCCGTTGTTTCAGGAAGGGGTGCAGATCCAGATATATGCAGTGCCAAAGCATTTTTTGGACCT
GATGCCATGGAGGCTCCTAGTGAGTGCTATGATGCAGTTAACTTAATAGGTGATCAATTTGGT
AACTGTGAGATTACAGGAATTCGAAATTTTAAAAAGTGTGAAAGTGCAAATTCATATGTGGC
AGGCTACAGTGTATAAATGTTGAAACCATCCCTGATTTGCCAGAGCATACGACTATAATTTCT
ACTCATTTACAGGCAGAAAATCTCATGTGCTGGGGCACAGGCTATCATCTATCCATGAAACCC
ATGGGAATACCTGACCTAGGTATGATAAATGATGGCACCTCCTGTGGAGAAGGCCGGGTATGT
TTTTAAAAAAATTGCGTCAATAGCTCAGTCTGCAGTTTACTGTTTGCCTGAGAAATGCAAT
ACCCGGGGTGTGTTGCAACAACAGAAAAAACTGCCACTGCATGTATGGGTGGGCACCTCCATTC
TGTGAGGAAGTGGGGTATGGAGGAAGCATTGACAGTGGGCCTCCAGGACTGCTCAGAGGGGCG
ATTCCCTCGTCAATTTGGGTGTGTCCATCATAATGTTTCGCCTTATTTTATTAATCCTTTCA
GTGGTTTTTGTGTTTTTCCGGCAAGTGATAGGAAACCACTTAAAACCCAAACAGGAAAAAATG
CCACTATCCAAAGCAAAAACCTGAACAGGAAGAATCTAAAACAAAACCTGTACAGGAAGAATCT
AAAACAAAACCTGGACAGGAAGAATCTGAAGCAAAAACCTGGACAGGAAGAATCTAAAGCAAAA
ACTGGACAGGAAGAATCTAAAGCAAACATTGAAAGTAAACGACCCAAAGCAAAGAGTGTCAAG
AAACAAAAAAGTAAACCGGGCAATCCATACTCATTAGTAACACAGGCTCATTTATTTAACCA
GCTAATCATTTATCCAAAGGCTTTCCATTCTTCTCCCAATATTTTTTTTACTTTAATTTTTCCC
ACAAGTTTTGATCAGCAAATAAACAGCATTCTGTTTTTGAAACAAAAA

204/550

FIGURE 204

MRSVQIFLSQCRLLLLLLVPTMLLKS LGEDVIFHPEGEFDSYEVTIPEKLSFRGEVQGVVSPVS
YLLQLKGKKHVLHLWPKRLLLPRHLRVFSFTEHGELLEDPYIPKDCNYMGSVKESLDSKATI
STCMGGLRGVFNIDAKHYQIEPLKASPSFEHVYLLKKEQFGNQVCGLSDDDEIEWQMAPYENK
ARLRDFPGSYKHPKYLELILLFDQSRYRFVNNNLSQVIHDAILLTGIMDTYFQDVRMRIHLKA
LEVWTFDNKIRVGYPELAEVLGRFVIYKKSVLNARLSSDWAHLYLQRKYNDALAWSFGKVCSL
EYAGSVSTLLDTNILAPATWSAHELGHAVGMSHDEQYCQCRGRLNCIMGSGRTGFSNCSYISF
FKHISSGATCLNNIPGLGYVLKRCGNKIVEDNEECDGSTEECQKDRCCQSNCKLQPGANCSI
GLCCHDCRFRPSGYVCRQEGNECDLAEYCDGNSSSCPNDVYKQDGTCKYEGRCFRKGCRSRY
MQCQSIFGPDAMEAPSECYDAVNLIQDQFGNCEITGIRNFKKCESANSICGRLQCINVETIPD
LPEHTTIISTHLQAENLMCWGTGYHLSMKPMGIPDLGMINDGTSCGEGRVCFKKNCVNSSVLQ
FDCLPEKCNTRGVCNNRKNCHCMYGWAPPFCEEVGYGGSIDSGPPGLLRGAIPSSIWVVSIIIM
FRLILLILSVVFVFFRQVIGNHLKPKQEKMPLSKAKTEQEESKTKTVQEESKTKTGQEESEAK
TGQEESKAKTGQEESKANIESKRPKAKSVKKQKK

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 684-705

N-glycosylation sites.

amino acids 222-226, 372-376, 438-442, 473-477, 625-629

N-myristoylation sites.amino acids 131-137, 168-174, 235-241, 319-325, 364-370, 436-442,
472-478, 609-615, 642-648, 668-674, 676-680, 680-686, 749-755,
758-764, 767-773**Amidation site.**

amino acids 69-73

Disintegrins proteins

amino acids 429-479

EGF-like domain proteins

amino acids 650-662

Neutral zinc metallopeptidases, zinc-binding region proteins

amino acids 335-345

205/550

FIGURE 205

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGGGAAGGTTGAATGGGGTAGAAGGCCTG
TTGTGGAGGGAAACCACCCATCCTCCTGCCTCCCACCACCACCATCATCCTGGCTGGACGGAG
AGGGTGACGGGGGCTGGGAAGGGGCAGCTCATGTTTCAGGTTTCCAGGAGGGGCTACCTGTTGA
CTGTCTTTGCAGGAAGAAGAAAAACCTGAGTGACCAGATGTCCCAGCTCCAGGTGCCTTGCC
AGATGGCCAGAACCACACCTCTTGAAGAGTGACAGTGCTGTGGAGCATGGTTTTCTGCACACCT
GGAATGACTGGAACCCCAAAGACTCAAGAAGGAGCTAAAGATCTTGAAGTAGACATGAATAAA
ACAGAAGGCTGTGGACCACCTGTGAGATGGAGAAGTCCTTCTGAGGCTATCCAAACACGGAC
CAGGCCATGAGACCCCGATGACCATCCCTGAATTTTTTCGAGAGTCAGTCAACCGATTTGGAA
CTTATCCAGCCCTCCCATCCAAGAATGGCAAAAAGTGGGAAATTCTGAATTTCAACAGTACT
ATGAGGCTTGTGCGAAGGCTGCAAAATCCTTGATCAAGCTGGGTTTGGAGCGTTTCCACGGAG
TTGGTATCCTGGGGTTTAACTCTGCAGAGTGGTTTATCACTGCTGTTGGTGCCATCCTAGCCG
GGGGTCTTTGTGTTGGTATTTATGCCACCAACTCTGCCGAGGCTTGTCATATGTCACTACTC
ATGCCAAAGTGAACATCTTGCTGGTTGAGAATGATCAACAGTTACAGAAAATCCTTTCGATTC
CACAGAGCAGCCTAGAGCCCTAAAAGCGATCATCCAGTACAGACTGCCAATGAAGAAGAACA
ACAACTTGTACTCTTGGGATGATTTTCATGGAAGTTGGCAGAAGTATCCCTGACACCCAACTGG
AGCAGGTCATCGAGAGCCAGAAGGCGAATCAATGCGCAGTGCTCATCTACACTTCAGGGACCA
CAGGCATACCCAAGGGAGTGATGCTCAGTCATGACAACATCACGTGGATTGCAGGAGCAGTGA
CAAAGGACTTTAACTGACAGACAAGCATGAGACGGTGGTTAGCTACCTCCCACTCAGCCATA
TTGCAGCACAGATGATGGACATCTGGGTACCCATAAAGATTGGGGCGCTCACATACTTTGCTC
AAGCAGATGCTCTCAAGGGCACCTTGGTAAGTACTCTAAAGGAGGTAAACCTACTGTCTTCA
TTGGAGTGCCTCAAATTTGGGAGAAGATACATGAGATGGTGAAGAAAAATAGTGCCAAGTCCA
TGGGCTTGAAGAAGAAGGCATTTCGTGTGGGCAAGAAACATTGGCTTCAAGGTCAAA
AGATGTTGGGGAATATAATACTCCCGTGAGCTACCGCATGGCTAAGACTCTCGTGTTGAGCA
AAGTCAAGACATCCCTTGGCTTGGATCACTGTCACTCTTTTATCAGTGGGACTGCGCCCCCTCA
ACCAAGAGACTGCCGAGTTCTTTCTAAGCTTGGACATACCTATAGGCGAGTTGTATGGGTTGA
GTGAGAGCTCGGGACCCACACGATATCCAACCAGAATAACTACAGGCTTCTAAGCTGTGGCA
AGATCTTGACTGGGTGTAAGAATATGCTGTTCCAGCAGAACAAGGATGGCATTGGGGAGATCT
GCCTCTGGGGTAGGCACATCTTCATGGGCTATCTGGAAAGTGAGACTGAAACTACAGAGGCCA
TCGATGATGAAGGCTGGCTACACTCTGGGGATCTGGGCCAGCTGGACGGTCTGGGTTTCTCT
ATGTCACCGGCCACATCAAAGAAATCCTTATCACTGCTGGTGGTGAAAATGTGCCCCCATTC
CTGTTGAGACCTTGGTTAAGAAGAAGATCCCCATCATCAGTAACGCCATGTTAGTAGGAGATA
AACTGAAGTTTCTGAGCATGTTGCTGACGCTGAAGTGTGAGATGAATCAGATGAGCGGAGAAC
CTCTGGACAAGCTGAACCTTCGAGGCCATCAACTTCTGTCGGGGTCTGGGCAGCCAGGCATCCA
CCGTGACTGAGATTGTGAAGCAGCAAGACCCCTGGTCTACAAGGCCATCCAGCAAGGCATCA
ATGCTGTGAACCAGGAAGCCATGAACAATGCACAGAGGATTGAAAAGTGGGTCATCTTGGAGA
AGGACTTTTCCATCTATGGTGGAGAGCTAGGTCCAATGATGAACTTAAGAGACATTTTGTAG
CCCAGAAATACAAAAACAAATTGATCACATGTACCCTGACTGCTTTGATGGAGCTGCTCTC
AGCTGTTCTGATGCCTTCAGCAGGAAGACCTCATTGCAATAAGTGAAATGCTGCTCTAGGTAG
AAGCTCTCCCTGCTGTTTTTAAGAAGCCACATTCCTCATTTGGTCAGTTTCTTGATTGTTTCGTC
TGTTGGAGAGGTGCTCCCTAGAAGAACCTGCCATACGTTTTCAAAGCAATAAAATCACTGTATA
TCTTTCTAAGGACCTTCAAGTCATGACTCCAGGGAAGCCTATTGGGAAGTCTACTAAAACTG
CCTGATTTACAAGAAAGACCTGAACTTGTGGGCTCCCATTTGATTTTTTCTCCTCAGGGGAC
TCAGACATTAGAAAGAAAAAGCCTCACAGATTTGAAGAACTGGACCCCCAAATCAACTCACCT
GCCTGGAAGCAACTGGGAAACCCTTCCAATAAGTCCTGATAATAAGCACTTCAGGGTCCCAA
AAAAAAAAAA

206/550

FIGURE 206

MTIPEFFRESVNRFGTYPALPSKNGKKWEILNFNQYYEACRKAASLIKGLERFHGVGILGF
NSAEWFITAVGAILAGGLCVGIYATNSAEACQYVITHAKVNILLVENDQQLOKILSIPOSSLE
PLKAI IQYRLPMKKNNNLYSWDDFMELGRSIPDTQLEQVIESQKANQCAVLIYTS GTTGIPKG
VMLSHDNITWIAGAVTKDFKLTDKHETVVSYLPLSHIAAQMMDIWVPIKIGALTYFAQADALK
GTLVSTLKEVKPTVFIGVPQIWEKIHVMVKNSAKSMGLKKKAFVWARNIGFKVNSKKMLGKY
NTPVSYRMAKTLVFSKVKTSGLDHCHSFISGTAPLNQETAEFFLSLDIPIGELYGLSESSGP
HTISNQNNYRLSCGKILTGCKNMLFQQNKDGIGEICLWGRHIFMGYLESETETTEAIDDEGW
LHSGDLGQLDGLGFLYVTGHIKEILITAGGENVPPIPVETLVKKKIPIISNAMLVGDKLKFLS
MLLTLCCEMNQMSGEPLDKLNFEAINFCRGLGSQASTVTEIVKQQDPLVYKAIQQGINAVNQE
AMNNAQRIEKWVILEKDFS IYG GELGPMMLKRHFVAQKYKKQIDHMYH

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 65-86

N-glycosylation site.

amino acids 196-200

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 282-286

Tyrosine kinase phosphorylation sites.

amino acids 547-555, 608-616

N-myristoylation sites.amino acids 15-21, 74-80, 80-86, 84-90, 185-191, 189-195,
253-259, 337-343, 371-377, 448-454, 536-542**Amidation site.**

amino acids 24-28

Putative AMP-binding domain signature.

amino acids 177-189

Putative AMP-binding domain proteins.

amino acids 173-190

FIGURE 207

[illegible]

208/550

FIGURE 208

MAYRVLGRAGPPQPRRARRLLFAFTLSLSCTYLCYSFLCCDDLGRSRLLGAPRCLRGPSAGG
QKLLQKSRPCDPSGPTPSEPSAPSAPAAVPAAPRLSGSNHSGSPKLGTKRLPQALIVGVKKG
TRAVLEFIRVHPDVRALGTEPHFFDRNYGRGLDWYRSLMPRTLESQITLEKTPSYFVTQEAPR
RIFNMSRDTKLIVVVRNPVTRAISDYTQTLSSKKPDIPTFEGLSFRNRTLGLVDVSWNAIRIGM
YVLHLESWLQYFPLAQIHVSGERLITDPAGEMGRVQDFLGIKRFITDKHFYFNKTKGFPCLK
KTESSLLPRCLGKSKGRTHVQIDPEVIDQLREFYRPYNIKFYETVGQDERWE

Signal peptide:

amino acids 1-33

N-glycosylation sites.

amino acids 102-106, 193-197, 235-239, 306-310

Tyrosine kinase phosphorylation site.

amino acids 296-305

N-myristoylation sites.

amino acids 51-57, 100-106, 121-127, 125-131

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 20-31

209/550

FIGURE 209

CTTTCCTTATCTGTGTGTA CTCTTATCTCACTGTTCTATTTTTTCTCCTCATTTATATTA ACT
CTTTCCTTACCTTTTTTCTGAACTTCTAGGCCTTCTCTTTCCAGAACTGGTGGAAGACAAATG
AAACGGCCAAAGATGGTAAGAAACAAGCCGCATTTCTCCTTGGGGAGACTGATAATTTAAAAGG
TTTGTGTGTGTCAGAAACATTCCCAGCTTCATCACCAACCCCTTTCCTTCCACCTCTGCCCACTG
GAGACCACTTACATCCCGAAGCGGACGCGGCAGCTGAAGTCAGGAAACCATGCATCACATTAG
CAGGAGCCAACTGCAGACTTTAAACTCCGTTCAACATGTGGATGCGGCAGAGAAATGACCTGT
CCAGACAAGCCGGGGCAGCTCATAAACTGGTTCATCTGCTCCCTGTGCGTCCCGCGGGTGCGT
AAGCTCTGGAGCAGCCGGCGTCCAAGGACCCGGAGAAACCTTCTGCTGGGCACTGCGTGTGCC
ATCTACTTGGGCTTCCCTGGTGAGCCAGGTGGGGAGGGCTCTCTCCAGCATGGACAGGCGGCT
GAGAAGGGGCCACATCGCAGCCGCGACACCGCCGAGCCATCCTTCCCTGAGATACCCCTGGAT
GGTACCCTGGCCCCCTCAGAGTCCCAGGGCAATGGGTCCACTCTGCAGCCCAATGTGGTGTA
ATTACCCTACGCTCCAAGCGCAGCAAGCCGGCCAATATCCGTGGCACCGTGAAGCCCAAGCGC
AGGAAAAAGCATGCAGTGGCATCGGCTGCCCCAGGGCAGGAGGCTTGGTCCGACCATCCCTT
CAGCCGCAGGAAGCGGCAAGGGAAGCTGATGCTGTAGCACCTGGGTACGCTCAGGGAGCAAAC
CTGGTTAAGATTGGAGAGCGACCCTGGAGGTTGGTGCGGGGTCCGGGAGTGCGAGCCGGGGC
CCAGACTTCTGCAGCCAGCTCCAGGGAGAGCAACATTAGGATCTACAGCGAGAGCGCCCCC
TCCTGGCTGAGCAAAGATGACATCCGAAGAATGCGACTCTTGGCGGACAGCGCAGTGGCAGGG
CTCCGGCTGTGTCTCTAGGAGCGGAGCCCGTTTGTGGTGCTGGAGGGGGCGCACCTGGC
GCTGTGCTCCGCTGTGGCCCTAGCCCTGTGGGCTTCTCAAGCAGCCCTTGGACATGAGTGAG
GTGTTTGCCTTCCACCTAGACAGGATCCTGGGGCTCAACAGGACCCTGCCGTCTGTGAGCAGG
AAAGCAGAGTTCATCCAAGATGGCCGCCCATGCCCCATCATTTCTTGGGATGCATCTTTATCT
TCAGCAAGTAATGACACCCATTCTTCTGTTAAGCTCACCTGGGGAACCTATCAGCAGTTGCTG
AAACAGAAATGCTGGCAGAATGGCCGAGTACCCAAGCCTGAATCAGGTTGTACTGAAATACAT
CATCATGAGTGGTCCAAGATGGCACTCTTTGATTTTTTGTACAGATTTATAATCGCTTAGAT
ACAAATTGCTGTGGATTCAGACCTCGCAAGGAAGATGCCTGTGTACAGAATGGATTGAGGCCA
AAATGTGATGACCAAGGTTCTGCGGCTCTAGCACACATTATCCAGCGAAAGCATGACCCAAGG
CATTTGGTTTTTATAGACAACAAGGTTTTCTTTGACAGGAGTGAAGATAACTTAACTTCAAA
TTGTTAGAAGGCATCAAAGAGTTTCCAGCTTCTGCAGTTTCTGTTTTGAAGAGCCAGCACTTA
CGGCAGAACTTCTTCAGTCTCTGTTTCTTGATAAAGTGTATTGGGAAAGTCAAGGAGGTAGA
CAAGGAATTGAAAAGCTTATCGATGTAATAGAACACAGAGCCAAAATTCTTATCACCTATATC
AATGCACACGGGGTCAAAGTATTACCTATGAATGAATGACAAAAGAATCTTCTGGCTAGGGTG
TTAGATATATTTATGCATTTTTTGGTTTTGTTTTTAAATCAAGCACATCAACCTCAAGCCCGTT
TAGCAATGAGGCAGTGTAGATGAATACGTAATAAATGACTTTAACCAAGTAGCTATAAAGG
GACTTAGCACTGTATGCATACTTAAAAAGGTTTTGAAAAACAACTACTTGAGAAATATTTGT
TTATATTTTTCTCTAACATCATGCTATGTGTGCTGAGTCTGAACATCTGACAACAGAAATTTAGT
TATTATTCTAGCTAAGTTTTGAAAACATTTGTGCTGCTGTTAATAGAAAAGTCAAGGAGGTAGA
GATACTGACTCCATTAATAAACCATATTTGTGCCGTTTTGACTGTTCTGACCAATACTAAT
GGGAACAATTCTTGACGTTTTTCTGTTGCTGATTGTTAACATAGAGCAGTCTCTACACTACCC
TGAGGCAACTCTACATTGGAACACTGAGGCTTACAGCCTGCAAGAGCATCAGAGCTGACCATA
CATTTAAACAGAAATGCTGGTTTTATTTGCAAAATCACCAGTATATTTTCTATTGTGTCTATAA
AAAATCAGTCATTTAAGTACAAGAATCATATTTTCCATTCTTTTATAGAAATTTATTTGTTG
TCCCTATGGAAATCATTCACATCTGACAATTTATATGTTAAAGAGTTTTACTCTCTCTATTTT
GGTCCAATTTGTATCTAGTGGCTGAGAAATTAATAATTCTAAAGTATGAAGTTACCTATCTG
AAAATGTACTTACAGAGTATCATTTTAAATGGATGTCTCTTAAAAATTTTGTACTTTTAC
CAACAATGTAATATAATTTATGTATATTTTATTAATAATAGTGAATTCCTTAAATTTGTTCT
ATGTACTTATATTTAATTTGATTTAATGGTTACTGCCAGATATTGAGAAATGGTTCAAATAT
TGAGTGTGTTTCAATAA

210/550

FIGURE 210

MTCPDKPGQLINWFICSLCVPRVRKLWSSRRPRTTRNLLLGTACAIYLGFLVSQVGRASLQHG
QAAEKGPHRSDTAEPSFPEIPLDGTLPAPPESQNGSTLQPNVVYITLRSKRSKPANIRGTVK
PKRRKKHAVASAAPGQEALVGPSLQPQEAAREADAVAPGYAQGANLVKIGERPWRLVRGPGVR
AGGPDFLQPSRESNIRIYSESAPSWLSKDDIRRMRLADS AVAGLRPVSSRSGARLLVLEGG
APGAVLRCGPSPCGLLKQPLDMSEVFAFHLDRILGLNRTLPSVSRKAEFIQDGRPCPIILWDA
SLSSASNDTHSSVKLTWGTYYQLLKQKCWQNGRVKPKPESGCTEIHHEWSKMALEDFLLQIYN
RLDTNCCGFRPRKEDACVQNGLRPKCDDQGSAAIAHIIQRKHDPRHLVFIDNKGFFDRSEDNL
NFKLLEGIKEFPASAVSVLKSQHLRQKLLQSLFLDKVYWESQGGRGIEKLIDVIEHRAKILI
TYINAHGVKVLPMNE

Transmembrane domain:

amino acids 40-56

N-glycosylation sites.

amino acids 98-102, 289-293, 322-326

N-myristoylation sites.amino acids 8-14, 41-47, 97-103, 187-193, 251-257, 252-258,
287-293, 484-490

211/550

FIGURE 211

GTGGGGTGGTGAGCGCAGCGCCGAGGATGAGGAGGTGCAACAGCGGCTCCGGGCCGCCCGCTCGCTGCTGCTGC
TGCTGCTGTGGCTGCTCGCGGTTCCCGGCGCTAACGCGGCCCGCGGTCGGCGCTCTATTGCGCTTCCGACCCGC
TGACGCTGCTGCAGGCGGACACGGTGCGCGGCGCGGTGCTGGGCTCCCGCAGCGCTTGGGCCGTGGAGTTCTTCG
CCTCTGGTGCGGCCACTGCATCGCCTTCGCCCCGACGTGGAAGGCGCTGGCCGAAGACGTCAAAGCCTGGAGGC
CGGCCCTGTATCTCGCCGCCCTGGACTGTGCTGAGGAGACCAACAGTGCAGTCTGCAGAGACTTCAACATCCCTG
GCTTCCCGACTGTGAGGTTCTTCAAGGCCTTTACCAAGAACGGCTCGGGAGCAGTATTTCCAGTGGCTGGTGCTG
ACGTGCAGACGCTGCGGGAGAGGCTCATTGACGCCCTGGAGTCCCATCATGACACGTGGCCCCCAGCCTGTCCCC
CACTGGAGCCTGCCAAGCTGGAGGAGATTGATGGATTCTTTGCGAGAAATAACGAAGAGTACCTGGCTCTGATCT
TTGAAAAGGGGAGTCCCTACCTGGGTAGAGAGGTGGCTTGGACCTGTCCCAGCACAAAGGCGTGGCGGTGCCGA
GGGTGCTGAACACAGAGGCCAATGTGGTGAGAAAGTTTGGTGTCACCGACTTCCCCTCTTGCTACCTGCTGTTCC
GGATGGCTCTGTCTCCCGAGTCCCCGTGCTCATGGAATCCAGGTCCCTTCTATACCGCTTACCTGCAGAGACTCT
CTGGGCTCACCAGGGAGGCTGCCAGACCACAGTTGCACCAACCACTGCTAACAAGATAGCTCCCACTGTTTGA
AATTGGCAGATCGCTCCAGATCTACATGGCTGACCTGGAATCTGCACCTGCACCTACATCCCTGCGGATAGAGTGG
GCAGGTTCCCGGTCTGGAAGGGCAGCGCCTGGTGGCCCTGAAAAAGTTTGTGGCAGTGCTGGCCAAGTATTTCC
CTGGCCGGCCCTTAGTCCAGAACTTCTGCACTCCGTGAATGAATGGCTCAAGAGGCAGAAGAGAAATAAAATTC
CCTACAGTTTCTTTAAACTGCCCTGGACGACAGGAAAGAGGGTGCCGTTCTTGCCAAGAAGGTGAAGTGGATTG
GCTGCGCAGAGTGAGCCGCATTTCGGGGCTTCCCTGCTCCCTGTGGGTCTCTTCCACTTCTGACTGTGC
AGGCAGCTCGGCAAAATGTAGACCACTCACAGGAAGCAGCCAAGGCCAAGGAGGTCTCCAGCCATCCGAGGCT
ACGTGCACCTACTTCTTCGGCTGCCGAGACTGCCCTAGCCACTTCGAGCAGATGGCTGCTGCCTCCATGCACCGGG
TGGGGAGTCCCAACGCCGCTGTCTCTGGCTCTGGTCTAGCCACAACAGGGTCAATGCTCGCCTTGCAAGTGCCC
CCAGCGAGGACCCCCAGTTCCCAAGGTGCAGTGCCACCCCGTGAACCTTGTCTGCTGCCCAATGAACGCC
TGGATGTGCCCGTGTGGGACGTGGAAGCCACCCTCAACTTCTCAAGGCCACTTCTCCCAAGCAACATCATCC
TGCACTTCCCTGCAGCTGGGTGAGTGCCCGGAGGGATGTGCAGAATGTGGCAGCCGCCCCAGAGCTGGCGATGG
GAGCCCTGGAGCTGGAAGCCGGAATTAACCTTGGAACCTGGGAAGCCTGAGATGATGAAGTCCCCACAAACA
CCACCCACATGTGCCGCTGAGGGACCTGAGGCAAGTGCACCCCGAAGCTGCACCCTGGCCTCAGAGCTGCAC
CAGGCCAGGAGCCTCCTGAGCACATGGCAGAGCTTCAGAGGAATGAGCAGGAGCAGCCGCTTGGGCAGTGGCACT
TGAGCAAGCAGACACAGGGGCTGCATTGCTGGCTGAGTCCAGGGCTGAGAAGAACCGCCTCTGGGGCCCTTTGG
AGGTGAGGCGCTGGGGCCGAGCTCCAAGCAGCTGGTGCACATCCCTGAGGGCCAGCTGGAGGCCGAGCTGGAC
GGGGCCGAGGCCAGTGGCTGCAGGTGCTGGGAGGGGCTTCTTACCTGGACATCAGCCTCTGTGTGGGGCTCT
ATTCCCTGTCTTTCATGGGCCTGTGGCCATGTACACCTACTTCCAGGCCAAGATAAGGGCCCTGAAGGGCCATG
CTGGCCACCCTGCAGCTTGAACCACTGGGGAGGAGGGGAGAGGGAGCTGCCATCTTAGGCACCTCAAGCCC
CTGACCCCATTCCTCCCTCCACCCCTTGCTCCTTGTCTGGCCTAGAAGTGTGGGAAATTCAGGAAAACGAG
TTGCTCCAGTGAAGCTTCTTGGGGTTGCTAGGACAGAGAGCTCCTTTGACACAAAAGACAGGAGCAGGGTCCAGG
TTCCCTGTGTGCAGGAGGGCAGCCCCGGGCAGTGGGCATAGGGCAGCTCAGTCCCTGGCCTCTTAGCACCCAC
ATTCTGTTTTTCACTTATTTGAAGTCTGCCTCATTCTCACTGGAGCCTCAGTCTCTCTGCTTGGTCTTGGC
CCTCAACTGGGGCAAGTGAAGCCAGAGGAGGGTCCCCCAGCTGGGTGGGCTGGAATGGAACCTCACTAGCTGC
TGGGGCTCCGCCACCCTGCTCCCTCCGGACAATGAAGAAGCCTTTGCACCCTGGGAGGAAGGACCACCCGGG
CCCTCTATGCTGGCCAGCCTCCAGCTCCTCAGACCTCCTGGGTGGGTTTGGCTCAGGGTGGGTTTGGGAAGC
TTCTGGAAGTCGTGCTGGTCTCCAGGTGAGGCAAGCCATGGTTGCTGGGCTGTAGGGTGAGTGGCTTGTGGT
GGGACCTGACGAGTTGGTGGCATGGGAAGGATGTGGGTCTCTAGTGCCTTGGCCTGGCTTAGCTGCAGGAGAAGA
TGGCTGCTTTCACTTCCCCCATTTAGCTCTGCTCCCTGAGCCTGGTCTTTTGTCTTTTTTATTTTGGTCTC
CAAGATGAATGCTCATCTTTGGAGGGTGCCAGGTAGAAGCTAGGGAGGGGAGTGTCTTCTCTCCAGGTTTAC
CTTCCAGTGTGCAGAAGTTAGAAGGTCTGGCGGGGGCAGTGCCTTACACATGCTTGATTCCACGCTACCCCT
GCCTTGGGAGGTGTGTGAATAAATATTTTTGTTAAGGCA

212/550

FIGURE 212

MRRCSGSGPPPSLLLLLLWLLAVPGANAAPRSALYSPSDPLTLLQADTVRGAVLGSRSAWAV
EFFASWCGHCIAFAPTWKALAEDVKAWRPALYLAALDCAEETNSAVCRDFNIPGFPTVRFFKA
FTKNGSGAVFPVAGADVQTLRERLIDALESHHDTWPPACPPLEPAKLEEIDGFFARNNEEYLA
LIFEKGSYLGREVALDLSQHKGVAVRRVLNTEANVVRKFGVTDFFSCYLLFRNGSVSRVPVL
MESRSFYTAYLQRLSGLTREAAQTTVAPTTANKIAPT VWKLADRSKIY MADLESALHYILRIE
VGRFPVLEGQRLVALKKFVAVLAKYFPGRPLVQNFLHSVNEWLKRQKRNKIPYSFFKTALDDR
KEGAVLAKKVNWIGCQGSEPHFRGFPCSLWVLFHFLT VQAARQNV DHSQEAAKAKEVLP AIRG
YVHYFFGCRDCASHFEQMAAASMRV GSPNAAVLWLWSSHNRVNARLAGAPSED PQFPKVQWP
PRELCSACHNERLDVPVWDVEATLNFLKAHFSPSNIILDFPAAGSAARQVQNVAAPELAMG
ALELESRNSTLDPGKPEMMKSPTNTTPHVPAEGPEASRPPKLHPGLRAAPGQEPPEHMAELQR
NEQEQLGQWHLSKRD TGAALLAESRAEKNRLWGPLEVRRVGRSSKQLVDIPEGQLEARAGRG
RGQWLQVLGGGFSYLDISLCVGLYSLFSMGLLAM YTYFQAKIRALKGHAGHPAA

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 705-728

N-glycosylation sites.

amino acids 130-134, 243-247, 575-579

Glycosaminoglycan attachment site.

amino acids 6-10

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 644-648

N-myristoylation sites.amino acids 52-58, 56-62, 196-202, 381-387, 392-398, 448-454,
468-474, 684-690, 702-708**Cytochrome c family heme-binding site signature.**

amino acids 509-515

Thioredoxin family proteins

amino acids 62-78

213/550

FIGURE 213

GCACGAGGCCGACTTCCAGACCATCTACAACGACGGCCTGGAACAGCTTCGGCTCCGACAC
TGAGATCATCCGGCTCAAGGAGCAAGGTTTCGGAAATGAAGTCGGGAGCCGGGCTGGAAGCAGA
GTCTGTGCCGATGGCCGTCATCATTGGGGTGGCCGTAGGAGCTGGTGTGGCCTTCCTCGTCCT
TATGGCAACCATCGTGGCGTTCTGCTGTGCCCGTCCCAGAGAAATCTCAAAGGTGTTGTGTC
AGCCAAAAATGATATCCGAGTGGAATGTCCACAAGGAACCAGCCTCTGGTCGGGAGGGTGA
GGAGCACTCCACCATCAAGCAGCTGATGATGGACCGGGTGAATTCAGCAAGACTCAGTCCT
GAAACAGCTGGAGGTCCTCAAAGAAGAGGAGAAAGAGTTTCAGAACCTGAAGGACCCACCAA
TGGCTACTACAGCGTCAACACCTTCAAAGAGCACCACTCAACCCCGACCATCTCCCTCTCCAG
CTGCCAGCCCGACCTGCGTCCTGCGGGTAAGCAGCGTGTGCCACAGGCATGTCTTCACCAA
CATCTACAGCACCTGAGCGGCCAGGGCCGCCTCTACGACTACGGGCAGCGGTTTGTGCTGGG
CATGGGCAGCTCGTCCATCGAGCTTTGTGAGCGGGAGTTCAGAGAGGCTCCCTCAGCGACAG
CAGCTCCTTCCTGGACACGCAGTGTGACAGCAGCGTCAGCAGCAGCGGCAAGCAGGATGGCTA
TGTGCAGTTCGACAAGGCCAGCAAGGCTTCTGCTTCCTCCCACCACTCCCAGTCTCGTC
CCAGAACTCTGACCCAGTCGACCCCTGCAGCGCGGATGCAGACTCACGTCTAAGGATCACA
CACCGCGGGTGGGGACGGGCCAGGGAAGAGGTACGGGCACGTTCTGGTTGTCCAGGGACGAGG
GGTACTTTGCAGAGGACACCAGAATTGGCCACTTCCAGGACAGCCTCCCAGCGCCTCTGCCAC
TGCTTCCTTCGAAGCTCTGATCAAGCACAAATCTGGGTCCCCAGGTGCTGTGTGCCAGAGGT
GGGCGGGTGGGGAGACAGACAGAGGCTGCGGCTGAGTGCGCTGTGCTTAGTGCTGGACACCCG
TGTCCCCGGCCCTTTCCTGGAGGCCCCCTTACCACCTGCTCTGCCACAGGCACAAGTGGCAG
CTATAACTCTGCTTTTCATGAACTGCGGTCCACTCTCTGGTCTCTCTGTGGGCTCTACCCCTC
ACTGACCACAAGCTCTACCTACCCCTGTGCCTGTGCTCCCATACAGCCCTGGGGAGAAGGGGA
TGACGTCTTCCAGCACTGAGCTGCCCCAGAAACCCCGGCTCCCCACTGCTGCTCATAGCCCA
TACCCTGGAGGCTGACAAGCCAGAAATGGCCTTGGCTAAAGGAGCCTCTCTCTCACCAGGCTG
GCCGGGAGCCCAACCCCAATTTGTTTGGTGTGTTTGTGTCCATACTCTTGCAAGTTCTGTCTTG
GACTTGATGCCGCTGAACTCTGCGGTGGGACCGGTCCCGTCAGAGCCTGGTGTACTGGGGGGA
GGGAGGGAGGAGGGAGCCTGTGCTGACGGAGCACCTCGCCGGGTGTGCCCTCCTGGGCTGTG
TGACCCAGCCTCCCCACCCACCTCCTGCTTTGTGTACTCCTCCCCTCCCCCTCAGCACAAATC
GGAGTTCATATAAGAAGTGCGGGAGCTTCTCTGGTCAGGGTTCTCTGAACACTTATGGAGAGA
GTGCTTCCTGGGAAGTGTGGCGTTTGAAGGGGCTGGAGGGCAGGTCTTTAAGATGGCGAGACT
GCCCTTCTCAGCTGATAAACACAAGAACGGCGATCCTGTCTTCAGTAAGGCTCCACGAGAAGA
GAGGAAGTATATCTACACCTCAACCTCCTAGTCACCACCTGAAATAAATGTTAGGGAAAAA

214/550

FIGURE 214

MAVIIGVAVGAGVAFVLVLMATIVAFCCARSQRNLKGVVSAKNDIRVEIVHKEPASGREGEEHS
TIKQLMMDRGEFQQDSVLKQLEVLKEEKEFQNLKDPTNGYYSVNTFKEHHSTPTISLSSCQP
DLRPAGKQRVPTGMSFTNIYSTLSGQGRLYDYGQRFLGMGSSSIELCEREFQRGSLSDSSSF
LDTQCDSSVSSSGKQDGYVQFDKASKASASSSHSQSSSQNSDPSRPLQRRMQTHV

Signal peptide:

amino acids 1-28

Glycosaminoglycan attachment site.

amino acids 150-154

N-myristoylation sites.

amino acids 6-12, 10-16, 36-42, 139-145, 165-171

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 114-125

215/550

FIGURE 215

CAGCCTTCCTCCCCAGCCTGAGTGACTACTCTATTCCTTGGTCCCTGCTATTGTCGGGGACG
ATTGCA**ATG**GGCTACGCCAGGAAAGTAGGCTGGGTGACCGCAGGCCTGGTGATTGGGGCTGGCG
CCTGCTATTGCATTTATAGACTGACTAGGGGAAGAAAACAGAACAAAGGAAAAAATGGCTGAGG
GTGGATCTGGGGATGTGGATGATGCTGGGGACTGTTCTGGGGCCAGGTATAATGACTGGTCTG
ATGATGATGATGACAGCAATGAGAGCAAGAGTATAGTATGGTACCCACCTTGGGCTCGGATTG
GGACTGAAGCTGGAACCAGAGCTAGGGCCAGGGCAAGGGCCAGGGCTACCCGGGCACGTCGGG
CTGTCCAGAAACGGGCTTCCCCCAATTCAGATGATACCGTTTTGTCCCCTCAAGAGCTACAAA
AGGTTCTTTGCTTGGTTGAGATGTCTGAAAAGCCTTATATTCTTGAAGCAGCTTTAATTGCTC
TGGGTAAACAATGCTGCTTATGCATTTAACAGAGATATTATTCGTGATCTGGGTGGTCTCCCAA
TTGTCGCAAAGATTCTCAATACTCGGGATCCCATAGTTAAGGAAAAGGCTTTAATTGTCTCTGA
ATAACTTGAGTGTGAATGCTGAAAATCAGCGCAGGCTTAAAGTATACATGAATCAAGTGTGTG
ATGACACAATCACTTCTCGCTTGAACATCTGTGCAGCTTGCTGGACTGAGATTGCTTACAA
ATATGACTGTTACTAATGAGTATCAGCACATGCTTGCTAATTCCATTTCTGACTTTTTTTCGTT
TATTTTTCAGCGGGAAATGAAGAAACCAAACTTCAGGTTCTGAAACTCCTTTTGAATTTGGCTG
AAAATCCAGCCATGACTAGGGAAGTCTCAGGGCCCAAGTACCATCTTCACTGGGCTCCCTCT
TTAATAAGAAGGAGAACAAAGAAGTTATTCTTAAACTTCTGGTCATATTTGAGAACATAAATG
ATAATTTCAAATGGGAAGAAAATGAACCTACTCAGAATCAATTCGGTGAAGGTTCACTTTTTT
TCTTTTTTAAAGAATTTCAAGTGTGTGCTGATAAGGTTCTGGGAATAGAAAGTCACCATGATT
TTTTGGTGAAAGTAAAAGTTGGAAAATTCATGGCCAAACTTGCTGAACATATGTTCCCAAAGA
GCCAGGAAT**TAA**CACCTTGATTTTGTAAATTTAGAAGCAACACACATTGTAAACTATTTCATTTTC
TCCACCTTGTTTATATGGTAAAGGAATCCTTTCAGCTGCCAGTTTTGAATAATGAATATCATA
TTGTATCATCAATGCTGATATTTAACTGAGTTGGTCTTTAGGTTTAAGATGGATAAATGAATA
TCACTACTTGTCTGAAAACATGTTTGTGCTTTTTATCTCGCTGCCTAGATTGAAATATTTT
GCTATTTCTTCTGCATAAGTGACAGTGAACCAATTCATCATGAGTAAGCTCCCTTCTGTCATT
TTCATTGATTTAATTTGTGTATCATCAATAAAATTGTATGTTAATGCTGGAAAGA

216/550

FIGURE 216

MGYARKVGWVTAGLVIGAGACYCIYRLTRGRKQNKEMAEGGSGDVDDAGDCSGARYNDWSDD
DDDSNESKSIVWYPPWARIGTEAGTRARARARARATRRARRAVQKRASPNSDDTVLSPQELQKV
LCLVEMSEKPYILEAALIALGNNAAYAFNRDIIRD LGGLPIVAKILNTRDPIVKEKALIVLNN
LSVNAENQRRLKVYMNQVCDDTITSRLNSSVQLAGLRLLTNMTVTNEYQHMLANSISDFFRLF
SAGNEETKLQVLKLLNLAENPAMTRELLRAQVPSSLGSLFNKKENKEVILKLLVIFENINDN
FKWEENEPTQNQFGEGLFFFLKEFQVCADKVLGIESHHDFLVKVKVGKFMAKLAEHMFPSQE

Signal peptide:

amino acids 1-20

N-glycosylation sites.

amino acids 68-72, 189-193, 217-221, 230-234

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 107-111

N-myristoylation sites.

amino acids 13-19, 17-23, 19-25, 54-60, 83-89, 147-153, 255-261,
290-296

Amidation site.

amino acids 29-33

FIGURE 217

[illegible]

218/550

FIGURE 218

MAIAQLATEYVFSDFLLEKEPTEPKFKGLRLELAVDKMVTCTIAVGLPLLLISLAFQEISIGTQ
ISCFSPPSSFSWRQAAAFVDSYCWAAVQQKNSLQSEGNLPLWLHKFFPYILLFALLYLPLLF
WRFAAAPHCSDLKFIMEELDKVYNRAIKAASARDLDMRDGACSVPGVTENLGQSLWEVSES
HFKYPIVEQYLKTKKNSNNLIKYISCRLLTLIIILLACIYLGYYFSLSSLSDEFVCSIKSGI
LRNDSTVPDQFQCKLIAVGIFQLLSVINLVVYVLLAPVVVYTLFVPFRQKTDVLKVYEILPTF
DVLHFKSEGYNDLSLYNLFLEENISEVKSYPKLVLENIKSSGQIDPMLLLTNLGMKMDVV
DGKTPMSAEMREEQGNQTAELQGMNIDSETKANNGEKNARQRLDSSC

Transmembrane domains:

amino acids 37-55, 108-126, 216-232, 273-290

N-glycosylation sites.

amino acids 255-259, 338-342, 394-398

Glycosaminoglycan attachment site.

amino acids 357-361

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 203-207

N-myristoylation sites.

amino acids 61-67, 174-180, 251-257, 393-399

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 218-229

219/550

FIGURE 219

CTGTGAGTGACACACGCTGAGTGGGGTGAAGGGAAATGCTGGTGAATTTTCATTTTGAGGTGTG
GGTTGCTGTTAGTCACTCTGTCTCTTGCCATTGCCAAGCACAAGCAATCTTCCTTCACCAAAA
GTTGTTACCCAAGGGGAACATTGTCCCAAGCTGTTGACGCTCTCTATATCAAAGCAGCATGGC
TCAAAGCAACGATTCCAGAAGACCGCATAAAAAATATACGATTATTAAAAAGAAAACAAAAA
AGCAGTTTATGAAAACTGTCAATTTCAAGAACAGCTTCTGTCCTTCTTCATGGAAGACGTTT
TTGGTCAACTGCAATTGCAAGGCTGCAAGAAAATACGCTTTGTGGAGGACTTTCATAGCCTTA
GGCAGAAATTGAGCCACTGTATTTCTGTGCTTCATCAGCTAGAGAGATGAAATCCATTACCA
GGATGAAAAGAATATTTTATAGGATTGGAAACAAAGGAATCTACAAAGCCATCAGTGAAGTGG
ATATTCTTCTTTCCTGGATTAAAAAATTATTGGAAAGCAGTCAGTAAACCAAAGCCAAGTACA
TTGATTTTACAGTTATTTTGAATACAATAAGAACTGCTAGAAATATGTTTATAACAGTCTAT
TTCTTTTAAAACTTTTTAACATAATACTGACGGCATGTTAGGTGATTCAGAATAGACAAGAA
GGATTTAGTAAATTAACGTTTTGGATATAAGTTGTCACTAATTTGCACATTTTCTGTGTTTTT
AAATAATGTTTCCATTCTGAACATGTTTTGTCAATTCACAAGTACATTGTGTCAACTTAATTTA
AAGTATGTAACCTGAATTAACCTCGTGTAAATATTTGTGTGTGGAGTGGGATGTGGGGGTGGAG
GGGGAATGACAGATTTCTGGAATGCAATGTAATGTTACTGAGACTTAAATAGATGTTATGTAT
ATGATTGTCTGTTTAAAGTGTGTTGAAATTGTTAATTATGCCCAGTGTGAAGTACTTAACTAAC
ACATTTTGATTTTAAATTAATAAATTGGGTTTCCTTCTCAAAAAAAAAAAAAAAAAAAAAAA
AAAAA

220/550

FIGURE 220

MLVNFILRCGLLLVTLSLAIKHKQSSFTKSCYPRGTLSQAVDALYIKAAWLKATIPEDRIKN
IRLLKKKTKKQFMKNCQFQEQLLSFFMEDVFGQLQLQGCKKIRFVEDFHSRLRQKLSHCISCAS
SAREMKSITRMKRIFYRIGNKGIYKAISELDILLSWIKKLLESSQ

Signal sequence:

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 68-71

N-myristoylation site.

amino acids 148-153

Interleukin-10 proteins.

amino acids 58-94, 74-102, 128-170

221/550

FIGURE 221

GACCACGGCCCTGCGCCCCAGCCAGGCCTGAGGACATGAGGCGGCCGGCGGGTGCCGCTCC
TGCTGCTGCTGTGTTTTGGGTCTCAGAGGGCCAAGGCAGCAACAGCCTGTGGTCGCCCCAGGA
TGCTGAACCGAATGGTGGGCGGGCAGGACACGCAGGAGGGCGAGTGGCCCTGGCAAGTCAGCA
TCCAGCGCAACGGAAGCCACTTCTGCGGGGGCAGCCTCATCGCGGAGCAGTGGGTCCCTGACGG
CTGCGCACTGCTTCCGCAACACCTCTGAGACGTCCCTGTACCAGGTCCTGCTGGGGGCAAGGC
AGCTAGTGCAGCCGGGACCACACGCTATGTATGCCCCGGTGAGGCAGGTGGAGAGCAACCCCC
TGTACCAGGGCACGGCCTCCAGCGCTGACGTGGCCCTGGTGGAGCTGGAGGCACCAGTGCCCT
TCACCAATTACATCCTCCCCGTGTGCCTGCCTGACCCCTCGGTGATCTTTGAGACGGGCATGA
ACTGCTGGGTCACTGGCTGGGGCAGCCCCAGTGAGGAAGACCTCCTGCCCCGAACCGCGGATCC
TGCAGAAACTCGCTGTGCCCATCATCGACACACCCAAGTGCAACCTGCTCTACAGCAAAGACA
CCGAGTTTGGCTACCAACCCAAAACCATCAAGAATGACATGCTGTGCGCCGGCTTCGAGGAGG
GCAAGAAGGATGCCTGCAAGGGCGACTCGGGCGGGCCCCCTGGTGTGCCTCGTGGGTCACTCGT
GGCTGCAGGCGGGGGTGATCAGCTGGGGTGAGGGCTGTGCCCCGCCAGAACCGCCCAGGTGTCT
ACATCCGTGTACCGCCCCACCACAACCTGGATCCATCGGATCATCCCCAACTGCAGTTCCAGC
CAGCGAGGTTGGGCGGCCAGAAGTGAGACCCCCGGGGCCAGGAGCCCCCTTGAGCAGAGCTCTG
CAGCCAGCCTGCCCGCCACACCATCCTGCTGGTCCTCCCAGCGCTGCTGTTGCACCTGTGAG
CCCCACCAGACTCATTTGTAAATAGCGCTCCTTCCTCCCCTCTCAAATACCCTTATTTTATTT
ATGTTTCTCCCAATAAAAACCCAGCCTGTGTGCCAGCTGAAAAAAAAAAAAAAAAAAAAA

222/550

FIGURE 222

MRRPAAVPLLLLLCFGSQRAKAATACGRPRMLNRMVGGQDTQEGEPWQVSIQRNGSHFCGGS
LIAEQWVLTAAHCFRNTSETSLYQVLLGARQLVQPGPHAMYARVRQVESNPLYQGTASSADVA
LVELEAPVPFTNYILPVCLPDPSVIFETGMNCWVTGWGSPSEEDLLPEPRILQKLAVPIIDTP
KCNLLYSKDTTEFGYQPKTIKNDMLCAGFEEGKKDACKGDSGGPLVCLVGQSWLQAGVISWGEG
CARQNRPGVYIRVTAHHNWIHRIIPKLQFQPARLGGQK

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation sites.

amino acids 55-58, 79-82

Casein kinase II phosphorylation sites.

amino acids 121-124, 165-168, 167-170, 248-251

Tyrosine kinase phosphorylation sites.

amino acids 78-86, 197-203

N-myristoylation sites.

amino acids 16-21, 37-42, 56-61, 62-67, 118-123

Amidation site.

amino acids 219-222

Serine proteases, trypsin family, histidine active site.

amino acids 71-76

223/550

FIGURE 223

CAAG**ATG**TGGACAGCTCTTGTGCTCATTTGGATTTTCTCCTTGTCTTATCTGAAAGCCATGC
GGCATCCAACGATCCACGCAACTTTGTCCCTAACAAAATGTGGAAGGGATTAGTCAAGAGGAA
TGCATCTGTGGAAACAGTTGATAATAAAACGTCTGAGGATGTAACCATGGCAGCAGCTTCTCC
TGTACATTGACCAAAGGGACTTCGGCAGCCACCTCAACTCTATGGAAGTCACAACAGAGGA
CACAAGCAGGACAGATGTGAGTGAACCAGCAACTTCAGGAGTTGCAGCTGATGGTGTGACCTC
CATTGCTCCACGGCTGTGGCCTCCAGTACGACTGCGGCCTCCATTACGACTGCGGCCTCCAG
TATGACTGTGGCCTCCAGTGTCTCCACGACTGCAGCCTCCAGTACAACTGTGGCCTCCATTGC
TCCCACGACTGCAGCCTCCAGTATGACTGCGGCCTCCAGCACTCCCATGACACTTGCCTCCC
CGCGCCACGTCCACTTCCACAGGGCGGACCCCGTCCACTACCGCCACTGGGCATCCATCTCT
CAGCACAGCCCTCGCACAAAGTGCCAAAGAGCAGCGGTTGCCAAGAACAGCAACCCCTGGCCAC
ATTGGCCACACGTGCTCAGACTGTAGCGACCACAGCAAACACAAGCAGCCCCATGAGCACTCG
TCCAAGTCCTTCCAAGCACATGCCCAGTGACACCGCGGCAAGCCCTGTACCCCTATGCGTCC
CCAAGCACAAGGTCCCATTAGCCAGGTGTGAGTGGACCAGCCTGTGGTTAACACAACAAATAA
ATCCACACCCATGCCCTCAAACACAACCCAGAGCCCGCCCCACCCCCACAGTGGTGACCAC
CACCAAGGCACAAGCCAGGGAGCCAACTGCCAGCCAGTGCCAGTACCTCACACCAGCCCAAT
CCCTGAGATGGAGGCCATGTCCCCACGACACAGCCAAGCCCCATGCCATATACCCAGAGGGC
CGCTGGGCCAGGCACATCCCAGGCACCGGAGCAGGTAGAGACTGAAGCCACACCAGGTACTGA
TTCCACTGGGCCAACACCCAGGAGCTCAGGGGGCACTAAGATGCCAGCCACGGACTCGTGCCA
GCCCAGCACCCAAGGCCAGTACATGGTGGTCACCACTGAGCCCCTCACCCAGGCCGTGGTAGA
CAAACTCTCCTTCTGGTGGTGTGTTACTCGGGGTGACCCTTTTCATCACAGTCTTGGTTTTT
GTTTGCCCTGCAGGCCTATGAGAGCTACAAGAAGAAGGACTACACCCAGGTGGACTACTTAAT
CAACGGGATGTATGCGGACTCAGAAAT**TGA**GGGGGGCGGGGGCCTGGCGGGAGGCCTGGCCC
CTTCCTCGTCCTTTCTTTTGCCTTTGAGACCAAACCAAGTGCTTCCAAATTCTTTTGGTGCA
ATTGAGGAGATATGCCAGATGCTTAAACACATTTAATTGCTGTGAGATTAAATTCATGATCAC
TAAAGAGTTGCTGCTTTTTTTCATATTTATTTTGTAAATGATTCTGTGCCAGGAGCAGCTGG
GGGTTCCACCTCAGGGTGGGGCGGGCAGGACCCCGTCTCCCCAGGTGTGCGAGCCTGACCTGA
ATTAAAGTACTGACTGCTCGCCA

224/550

FIGURE 224

MWTALVLIWIFSLSLSESHAASNDPRNFVPNKMWGLVKRNASVETVDNKTSEDVTMAAASPV
TLTKGTSAAHLNSMEVTTEDTSRTDVSEPATSGVAADGVTSIAPTAVASSTTAASITTAASSM
TVASSAPTTAASSTTVASIAPTTAASSMTAASSTPMTLALPAPTSTSTGRTPSTTATGHPSLS
TALAQVPKSSALPRTATLATLATRAQTVATTANTSSPMSTRPSPSKHMPSDTAASPVPMPRPQ
AQGPISQVSVDQPVVNTTNKSTPMPSNTTPEPAPTPTVVTTTKAQAREPTASVPVPHTSPIP
EMEAMSPPTQPSMPYTORAAGPGTSQAPEQVETEATPGTDSTGPTPRSSGGTKMPATDSCQP
STQGQYMVVTTTEPLTQAVVDKTLVLLVLLGVTLFITVLVLFALQAYESYKKKDYTQVDYLIN
GMYADSEM

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 396-420

N-glycosylation sites.

amino acids 41-44, 49-52, 222-225, 268-271, 271-274

Casein kinase II phosphorylation sites.

amino acids 14-17, 51-54, 80-83, 85-88, 280-283, 434-437

N-myristoylation sites.

amino acids 68-73, 354-359

Aldo/keto reductase family putative active site signature.

amino acids 195-210

225/550

FIGURE 225

GGAAGGCGCTCAAGGTGCGCGGCCCGGGGCGCGCTACTGGGGGCGCCCTCCGCGGTGGGCAGC
GCGCCAGGGATCGGCCTGGGCAGCCGCGGGGCGCGCGAAGGCTGCGCTTTCCTACGGCCCCC
CTCGCTTCTCCGGCACGGCGGCAACGGAGATTTCTCTCGGGGAACTACGCGGATCCTTTT
CGGGGATCCTCGCCCCGCCCCAGTTCTCGCCCCCTCCCCTTTGCTGGGGCGCCTGGGCTGGC
CCGCGCAGGGGAGGAGGCTCTGGCAGCCTGGGCAGGGAGGCGGCGGGGGGCCGCGGAGCCGCT
GGCCATCGATTCTCCCCGCCATGTGACGCCGTCTTAGCCCTGCGACCCCCAGCGCGTCCCGG
GCCTGCGCCTCCGCCCCGCGCGCAGCGCACGATGCTTCTGCCGGGACGCGCACGCCAACCGC
CGACGCCCCAGCCCGTGCAGCATCCCGGCCTCCGCCGGCAGGTAGAGCCGCCGGGGCAGCTCC
TGCGCCTCTTCTACTGCACTGTCTGGTCTGCTCCAAAGAGATCTCAGCGCTCACCGACTTCT
CTGGTTACCTAACCAAACCTCTGCAAACACACCACCTATGCCTGTGATGGGGACTATTTGA
ATCTACAGTGCCCTCGGCATTCTACGATAAGTGTCCAATCGGCATTTTATGGGCAAGATTACC
AAATGTGTAGTTCCAGAAGCCTGCCTCCAGAGGGAAGACAGCTTAACCTGTGTGGCAGCCA
CCACCTTCCAGAAGGTGCTGGACGAATGCCAGAACCAGCGGGCCTGCCACCTCCTGGTCAATA
GCCGTGTTTTTGGACCTGACCTTTGTCCAGGAAGCAGTAAATACCTCCTGGTCTCCTTTAAAT
GCCAACCTAATGAATTAACCAACAAACCGTGTGTGAAGACCAGGAGCTGAACTGCACTGCC
ATGAATCCAAGTTCTCAACATCTACTCTGCGACCTACGGCAGGAGGACCCAGGAAAGGGACA
TCTGCTCCTCCAAGGCAGAGCGGCTCCCCCTTTTCGATTGCTTGTCTTACTCAGCTTTGCAAG
TCCTATCCCGAAGGTGCTATGGGAAGCAGAGATGCAAAATCATCGTCAACAATCACCATTTTG
GAAGCCCCTGTTTGGCAGGCGTGAAAAAATACCTCACTGTGACCTACGCATGTGTTCCCAAGA
ACATACTCACAGCGATTGATCCAGCCATTGCTAATCTAAACCTTCTTTGAAGCAGAAAGATG
GTGAATATGGTATAAACTTCGACCCAAGCGGATCGAAGGTTCTGAGGAAAGATGGAATTCTTG
TTAGCAACTCTCTGGCAGCCTTTGCTTACATTAGAGCCCACCCAGAGAGAGCTGCCCTGCTGT
TCGTGTCCAGTGTCTGCATCGGCCTGGCCCTCACACTGTGCGCCCTGGTCATCAGAGAGTCCT
GTGCCAAGGACTTCCGCGACTTGACAGCTGGGGAGGGAGCAGCTGGTGCCAGGAAGTGACAAGG
TCGAGGAGGACAGCGAGGATGAAGAAGAGGAGGAGGACCCCTCTGAGTCTGATTTCCAGGGG
AACTGTCGGGGTTCTGTAGGACTTCATATCCTATATACAGTTCCATAGAAGCTGCAGAGCTCG
CAGAAAGGATTGAGCGCAGGGAGCAAATCATTACAGGAAATATGGATGAACAGTGTTTGGACA
CCTCGCTCCCAAGAAACATGGGCCAGTTCTACTGAAACCACATGCATCTTGATGCGATCGCA
CTTTCTGAAGAAGGAAGGATCCCAATGCCCTCCAGTTCTGGTTACCTGTACCTTCTATGA
AGGAGAATTTCGTATGTCAATCAACACTCGTGAGGCCAGGAAGCTATTAAAGGGATGTTTCAA
GCTGTTTCTAGCACATTCCAAAATAAATGAGGAGGGAGGAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAA

226/550

FIGURE 226

MLLPGRARQPPTPQPVQHPLRRQVEPPGQLLRLFYCTVLVCSKEISALTD FSGYLTKLLQNH
TTYACDGDYLNLCPRHSTISVQSAFYGQDYQMCSSQKPASQREDSLTCVAATT FQKVLDECQ
NQRACHLLVNSRVFGPDLCPGSSKYLLVSFKCQPNELKNKTVCEDQELKLHCHESKFLNIYSA
TYGRRTQERDICSSKAERLPPFDCLSYSALQVLSRRCYGKQRCII VNNHHFGSPCLPGVKKY
LTVTYACVPKNILTAIDPAIANLKPSLKQKDGEYGINFDPSGSKVLRKDGILVSN SLAAFAYI
RAHPERAALLFVSSVCIGLALTLCALVIRESCAKDFRDLQLGREQLVPGSDKVEEDSEDEEEE
EDPSESDFPGELSGFCRTSYPIYSSIEAAELAERIERREQIIQEIWMNSGLDTS LPRNMGQFY

Transmembrane domains:

amino acids 32-49, 322-343

N-glycosylation sites.

amino acids 62-66, 165-169

Tyrosine kinase phosphorylation site.

amino acids 280-287

N-myristoylation site.

amino acids 302-308, 333-339, 428-434

Amidation site.

amino acids 191-195

227/550

FIGURE 227

GGCACGAGGTGGAAGGGCTTTTACAAACAGATTGCTGGCCCCACCCCCAGAATTTCTCATCA
GGAGTGGGCAAGACCAATCATTTCGATTTCTGACAAGTTCCCAGGAGCTGCAGCTGCTGGCCC
TGGAACCACACTTTGAGAACCACTGCTTTAGACCAAACACCAAAGGAAGATGCAGCCACCCTC
CTTTACATGTCACAACGCTCAGGGTCCATGAGTACCTCAGGCTGTCCAGCTGAGCTCCACCTG
CAGCAGCCGAGATTCCCGACTCGCTCCACCATTGGGGGCTAGGAGTGAAGCGTGTCACCATGG
TCAGCTCATGGCCAGCCAGGAAAGCCTCTCTGCTGTGCGTCTGTGCAGTTCTTGTTCTTCCCT
GGAGGACTCTTGGATCGCCTGTGATCTTGGCCAGGAGACCAGGTGCCTGGGTCCCTTCCTGGA
AGGGGACAAGTTACACACCCCAGCCCCATTTTCCCACCAACTTCTACATGCCTTGGGAGAACC
TTCTACATGTTGGCTGCCCCCTTCCCCTATTTTCAGCAGTGCCAGTCCTGCTTATAAACCTGA
GGCCTGCTCCCCATACCTTCCCTGTGCAAGTGCCAGCCGTTATTCCAGGCAGCCCAATGTTGT
TGAGGCCAGATGGATTCCCTGGAAGCAGCTGGCCCATGGATGTGAGTCATCACAGTATTCTAGA
AACAGAGAAGAGGTCTTAACCTAATGCGCATAGAGAAATTGTTCTCATTGTAAACATACCCCT
GTCCTTAGCTGATCTAGGTGGAAGCCCAGCTTCATGTGCTAGGGGGCATGATAATGATAATAA
AGGAATTGTATCTAGGACTAA

228/550

FIGURE 228

MVSSWPARKASLLCVC AVLVL PWRTL GSPVILARRPGAWVPSWKGTSYTPQPHFPTNFEYMPWE
NLLHVGCP LPLFQQCPVLLINLRPAPHTFPVQVPAVIPGSPMLLRPDGFLEAAGPWM

Signal peptide:

amino acids 1-27

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 8-12

229/550

FIGURE 229

GGGAAGGGATGCAAGGAAGCCCTCCGGCGCTGCGCTCCGAGGCGGGAGACAGCGTCCCGCTGA
AAATGTGTGTCTGACATGCAAGCTCAGTGGGGCAGAGACCCGTGGATTGCTGTGCCCTGCCCT
CCGGACCTGGATCATGAAGGTGTTGGGAAGAAGCTTCTTCTGGGTGCTGTTTCCCGTCTTCC
CTGGGCGGTGCAGGCTGTGGAGCACGAGGAGGTGGCGCAGCGTGTGATCAAACCTGCACCGCGG
GCGAGGGGTGGCTGCCATGCAGAGCCGGCAGTGGGTCCGGGACAGCTGCAGGAAGCTCTCAGG
GCTTCTCCGCCAGAAGAATGCAGTTCTGAACAACTGAAAACCTGCAATTGGAGCAGTGGAGAA
AGACGTGGGCCTGTCCGATGAAGAGAACTGTTTCAGGTGCACACGTTTGAAATTTTCCAGAA
AGAGCTGAATGAAAGTGAAAATTCGGTTTTCCAAGCTGTCTACGGACTGCAGAGAGCCCTGCA
GGGGGATTACAAAGATGTCGTGAACATGAAGGAGAGCAGCCGGCAGCGCTGGAGGCCCTGAG
AGAGGCTGCAATAAAGGAAGAAACAGAAATATGGAACCTTCTGGCAGCAGAAAAACATCAAGT
TGAAGCCCTTAAAAATATGCAACATCAAAACCAAAGTTTATCCATGCTTGACGAGATTCTTGA
AGATGTAAGAAAGGCAGCGGATCGTCTGGAGGAAGAGATAGAGGAACATGCTTTTGACGACAA
TAAATCAGTCAAGGGGTCAATTTTGAGGCAGTTCTGAGGGTGGAGGAAGAGGCCAATTC
TAAGCAAAATATAACAAAACGAGAAGTGGAGGATGACTTGGGTCTTAGCATGCTGATTGACTC
CCAGAACAACCAAGTATATTTTGACCAAGCCCAGAGATTCAACCATCCCACGTGCAGATCACCA
CTTTATAAAGGACATTGTTACCATAGGAATGCTGTCCTTGCCTTGTGGCTGGCTATGTACAGC
CATAGGATTGCCTACAATGTTTGGTTATATTTTGTGGTGTACTTCTGGGACCTTCAGGACT
AAATAGTATTAAGTCTATTGTGCAAGTGGAGACATTAGGAGAATTTGGGGTGTTTTTTACTCT
TTTTCTTGTGGCTTAGAATTTTCTCCAGAAAAGCTAAGAAAGGTGTGGAAGATTTCTTTACA
AGGGCCGTGTACATGACACTGTTAATGATTGCATTTGGCTTGCTGTGGGGGCATCTCTTGCG
GATCAAAACCCACGCAGAGCGTCTTCATTTCCACGTGTCTGTCTTGTCAAGCACACCCCTCGT
GTCCAGGTTCTCATGGGCAGTGCTCGGGGTGACAAAGAAGGCGACATTGACTACAGCACCGT
GCTCCTCGGCATGCTGGTGACGCAGGACGTGCAGCTCGGGCTCTTCATGGCCGTGATGCCGAC
TCTCATAACAGGCGGGCGCCAGTGCATCTTCTAGCATTTGTCGTGGAAGTTCTCCGAATCTTGGT
TTTGATTGGTCAGATTCTTTTTTCACTAGCGGCGGTTTTCTTTTATGTCTTGTTATAAAGAA
GTATCTCATTGGACCCTATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAAAGAAATCCT
GATCTTGGGAATATCTGCCTTTATCTTCTTAATGTTAACGGTCACGGAGCTGCTGGACGTCTC
CATGGAGCTGGGCTGTTTCTGGCTGGAGCGCTCGTCTCCTCTCAGGGCCCCGTGGTCACCGA
GGAGATCGCCACCTCCATCGAACCCATCCGCGACTTCCTGGCCATCGTTTTCTTCGCCCTCCAT
AGGGCTCCACGTGTTCACGTTTGTGGCGTACGAGCTCACGGTGTGGTGTTCCTCACCTT
GTCAGTGGTGGTGATGAAGTTTCTCCTGGCGGCGCTGGTCTGTCTCTCATTCTGCCGAGGAG
CAGCCAGTACATCAAGTGGATCGTCTCGGGGCTTGCCCAGGTACGCGAGTTTCTCTTGT
CCTGGGGAGCCGGGCGGAAGAGCGGGCGTCACTCTCGGGAGGTGTACCTCCTTATACTGAG
TGTGACCACGCTCAGCCTCTTGCTCGCCCCGGTGTGTGGAGAGCTGCAATCACGAGGTGTGT
GCCCAGACCGGAGAGACGGTCCAGCCTCTGATGGCTCGGAGATGATGGACCGTGAAGGGAAG
CGTCTGTGGGGAGTGAGCGCTTAGATGGCCAGCAGCTGCTCCTTCTGGGAAGCTCGCACCTTG
GCAACAGAACAGCCCTCTAGCAGAGCGTCAGTGCAGTCGTGTTATCCCGGCTTTTACAGAATA
TTCTTGTCTATTTTAGAATTTCCGGAGTAGTTTATTTGCAGTCTGTTGATTATGTGCAGTA
GACCCGGGACACTGCGTTTACCGATCACCTTGAATGTGGTGCCTGGATGTGCCTTTTTTTTT
TTTCCCTGAAATTATTATTAATTTCTATTGTGAGTTCATCAGTTCATAGTTTTTTTTTAGTAA
GAAGCAAAATTAAAAGGCTTTTAAAAATGTACAACTTCAGAATTATAATCTGTTAGTCAAATA
TTTGTTATTAAACATTTCTGTAATATGAAGTTGTAATCCTGGCCGTGAGCTTGAAGCTTACT
TTTGATTCTTAAAGCCTATGTTTTCTAAATGAGACAAATACGGATGTCTATTTGCCTTTTAT
TGTAACCTTTTAAATGAAATAATTTCTATGCAATTTCTATTAGATATATCACTTAAATATTTG
GTTTTAAATCACAGAATATGTATTCTTTAATAAAGATAATTTATGATCATGGTAAAAAAAAA

230/550

FIGURE 230

MKVLGRSFFWVLPVLPWAVQAVEHEEVAQRVIKLRGRGVAAMQSRQWVRDSCRKLSGLLRQ
KNAVLNKLKTAIGAVEKDVGLSDEEKLQVHTFEIFQKELNESENSVFQAVYGLQRALQGDYK
DVVNMKESSRQRLEALREAAIKEETAYMELLAAEKHQVEALKNMQHQNQSLSMLDEILEDVRK
AADRLEEEIEEHAFDDNKS VKGVNFEAVLRVEEEEANSKQNTKREVEDDLGLSMLIDSQNNQ
YILTKPRDSTIPRADHHFIKDIVTIGMLSLPCGWLCTAIGLPTMFGYIICGVLLGPGSLNSIK
SIVQVETLGEFGVFFTLFLVGLFESPEKLRKVKISLQGPCYMTLLMIAFGLLWGHLLRIKPT
QSVFISTCLSLSSTPLVSRFLMGSARGDKEGDIDYSTVLLGMLVTQDVQLGLFMAVMPTLIQA
GASASSIVVEVLRILVLIGQILFSLAAVFLCLVIKKYLIGPYRKLHMESKGNKEILILGI
SAFIFLMLTVTELLDVSMEGLGCFLAGALVSSQGPVVTEEIATSIEPIRDFLAIVFFASIGLHV
FPTFVAYELTVLVFLTLVVVMKFLAALVLSLILPRSSQYIKWIVSAGLAQVSEFSFVLGSR
ARRAGVISREVYLLILSVTTLSLLLAPVLWRAAITRCVPRPERRSSL

Signal peptide:

amino acids 1-22

Transmembrane domains:amino acids 282-304, 322-337, 354-370, 379-395, 445-474, 501-520,
576-598, 641-660**N-glycosylation sites.**

amino acids 104-108, 174-178, 206-210, 230-234

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 55-59, 673-677

Tyrosine kinase phosphorylation site.

amino acids 407-414

N-myristoylation sites.amino acids 116-122, 327-333, 366-372, 401-407, 419-425, 429-435,
442-448, 525-531, 530-536**Cell attachment sequence.**

amino acids 404-407

231/550

FIGURE 231

GAGAAAAACAACAGGAAGCAGCTTACAAACTCGGTGAACAACTGAGGGAACCAAACCAGAGAC
GCGCTGAACAGAGAGAATCAGGCTCAAAGCAAGTGGAAGTGGGCAGAGATTCCACCAGGACTG
GTGCAAGGCGCAGAGCCAGCCAGATTTGAGAAGAAGGCAAAAAGATGCTGGGGAGCAGAGCTG
TAATGCTGCTGTTGCTGCTGCCCTGGACAGCTCAGGGCAGAGCTGTGCCTGGGGGCAGCAGCC
CTGCCTGGACTCAGTGCCAGCAGCTTTCACAGAAGCTCTGCACACTGGCCTGGAGTGCACATC
CACTAGTGGGACACATGGATCTAAGAGAAGAGGGAGATGAAGAGACTACAAATGATGTTCCCC
ATATCCAGTGTGGAGATGGCTGTGACCCCCAAGGACTCAGGGACAACAGTCAGTTCTGCTTGC
AAAGGATCCACCAGGGTCTGATTTTTTATGAGAAGCTGCTAGGATCGGATATTTTCACAGGGG
AGCCTTCTCTGCTCCCTGATAGCCCTGTGGGCCAGCTTCATGCCTCCCTACTGGGCCTCAGCC
AACTCCTGCAGCCTGAGGGTCACCACTGGGAGACTCAGCAGATTCCAAGCCTCAGTCCCAGCC
AGCCATGGCAGCGTCTCCTTCTCCGCTTCAAAATCCTTCGCAGCCTCCAGGCCTTTGTGGCTG
TAGCCGCCCGGGTCTTTGCCCATGGAGCAGCAACCCTGAGTCCCTAAAGGCAGCAGCTCAAGG
ATGGCACTCAGATCTCCATGGCCCAGCAAGGCCAAGATAAATCTACCACCCCAGGCACCTGTG
AGCCAACAGGTTAATTAGTCCATTAATTTTAGTGGGACCTGCATATGTTGAAAATTACCAATA
CTGACTGACATGTGATGCTGACCTATGATAAGGTTGAGTATTTATTAGATGGGAAGGGAAATT
TGGGGATTATTTATCCTCCTGGGGACAGTTTGGGGAGGATTATTTATTGTATTTATATTGAAT
TATGTACTTTTTCAATAAAGTCTTATTTTTGTGGCTAAAAAAAAAAAAA

232/550

FIGURE 232

MLGSRAVMLLLLLPWTAQGRAVPGGSSPAWTQCQQLSQKLCTLAWSAHPLVGHMDLREEGDEE
TTNDVPHIQCGDGDPPQGLRDNSQFCLQRIHQGLIFYEKLLGSDIFTGEPSSLPDSPVQQLHA
SLLGLSQLLQPEGHHWETQQIPSLSPSQPWQRLLLRFKILRSLQAFVAVAAARVFAHGAATLSP

Important features of the protein:

Signal peptide:

amino acids 1-21

Casein kinase II phosphorylation site.

amino acids 64-67

N-myristoylation sites.

amino acids 25-30, 81-86, 122-127

233/550

FIGURE 233

CCCACGCGTCCGGCCCTGTAACCAAGATACTGACTGAACATGGCTGGCGGACTCAGGCTGGGGTCTGCAGTGCAG
CATTAAATGGGCGCTGACATGAATATGGAGTAGTTTCTCTAGCAAAGAGTAATGTTGGGCCATGGAGTCAAGCCCA
CCTCCTCTGGGCTCTGCTGTTTCATGCAGTCTTGTGGCCTCAACTGACTGATGGAGCCATCGAGTCTACTACCT
GGGCATCCGGGATGTGCAGTGGAACTATGCTCCCAAGGGAAGAAATGTATCACGAACCAGCCTCTGGACAGTGA
CATAGTGGCTTCCAGCTTCTTAAAGTCTGACAAGAACCAGGATAGGGGGAACCTACAAGAAGACCATCTATAAAGA
ATACAAGGATGACTCATACACAGATGAAGTGGCCAGCCTGCCTGGTTGGGCTTCTGGGGCCAGTGTGACAGGC
TGAAGTGGGGGATGTCTTCTTATTCACCTGAAGAAATTTGCCACTCGTCCCTATACCATCCACCCTCATGGTGT
CTTCTACGAGAAGGACTCTGAAGGTTCCTATACCCAGATGGCTCCTCTGGGCCACTGAAAGCTGATGACTCTGT
TCCCCCGGGGGCAGCCATATCTACAACCTGGACCATTCCAGAAGGCCATGCACCCACCGATGCTGACCCAGCGTG
CCTCACCTGGATCTACCATTTCTCATGTAGATGCTCCACGAGACATTGCAACTGGCCTAATTGGGCTCTCATCAC
CTGTAAAGAGGAGCCCTGGATGGGAACTCCCTCCTCAACGCCAGGATGTAGACCATGATTTCTTCTCTCTT
CAGTGTGGTAGATGAGAACCTCAGCTGGCATCTCAATGAGAACATTGCCACTTACTGCTCAGATCCTGCTTCAGT
GGACAAAGAAGATGAGACATTTCAAGGAGAGCAATAGGATGCATGCAATCAATGGCTTTGTTTTGGGAATTTACC
TGAGCTGAACATGTGTGCACAGAAACGTGTGGCTGGCACTTGTGGCATGGGCAATGAAATTGATGTCCACAC
AGCATTTTCCATGGACAGATGCTGACTACCCGTGGACACCACTGATGTGGCTAACATCTTCCAGCCACCTT
TGTGACTGCTGAGATGGTGGCCCTGGGAACCTGGTACCTGGTTAATTAGCTGCCAAGTGAACAGTCACTTCGAGA
TGGCATGCAGGCACTCTACAAGGTCAAGTCTTGTCTCCATGGCCCCCTCTGTGGACCTGCTCAGAGGCAAGTTG
ACAGTACTTCAATTGAGGCCCATGAGATTCAATGGGACTATGGCCGATGGGGCATGATGGGAGTACTGGGAAGAA
TTTGAGAGAGCCAGGCAGTATCTCAGATAAGTTTTCAGAAAGAGCTCCAGCCGAATTGGGGCACTTACTGGAA
AGTGGCATATGAAGCCTTTCAAGATGAGACATTTCAAGAGAAGATGCATTTGGAGGAAGATAGGCATCTTGGAA
CCTGGGGCCAGTGTCCGGGCTGAGGTGGGTGACACCATTCAGTGGTCTTCTACAACCGTGCCTCCAGCCATT
CAGCATGCAGCCCCATGGGGTCTTTATGAGAAAGACTGAAGGCACTGTGTACAATGATGGCTCATCTTACCC
TGGCTTGGTTGCCAAGCCCTTTGAGAAAGTAAACATACCGTGGACAGTCCCCCTCATGCCGTCCCAGTCTCA
GGATCCTGCTTGTCTCACTTGGATGTACTTCTCTGCTGCAGATCCCATAGAGACACAAATTCTGGCTGGTGGG
CCCCGTGCTGGTGTGCAGGGCTGGTGCCTTGGGTGCAGATGGCAAGCAGAAAGGGTGGATAAAGAATTCTTTCT
TCTTCTCACTGTGTGGATGAGAAACAGAGCTGGTACAGCAATGCCAATCAAGCAGTGTATGTTGGATTTCCG
ACTGCTTTCAGAGGATATTGAGGGCTTCCAAGACTTCCATCGGATGCATGCCATTAATGGGTTTCTGTTCTCTAA
CCTGCCAGGCTGGACATGTCAAGGGTGCACAGTGGCCTGGCACCTGCTCGGCCTGGGCACAGAGACTGATGT
GCATGGAGTCACTGTCCAGGGCAACACTGTGCAGCTTCAGGGCATGAGGAAGGGTGCAGCTATGCTCTTCTCTCA
TACCTTGTCTATGGCCATCATGCAGCTGACAACCTTGGGACATTTGAGATTTATTGCCAGGCAGGCAGCCATCG
AGAAGCAGGGATGAGGGCAATCTATAATGTCTCCAGTGTCTGGCCACCAAGCCACCCTCGCCAACGCTACCA
AGCTGCAAGAATCTACTATATCATGGCAGAAGAAGTAGAGTGGGACTATTGCCCTGACCGGAGCTGGGAACGGGA
ATGGCACAACCACTCTGAGAAGGACAGTTATGTTTACATTTCTCTGAGCAACAAGGATGGGCTCCTGGGTTCCAG
ATACAAGAAAGCTGTATTACAGGAATACACTGATGGTACATTTCAGGATCCCTCGGCCAAGGACTGGACCAGAAGA
ACACTTGGGAATCTTGGGTCCACTTATCAAAGGTGAAGTTGGTGATATCCTGACTGTGGTATTCAAGAATAATGC
CAGCCGCCCCCTACTCTGTGCATGCTCATGGAGTCTAGAACTACTACTGTCTGGCCACTGGCTGCTGAGCCTGG
TGAGGTGGTCACTTATCAGTGGAACTCCCATCAAGGACATGTACTGGCCTGGTGGGCCAATGACTCTGCTTGTGTTCTCTG
GATCTATTATCTGCAGTGGATCCCATCAAGGACATGTACTGGCCTGGTGGGGCCTTGGCTATCTGCCAAA
GGGCATCCTGGAGCCCCATGGAGGACGGAGTGACATGGATCGGGAATTTGCATTGTTGTTCTTGATTTTGTATGA
AAATAAGTCTTGGTATTTGGAGGAAATGTGGCAACCCATGGGTCCCAGGATCCAGGCAGTATTAACCTACAGGA
TGAAACTTTCTTGGAGAGCAATAAATGCATGCAATCAATGGGAACTCTATGCCAACCTTAGGGGTCTTACCAT
GTACCAAGGAGAACGAGTGGCCTGGTACATGCTGGCCATGGGCCAGATGTGGTGGATCTACACACCATCCACTTCA
TGCAGAGAGCTTCTCTATCGGAATGGCGAGAATACCGGCAGATGTGGTGGATCTGTTCCAGGGACTTTTGA
GGTGTGGAGATGGTGGCCAGCAACCCTGGGACATGGCTGATGCACTGCCATGTGACTGACCATGTCCATGCTGG
CATGGAGACCTCTTCACTGTTTTTCTCGAACAGAACTTAAGCCCTCTCACCGTCATACCAAGAGACTGA
AAAAGTGGCCCCAGAGACATTGAAGAAGGCAATGTGAAGATGCTGGGCATGCAGATCCCATAAAGAATGTGA
GATGCTGGCCTCTGTTTGGTTGCCATTAGTGTACCCCTCTGCTCGTTGTTCTGGCTCTTGGTGGAGTGGTTG
GTACCAACATCGACAGAGAAAGCTACGACGCAATAGGAGTCCATCCTGGATGACAGCTTCAAGCTTCTGCTCTT
CAAACAGTAAACATCTGGAGCCTGGAGATATCCTCAGGAAGCACATCTGTAGTGCATCCAGCAGGCCATGGACT
AGTCACTAACCCCACTCAAAGGGGCATGGGTGGTGGAGAAGCAGAAGGAGCAATCAAGCTTATCTGGATATTT
CTTTCTTTATTTATTTACATGGAAATAATATGATTTCACTTTTTCTTTAGTTTCTTTGCTCTACGTGGGCACCT
GGCACTAAGGGAGTACCTTATTTATCTACATCGCAATTTCAACAGCTACATTATATTTCTTCTGACACTTGGAA
AGGTATTGAAATTTCTAGAAATGTATCCTTCTCACAAGTAGAGACCAAGAGAAAACTCATTTGATTTGGTTTCT
ACTTCTTTCAAGGACTCAGGAAATTTCACTTTGAACTGAGGCCAAGTGAAGTGTAAAGATAACCCACACTTAAAC
TAAAGGCTAAGAATATAGGCTTGTATGGGAAATTTGAAGGTAGGCTGAGTATTGGGAATCCAAATTGAATTTGATT
TCTCTTGGCAGTGAAGTACTTTGAAGAAGTGGTCAATGGGTGTTGCTGCCATGAGCATGTACAACCTCTGGAGC
TAGAAGCTCCTCAGGAAGCCAGTTCTCCAAGTCTTAACTGTGGCACTGAAAGGAATGTTGAGTTACCTCTTC
ATGTTTTAGACAGCAACCCATCCATTAAAGTACTTGTAGACCAAAAAAAAAAAAA

234/550

FIGURE 234

MWAMESGHLLWALLFMQSLWPQLTDGATRVYYLGIRDVQWNYAPKGRNVITNQPLDSDIVASS
FLKSDKNRIGGTYYKTIYKEYKDDSYTDEVAQPAWLGLGPVLQAEVGDVILHLKNFATRPY
TIHPHGVFYEKDESGSLYPDGSSGPLKADDSVPPGGSHIYNWTIPEGHAPTADPACLTWIYH
SHVDAPRDIATGLIGPLITCKRGALDGNSPQRQDVDHDFLLFSVVDENLSWHLNENIATYC
SDPASVDKEDETFQESNRMHAINGFVFGNLPELNMCAQKRVAWHLFGMGNEIDVHTAFFHGQM
LTTRGHHTDVANIFPATFVTAEMVPWEPGTWLI SCQVNSHFRDGMQALYKVKSCSMAPPVDLL
TGKVRQYFIEAHEIQWDYGPMGHDGSTGKNLREPGSISDKFFQKSSSRIGGTYYWKVRYEAFQD
ETFQEKMHLEEDRHLGILGPVIRAEVGDITQVVFYNRASQPFMSMQPHGVFYEKDYEGTVYNDG
SSYPGLVAKPFEKVITYRWTVPPHAGPTAQDPACLTWMYFSAADPIRDTNSGLVGPLLVCRAGA
LGADGKQKGV DKEFFLLFTVL DENKSWYSNANQAAAMLDFRLLSE DIEGFQDSNRMHAINGFL
FSNLPRLD MCKGDTVAWHLLGLGTETDVHGV MFQGN TVQLQGM RKGAA MLFPHTFVMAIMQPD
NLGTFEIYCQAGSHREAGMR AIYNVSQC PGHQATPRQRYQAARIYYIMAEVEWDYCPDRSWE
REWHNQSEKDSYGYIFLSNKDGLLGSRYKKAVFREYTDGTFRI PRPRTGPEEHLGILGPLIKG
EVGDILT VVFKNNASRPYSVHAHGVLESTTVWPLAAEPGEVVTYQWNI PERSGPGPNDSACVS
WIYYSAVDPIKDMYSGLVGPLAICQKGILEPHGGRSDMDREFALLFLIFDENKSWYLEENVAT
HGSQDPGSINLQDETFLSNKMHAINGKLYANLRGLTMYQGERVAWYMLAMQDQDVLHTIHFH
AESFLYRNGENYRADVVOLFPGTFEVVEMVASNPGTWLMHCHVTDHVVHAGMETLFTVFSRTEH
LSPLTVITKETEKVPPRDIEEGNVKMLGMQIPIKNVEMLASVLVAISVTLLLV LALGGVVWY
QHRQRKLRRNRRSILDDSFKL LSFQ

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 1109-1130

N-glycosylation sites.amino acids 167-171, 239-243, 591-595, 717-721, 761-765, 832-836,
876-880, 934-938**Glycosaminoglycan attachment site.**

amino acids 871-875

Tyrosine kinase phosphorylation sites.

amino acids 82-90, 137-145, 494-502, 513-521

N-myristoylation sites.amino acids 212-218, 313-319, 498-504, 566-572, 672-678, 778-784,
843-849**Multicopper oxidases signature 1.**

amino acids 344-365, 696-717, 1043-1064

Multicopper oxidases signature 2.

amino acids 1048-1060

235/550

FIGURE 235

GGAAAGAGTGCTGGTACTACAACCAGGAAGTGACAGATAATGTGCTTTAACTACATTAGAAAAGCTTCTCATAG
CAAACTGAGAGATTGAAGCAGTGATTATTTTACATAGTTGTCTTAAATATTTGGAGCTCTGCTGTGCATAGA
GATGGCAACATACTTAGAATACACAGCTTTCTGGGCCAGAAATTGATCTTCTGACTTTTGAGCCTTATCTGATTA
CTGCTTTGGTTTCATCTTTATTTTGTAACTACTCTGTAGGCTGAAAGGGAGAGACTCTCCTTGGTTTGCAGAGCC
TGACTAGACAGGAATTCTGGCAACTGCTCCAGCAGAATATGGCACTGAGCTAGGTTTAAATGCTGAGGAGATGG
AAAACCTGTCACTGCTGATTGAGGATGTGCAGCCAAAGTCCAGGAAGAAGCAGCTTGGATGACTCTGGGGAGA
GAGATGAAAAATATCCAAGTCAATCAGTTTACCAGTGAATCAATTAGTCGGGTTTCAGAAAACAGAGTCATTCTG
ATGGAAATTATCAAAAAGGAGGATTAGGCAAGAGGAGTCCCAAAATGAGAAACAGACCAGAAAAGAGTCTCTTAC
CAACTTTGGAAAAGAAGTTAACTAGAGTGCCATCAAAGTCACTGGACTTGAATAAAAATGAATATCTTTCTCTGG
ACAAAAGCAGCACTTCAGATTCTGTTGATGAAGAAATGTTCTGAGAAAGATCTTCATGGAAGACTTTTATCA
ACCGTATTTTTCATATCAGTGCTGACAGAATGTTGAATTGCTCTTACCAGTTTACGCTTTATGCAGAAATTTG
CCAGTTCTAGAAAATAAGATGATGATCTACCCCTTGGACTGCAGAACTTGGAGGTGATCAGCTGAGAACGA
TGACCTACACTATAGTCTTAAATAGTCCACTTACTGGAATAATGCAGTCTGCCACTGAAAAGCAGACACTGTATA
AAGAAAGTCGGGAAGCAGATTTTATTTGGTAGATTGAGAAGTACTGACACATGATGTCCCTACCATGATTACT
TCTATACCGTGAACAGATACTGTATCATCCGATCTTCAAACAGAAATGCAGGCTAAGAGTTTCCACAGATTTGA
AATACAGAAAACAGCCATGGGGCCTTGTCAAATCTTAAATTGAAAAGAAATCCTGGAGTTCTTTGGAGGACTATT
TCAAACAGCTTGAATCAGATTGTTTAAATTGAAGAAATCTGTATTAAATCAGGCCATTGAAGACCCCTGAAAACCTTA
CTGGCCTACGAAGGAGAAGGGCAACCTTCAACCGAACAGCAGAAAACAGTTCCTAACTTTCTCTCAGCATTCTCT
CTGGAGATGTGGGCTTAGGTGCCAAAGGGGATATTACAGGAAAGAAAAGGAAATGAAAACATAACGTCACCTC
TTATTTGGTAAATGAGTATTTTGTGTTGTTATTAGTTTGTGTAATGTGACACTGTTTCTGAAGCTGTCAAAGA
TAGAACATGCTGCTCAGTCTTTTACCCTCTCCGCTCCAAGAAGAGAAATCTTAAATTTAGCCTCTGATATGG
TGTCAAGAGCAGAACTATTGAGAAGATAAGATCAGGCCATCGTTTAAAGGGAGTGCTCCGAGACTCCATAG
TGATGCTTGAACAGCTGAAGAGCTCACTCATTATGCTTCAGAAAACGTTTGATCTACTAAATAAGAATAGACTG
GCATGGCTGTTGAAAGCTAGTGATCTGAAGGACTAAAACCGCAGAGATACTTGAACCTTAAAGAAAATACCTGGA
AGAAAACAGACGAATGAAGGATTTTGGCATAGAACTTTCTATGTTTTTTCATTATTGAGATTTCTAATATGAA
CATTTCTTTTCACTAACATTTATTTGATAATTAGTTTCTGCTGGCCTTAATAATCCATCCTTTCACTTCTTATAGA
TATTTTAAAGCTGTGAATTTCTTCACTGAACCATGAAATATATTATAGAACTGAATTTCTCTGATACAAAAGAA
AATGACACACCCGTAATTGAGTGGTATGGTCTCATTCTACAGTGAAGTCTGATGCTTTGTTAGCACAGAATCCG
TACATGTCCAATAGGTGCTTTTGTAACTGAGATAAGACCAAGAGGATAAACAGGACAATATAAGAAGAAACCTC
TATGTCATTACTGATTTTAAAGGTTCTGTTTTTCCAGGCATATAACATTTCCAGGTTTGTGTACTGTAAAGATTATA
ATGCTCTTCAATTTATTTAGCATGCAAAATTTAATAGTCAAATTTTGAATCTGCATGTTGATGATGATTATCAGAA
AGGGTCTTCTGCCATGCTGTATCTTTATGAAAGAAATAGTTGTTTTTCTTAAAGGTAATATCAGAGGTGGGATT
ATCTTGCCCTCCTCACTTAGAATACCAACAGTCAAAGGAAGAACCATCCTCTGAGTTTTTAAACAGAGGTTA
TGTTAAATCTGGGCATTTAGTGACAGATCAAATGCATACTTGAACCTAAGATTGGCTTCAGCTTAGCAGTCTTTC
ATGGTGGAAGTGACACATCTGTTGAAATAATTTGTGATTTTTCAGTAACCATGTATGGCTTCCTTCTTTATGT
ATGTGTGACTTGTTTTAAATTTGTAAGTTATAAGCCAGACATAGATTTTAGCTCTTTAATAAAAACCTTCAGGGG
CACGATGCTCCAGTACAAGTGTACTGACTATCAAGTTTAACTCAGATGCAAGCTTTGGCTCTTTTCAATAAAAAG
TTTTTATGCATATGTGTCTCCATACAAGTGGCTCATTTAAATAAGAACTTTGTAACTGACTTAAATCAGATAT
TTTTTCAAGAGTTAGGGAAGTTGAAGTGTCTTACTGTTTTGTCTCTTGAGCCCTTTCTCTGGGGAATAACATA
TATCCATCTATCTATATATAAACTGTGTATACATTCTTACTGTTTGAACAACCTATTGCCTTTAATTAATATG
TTTCATTTTCTCCAGAGTCCCCAAAGCCATGGCATTATTATAGTCATTTTGGAGATGCTGTAGAGAATGAA
AGTATTGACTCCGTTAGAGGGAATAAGGTTTTCTGGGTGAATTTCAACGAAGCATACCTAGGGGTAACAGTGA
ACCTACCTGGGTTTGTGTTTTGTTTGAAGGATTTATGTAGTGTCTGGCTGTAAAGCAAGAATGAGTGGATTATAA
ACTTGAAGATTTCTCTGTTAAAGTCACAAAATGATCGACAAACAATATTTTGTGATGTTATTTAAACGTTGT
ATTTTATAACATACTTCAAGGAAGAGTATCGAAGTAAGTTGCTTTATAAATTAAGACTAAATTCGTATGGATGCA
GAATTCATTAATAAAATTTGAGCCTGTACGTAATTTGAATATTAATAAAATGAAAATTTCAAAA

236/550

FIGURE 236

MENLSLSIEDVQPRSPGRSSLDDSGERDEKLSKSISFTSESISRVSSETESFDGNSSKGGLGKE
ESQNEKQTKKSLPTLEKKLTRVPSKSLDLNKNEYLSDKSSTSDSVDEENVPEKDLHGRLFI
NRIFHISADRMFELLFTSSRFMQKFASSRNIIDVVSTPWTAEELGGDQLRTMTYITIVLNSPLTG
KCTAATEKQTLTKESREARFYLVDSVLTVDVPHYDYFYTVNRYCIIRSSKQKCLRVSTDLK
YRKQPWGLVKSLIEKNSWSSLEDYFKQLESDDLIEESVLNQAIEDPGKLTGLRRRRRTFNRTA
ETVPKLSSQHSQSDVGLGAKGDITGKKKEMENYNVTLIVVMSIFVLLLVLNVTFLKLSKIE
HAAQSFYRLRLQEEKSLNLASDMVSRAETIQKNKDQAHRLKGVLRDSIVMLEQLKSSLIMLQK
TFDLLNKNKTGMARES

Transmembrane domain:

amino acids 352-371

N-glycosylation sites.

amino acids 3-7, 54-58, 312-316, 349-353, 367-371, 449-453

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 81-85, 307-311

Tyrosine kinase phosphorylation sites.

amino acids 202-211, 246-254, 341-349

N-myristoylation site.

amino acids 259-265

Amidation site.

amino acids 339-343

237/550

FIGURE 237

CAGGGGCTGGAGGGCAGGGGAGGGGATGATGTCATTCTGCTCGGCGCAATCCTGACCCTGCT
CTGGGCGCCACGGCTCAGGCTGAGGTTCTGCTGCAGCCTGACTTCAATGCTGAAAAGTTCTC
AGGCCTCTGGTACGTGGTCTCCATGGCATCTGACTGCAGGGTCTTCCTGGGCAAGAAGGACCA
CCTGTCCATGTCCACCAGGGCCATCAGGCCCACAGAGGAGGGCGGCCTCCACGTCCACATGGA
GTTCCCGGGGGCGGACGGCTGTAACCAGGTGGATGCCGAGTACCTGAAGGTGGGCTCCGAGGG
ACACTTCAGAGTCCCGGCCCTTGGGCTACCTGGACGTGCGCATCGTGGACACAGACTACAGCTC
CTTCGCCGTCCTTTACATCTACAAGGAGCTGGAGGGGGCCCTCAGCACCATGGTGCAGCTCTA
CAGCCGGACCCAGGATGTGAGTCCCCAGGCTCTGAAGTCCTTCCAGGACTTCTACCCGACCCT
GGGGCTCCCCAAGGACATGATGGTCATGCTGCCCCAGTCAGATGCATGCAACCCTGAGAGCAA
GGAGGCGCCCTTGACACCTCCGGAGCCCCACCCCGCCCTTCCCAGGTGGAGCCAAAGCAGCAG
GCGCCTTTGCCCTGGAGTCAAGACCCACAGCCCTCGGGGACCACCTGGAGTCTCTCCATCCT
CCACCCCCCGCCTGTGGGATGCCTTGTGGGACGTCTCTTTCTATTCAATAAACAGATGCTGCA
GCCTCA

238/550

FIGURE 238

MMSFLLGAILTLLWAPTAQAEVLLQPDFNAEKFSGLWYVVSMA SD CRVFLGKKDHLSMSTRAI
RPTEEGGLHVHMEFPGADGCNQVDAEYLKVGSEGHFRVPALGYLDVRIVDTDYSSFAVLYIYK
ELEGALSTMVQLYSRTQDVSPQALKSFQDFYPTLGLPKDMMVMLPQSDACNPESKEAP

Signal peptide:

amino acids 1-20

Tyrosine kinase phosphorylation site.

amino acids 110-117

N-myristoylation sites.

amino acids 7-13, 79-85, 130-136

Amidation site.

amino acids 50-54

239/550

FIGURE 239

GGCGCGCTGGTCCAGGTGAGCGGGCGCGTCCCCGCGACGGCGCTGCCTGCCCCGAGGCGGTTCA
CGTAAAGACAGCGAGATCCTGAGGGCCAGCCGGAAGGAGGCGTGGATATGGAGCTGGCTGCT
GCCAAGTCCGGGGCCCCGCGCCGCTGCCTAGCGCGTCCCTGGGGACTCTGTGGGGACGCGCCCCG
CGCCGCGGCTCGGGGACCCGTAGAGCCCGCGCTGCGCGCATGGCCCTGCTCTCGCGCCCCGCG
GCTCACCTCCTGCTCCTCCTCATGGCCGCTGTTGTGTCAGGTGCCAGGAGCAGGCCAGACCAC
CGACTGGAGAGCCACCCTGAAGACCATCCGGAACGGCGTTCATAAGATAGACACGTACCTGAA
CGCCGCTTGGACCTCCTGGGAGGCGAGGACGGTCTCTGCCAGTATAAATGCAGTGACGGATC
TAAGCCTTTCCACGTTATGGTTATAAACCTCCCCACCGAATGGATGTGGCTCTCCACTGTT
TGGTGTTTCATCTTAACATTGGTATCCCTTCCCTGACAAAGTGTTGCAACCAACACGACAGGTG
CTATGAGACCTGTGGCAAAGCAAGAATGACTGTGATGAAGAATTCCAGTATTGCCTCTCCAA
GATCTGCCGAGATGTACAGAAACACTAGGACTAACTCAGCATGTTGAGGCATGTGAAACAAC
AGTGGAGCTCTTGTGTTGACAGTGTTATACATTTAGGTTGTAAACCATATCTGGACAGCCAACG
AGCCGCATGCAGGTGTCATTATGAAGAAAAAAGTATCTTTTAAAGGAGATGCCGACAGCTAGT
GACAGATGAAGATGGAAGAACATAACCTTTGACAAATAACTAATGTTTTTACAACATAAACT
GTCTTATTTTTGTGAAAGGATTATTTTGGAGACCTTAAAAATAATTTATATCTTGATGTTAAAC
CTCAAAGCAAAAAAAGTGAGGGAGATAGTGAGGGGAGGGCACGCTTGTCTTCTCAGGTATCTT
CCCCAGCATTGCTCCCTTACTTAGTATGCCAAATGTCTTGACCAATATCAAAAACAAGTGCTT
GTTTAGCGGAGAATTTTGAAAAGAGGAATATATAACTCAATTTTCACAACCACATTTACCAAA
AAAAGAGATCAAATATAAAATTCATCATAATGTCTGTTCAACATTATCTTATTTGGAAAATGG
GGAAATTATCACTTACAAGTATTTGTTTACTATGAAATTTTAAATACACATTTATGCCTAGAA
GGAACGGACTTTTTTTTCTATTTTAATTACACATAATATGTAATTAAAGTACAACATAATAT
GTTGTTTCTCTGTAGCCCGTTGAGCATATGAGTAAGTCACATTTCTATTAGGACTACTTACAA
GGACAAGGTTTCCATTTTCCAGTTGTAAAATTGGAACCATCAGCTGATAACCTCGTAGGGAG
CAACCCAGGATAGCTAAGTGTTATGTAATATGCCTAGAAGGTGATGTGAATGCGATTTCAGAA
GCATAGCCACTCCCATTTTATGAGCTACTCACATGACAAATGTCATCTTTTGCTATAACCTTT
GCCAAGTTAGAGAAAAGATGGATTTAATGAGATAAATGAAAAGATATTTAACCTAAAAAAA
AAAAAAAAAAAAAAAAAAAA

240/550

FIGURE 240

MALLSRPALTL L L L L L M A A V V R C Q E Q A Q T T D W R A T L K T I R N G V H K I D T Y L N A A L D L L G G E D G L C
Q Y K C S D G S K P F P R Y G Y K P S P P N G C G S P L F G V H L N I G I P S L T K C C N Q H D R C Y E T C G K S K N D C D E
E F Q Y C L S K I C R D V Q K T L G L T Q H V Q A C E T T V E L L F D S V I H L G C K P Y L D S Q R A A C R C H Y E E K T D L

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites:

amino acids 57-63, 93-99

Phospholipase A2 histidine active site:

amino acids 106-114

Neuraxin and MAP1B proteins repeat proteins Block:

amino acids 109-137

241/550

FIGURE 241

GATTCCGAGCGCCTCCACTGCTGGTCCGTTGGCCAGATCAACTCGCCGCGTGGGCCGGCCGTT
CCCTGAGAGTCTGAGCGCTCGCCGACCCCCCTCCGAGCTTCTATTGGCCGTAGCAGACGTCC
GTCTGCCGCTATCTCCGCCCCAATACGGAAGCGGCCTAGTCCTCCGGCTCCGACAGCTGGGTG
TCCAGGCCATGGGGCAGCCCTGGGCGGCTGGGAGCACGGACGGGGCGCCCGCGCAGCTGCCTC
TCGTGCTCACCGCGCTGTGGGCCGCGGCCGTGGGCCTGGAGCTGGCTTACGTGCTGGTGCTCG
GTCCCGGGCCGCGCCGCTGGGACCCCTGGCCCGGGCCTTGACAGCTGGCGCTGGCCGCCTTCC
AGCTGCTCAACCTGCTGGGCAACGTGGGGCTCTTCCTGCGCTCGGATCCCAGCATCCGTGGCG
TGATGCTGGCCGGCGCGGTCTGGGCCAGGGCTGGGCTTACTGCTACCAATGCCAAAGCCAGG
TGCCGCCACGCAGCGGACACTGCTCTGCCTGCCGCGTCTGCATCCTGCGTCGGGACCACCACT
GCCGCTGCTGGGCGCTGCGTGGGCTTCGGCAACTACCGGCCCTTCCTGTGCCTGCTGCTTC
ATGCCGCCGGCGTCTCTGCTCCACGTCTCTGTGCTGCTGGGCCCTGCACTGTGGGCCCTGCTGC
GAGCCCACACGCCCCCTCCACATGGCTGCCCTCCTCCTGCTTCCCTGGCTCATGTTGCTCACAG
GCAGAGTGTCTCTGGCACAGTTTGCCTTGGCCTTCGTGACGGACACGTGCGTGGCGGGTGCGC
TGCTGTGCGGGGCTGGGCTGCTCTTCCATGGGATGCTGCTGCTGCGGGGCCAGACCACATGGG
AGTGGGCTCGGGGCCAGCACTCCTATGACCTGGGTCCCTGCCACAACCTGCAGGCAGCCCTGG
GGCCCCGCTGGGCCCTCGTCTGGCTCTGGCCCTTCCTGGCCTCCCCATTGCCTGGGGATGGGA
TCACCTTCCAGACCACAGCAGATGTGGGACACACAGCCTCCTGACTCCAGGAAGAGCCAGAGC
TGTGCAGGGAGGAAGGGGTGAGAGGGGGGGCCCCACACCTAGACTCAGTAAGGAAGTCGGGT
GGACCTTAACATCTGCATTGGACAACCTCCACCCCTTCCTTGGCCTTGCCCCTGCCCCCTACA
CTCCTACGTGTCCAGGGCTTGGGCCGTGACTTAGGCAGAGGAGTGCAGAGGAGGGTCTGGCAG
GGGCTGCTCAGGCCGCTAGCTGCCCTTTGCCAGGTTAATAAAGCACTGACTTGTTAA

242/550

FIGURE 242

MGQPWAAGSTDGAPAQLPLVLTALWAAVGLLAYVLVLGPGPPPLGPLARALQLALAAFQLL
NLLGNVGLFLRSDPSIRGVMLAGRGLGQGWAYCYQCQSQVPPRSGHCSACRVCILRRDHCRL
LGRCVGFGNYPFLCCLLLHAAGVLLHVSVLLGPALSALLRAHTPLHMAALLLLPWMLLTGRV
SLAQFALAFVTDTCVAGALLCGAGLLFHGMILLRGQTTWEWARGQHSYDLGPCHNLQAALGPR
WALVWLWPFLASPLPGDGITFQTTADVHTAS

Important features:

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 51-66,143-160,174-191,198-214

N-myristoylation sites:

amino acids 2-8,8-14,30-36,81-87,88-94,90-96,206-212

Leucine zipper pattern:

amino acids 143-165,150-172,157-179,164-186

243/550

FIGURE 243

CTTGTCTTTGTGTCGGTTGTGATTTTCCTAATCTCTGATTTTCCTTTTCTCTCGGACGCTCTC
CCTCTTCGGACCCATTTTCTCCCGTGCTTCATGCCCTGATAGCCTGGCCCCCTTCCCGGCTTCC
TTGCTACCGGGGACGCCTCTAGTTTTTCTGAATTTCTGGCTGGCTCCACCCTCCGCGTTCAT
CTTCCTCAAGAGTTTCGCCCCCTCTGGGGGCTCCTCTGTGTAATCGTCGCCTTCTCTGGGTATTT
CTGTGAACTCCGTCTCACACCATCCCGCCATCTTCTCTGCCTTGGCCCCCTTTTCTCTGTACAG
CCAGCTCTGTGTCCTTTTCTTCTCCCCCTCTAAAATCGACTCCTCTTCTCCCTGAGAGCCCCA
CCTTTGTGCCCCACTCCTCATTTTCCTACGCCTCCCTCTCTCTGCTGGTCCTCTCTCTCCCTG
CAAGGTTCCATTCCATCAATTTGTTTGTCTTTTGTAGGGGTGGCATCCCCCTGACTACTGCT
CCATCCTTTTTTTTTTTTTTTTTTTTTTTTTTTTGTCTTGAAGATTTCACTTCAATCTTTTCTGGT
TGCGTCTCCACTTGTACTCAGCTTGTTAGGTCCAGGTCCAGTTGTTCTGCATCTGAGGCTGGC
GTGTGCTGTCTTCTCTGATTGGCCTAATCTCCCTCACCCCCGTGAGATCTGTTGTCAGCCTTC
GTTTCTCTTTTCTGTGTCCAGCTTTTCTGCGGGTCTTGGCACCTTTCTTGGCCACAGATTTT
TGGGTTACAGAGCATGTGTGTCTGAGGCATTGCAGGCAGAAAAGGGTGGCCGACGTGACCTCT
AGCTGGACTGCTGGGCAGGGGAGCTGTCTAGATAAAAATTGGAAAGAAACAGTGACCCAGAGA
CAGGTGGACAAAGAATTCGGGGACTGATGGGAACTGAGCTTGGGATCCAGACTGAAACTGATT
CCAGACTGACCTCTAGCACCCAGGACCCAGACACAGGGCCATGGGACCCAGCATTTGAGACT
TGTGCAGCTGTTCTGCCTTCTAGGGGCCATCCCCACTCTGCCTCGGGCTGGAGCTCTTTTGTG
CTATGAAGCAACAGCCTCAAGATTAGAGCTGTTGCTTTCCATAACTGGAAGTGGCTTCTGAT
GAGGAACATGGTGTGTAAGCTGCAAGAGGGCTGCGAGGAGACGCTAGTGTTTATTGAGACAGG
GACTGCAAGGGGAGTTGTGGGCTTTAAAGGCTGCAGCTCGTCTTCGTCTTACCCTGCGCAAAT
CTCCTACCTTGTTTCCCCACCCGAGTGTCATTGCCTCCTACAGTCGCGTCTGCCGGTCTTA
TCTCTGCAACAACCTCACCAATTTGGAGCCTTTTGTGAACTCAAGGCCAGCACTCCTAAGTC
TATCACATCTGCGTCCCTGTAGCTGCCCCACCTGTGTGGGCGAGCACATGAAGGATTGCCTCCC
AAATTTTGTACCACTAATTTCTTGCCCCCTTGGCTGCTTCTACGTGTTACAGTTCCACCTTAAA
ATTTAGGCAGGGTTTCTCAATACCACCTTCCTCCTCATGGGGTGTGCTCGTGAACATAACCA
GCTTTTAGCAGATTTTCATCATATTGGGAGCATCAAAGTGAAGTGAAGTCCCAACATCTTAGA
GAAGTCTCAGATTGTTGGTGCAGCATCCTCCAGGCAAGATCCTGCTTGGGGTGTGCTCTTAGG
CCTCCTGTTTGCCTTCAGGGACTGACCATCTAGCTGCACCCGACAAGCACCCAGACTCTTTCA
CATAACAAATAAAATAGCAGAGTTCCTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAA

244/550

FIGURE 244

MGPQHLRLVQLFCLLGAIPTLPRAGALLCYEATASRFRVAFHNWKWLLMRNMVCKLQEGCEE
TLVFIETGTARGVVGFKGCSSSSSYPAQISYLVSPPGVSIASYSRVCRSYLCNNLTNLEPFVK
LKASTPKSITSASCSCPTCVGEHMKDCLPNFVTTNSCPLAASTCYSSTLKFAQGLNTTFLLM
GCAREHNQLLADFHHIGSIKVTEVLNILEKSQIVGAASSRQDPAWGVVLGLLFAFRD

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation sites:

amino acids 117-121, 183-187

N-myristoylation sites:

amino acids 16-22, 25-31, 60-66, 71-77, 81-87, 100-106, 224-230,
235-241, 239-245

Prokaryotic membrane lipoprotein lipid attachment site:

amino acids 181-192

245/550

FIGURE 245

GTGGAGTTGGGTGGTGTGCGGGAGCCTCTCCCTGAGGGGCACCGCGTCTTCAGGAGCTGGGCCTCCAGTGCGGCGC
GATGTCAGGCGCGGTGACAGCTCTGTGAGTCCGAGGCCGCGGCGCTGGCGCTGGGCGGCTGCGGGGCTGACCGG
TCCGCTCATGGTGTCCGCCACGACGCCATCGCGGGGCAGGAAGGCCAGGGGTGCTGAGTTCTTCACCTCCTTTTAG
ACTGAGATCTGCCAAGTTTTCCGGCATTGCTCTTGAGGATCTCAGAAGGGCTCTTAAGACAAGACTGCAAATGGT
GTGTGTATTTGTCATGAACCGAATGAATCCAGAACAGTGGTTTCACTCAGCGCAGGCGAATGGCTCTTGGGAT
TGTTATTCTTCTGCTTGTGTATGTGATATGGGTGCTTCCCTCTGAACCTTACTTCGTATGTTTTTACCCAGTACAA
CAAACCATCTTTCAGCACCTTTGCAAAAACATCTATGTTTGTGTTTGTACCTTTTGGGCTTTATTATTTGGAAGCC
ATGGAGACAACAGTGTACAAGAGGACTTCGCGGAAAGCATGCTGCTTTTTTTCAGATGCTGAAGGTTACTTTGC
TGCTTGACAACAGATACAACATGAATAGTTCTTTGAGTGAACCTCTGTATGTGCCTGTGAAATTCATGATCT
TCCAAGTGA AAAACCTGAGAGCACAACATTGATACTGAAAAAACCCCAAAAAGTCTCGTGTGAGGTTCACTAA
TATCATGGAGATTCGACAGCTTCCGTCAAGTCATGCATTGGAAGCAAAGTTGTCTCGCATGTCTATCCTGTGAA
AGAACAAGAATCCATACTGAAAACCTGTGGGAAACTTACTGCAACTCAAGTAGCGAAAATTAGCTTTTTTTTTTG
CTTTGTGTGGTTTTTGGCAAATTTGTCTATCAAGAAGCACTTTCAGACACACAAGTTGCTATAGTTAATATTTT
ATCTTCAACTTCCGGACTTTTTACCTTAATCCTTGCTGCAGTATTTCCAAGTAACAGTGGAGATAGATTTACCT
TTCTAAACTATTAGCTGTAATTTAAGCATTGGAGGCGTTGTACTGGTAAACCTGGCAGGGTCTGAAAAACCTGC
TGGAAGAGACACAGTAGGTTCCATTTGGTCTCTTGCTGGAGCCATGCTCTATGCTGTCTATATTGTTATGATTAA
GAGAAAAGTAGATAGAGAAGACAAGTTGGATATTCCAATGTTCTTTGGTTTTGTAGGTTTGTAACTGCTGCT
CTTATGGCCAGGTTTCTTTTTACTTCATTATACTGGATTGAGGACTTCGAGTTTCCCAATAAAGTAGTATTAAT
GTGCATTATCATTAATGGCCTTATTGGAACAGTACTCTCAGAGTTCCTGTGGTTGTGGGGCTGCTTTCTTACCTC
ATCATTGATAGGCACACTTGCACTAAGCCTTACAATACCTCTGTCCATAATAGCTGACATGTGTATGCAAAAGGT
GCAGTTTTCTTGGTTATTTTTTGCAGGAGCTATCCCTGTATTTTTTTCATTTTTTATTGTAACCTCTCCTATGCCA
TTATAATAATTGGGATCCTGTGATGGTGGGAATCAGAAGAATATTTGCTTTTATATGCAGAAAACATCGAATTC
GAGAGTTCAGAAAGACAGCGAACAGTGTGAGAGTCTCATTTCTATGCACAGTGTTCCTCAGGAGGATGGAGCTAG
TTAGCTGTCTGTGTCTGTAGCCAGCTTGATAATGGAACATACAGCGAAGAGACAATCTCTGGCAAGTTTTTG
TAGAAAAAATGTTTCAGTGCCTAGTCTGAAAAATAACAGTTTGAGTTCTTTGAACTCTAAAATATATTTTTCTC
ATACCTGTTTTCTTCATTTTCATAATGAAGCACTTTGCTATGTAGCTGTGTACATATCACTACAGTTATAGGAAG
TTTCAGTCTACAGTCCATCCAAAGGACCAACCTGCCTTACACATCTCAAGGAATTCAGCTGTTGAAATCATTGA
ACTAATCAAGGAATAAATCCTAATGTTCTGGGACTTTATTTTCACATGTTAAATGCTGGAATATATTATGAAAT
GTTTTCAAGAAATCACTTAAGTGTTATAGACCAGTATTTCTGCAGGTAATGCTAAAATAAGCTACCTGTAA
TAAGTGTGGATTATATTTTTGGGTTTTGTAGAATATTGCAAATTAACCACACAAAAAATGTTAATTTATGCAAC
AAGCATGTTGTGCAAATTTTCATGGGACTTTAAAAAGAATAAGTATTTGAGAAAATATCTGGTTCACTTACACTA
CATTTACTGTATTATTTCTTTTATAGCATTAGGTGCCTTGATTTTAAATCTGTGACAAACCATGGCAAATTTTAA
AAGGGGAAGTATTATTATAAAATGAAGAAATATGTATTTCTAAAGGCTATATTGCTGTAACTTAATTGATAAAG
CTCTGTTAATTTAGAGTTTTGAAGAAATAGTCTCCCTCAATTAAGAAATTTTCATAATGGAATGATTTAAATT
GAAGTGACAAAGAGTATTATTAAAAATACAATGTTTATAAAAAA

246/550

FIGURE 246

MVPPRRHRGAGRPGVLSSSPFRLRSKFSGIALEDLRRALKTRLQMVCVFVMNRMNSQNSGF
TQRRRMALGIVILLVLDVIWVASSELTSYVFTQYNKPFFSTFAKTSMEVLYLLGFIIWKPWQR
QCTRGLRGKHAAFFADAEGYFAACTTDTTMNSSLSEPLYVPVKFHDLPSEKPESTNIDTEKTP
KKSRVRFSNIMEIRQLPSSHAEAKLSRMSYPVKEQESILKTVGKLTATQVAKISFFFCFVWF
LANLSYQEALSDTQVAIVNILSSTSGLFTLILAAVFPSNSGDRFTLSKLLAVILSIGGVVLVN
LAGSEKPAGRDTVGSIWLAGAMLYAVYIVMIKRKVDREDKLDIPMFFGFVGLFNLLLLWPGF
FLLHYTGFEDEFEPNKVVLMCIIINGLIGTVLSEFLWLWGCFLTSSLIGTLALSLTIPLSIIA
DMCMQKVQFSWLFFAGAIPVFFSFFIVTLLCHYNNWDPVMVGIRRIFAFICRKHRIQRPEDS
EQCESLISMHSVSQEDGAS

Important features:**Transmembrane domain:**

amino acids 69-87, 105-118, 237-256, 266-285, 300-316, 332-346,
364-379, 399-419, 453-472

N-glycosylation sites:

amino acids 157-161, 255-259

N-myristoylation sites:

amino acids 14-20, 329-335, 404-410, 407-413, 418-424

247/550

FIGURE 247

CGTCTGTAGAGATATCATGAACTTCAACTTAGCTTTGGTACTTTCTTCCCTGAAGACAGAGGG
CAGAACTCTGAGTTCCAGAACCATTTTCAACTGTATTGGGGACCAATCACTTGACTCTATTCT
TGTCTCTCTGACAGATGACGCTACACTCTCCTCTGAATAATGGACACCATTTCTAAAAGTAA
TCCTGCTACTAAAATAATTCAGATGATATATTTTTCCAATTCTACAATCTTGCTTTGTTTTAT
TTAGTTGTTTTCTCTCTCTCTTCCCAGTTTTCCAGAGACTGGAGCTAAACTGGGCTTTCAACA
TCATCATGAAGTTTATCCTCCTCTGGGCCCTCTTGAATCTGACTGTTGCTTTGGCCTTTAATC
CAGATTACACAGTCAGCTCCACTCCCCCTTACTTGGTCTATTTGAAATCTGACTACTTGCCCT
GCGCTGGAGTCCTGATCCACCCGCTTTGGGTGATCACAGCTGCACACTGCAATTTACCAAAGC
TTCGGGTGATATTGGGGGTTACAATCCCAGCAGACTCTAATGAAAAGCATCTGCAAGTGATTG
GCTATGAGAAGATGATTCATCATCCACACTTCTCAGTCACTTCTATTGATCATGACATCATGC
TAATCAAGCTGAAAACAGAGGCTGAACTCAATGACTATGTGAAATTAGCCAACCTGCCCTACC
AAACTATCTCTGAAAATACCATGTGCTCTGTCTCTACCTGGAGCTACAATGTGTGTGATATCT
ACAAAGAGCCCGATTCACTGCAAACGTGAACATCTCTGTAATCTCCAAGCCTCAGTGTGCGG
ATGCCTATAAAACCTACAACATCACGGAAAATATGCTGTGTGTGGGCATTGTGCCAGGAAGGA
GGCAGCCCTGCAAGGAAGTTTCTGCTGCCCCGGCAATCTGCAATGGGATGCTTCAAGGAATCC
TGTCTTTTGGCGATGGATGTGTTTTGAGAGCCGATGTTGGCATCTATGCCAAAATTTTTTACT
ATATACCCCTGGATTGAAAATGTAATCCAAAATAACTTGAGCTGTGGCAGTTGTGGACCATATGA
CACAGCTTGTCCCCATCGTTCACCTTTAGAATTAAATATAAATTAATCCTC

248/550

FIGURE 248

MKFILLWALLNLTVALAFNPDYTVSSTPPYLVYLKSDYLPAGVLIHPLWVITAAHCNLPKLR
VILGVTIPADSNEKHLQVIGYEKMIHHPHFSVTSIDHDIMLIKLTAEALNDYVKLANLPYQT
ISENTMCSVSTWSYNVCDIYKEPDSLQTVNISVISKPQCRDAYKTYNITENMLCVGIVPGRRO
PCKEVSAAAPAI CNGLQILSFADGCVLRADVGIYAKIFYIIPWIENVIQNN

Important features:

Signal peptide:

amino acids 1-17

N-glycosylation sites:

amino acids 11-15, 156-160, 173-177

Tyrosine kinase phosphorylation site:

amino acids 108-117

N-myristoylation sites:

amino acids 182-188, 203-209

Amidation site:

amino acids 185-189

Serine proteases, trypsin family, histidine active site:

amino acids 52-58

249/550

FIGURE 249

GCAGAGCGGGCCGCTGTCTTCTGCTGCGGCTTCCGCGACCACAAGTACTGCTGCGACGACCCGC
ACAGCTTCTTCCCCTACGAGCACAGCTACATGTGGTGGCTCAGCATTGGCGCTCTCATAGGCC
TGTCCGTAGCAGCAGTGGTTCTTCTCGCCTTCATTGTTACCGCCTGTGTGCTCTGCTACCTGT
TCATCAGCTCTAAGCCCCACACAAAGTTGGACCTGGGCTTGAGCTTACAGACAGCAGGCCCTG
AGGAGGTTTCTCCTGACTGCCAAGGTGTGAACACAGGCATGGCGGCAGAAGTGCCAAAAGTGA
GCCCTCTCCAGCAGAGTTACTCCTGCTTGAACCCGCAGCTGGAGAGCAATGAGGGGCAGGCTG
TGAACTCCAAACGCCTCCTCCATCATTGCTTCATGGCCACAGTGACCACCAGTGACATTCCAG
GCAGCCCTGAGGAAGCCTCTGTACCCAACCCTGACCTATGTGGACCAGTCCCATTAAACATTCA
ATAAATGTCTCCATACCATCAA

250/550

FIGURE 250

MWWLSIGALIGLSVAADVLLAFIVTACVLCYLFISSKPHTKLDLGLSLQTAGPEEVSPDCQGV
NTGMAAEVPKVSPLQQSYSCLN PQLESNEGQAVNSKRL LHHC FMATVTTSDIPGSPEEASVPN
PDL CGPVP

Important features:

Signal peptide:

Amino acids 1-26

N-myristoylation sites:

Amino acids 7-13, 11-17, 62-68, 93-99

251/550

FIGURE 251

GTGGTTTGGATTGAGCCGGGCCCCGGCCGGGGCGCCGAGTCGGAGGGGGTGGCAGTGAGCGGCG
GCAGAGGCTACGGGGCTCGGTTTGGCTGACTGGGGAGTCGGCAGGCGGCAGGAACCAATGCGAG
GCCAGCGGAGCCTGCTGCTGGGCCCCGGCCCGCCTCTGCCTCCGCCTCCTTCTGCTGCTGGGTT
ACAGGCGCCGCTGTCCACCTCTACTCCGGGGTCTAGTACAGCGCTGGCGCTACGGCAAGGTCT
GCCTGCGCTCCCTGCTCTACAACTCCTTTGGGGGCAGTGACACCGCTGTTGATGCTGCCTTTG
AGCCTGTCTACTGGCTGGTAGACAACGTGATCCGCTGGTTTGGAGTGGTGTTCGTGGTCTCGG
TGATCGTGCTGACAGGCTCCATTGTAGCTATCGCCTACCTGTGTGCTCCTGCCTCTCATCCTCC
GAACCTACTCAGTGCCACGACTCTGCTGGCATTCTTCTATAGCCACTGGAATCTGATCCTGA
TTGTCTTCCACTACTACCAGGCCATCACCCTCCGCTGGGTACCCACCCAGGGCAGGAATG
ATATCGCCACCGTCTCCATCTGTAAGAAGTGCATTTACCCCAAGCCAGCCCGAACACACCACT
GCAGCATCTGCAACAGGTGTGTGCTGAAGATGGATCACCCTGCCCCGGCTAAACAATTGTG
TGGGCCACTATAACCATCGGTACTTCTTCTCTTTCTGCTTTTTTCATGACTCTGGGCTGTGTCT
ACTGCAGCTATGGAAGTTGGGACCTTTTCGGGAGGCTTATGCTGCCATTGAGACTTATCACC
AGACCCACCAACCCACCTTCTCCTTTTCGAGAAAGGATGACTCACAAGAGTCTTGTCTACCTCT
GGTTCCTGTGCAGTTCTGTGGCACTTGCCCTGGGTGCCCTAACTGTATGGCATGCTGTTCTCA
TCAGTCGAGGTGAGACTAGCATCGAAAGGCACATCAACAAGAAGGAGAGACGTCGGCTACAGG
CCAAGGGCAGAGTATTTAGGAATCCTTACAACCTACGGCTGCTTGGACAACCTGGAAGGTATTCC
TGGGTGTGGATACAGGAAGGCACTGGCTTACTCGGGTGCTCTTACCTTCTAGTCACTTGCCCC
ATGGGAATGGAATGAGCTGGGAGCCCCCTCCCTGGGTGACTGCTCACTCAGCCTCTGTGATGG
CAGTGTGAGCTGGACTGTGTGTCAGCCACGACTCGAGCACTCATTCTGCTCCCTATGTTATTTCA
AGGGCCTCCAAGGGCAGCTTTTCTCAGAATCCTTGATCAAAAAGAGCCAGTGGGCCTGCCTTA
GGGTACCATGCAGGACAATTCAAGGACCAGCCTTTTTTACCACTGCAGAAGAAAGACACAATGT
GGAGAAATCTTAGGACTGACATCCCTTTACTCAGGCAAACAGAAGTTCCAACCCCACTAGG
GGTCAGGCAGCTAGCTACCTACCTTGCCCAGTGCTGACCCGGACCTCCTCCAGGATACAGCAC
TGGAGTTGGCCACCACCTCTTCTACTTGCTGTCTGAAAAAACACCTGACTAGTACAGCTGAGA
TCTTGGCTTCTCAACAGGGCAAAGATACCAGGCCTGCTGCTGAGGTCACTGCCACTTCTCACA
TGCTGCTTAAGGGAGCACAAATAAAGGTATTTCGATTTTTTAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAA

252/550

FIGURE 252

MRGQRSLLLGPRLCLRLLLLLGYRRRCPPLLRGLVQRWRYGKVCLRSLLYNSFGGSDTAVDA
AFEPVYWLVDNVIRWFGVVFVVLVIVLTGSIVAIAIYLCVLPILRTYSVPRLCWHEFFYSHWNL
ILIVFHYYQAITTPPGYPPQGRNDIATVSICKKCIYPKPARTHHCSICNRCVLKMDHHCPLN
NCVGHYNHRYFFSFCFFMTLGCVCYSYGSWDLFREAYAAIETYHQTPPPTFSFRERMTHKSLV
YLWFLCSSVALALGALTVWHAVLISRGETSIERHINKKERRRLQAKGRVFRNPYNYGCLDNWK
VELGVDTEGRHWLTRVLLPSSHLPHGNGMSWEPPPWVTAHSASVMAV

Important features:

Transmembrane domain:

amino acids 88-100, 202-216, 254-274

N-myristoylation sites:

amino acids 55-61, 56-62, 92-98, 210-216, 309-315, 319-325, 340-346

Prokaryotic membrane lipoprotein lipid attachment site:

amino acids 201-212

253/550

FIGURE 253

GATCAAGCGCCTTCCTTTCCCTTCCTCTCCCTACTTGGCCTTTGCCCTAAGCCAAGACCTGGCCATCAGCCTGGC
TGCAGGGGCTGCAGAGCCAGCTGCACCTTTTTCAGGTATGGGGGAGGGCCAGGCACCATGAAGCCAGTGTGGGTG
GCCACCCTTCTGTGGATGCTACTGCTGGTGCCAGGCTGGGGGCCGCCGGAAGGGGTCCCCAGAAGAGGCCTCC
TTCTACTATGGAACCTTCCCTCTTGGCTTCTCCTGGGGCGTGGGCAGTTCTGCCTACCAGACGGAGGGCGCTGG
GACCAGGACGGGAAAGGGCCTAGCATCTGGGACGTCTTACACACAGTGGGAAGGGGAAAGTGCTTGGGAATGAG
ACGGCAGATGTAGCCTGTGACGGCTACTACAAGGTCCAGGAGGACATCATTCTGCTGAGGGAACTGCACGTCAAC
CACTACCGATTCTCCCTGTCTTGGCCCCGGCTCCTGCCACAGGCATCCGAGCCGAGCAGGTGAACAAGAAGGGA
ATCGAATTCTACAGTGATCTTATCGATGCCCTTCTGAGCAGCAACATCACTCCCATCGTGACCTTGCACCACTGG
GATCTGCCACAGCTGCTCCAGGTCAAATACGGTGGGTGGCAGAATGTGAGCATGGCCAACTACTTCAGAGACTAC
GCCAACCTGTGCTTTGAGGCCCTTTGGGGACCGTGTGAAGCACTGGATCACGTTCAAGTATCCTCGGGCAATGGCA
GAAAAAGGCTATGAGACGGGCCACCATGCGCCGGGCTGAAGCTCCGCGGCACCGGCCTGTACAAGGCAGCACAC
CACATCATTAAAGGCCACGCCAAAACCTGGCATTCTTATAACACCACGTGGCGCAGCAAGCAGCAAGGTCTGGTG
GGAATTTCACTGAACTGTGACTGGGGGGAACCTGTGGACATTAGTAACCCCAAGGACCTAGAGGCTGCCGAGAGA
TACCTACAGTTCTGTCTGGGCTGGTTTGCCAACCCCATTTATGCCGGTGACTACCCCAAGTCATGAAGGACTAC
ATTGGAAGAAAGAGTGCAGAGCAAGGCCTGGAGATGTCGAGGTTACCGGTGTTCTCACTCCAGGAGAAGAGCTAC
ATTAAAGGCACATCCGATTTCTTGGGATTAGGTCATTTTACTACTCGGTACATCACGGAAGGAACTACCCCTCC
CGCCAGGGGCCAGCTACCAGAACGATCGTGACTTGATAGAGCTGGTTGACCCAACTGGCCAGATCTGGGGTCT
AAATGGCTATATTCTGTGCCATGGGGATTAGGAGGCTCCTTAACCTTTGCTCAGACTCAATACGGTGATCCTCCC
ATATATGTGATGGAAAATGGAGCATCTCAAAAATTCCTACTGTACTCAATTATGTGATGAGTGGAGAATTCAATAC
CTTAAAGGATACATAAATGAAATGCTAAAAGCTATAAAAGATGGTGCTAATATAAAGGGGTATACTTCCTGGTCT
CTGTTGGATAAGTTTGAATGGGAGAAAGGATACTCAGATAGATATGGATTCTACTATGTTGAATTTAACGACAGA
AATAAGCCTCGCTATCCAAAGGCTTCAGTTCAATATTACAAGAAGATTATCATTGCCAATGGGTTTCCCAATCCA
AGAGAGGTGGAAAGTTGGTACCTCAAAGCTTTGGAACTTGCTCTATCAACAATCAGATGCTTGCTGCAGAGCCT
TTGCTAAGTCACATGCAATGGTTACGGAGATCGTGGTACCCACTGTCTGCTCCCTCTGTGTCCTCATCACTGCT
GTTCTACTAATGCTCCTCCTGAGGAGGCAGAGCTGAGACAGGATTATCAATTTTGGAGCTTCATAAGAGAATCTT
CAGGATCTTCCTCCCTTTTCTGCTTTGAGGGTTTCCATACATTGCTGTTTTTCAGGTTCTACAATAATTACCTTTT
TTTCTCTTCTCTTTTGGCTTGTGCTGGGATTTAAGAATTAGAAAATAAAAATAAGCAGAAATTA

254/550

FIGURE 254

MKPVVWVATLLWMLLLVPRLLGAARKGSPEEASFYYGTFPLGFSWVGSSAYQTEGAWDQDGKGPSIWDVFTHSGKG
KVLGNETADVACDGYKVEDIILLRELHVNHYRFSLSWPRLLPTGIRAEQVNKKGIEFYSDLIDALLSSNITPI
VTLHHWDLPLQLQVKYGGWQNVSMANYFRDYANLCFEAFGDRVKHWITFSDPRAMAEKGYETGHHAPGLKLRGTG
LYKAAHHIIKAHAKTWHSYNTTWRSKQQGLVGISLNCWGEFVDISNPKDLEAAERYLQFCLGWFIPIYAGDYP
QVMKDYIGRKSAEQGLEMSRLPVFSLQEKSYIKGTSDFLGLGHFTTRYITERNYPSRQGPSYQNDRLIELVDPN
WFDLGSKWLYSVPWGFRRLLNFAQTQYGDPIYVMENGASQKFHCTQLCDEWRIQYLKGYINEMLKAIKDGANIK
GYTWSLLDKFEWEKGYSRDYGFYYVEFNDRNKPYPKASVQYKKIIANGFPNPREVESWYLKALETCSINNO
MLAEPLLSHMQMVTEIVVPTVCSLCVLITAVLLMLLLRRQS

Important features:**Signal peptide:**

amino acids 1-21

Transmembrane domain:

amino acids 541-558

N-glycosylation sites:

amino acids 80-84, 171-175, 245-249

Glycosaminoglycan attachment site:

amino acids 72-76

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

amino acids 23-27, 564-568

Tyrosine kinase phosphorylation sites:

amino acids 203-211, 347-355, 460-468, 507-514

N-myristoylation sites:

amino acids 44-50, 79-85, 167-173, 225-231, 257-263, 315-321

Amidation site:

amino acids 307-311

Glycosyl hydrolases family 1 active site:

amino acids 407-416

Glycosyl hydrolases family 1 N-terminal signature:

amino acids 41-56

Motif name Glycosyl hydrolases family:

amino acids 37- 67

255/550

FIGURE 255

CGCGAAGATCGGAAAGGTGGTTTTGATCACCGGGGCTAGCAGTGGCATTGGCCTGGCCCTCTG
CAAGCGGCTGCTGGCGGAAGATGATGAGCTTCATCTGTGTTTGGCGTGCAGGAACATGAGCAA
GGCAGAAGCTGTCTGTGCTGCTCTGCTGGCCTCTCACCCCACTGCTGAGGTCACCATTGTCCA
GGTGGATGTCAGCAACCTGCAGTCGGTCTTCCGGGGCTCCAAGGAACTTAAGCAAAGGTTTCA
GAGATTAGACTGTATATATCTAAATGCTGGGATCATGCCTAATCCACAACATAATATCAAAGC
ACTTTTCTTTGGCCTCTTTTCAAGAAAAGTGATTATATGTTCTCCACAGCTGAAGGCCTGCT
GACCCAGGGTGATAAGATCACTGCTGATGGACTTCAGGAGGTGTTTGAGACCAATGTCTTTGG
CCATTTTATCCTGATTCGGGAACTGGAGCCTCTCCTCTGTACAGTGACAATCCATCTCAGCT
CATCTGGACATCATCTCGCAGTGCAAGGAAATCTAATTTAGCCTCGAGGACTTCCAGCACAG
CAAAGGCAAGGAACCTACAGCTCTTCCAAATATGCCACTGACCTTTTGAGTGTGGCTTTGAA
CAGGAACCTCAACCAGCAGGGTCTCTATTCCAATGTGGCCTGTCCAGGTACAGCATTGACCAA
TTTGACATATGGAATTCTGCCTCCGTTTATATGGACGCTGTTGATGCCGGCAATATTGCTACT
TCGCTTTTTTGCAAATGCATTCACTTTGACACCATATAATGGAACAGAAGCTCTGGTATGGCT
TTTCCACCAAAGCCTGAATCTCTCAATCCTCTGATCAAATATCTGAGTGCCACCACTGGCTT
TGGAAGAAATTATATTATGACCCAGAAGATGGACCTAGATGAAGACACTGCTGAAAAATTTTA
TCAAAAGTTACTGGAAGTGGAAAAGCACATTAGGGTCACTATTCAAAAACAGATAATCAGGC
CAGGCTCAGTGGCTCATGCCTATAATTCCAGCACTTTGGGAGGCCAAGGCAGAAGGATCACTT
GAGACCAGGAGTTCAAGACCAGCCTGAGAAACATAGTGAGCCCTTGTCTCTACAAAAAGAAAT
AAAAATAATAGCTGGGTGTGGTGGCATGCGCATGTAGTCCCAGCTACTCAGAAGGATGAGGTG
GGAGGATCTCTTGAGGCTGGGAGGCAGAGGTTGCAGTGAGCTGAGATTGTGCCACTGCACTCC
AGCCTGGGTGACAGCGAGACCCTGTCTCAAAATATGTATATATTTAATATATATATAAAACCA
GAGCTGACAATGACACTCTGGAACATTGCATACCTTCTGTACATTCTGGGGTACATGGATTTC
TACTGAGTTGGATAATATGCATTTGTAATAAACTATGAACTATGAA

256/550

FIGURE 256

MRKVVLITGASSGIGLALCKRLLAEDDELHLCLACRNMSKAEAVCAALLASHPTAEVTIVQVD
VSNLQSVFRASKELKQRFQRLDCIYLNAGIMPNPQLNIKALFFGLFSRKVIHMFSTAEGLLTQ
GDKITADGLQEVFETNVFGHFILIRELEPLLCHSDNPSQLIWTSSRSARKSNFSLEDFQHSKG
KEPYSSSKYATDLLSVALNRNFNQQGLYSNVACPGTALTNLTYGILPPFIWTLLMPAILLLRF
FANAFTLTPYNGTEALVWLFHQKPESLNPLIKYLSATTGFGGRNYIMTQKMDLDEDTAEKFYQK
LLELEKHIRVTIQKTDNQARLSGSC

Important features:

Transmembrane domain:

amino acids 234-254

N-glycosylation sites:

amino acids 37-41, 178-182, 229-233, 263-267

Glycosaminoglycan attachment site:

amino acids 12-16

N-myristoylation sites:

amino acids 9-15, 13-19, 15-21, 215-221, 224-230

257/550

FIGURE 257

CGGACGCGTGGGGCCGTATGCGCGGCTCTGTGGAGTGCACCTGGGGTTGGGGGCACTGTGCCC
CCAGCCCCCTGCTCCTTTGGACTCTACTTCTGTTTGCAGCCCCATTTGGCCTGCTGGGGGAGA
AGACCCGCCAGGTGTCTCTGGAGGTCATCCCTAACTGGCTGGGCCCCCTGCAGAACCTGCTTC
ATATACGGGCAGTGGGCACCAATTCCACACTGCACTATGTGTGGAGCAGCCTGGGGCCTCTGG
CAGTGGTAATGGTGGCCACCAACACCCCCACAGCACCTGAGCATCAACTGGAGCCTCCTGC
TATCCCCTGAGCCCGATGGGGGCCTGATGGTGTCTCCCTAAGGACAGCATTTCAGTTTTCTTCTG
CCCTTGTTTTTACCAGGCTGCTTGAGTTTGACAGCACCAACGTGTCCGATACGGCAGCAAAGC
CTTTGGGAAGACCATATCCTCCATACTCCTTGGCCGATTTCTCTTGGAACAACATCACTGATT
CATTGGATCCTGCCACCCTGAGTGCCACATTTCAAGGCCACCCCATGAACGACCCTACCAGGA
CTTTTGCCAATGGCAGCCTGGCCTTCAGGGTCCAGGCCTTTTCCAGGTCCAGCCGACCAGCCC
AACCCCTCGCCTCCTGCACACAGCAGACACCTGTCAGCTAGAGGTGGCCCTGATTGGAGCCT
CTCCCCGGGGAAACCGTTCCTGTTTGGGCTGGAGGTAGCCACATTGGGGCCAGGGCCCTGACT
GCCCCCTCAATGCAGGAGCAGCACTCCATCGACGATGAATATGCACCGGCCGTCTTCCAGTTGG
ACCAGCTACTGTGGGGCTCCCTCCCATCAGGCTTTGCACAGTGGCGACCAGTGGCTTACTCCC
AGAAGCCGGGGGGCCGAGAATCAGCCCTGCCCTGCCAAGCTTCCCCCTCTTCATCCTGCCTTAG
CATACTCTCTTCCCCAGTCACCCATTGTCCGAGCCTTCTTTGGGTCCCAGAATAACTTCTGTG
CCTTCAATCTGACGTTTCGGGGCTTCCACAGGCCCTGGCTATTGGGACCAACACTACCTCAGCT
GGTCGATGCTCCTGGGTGTGGGCTTCCCTCCAGTGGACGGCTTGTCCCCACTAGTCCTGGGCA
TCATGGCAGTGGCCCTGGGTGCCCCAGGGCTCATGCTGCTAGGGGGCGGCTTGGTTCGTCTGC
TGCACCACAAGAAGTACTCAGAGTACCAGTCCATAAATTAAGGCCCGCTCTCTGGAGGGAAGG
ACATTACTGAACCTGTCTTGCTGTGCCTCGAACTCTGGAGGTTGGAGCATCAAGTTCCAGCC
GGCCCTTCACTCCCCCATCTTGCTTTTCTGTGGAACCTCAGAGGCCAGCCTCGACTTCCTGG
AGACCCCAGGTGGGGCTTCCTTCATACTTTGTTGGGGGACTTTGGAGGCGGGCAGGGGACAG
GGCTATTGATAAGGTCCCCTTGGTGTTCCTTCTGCATCTCCACACATTTCCCTTGGATGG
ACTTGCAGGCCATAATGAGAGGCATTCTGACTGGTTGGCTGCCCTGGAAGGCAAGAAAAATAGA
TTTATTTTTTTTCACAGGGAAAAAAAAAAAAA

258/550

FIGURE 258

MRGSVECTWGWGHCAPSPLLLWTLFFFAPFGLLGKTRQVSLEVIPNWLGPLQNLLHIRAVG
TNSTLHYVWSSLGPLAVVMVATNTPHSTLSINWSLLLSPEPDGGLMVLPKDSIQFSSALVFTR
LLEFDSTNVSDTAAPLGRPYPPYSLADFSWNNITDSLDPATLSATFQGHMNDPTRTFANGS
LAFRVQAFSRSSRPAQPPRLHTADTCQLEVALIGASPRGNRSLEFGLVATLGQGPDCPSMQE
QHSIDDEYAPAVFQLDQLLWGSPLPSGFAQWRPVAYSQKPGGRESALPCQASPLHPALAYSLPQ
SPIVRAFFGSQNNFCAFNLTFCASTGPGYWDQHYLSWSMLLGVGFPPVDGLSPLVLGIMAVAL
GAPGLMLLGGGLVLLLHHKKYSEYQSIN

Important features:

Signal peptide:

amino acids 1-35

Transmembrane domain:

amino acids 365-386

N-glycosylation sites:

amino acids 65-69, 95-99, 134-138, 159-163, 187-191, 230-234, 333-337

cAMP- and cGMP-dependent protein kinase phosphorylation site:

amino acids 397-401

N-myristoylation sites:

amino acids 3-9, 63-69, 235-241, 273-279, 292-298, 324-330

Leucine zipper pattern:

amino acids 371-393

259/550

FIGURE 259

CAGGCGGGCCCCGCGCGGCAGGGCCCTGGACCCGCGGGCTCCCGGGGATGGTGAGCAAGGCGCTGCTGCGCCT
CGTGTCTGCCGTCAACCGCAGGAGGATGAAGCTGCTGCTGGGCATCGCCTTGCTGGCCTACGTGCGCTCTGTTTG
GGGCAACTTCGTTAATATGAGGTCTATCCAGGAAAATGGTGAACATAAAATTGAAAGCAAGATTGAAGAGATGGT
TGAACCACTAAGAGAGAAAATCAGAGATTTAGAAAAAAGCTTTACCCAGAAATACCCACCAGTAAAGTTTTTATC
AGAAAAGGATCGGAAAAGAATTTTGATAACAGGAGGCGCAGGGTTTCGTGGGCTCCCATCTAACTGACAACTCAT
GATGGACGGCCACGAGGTGACCGTGGTGACAATTTCTTCACGGGCAGGAAGAGAAACGTGGAGCACTGGATCGG
ACATGAGAACTTCGAGTTGATTAAACCACGACGTGGTGAGCCCTCTACATCGAGGTTGACCAGATATACCATCT
GGCATCTCCAGCCTCCCTCCAACTACATGTATAATCCTATCAAGACATTAAAGACCAATACGATTGGGACATT
AAACATGTTGGGGCTGGCAAACGAGTCGGTGCCCGTCTGCTCCTGGCCTCCACATCGGAGGTGTATGGAGATCC
TGAAGTCCACCCTCAAAGTGAGGATTACTGGGGCCACGTGAATCCAATAGGACCTCGGGCCTGCTACGATGAAGG
CAAACGTGTTGCAGAGACCATGTGCTATGCCTACATGAAGCAGGAAGGCGTGGAAGTGCGAGTGGCCAGAATCTT
CAACACCTTTGGGCCACGCATGCACATGAACGATGGGCGAGTAGTCAGCAACTTCATCCTGCAGGCGCTCCAGGG
GGAGCCACTCACGGTATACGGATCCGGGTCTCAGACAAGGGCGTTCCAGTACGTCAGCGATCTAGTGAATGGCT
CGTGGCTCTCATGAACAGCAACGTCAGCAGCCCGGTCAACCTGGGGAACCCAGAAGAACACACAATCCTAGAATT
TGCTCAGTTAATTAAAAACCTTGTGGTAGCGGAAGTGAAATTCAGTTTCTCTCCGAAGCCCAGGATGACCCACA
GAAAAGAAAACCAGACATCAAAAAAGCAAAGCTGATGCTGGGGTGGGAGCCCGTGGTCCCGCTGGAGGAAGGTTT
AAACAAAGCAATTCATACTTCCGTAAAGAACTCGAGTACCAGGCAAATAATCAGTACATCCCCAAACCAAAGCC
TGCCAGAATAAAGAAAGGACGGACTCGCCACAGCTTGAACTCCTCACTTTTAGGACACAAGACTACCATTGTACAC
TTGATGGGATGTATTTTGGCTTTTTTTGTGTCGTTAAAGAAAGACTTTAACAGGTGTCATGAAGAACAAC
TGGAATTTCACTCTGAAGCTTGCTTTAATGAAATGGATGTGCCTAAAAGCTCCCTCAAAAAACTGCAGATTTTG
CCTTGCACTTTTGAATCTCTCTTTTATGTAAATAGCGTAGATGCATCTCTGCGTATTTCAAGTTTTTTAT
CTTGCTGTGAGAGCATATGTTGTGACTGTCGTTGACAGTTTTATTTACTGGTTTCTTTGTGAAGCTGAAAAGGAA
CATTAAAGCGGGACAAAAAATGCCGATTTTATTTATAAAAGTGGGTACTTAATAAATGAGTCGTTATACTATGCAT
AAAGAAAAATCCTAGCAGTATTGTCAGGTGGTGGTGCGCCGGCATTGATTTTAGGGCAGATAAAAGAATTCTGTG
TGAGAGCTTTATGTTTCTCTTTAATTCAGAGTTTTTCCAAGGTCTACTTTTGAGTTGCAAACCTTGACTTTGAAA
TATTCCTGTTGGTCATGATCAAGGATATTTGAAATCACTACTGTGTTTTGCTGCGTATCTGGGGCGGGGGCAGGT
TGGGGGGCACAAAGTTAACATATTCTTGCTTAACCATGGTTAAATATGCTATTTTAATAAAATATTGAAACTCA

260/550

FIGURE 260

MVSKALLRLVSAVNRRRMKLLLGIALLAYVASVWGNFVNMRSIQENGELKIESKIEEMVEPLR
EKIRDLEKSFTQKYPPVKFLSEKDRKRILITGGAGFVGSHLTDKLMMDGHEVTVVDNFFTGRK
RNVEHWIGHENFELINHADVVEPLYIEVDQIYHLASPPNYMYPNPIKTLKTNTIGTLNMLGL
AKRVGARLLLASTSEVYGDPEVHPQSEDYWGHNPIGPRACYDEGKRVAETMCYAYMKQEGVE
VRVARIFNTFGPRMHMNDGRVVSFILQALQGEPLTVYSGSQTRAFQYVSDLVNLGLVALMNS
NVSSPVNLGNPEEHTILEFAQLIKNLVSGSGSEIQFLSEAQDDPQKRKPDIKKAKMLGWEPVV
PLEEGLNKAIHYFRKELEYQANNQYIPKPKPARIKKGRTRHS

Important features:

Signal peptide:

amino acids 1-32

N-glycosylation site:

amino acids 316-320

Tyrosine kinase phosphorylation site:

amino acids 235-244

N-myristoylation sites:

amino acids 35-41, 101-107, 383-389

Amidation sites:

amino acids 123-127, 233-237

261/550

FIGURE 261

GCGTGGTGCGGGGCGTGGGGAAATCGGGTTGCCCCAGCCGTTACTGGTCCGCGCAGTCAGGG
CATCCTCCGCATCCTCCACATCCTTCCATGGCTCTGAAGAATAAATTCAGTTGTTTATGGATC
TTGGGTCTGTGTTTGGTAGCCACTACATCTTCCAAAATCCCATCCATCACTGACCCACACTTT
ATAGACAACCTGCATAGAAGCCCACAACGAATGGCGTGGCAAAGTCAACCCTCCCGCGGCCGAC
ATGAAATACATGATTTGGGATAAAGGTTTAGCAAAGATGGCTAAAGCATGGGCAAACCAAGTGC
AAATTTGAACATAATGACTGTTTGGATAAATCATATAAATGCTATGCAGCTTTTGAATATGTT
GGAGAAAATATCTGGTTAGGTGGAATAAAGTCATTACACCAAGACATGCCATTACGGCTTGG
TATAATGAAACCCAATTTTATGATTTTGATAGTCTATCATGCTCCAGAGTCTGTGGCCATTAT
ACACAGTTAGTTTGGGCCAATTCATTTTATGTCGGTTGTGCAGTTGCAATGTGTCTAACCTT
GGGGGAGCTTCAACTGCAATATTTGTATGCAACTACGGACCTGCAGGAAATTTTGCAAATATG
CCTCCTTACGCAAGAGGAGAATCTTGCTCTCTCTGCTCAAAGAAGAGAAATGTGTAAAGAAC
CTCTGCAGGACTCCACAACCTTATTATACCTAACCAAAATCCATTTCTGAAGCCAACGGGGAGA
GCACCTCAGCAGACAGCCTTTAATCCATTCAGCTTAGGTTTTCTTCTTCTGAGAATCTTTTAA
TGTCATTTATATACAAAAGAAATCTCAAATGTTAAAATAAAGGAATAGTTTATTGCTTAATA

262/550

FIGURE 262

MALKNKFSLWILGLCLVATTSSKIPSITDPHFIDNCIEAHNEWRGKVNPPAADMKYMIWDKG
LAKMAKAWANQCKFEHNDCLDKSYKCYAAFEYVGENIWLGGIKSFTPRHAITAWYNETQFYDF
DSLSCSRVCGHYTQLVWANSFYVGCAVAMCPNLGGASTAIFVCNYGPAGNFANMPPYARGESC
SLCSKEEKCVKNLCRTPQLIIPNQNPFLKPTGRAPQQTAFNPFSLGFLLLRIF

Important features:

Signal peptide:

amino acids 1-23

N-glycosylation site:

amino acids 119-123

N-myristoylation sites:

amino acids 103-109, 150-156, 160-166, 161-167, 175-181

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 1:

amino acids 136-156

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 2:

amino acids 166-178

263/550

FIGURE 263

CGCCCTCCGACCCGCCCCGCGGCGCATTGTGGGATCTGTCGGCTTGTCAGGTGGTGGAGGAAA
AGGCGCTCCGTCATGGGGATCCAGACGAGCCCCGTCTGCTGGCCTCCCTGGGGGTGGGGCTG
GTCACTCTGCTCGGCCTGGCTGTGGGCTCCTACTTGGTTTCGGAGGTCCCGCCGGCCTCAGGTC
ACTCTCCTGGACCCCAATGAAAAGTACCTGCTACGACTGCTAGACAAGACGACTGTGAGCCAC
AACACCAAGAGGTTCCGCTTTGCCCTGCCCACCGCCCACCACACTCTGGGGCTGCCTGTGGGC
AAACATATCTACCTCTCCACCCGAATTGATGGCAGCCTGGTCATCAGGCCATACACTCCTGTC
ACCAGTGATGAGGATCAAGGCTATGTGGATCTTGTCATCAAGGTCTACCTGAAGGGTGTGCAC
CCCAAATTTCTGAGGGAGGGAAGATGTCTCAGTACCTGGATAGCCTGAAGGTTGGGGATGTG
GTGGAGTTTCGGGGGCCAAGCGGGTTGCTCACTTACACTGGAAAAGGGCATTTTAACATTTCAG
CCCAACAAGAAATCTCCACCAGAACCCCGAGTGGCGAAGAACTGGGAATGATTGCCGGCGGG
ACAGGAATCACCCCAATGCTACAGCTGATCCGGGCCATCCTGAAAGTCCCTGAAGATCCAACC
CAGTGCTTTCTGCTTTTGGCCAACCAGACAGAAAAGGATATCATCTTGCGGGAGGACTTAGAG
GAACTGCAGGCCCCGCTATCCCAATCGCTTTAAGCTCTGGTTCACCTCTGGATCATCCCCAAAA
GATTGGGCCTACAGCAAGGGCTTTGTGACTGCCGACATGATCCGGGAACACCTGCCCGCTCCA
GGGGATGATGTGCTGGTACTGCTTTGTGGGCCACCCCAATGGTGCAGCTGGCCTGCCATCCC
AACTTGGACAACTGGGCTACTCACAAAAGATGCGATTACCTACTAGGCATCCTCCAGCTTC
CCTGGTGCTGTTGCTGTCAGTTGTTCCCCATCAGTACTCAAGCACTATAAGCCTTAGATTCTT
TTCCTCAGAGTTTCAGGTTTTTTTTCAGTTACATCTAGAGCTGAAATCTGGATAGTACCTGCAGG
AACAATATTCCTGTAGCCATGGAAGAGGGCAAGGCTCAGTCACTCCTTGGATGGCCTCCTAAA
TCTCCCCGTGGCAACAGGTCCAGGAGAGGGCCCATGGAGCAGTCTCTTCCATGGAGTAAGAAGG
AAGGGAGCATGTACGCTTGGTCCAAGATTGGCTAGTTCCTTGATAGCATCTTACTCTCACCTT
CTTTGTGCTGTGATGAAAGGAACAGTCTGTGCAATGGGTTTTACTTAACTTCACTGTTCAA
CCTATGAGCAAATCTGTATGTGTGAGTATAAGTTGAGCATAGCATACTTCCAGAGGTGGTNTT
ATGGAGATGGCAAGAAAGGAGGAAATGATTTCTTCAGATNTCAAAGGAGTCTGAAATATCATA
TTTCTGTGTGTGTCTCTCTCAGCCCCTGCCAGGCTAGAGGGAAACAGCTACTGATAATCGAA
AACTGCTGTTTGTGGCANGAACCCCTGGCTGTGCAAATAAATGGGGCTGAGGCCCTGTGTGA
TATTGAAGA

264/550

FIGURE 264

MGIQTSPVLLASLGVGLVTLLGLAVGSYLVRRSRRPQVTLLDPNEKYLLRLLDKTTVSHNTR
FRFALPTAHTLGLPVGKHIYLSTRIDGSLVIRPYTPVTSDEDQGYVDLVIKVYLKGVHPKFP
EGGKMSQYLDLKVGDVVEFRGPSGLLTYTGKGHFNIQPNKKSPEPRVAKKLGMIAGGTGIT
PMLQLIRAILKVPEDPTQCFLLFANQTEKDIILREDLEELQARYPNRFLWFTLDHPPKDWAY
SKGFVTADMIREHLPAPGDDVLVLLCGPPPMVQLACHPNLDKLGYSQKMRFTY

Important features:

Signal peptide:

amino acids 1-26

N-glycosylation site:

amino acids 214-218

N-myristoylation sites:

amino acids 22-28,76-82,128-134,180-186

265/550

FIGURE 265

CCCGTGCCAAGAGTGACGTAAGTACCGCCTATAGAGTCTATAGGCCCACTTGGCTTCGTTAGA
ACGCGGCTACAATTAATACATAACCTTATGTATCATACATACGATTTAGGTGACACTATAG
AATAACATCCACTTTGCCTTTCTCTCCACAGGTGTCCACTCCCAGGTCCAACCTGCACCTCGGT
TCTATCGATAATCTCAGCACCAGCCACTCAGAGCAGGGCACGATGTTGGGGGCCCGCTCAGG
CTCTGGGTCTGTGCCTTGTGCAGCGTCTGCAGCATGAGCGTCCTCAGAGCCTATCCCAATGCC
TCCCCACTGCTCGGCTCCAGCTGGGGTGGCCTGATCCACCTGTACACAGCCACAGCCAGGAAC
AGCTACCACCTGCAGATCCACAAGAATGGCCATGTGGATGGCGCACCCCATCAGACCATCTAC
AGTGCCCTGATGATCAGATCAGAGGATGCTGGCTTTGTGGTGATTACAGGTGTGATGAGCAGA
AGATACCTCTGCATGGATTTTCAGAGGCAACATTTTTGGATCACACTATTTTCGACCCGGAGAAC
TGCAGGTTCCAACACCAGACGCTGGAAAACGGGTACGACGTCTACCACTCTCCTCAGTATCAC
TTCCTGGTCAGTCTGGGCCGGGCGAAGAGAGCCTTCCTGCCAGGCATGAACCCACCCCGTAC
TCCCAGTTCCTGTCCCGGAGGAACGAGATCCCCCTAATTCACCTCAACACCCCCATACCACGG
CGGCACACCCGGAGCGCCGAGGACGACTCGGAGCGGGACCCCTGAACGTGCTGAAGCCCCGG
GCCCCGATGACCCCGGCCCCGGCCTCCTGTTACAGGAGCTCCCGAGCGCCGAGGACAACAGC
CCGATGGCCAGTGACCCATTAGGGGTGGTCAGGGGCGGTGAGTGAACACGCACGCTGGGGGA
ACGGGCCCGGAAGGCTGCCGCCCTTCGCCAAGTTCATCTAGGGTCGCTGG

266/550

FIGURE 266

MLGARLRLWVCALCSVCSMSVLRAYPNASPLLGSWSGGLIHLYTATARNSYHLQIHKNGHVDG
APHQTIYSALMIRSEDAGFVVITGVMSRRYLCMDFRGNIFGSHYFDPENCRFQHQTLNGYDV
YHSPQYHFLVSLGRAKRAFLPGMNPPYPYSQFLSRRNEIPLIHFNTPIPRRHTRSAEDDSERDP
LNVLKPRARMTPAPASCSQELPSAEDNSPMASDPLGVVVRGGRVNT HAGGTGPEGCRPFAKFI

Important features:

Signal peptide:

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 175-179

N-myristoylation site.

amino acids 33-39, 100-106, 225-231, 229-235

HBGF/FGF family proteins

amino acids 73-124

267/550

FIGURE 267

GGCTGAGGGGAGGCCCGGAGCCTTCTGGGGCCTGGGGGATCCTCTTGCACTGGTGGGTGGAGAGAAGCGCCTGC
AGCCAACCAGGGTCAGGCTGTGCTCACAGTTTCTCTGGCGGCATGTAAAGGCTCCACAAAGGAGTTGGGAGTTC
AAATGAGGCTGTGCGGACGGCCTGAGGATGGACCCCAAGCCCTGGACCTGCCGAGCGTGGCACTGAGGCAGCGG
CTGACGCTACTGTGAGGAAAGAAGGTTGTGAGCAGCCCCGAGGACCCCTGGCCAGCCCTGGCCCCAGCCTCTG
CCGGAGCCCTCTGTGGAGGCAGAGCCAGTGGAGCCCAGTGAGGCAGGGCTGCTTGGCAGCCACCGGCCTGCAACT
CAGGAACCCCTCCAGAGGCCATGGACAGGCTGCCCCGCTGACGGCCAGGGTGAAGCATGTGAGGAGCCGCCCCGG
AGCCAAGCAGGAGGGAAGAGGCTTTCATAGATTCTATTACAAAGAATAACCACCATTTTGAAGGACCATGAGG
CCACTGTGCGTGACATGCTGGTGGCTCGGACTGCTGGTGCCATGGGAGCTGTTGCAGGCCAGGAGGACGGTTTT
GAGGGCACTGAGGAGGGCTCGCCAAGAGAGTTTATTACCTAAACAGGTACAAGCGGGCGGGCGAGTCCCAGGAC
AAGTGACCTACACCTTCATTGTGCCCCAGCAGCGGGTACGGGTGCCATCTGCGTCAACTCCAAGGAGCCTGAG
GTGCTTCTGGAGAACCAGTGCATAAGCAGGAGCTAGAGCTGCTCAACAATGAGCTGCTCAAGCAGAAGCGGCAG
ATCGAGACGCTGCAGCAGCTGGTGGAGGTGGACGGCGGCATTGTGAGCGAGGTGAAGCTGCTGCGCAAGGAGAGC
CGCAACATGAACTCGCGGGTCACGCAGCTCTACATGCAGCTCCTGCACGAGATCATCCGCAAGCGGGACAACCGG
TTGGAGCTCTCCAGCTGGAGAACAGGATCCTGAACCAGACAGCCGACATGCTGCAGCTGGCCAGCAAGTACAAG
GAGCTGGAGCACAAGTACCAGCACCTGGCCACACTGGCCCAACAACCAATCAGAGATCATCGCGCAGCTTGAGGAG
CACTGCCAGAGGGTGCCCTCGGCCAGGCCCGTCCCCAGCCACCCCCGCTGCCCCGCCCCGGGTCTACCAACCA
CCCACCTACAACCGCATCATCAACCAGATCTCTACCAACGAGATCCAGAGTGACCAGAACCTGAAGGTGCTGCCA
CCCCCTCTGCCCACTATGCCCACTCTCACCAGCCTCCCATCTTCCACCGACAAGCCGTCGGGCCCCATGGAGAGAC
TGCCTGCAGGCCCTGGAGGATGGCCACGACACCAGCTCCATCTACCTGGTGAAGCCGGAGAACACCAACCGCCTC
ATGCAGGTGTGGTGCAGACCAGAGACACGACCCCGGGGGCTGGACCGTCATCCAGAGACGCCTGGATGGCTCTGTT
AACTTCTTCAGGAACCTGGGAGACGTACAAGCAAGGGTTTGGGAACATTGACGGCGAATACTGGCTGGGCCCTGGAG
AACATTTACTGGCTGACGAACCAAGGCAACTACAACTCCTGGTGACCATGGAGGACTGGTCCGGCCGCAAAGTC
TTTGAGAATACGCCAGTTTCCGCCTGGAACCTGAGAGCGAGTATTATAAGCTGCGGCTGGGGCGCTACCATGGC
AATGCGGGTGACTCCTTTACATGGCACAACGGCAAGCAGTTCACCACCCTGGACAGAGATCATGATGTCTACACA
GGAACTGTGCCCCACTACCAGAAGGGAGGCTGGTGGTATAACGCCTGTGCCCACTCCAACCTCAACGGGGTCTGG
TACCGCGGGGGCCATTACCGGAGCCGCTACCAGGACGGAGTCTACTGGGCTGAGTTCGAGGAGGCTCTTACTCA
CTCAAGAAAGTGGTGATGATGATCCGACCGAACCCCAACACCTTCCACTAAGCCAGCTCCCCCTCCTGACCTCTC
GTGGCCATTGCCAGGAGCCCACCCTGGTCACGCTGGCCACAGCACAAAGAACAACCTCCTCACCAGTTCATCCTGA
GGCTGGGAGGACCGGGATGCTGGATTCTGTTTTCCGAAGTCACTGCAGCGGATGATGGAAGTGAATCGATACGGT
GTTTTCTGTCCCTCTACTTTCCTTACACCAGACAGCCCCTCATGTCTCCAGGACAGGACAGGACTACAGACAA
CTCTTTCTTTAAATAAATTAAGTCTCTACAATAAAAAAA

268/550

FIGURE 268

MRPLCVTCWWLGLLAAMGAVAGQEDGFEGTEEGSPREFIYLNRYKRAGESQDKCTYTFIVPQQ
RVTGAICVNSKEPEVLLNENRVHKQELELLNNELLKQKRQIETLQQLVEVDGGIVSEVKLLRKE
SRNMNSRVLTQLYMQLLHEIIRKRDNALELSQLENRIINQTADMLQLASKYKDLEHKYQHLATL
AHNQSEIIAQLEEHCCQRPVSARPVPPPPAAPPRVYQPPTYNRIINQISTNEIQSDQNLKVL
PPLPTMPTLTSLPSSTDKPSGPWRDCLQALEDGHDTSIIYLVKPENTNRLMQVWCDQRHDPGG
WTVIQRRLDGSVNFFRNWETKQGFNIDGEYWLGLENIYWLTNQGNKLLVTMEDWSGRKVF
AEYASFRLEPESEYYKLRLGRYHGNAGDSFTWHNGKQFTTLDRDHDVYTGNAHYQKGGWWYN
ACAHSNLNGVWYRGGHYRSRYQDGVYWAEFRGGSYSLKKVMMIRPNPNTFH

Important features:**Signal peptide:**

amino acids 1-22

N-glycosylation sites:

amino acids 164-168, 192-196

cAMP- and cGMP-dependent protein kinase phosphorylation site:

amino acids 124-128

Tyrosine kinase phosphorylation sites:

amino acids 177-184, 385-393, 385-394, 461-468

N-myristoylation sites:amino acids 12-18, 18-24, 22-28, 29-35, 114-120, 341-347, 465-471,
473-479**Amidation site:**

amino acids 373-377

Fibrinogen beta and gamma chains C-terminal domain signature:

amino acids 438-451

Fibrinogen beta and gamma chains C-terminal domain proteins:

amino acids 305-343, 365-402, 411-424, 428-458

Trehalase proteins:

amino acids 275-292

269/550

FIGURE 269

GCCGAGCTGAGCGGATCCTCACATGACTGTGATCCGATTCTTTCCAGCGGCTTCTGCAACCAA
GCGGGTCTTACCCCCGGTCTCCGCGTCTCCAGTCTCGCACCTGGAACCCCAACGTCCCCGA
GAGTCCCCGAATCCCCGCTCCCAGGCTACCTAAGAGGATGAGCGGTGCTCCGACGGCCGGGGC
AGCCCTGATGCTCTGCGCCGCCACCGCCGTGCTACTGAGCGCTCAGGGCGGACCCGTGCAGTC
CAAGTCGCCGCGCTTTGCGTCTGGGACGAGATGAATGTCCTGGCGCACGGACTCCTGCAGCT
CGGCCAGGGGCTGCGCGAACACGCGGAGCGCACCCGAGTCAGCTGAGCGCGCTGGAGCGGGC
CCTGAGCGCGTGGGGTCCGCTGTCAGGGAACCGAGGGGTCCACCGACCTCCCGTTAGCCCC
TGAGAGCCGGGTGGACCTGAGGTCTTCACAGCCTGCAGACACAACTCAAGGCTCAGAACAG
CAGGATCCAGCAACTCTTCCACAAGGTGGCCAGCAGCAGCGGCACCTGGAGAAGCAGCACCT
GCGAATTACAGCATCTGCAAAGCCAGTTTGGCCTCCTGGACCACAAGCACCTAGACCATGAGGT
GGCCAAGCCTGCCCGAAGAAAGAGGCTGCCAGATGGCCAGCCAGTTGACCCGGCTCACAA
TGTACGCCGCTGCACCGGCTGCCAGGGATTGCCAGGAGCTGTTCCAGGTGGGGAGAGGCA
GAGTGGACTATTTGAAATCCAGCCTCAGGGGTCTCCGCCATTTTTGGTGAAGTCAAGATGAC
CTCAGATGGAGGCTGGACAGTAATTCAGAGGCGCCACGATGGCTCAGTGGACTTCAACCGGCC
CTGGGAAGCCTACAAGGCGGGGTTTGGGGATCCCCACGGCGAGTTCTGGCTGGGTCTGGAGAA
GGTGCATAGCATCACGGGGGACCGCAACAGCCGCTGGCCGTGCAGCTGCGGGACTGGGATGG
CAACGCCGAGTTGCTGCAGTTCTCCGTGCACCTGGGTGGCGAGGACACGGCCTATAGCCTGCA
GCTCACTGCACCCGTGGCCGGCCAGCTGGGCGCCACCACCGTCCCACCCAGCGGCCTCTCCGT
ACCCTTCTCCACTTGGGACCAGGATCACGACCTCCGACGGGACAAGAACTGCGCCAAGAGCCT
CTCTGGAGGCTGGTGGTTTGGCACCTGCAGCCATTCCAACCTCAACGGCCAGTACTTCCGCTC
CATCCCACAGCAGCGGCAGAAGCTTAAGAAGGGAATCTTCTGGAAGACCTGGCGGGGCCGCTA
CTACCCGCTGCAGGCCACCAACATGTTGATCCAGCCCATGGCAGCAGAGGCAGCCTCCTAGCG
TCCTGGCTGGGCCTGGTCCCAGGGCCACGAAAGACGGTGACTCTTGGCTCTGCCGAGGATGT
GGCCGTTCCCTGCCTGGGCAGGGGCTCCAAGGAGGGGCCATCTGGAAACTTGTGGACAGAGAA
GAAGACCACGACTGGAGAAGCCCCCTTTCTGAGTGCAGGGGGGCTGCATGCGTTGCCTCCTGA
GATCGAGGCTGCAGGATATGCTCAGACTCTAGAGGCGTGGACCAAGGGGCATGGAGCTTCACT
CCTTGCTGGCCAGGGAGTTGGGGACTCAGAGGGACCACTTGGGGCCAGCCAGACTGGCCTCAA
TGGCGGACTCAGTCACATTGACTGACGGGGACAGGGCTTGTGTGGGTCGAGAGCGCCCTCAT
GGTGCTGGTGCTGTTGTGTGTAGGTCCCCTGGGGACACAAGCAGGCGCCAATGGTATCTGGGC
GGAGCTCACAGAGTTCTTGAATAAAAGCAACCTCAGAACAC

270/550

FIGURE 270

MTVIRFFPAASATKRVLPVLRVSSPRTWNPVPEPRIPAPRLPKRMSGAPTAGAALMLCAA
TAVLLSAQGGPVQSKSPRFASWDEMNVLAHGLLQLGQGLREHAERTRSQLSALERRLSACGSA
CQGTGSTDLPLAPESRVDPEVLHSLQTQLKAQNSRIQQLFHKVAQQQRHLEKQHLRIQHLQS
QFGLLDHKHLDHEVAKPARRKRLPEMAQPVDPAHNVSRHLRLPRDCQELFQVGERQSGLFQIQ
PQGSPPFLVNCKMTSDGGWTVIQRRHDGSDFNRPWEAYKAGFGDPHGEFWLGLEKVHSITGD
RNSRLAVQLRDWDGNAELLQFSVHLGGEDTAYSLQLTAPVAGQLGATTVPSPGLSVPFSTWDQ
DHDLRDKNCAKSLSGGWFEFTCSHSLNGQYFRSIPQQRQKLKKGIFWKTWRGRYYPLQATT
MLIQPMAEEAAS

Important features:

Signal peptide:

Amino acids 1-13

Transmembrane domain:

Amino acids 53-70

N-glycosylation site:

Amino acids 224-228

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 46-50;118-122

N-myristoylation sites:

Amino acids 50-56;129-135;341-347;357-363

Fibrinogen beta and gamma chains C-terminal domain signature:

Amino acids 396-409

271/550

FIGURE 271

CGGACGCGTGGGGGAAACCCTTCCGAGAAAACAGCAACAAGCTGAGCTGCTGTGACAGAGGGG
AACAAGATGCGCGCGCCGAAGGGGAGCCTCTGGGTGAGGACCCAACTGGGGCTCCCGCCGCTG
CTGCTGCTGACCATGGCCTTGCCGGAGGTTCTGGGGACCGCTTCGGCTGAAGCATTGACTCG
GTCTTGGGTGATACGGCGTCTTGCCACCGGGCCTGTCAGTTGACCTACCCCTTGACACACCTAC
CCTAAGGAAGAGGAGTTGTACGCATGTCAGAGAGGTTGCAGGCTGTTTTCAATTTGTCAGTTT
GTGGATGATGGAATTGACTTAAATCGAACTAAATTGGAATGTGAATCTGCATGTACAGAAGCA
TATCCCAATCTGATGAGCAATATGCTTGCCATCTTGTTGCCAGAATCAGCTGCCATTTCGCT
GAACTGAGACAAGAACAACCTTATGTCCCTGATGCCAAAATGCACCTACTCTTTCCTCTAACT
CTGGTGAGGTCATTCTGGAGTGACATGATGGACTCCGCACAGAGCTTCATAACCTCTTCATGG
ACTTTTTATCTTCAAGCCGATGACGGAAAAATAGTTATATTCCAGTCTAAGCCAGAAATCCAG
TACGCACCACATTTGGAGCAGGAGCCTACAAATTTGAGAGAATCATCTCTAAGCAAAATGTCC
TATCTGCAAATGAGAAATTCACAAGCGCACAGGAATTTTCTTGAAGATGGAGAAAGTGATGGC
TTTTTAAGATGCCTCTCTCTTAACTCTGGGTGGATTTTAACTACAACCTCTTGTCCTCTCGGTG
ATGGTATTGCTTTGGATTTGTTGTGCAACTGTTGCTACAGCTGTGGAGCAGTATGTTCCCTCT
GAGAAGCTGAGTATCTATGGTGAAGTTTATGAATGAACAAAAGCTAAACAGATATCCA
GCTTCTTCTCTTGTGGTTGTTAGATCTAAAAGTGAAGATCATGAAGAAGCAGGGCCTCTACCT
ACAAAAGTGAATCTTGCTCATTCTGAAATTTAAGCATTTTTCTTTTAAAAGACAAGTGTAATA
GACATCTAAAATCCACTCCTCATAGAGCTTTTAAAATGGTTTCATTGGATATAGGCCTTAAG
AAATCACTATAAAATGCAAATAAAGTTACTCAAATCTGTG

272/550

FIGURE 272

MAAPKGS LWVRTQLGLPPLLLLT MALAGGSGTASAEAFDSVLGDTASCHRA CQLTYPLHTYPK
EEELYACQRGCR LFSICQFVDDGIDLNR TKLECESACTEAYSQSDEQYACHLGCQNQLPFAEL
RQEQLMSLMPKMHLLFPLTLVRSFWSDMMDSAQS FITSSWTFY LQADDGKIVIFQSKPEIQYA
PHLEQEPTNLRESSLSKMSYLQMRNSQAHRNFLEDGESDGF LRCLSLNSGWILTTTLVLSVMV
LLWICCATVATAVEQYVPSEKLSIYGDLEFMNEQKLNRYPASSLVVVR SKTEDHEEAGPLPTK
VNLAHSEI

Important features:**Signal peptide:**

amino acids 1-31

Transmembrane domain:

amino acids 241-260

N-glycosylation site:

amino acids 90-94

N-myristoylation sites:

amino acids 28-34, 29-35, 31-37, 86-92

273/550

FIGURE 273

CCCACGCGTCCGAACCTCTCCAGCGATGGGAGCCGCCCGCCTGCTGCCCAACCTCACTCTGTG
CTTACAGCTGCTGATTCTCTGCTGTCAAACCTCAGTACGTGAGGGACCAGGGCGCCATGACCGA
CCAGCTGAGCAGGCGGCAGATCCGCGAGTACCAACTCTACAGCAGGACCAGTGGCAAGCACGT
GCAGGTCACCGGGCGTCGCATCTCCGCCACCGCCGAGGACGGCAACAAGTTTGCCAAGCTCAT
AGTGGAGACGGACACGTTTGGCAGCCGGGTTCGCATCAAAGGGGCTGAGAGTGAGAAGTACAT
CTGTATGAACAAGAGGGGCAAGCTCATCGGAAGCCCAGCGGGAAGAGCAAAGACTGCGTGTT
CACGGAGATCGTGCTGGAGAACAATAACGGCCTTCCAGAACGCCCGGCACGAGGGCTGGTT
CATGGCCTTACGCGGCAGGGGCGGCCCCGCCAGGCTTCCCGCAGCCGCCAGAACCAGCGCGA
GGCCCACTTCATCAAGCGCCTCTACCAAGGCCAGCTGCCCTTCCCCAACCCACGCCGAGAAGCA
GAAGCAGTTCGAGTTTGTGGGCTCCGCCCCCACC CGCCGACCAAGCGCACACGGCGGCCCCA
GCCCCTCACGTAGTCTGGGAGGCAGGGGGCAGCAGCCCCTGGGCCGCTCCCCACCCCTTTCC
CTTCTTAATCCAAGGACTGGGCTGGGGTGGCGGGAGGGGAGCCAGATCCCCGAGGGAGGACCC
TGAGGGCCGCGAAGCATCCGAGCCCCCAGCTGGGAAGGGGCAGGCCGGTGCCCCAGGGGCGGC
TGGCACAGTGCCCCCTTCCCGACGGGTGGCAGGCCCTGGAGAGGAACTGAGTGTACCCCTGA
TCTCAGGCCACCAGCCTCTGCCGGCCTCCAGCCGGGCTCCTGAAGCCCGCTGAAAGGTCAGC
GACTGAAGGCCTTGCAGACAACCGTCTGGAGGTGGCTGTCCTCAAAATCTGCTTCTCGGATCT
CCCTCAGTCTGCCCCCAGCCCCCAAACCTCCTCCTGGCTAGACTGTAGGAAGGGACTTTTGTTT
GTTTGTTTGTTCAGGAAAAAAGAAAGGGAGAGAGAGGAAAATAGAGGGTTGTCCACTCCTCA
CATTCCACGACCCAGGCCTGCACCCCAACCCCAACTCCCAGCCCCGGAATAAAACCATTTTCC
TGC

274/550

FIGURE 274

MGAARLLPNLTLCQLLILCCQTQYVRDQGAMTDQLSRRQIREYQLYSRTSGKHVQVTGRRIS
ATAEDGNKFAKLIVETDTFGSRVRIKGAESEKYICMNRGKLGKPSGKSKDCVFTEIVLENN
YTAFQNARHEGWFMATRQGRPRQASRSRQNRQEAHFIRKRLYQGQLPFPNHAEKQKQFEFVGS
APTRRTKRTRRPQPLT

Important features:

Signal peptide:

Amino acids 1-22

N-glycosylation site.

amino acids 9-13, 126-130

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 60-64

Casein kinase II phosphorylation site.

amino acids 65-69

Tyrosine kinase phosphorylation site.

amino acids 39-48, 89-97

N-myristoylation site.

amino acids 69-75, 188-194

Amidation site.

amino acids 58-62

HBGF/FGF family signature.

amino acids 103-128

275/550

FIGURE 275

TATTTACCATATCAGATTCACATTCAGTCCTCAGCAAAATGAAGGGCTCCATTTTCACTCTGT
TTTTATTCTCTGTCCTATTTGCCATCTCAGAAAGTGC GGAGCAAGGAGTCTGTGAGACTCTGTG
GGCTAGAATACATACGGACAGTCATCTATATCTGTGCTAGCTCCAGGTGGAGAAGGCATCTGG
AGGGGATCCCTCAAGCTCAGCAAGCTGAGACAGGAAACTCCTTCCAGCTCCCACATAAACGTG
AGTTTTCTGAGGAAAATCCAGCGCAAAACCTTCCGAAGGTGGATGCCTCAGGGGAAGACCGTC
TTTGGGGTGGACAGATGCCCCACTGAAGAGCTTTGGAAGTCAAAGAAGCATTCACTGATGTCAA
GACAAGATTTACAACTTTGTGTTGCACTGATGGCTGTTCCATGACTGATTTGAGTGCTCTTT
GCTAAAGACAAGAGCAAATACCCAATGGGTGGCAGAGCTTTATCACATGTTTAATTACAGTGTT
TTACTGCCTGGTAGAACACTAATATTGTGTTATTAAAATGATGGCTTTTGGGTAGGCAAAACCT
TCTTTTCTAAAAGGTATAGCTGAGCGGTTGAAACCACAGTGATCTCTATTTTCTCCCTTTGCC
AAGGTTAATGAACTGTTCTTTTCAAATTCTACTAATGCTTTGAAATTTCAAATGCTGCGCAAA
ATTGCAATAAAAAATGCTATAAA

276/550

FIGURE 276

MKGSIFTLFLFSVLFAISEVRSKESVRLCGLEYIRTVIYICASSRWRRLHLEGIPQAQQAETGN
SFQLPHKREFSEENPAQNLPKVDASGEDRLWGGQMPTEELWKSCKHVSMSRQDLQTLCCCTDGC
SMTDLSALC

Important features:

Signal sequence:

amino acids 1-18

cAMP- and cGMP-dependent protein kinase phosphorylation site:

amino acids 107-111

N-myristoylation sites:

amino acids 3-9, 52-58, 96-102, 125-131

Insulin family signature:

amino acids 121-136

Insulin family proteins:

amino acids 28-46

277/550

FIGURE 277

GCAGCTGGTTACTGCATTTCTCCATGTGGCAGACAGAGCAAAGCCACAACGCTTCTCTGCTGGATTAAAGACGG
CCCACAGACCAGAACTTCCACTATACTACTTAAATACATAGGTGGCTTGTCAAATTCATTTGATTAGTATTGT
AAAAGGAAAAAGAAAGTTCCCTTCTTACAGCTTGGATTCAACGGTCCAAAACAAAATGCAGCTGCCATTAAAGTCT
CAGATGAACAAACTTCTACACTGATTTTTAAATCAAGAATAAGGGCAGCAAGTTTCTGGATTCACTGAATCAAC
AGACACAAAAAGCTGGCAATATAGCAACTATGAAGAGAAAAGCTACTAATAAAATTAACCCAACGCATAGAAGAC
TTTTTTTTCTCTTCTAAAAACAATAAGTAAAGACTTAAATTTAAACACATCATTTTACACCTCATTTCAAAAT
GAAGACTTTTACCTGGACCCTAGGTGTGCTATTCTTCTACTAGTGGACACTGGACATTGCAGAGGTGGACAATT
CAAAATTAATAAAATTAACAGAGAAGATACCTCGTGCCACAGATGGTAAAGAGGAAGCAAGAAATGTGCATA
CACATTCTGGTACCTGAACAAAGAATAACAGGGCCAACTCTGTGTCAACACCAAGGGGCAAGATGCAAGTACCAT
TAAAGACATGATCACCAGGATGGACCTTGAAAACCTGAAGGATGTGCTCTCCAGGCAGAAGCGGGAGATAGATGT
TCTGCAACTGGTGGTGGATGTAGATGGAACATTGTGAATGAGGTAAAGCTGCTGAGAAAGGAAAGCCGTAACAT
GAACTCTCGTGTACTCTCAACTCTATATGCAATTATTACATGAGATTATCCGTAAGAGGGATAATTCACTTGAAC
TTCCCAACTGGAAAACAAAATCCTCAATGTCAACACAGAAATGTTGAAGATGGCAACAAGATACAGGGAACTAGA
GGTGAATACGCTTCTTGGACTGATCTTGTCAATAACCAATCTGTGATGATCACTTTGTTGGAAGAACAGTGCTT
GAGGATATTTCCCGACAAGACACCCATGTGTCTCCCCACTTGTCCAGGTGGTGCCACAACATATTTCTTAACAG
CCAACAGTATACTCCTGGTCTGCTGGGAGGTAACGAGATTGAGAGGATCCAGGTTATCCAGAGATTAAATGACC
ACCACCTGATCTGGCAACTTCTCCACCAAAAAGCCCTTCAAGATACCACCGGTAACCTTCATCAATGAAGGACC
ATTCAAAGACTGTGACGAAGCAAAAGAAGCTGGGCATTGCGTCAGTGGGATTATATGATTAAACCTGAAAACAG
CAATGGACCAATGCAGTTATGGTGTGAAAACAGTTTGGACCCTGGGGGTGGACTGTTATTGAGAAAGAACAGA
CGGCTCTGTCAACTTCTTCAGAAATTGGGAAAATTATAAGAAAGGTTTGGAAACATTGACGGAGAATACTGGCT
TGGACTGGAAAATATCTATATGCTTAGCAATCAAGATAATTACAAGTTATTGATTGAATAGAAAGACTGGAGTGA
TAAAAAAGTCTATGAGAATACAGCAGCTTTCGTCTGGAACCTGAAAGTGAATCTATAGACTCGCCTGGGAAC
TTACCAGGGAATGCAGGGGATTCTATGATGTGGCATAATGGTAAACAATTCAACACACTGGACAGAGATAAAGA
TATGTATGCAGGAACTGCGCCCACTTTCATAAAGGAGGCTGGTGATCAATGCCTGTGCACATTCTAACCTAAA
TGGAGTATGGTACAGAGGAGGCCATTACAGAAGCAAGCAACCAAGATGGAATTTCTGGGCCGAATACAGAGGCCG
GTCATACTCCTTAAGAGCAGTTCAGATGATGATCAAGCCTATTGACTGAAGAGAGACACTCGCCAATTTAAATGA
CACAGAACTTTGTACTTTTCAGCTCTTAAAAATGTAATGTTACATGTATATTACTTGGCACAATTTATTTCTAC
ACAGAAAGTTTTTAAATGAATTTTACCGTAACATAAAAGGGAACCTATAAATGTAGTTTCATCTGTCGTCAT
TACTGCAGAAAATTTATGTGTATCCACAACCTAGTTATTTTAAAAATTATGTTGACTAAATACAAAGTTTGTTC
TAAATGTAATATTTGCCACAATGTAAAGCAAATCTTAGCTATATTTTAAATCATAAATAACATGTTCAAGATA
CTTAACAATTTATTTAAATCTAAGATTGCTCTAACGCTCTAGTGAAAAAATATTTTTTAAATTTAGCCAAATA
ATGCATTTTATTTTATAAAAAATACAGACAGAAAATTAGGGAGAACTTCTAGTTTGGCCAATAGAAAATGTTCTT
CCATTGAATAAAAGTTATTTCAAATTGAATTTGTGCCCTTTCACACGTAATGATTAAATCTGAATCTTAATAATA
TATCCTATGCTGATTTTCCCAAAACATGACCCATAGTATTAATACATATCATTTTTTAAAAATAAAAAAACCC
AAAAATAATGCATGCATAATTTAAATGGTCAATTTATAAGACAAATCTATGAATGAATTTTTCAGTGTTATCTT
CATATGATATGCTGAACACCAAAATCTCCAGAAATGCATTTTATGTAGTTCTAAAATCAGCAAAATATTGGTATT
ACAAAATGCAGAAATATTTAGTGTGCTACAGATCTGAATTATAGTTCTAATTTATTATTACTTTTTTCTAATTT
ACTGATCTTACTACTACAAAGAAAAAAAACCCAAACCATCTGCAATTCAAATCAGAAAGTTTGGACAGCTTTAC
AAGTATTAGTGCATGCTCAGAACAGGTGGGACTAAAACAAACTCAAGGAAGTGTGGCTGTTTTCCGATACTGA
GAATTCACAGCTCCAGAGCAGAAGCCACAGGGGCTAGCTTAGTCCAACTGCTAATTTCAATTTACAGTGTAT
GTAACGCTTAGTCTCACAGTGTCTTTAACTCATCTTTGCAATCAACAACCTTACTAGTGACTTTCTGGAACAAT
TCCTTTAGGAATACATATTTACTGCTTAGAGGTGACCTTGCCCTAATATATTTGTGAAGTTAAATTTTAAAGA
TAGCTCATGAACTTTTGCTTAAGCAAAAAGAAAACCTCGAATGAAATGTGTGAGGCAAACTATGCATGGGAAT
AGCTTAATGTGAAGATAATCAATTTGGACAACCTCAATCCATCAACATGACCAATGTTTTTCATCTGCCACATCTC
AAAATAAACTTCTGGTGAACAAATTAACAAAATATCCAAACCTCAAAAAAA

278/550

FIGURE 278

MKTFTWTLGVLFLLVDTGHCRRGGQFKIKKINQRRYPRATDGKEEAKKCAYTFLVPEQRITGP
ICVNTKGQDASTIKDMITRMDLENLKDVLRSQKREIDVLQLVVDVDGNIVNEVKLLRKESRNM
NSRVTQLYMQLLHEIIRKRDNSLELSQLENKILNVTTEMLKMATRYRELEVKYASLTDLVNNQ
SVMITLLEEQCLRIFSRQDTHVSPPLVQVVPQHIPNSQQYTPGLLGGNEIQRDPGYPRDLMPP
PDLATSPTKSPFKIPPVTFINEGPFKDCQQAKEAGHSVSGIYMIKPENSNGPMQLWCENSLDP
GGWTVIQKRTDGSVNFFRNWENYKKGFGNIDGEYWLGLENIYMLSNQDNYKLLIELEDWSDKK
VYAEYSSFRLEPESEFYRLRLGTYYQGNAGDSMMWHNGKQFTTLDRDKDMYAGNCAHFHKGGWW
YNACAHSNLNGVWYRGGHYRSKHQDGIFWAEYRGGSYSLRAVQMMIKPID

Important features:**Signal sequence:**

Amino acids 1-23

N-glycosylation sites:

Amino acids 160-164;188-192

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 120-124

Tyrosine kinase phosphorylation sites:

Amino acids 173-180;387-396

N-myristoylation sites:Amino acids 70-76;110-116;232-238,343-349;400-406;467-473;
475-487**Fibrinogen beta and gamma chains C-terminal domain signature:**

Amino acids 440-453

279/550

FIGURE 279

CCCACGCGTCCGCGCAGTCGCGCAGTTCTGCCTCCGCCTGCCAGTCTCGCCCCGCGATCCCGGC
CCGGGGCTGTGGCGTCGACTCCGACCCAGGCAGCCAGCAGCCCCGCGCGGGAGCCGGACCGCCG
CCGGAGGAGCTCGGACGGCATGCTGAGCCCCCTCCTTTGCTGAAGCCCGAGTGC GGAGAAGCC
CGGGCAAACGCAGGCTAAGGAGACCAAAGCGGCGAAGTCGCGAGACAGCGGACAAGCAGCGGA
GGAGAAGGAGGAGGAGGCGAAGCCAGAGAGGGGCGAGCAAAAGAAGCGGTGGTGGTGGGCGTCG
TGGCCATGGCGGCGGCTATCGCCAGCTCGCTCATCCGTCAGAAGAGGCAAGCCCCGCGAGCGCG
AGAAATCCAACGCCTGCAAGTGTGTCAGCAGCCCCAGCAAAGGCAAGACCAGCTGCGACAAAA
ACAAGTTAAATGTCTTTTCCCGGGTCAAACCTCTTCGGCTCCAAGAAGAGGCGCAGAAGAAGAC
CAGAGCCTCAGCTTAAGGGTATAGTTACCAAGCTATACAGCCGACAAGGCTACCACTTG CAGC
TGCAGGCGGATGGAACCATTTGATGGCACCAAAGATGAGGACAGCACTTACACTCTGTTTAACC
TCATCCCTGTGGGTCTGCGAGTGGTGGCTATCCAAGGAGTTCAAACCAAGCTGTACTTGGCAA
TGAACAGTGAGGGATACTTGTACACCTCGGAACCTTTTCACACCTGAGTGCAAATTCAAAGAAT
CAGTGTTTTGAAAATTATTATGTGACATATTCATCAATGATATACCGTCAGCAGCAGTCAGGCC
GAGGGTGGTATCTGGGTCTGAACAAAGAAGGAGAGATCATGAAAGGCAACCATGTGAAGAAGA
ACAAGCCTGCAGCTCATTTTCTGCCTAAACCACTGAAAGTGGCCATGTACAAGGAGCCATCAC
TGCACGATCTCACGGAGTTCTCCCGATCTGGAAGCGGGACCCCAACCAAGAGCAGAAGTGTCT
CTGGCGTGCTGAACGGAGGCAAATCCATGAGCCACAATGAATCAACGTAGCCAGTGAGGGCAA
AAGAAGGGCTCTGTAACAGAACCTTACCTCCAGGTGCTGTTGAATTCTTCTAGCAGTCCTTCA
CCCAAAGTTCAAATTTGTCAGTGACATTTACCAAACAAACAGGCAGAGTTCACTATTCTATC
TGCCATTAGACCTTCTTATCATCCATACTAAAGC

280/550

FIGURE 280

MAAAIASSLIRQKRQAREREKSNACKCVSSPSKGKTSCDKNKLNVSFVKLFSGSKRRRRRPE
PQLKGIVTKLYSRQGYHLQLQADGTIDGTDKEDSTYTLFNLIPVGLRVVAIQGVQTKLYLAMN
SEGLYLTSELFTECKFKESVFENYYVTYSSMIYRQQQSGRGWYLGLENKEGEIMKGNHVKKNK
PAAHFLPKPLKVAMYKEPSLHDLTEFSRSGSGTPTKRSVSGVLNGGKSMHNEST

Important Features:

N-glycosylation site:

Amino acids 242-246

Glycosaminoglycan attachment sites:

Amino acids 165-169, 218-222

Tyrosine kinase phosphorylation site:

Amino acids 93-100

N-myristoylation sites:

Amino acids 87-93, 231-237

ATP/GTP-binding site motif A (P-loop):

Amino acids 231-239

HBGF/FGF family proteins:

Amino acids 78-94, 102-153

281/550

FIGURE 281

CCAGGATGGAGCTGGGGCCTGTATAGCCATATTATTGTTCTATGCTACTAGACATGGGGGGGA
CTTGGTGAAAAAGGTATTATCCAGCCAGAGGGTCTGGGAGCCCTGTCTTACTGAACCTGGGCA
ACCTGGATATTCTGAGACATATTTTGGGGGGATTTCAGTGAAAAAAGTGGGGGATCCCCTCCA
TTTAGAGTGTAGCAAAGGAAAAAACCAAGGTTGGGTTCCCTTCCTGACATTGGCAGTGCCCC
AGTAGGGGTGGGATGAGCGAATATTCCTCAAAGCTAAAGTCCCACACCCTGTAGATTACAAGAG
TGGATTTGGCAGGAGTGTGCCCCAAAATACAGTGGAAAGGTGCCTGAAGATATTTAAACCACG
TCTTGGAATTTAGTGGGTCTTGGCTTTGGGATAGGTGAAGTGAGGACAGACACTGGAGAGGA
GGGAAAGGGGACGTTTTCAATAGGAGGCAAACTCGAGGGTGGGATCCACTGAGGAGTACATA
GGCTGCTGGATCTGGTGGAGCCAGCACTGGGCCCACGGGTGGTAACTGGCTGCTGTGGAGGGG
GGTACGTGAGGGGGGGGTCTGGGGCTTATCCTCAGGTCCTGTGGGTGGGGCAGCGAGTCGGGG
CCTGAGCGTCAAGAGCATGCCCTAGTGAGCGGGCTCCTCTGGGGGAGCCCAGCGCGCTCCGGG
CGCCTGCCGGTTTGGGGGTGTCTCCTCCCGGGGCGCTATGGCGGCGCTGGCCAGTAGCCTGAT
CCGGCAGAAGCGGGAGGTCCGCGAGCCCCGGGGGCGAGCCGGCCGGTGTGCGGCGAGCGGCGCGT
GTGTCCCCGCGGCACCAAGTCCCTTTGCCAGAAGCAGCTCCTCATCCTGCTGTCCAAGGTGCG
ACTGTGCGGGGGGCGGCCCCGCGCGGCGGACCGCGGCCCCGGAGCCTCAGCTCAAAGGCATCGT
CACCAAAGTGTCTGCCGCCAGGGTTTCTACCTCCAGGCGAATCCCGACGGAAGCATCCAGGG
CACCCCAGAGGATACCAGCTCCTTCAACCACTTCAACCTGATCCCTGTGGGCCTCCGTGTGGT
CACCATCCAGAGCGCCAAGCTGGGTCACTACATGGCCATGAATGCTGAGGGACTGCTCTACAG
TTCGCCGCATTTACAGCTGAGTGTGCTTTAAGGAGTGTGTCTTTGAGAATTACTACGTCCT
GTACGCCTCTGCTCTCTACCGCCAGCGTCGTTCTGGCCGGGCCTGGTACCTCGGCCTGGACAA
GGAGGGCCAGGTCATGAAGGGAAACCGAGTTAAGAAGACCAAGGCAGCTGCCCACTTTCTGCC
CAAGCTCCTGGAGGTGGCCATGTACCAGGAGCCTTCTCTCCACAGTGTCCCCGAGGCCTCCCC
TTCCAGTCCCCCTGCCCCCTGAATGTAGTCCCTGGACTGGAGGTTCCCTGCACTCCCAGTGA
GCCAGCCACCACCACAACCTGT

282/550

FIGURE 282

MAALASSLIRQKREVREPGGSRPVSAQRRVCPRGTKSLCQKQLLILLSKVRLCGGRPARPDRG
PEPQLKGIVTKLFCRQGFYLOANPDGSIQGTPEDTSSFTHFNLIPVGLRVVTIQSAKLGHYMA
MNAEGLLYSSPHFTAECRFKECVFENYYVLYASALYRQRRSGRAWYLGLDKEGQVMKGNRVKK
TKAAAHFLPKLLEVAMYQEPSLHSVPEASPSSPPAP

Important features:

Tyrosine kinase phosphorylation site:

Amino acids 199-207

N-myristoylation sites:

Amino acids 54-60; 89-95; 131-137

HBGF/FGF family signature:

Amino acids 131-155

283/550

FIGURE 283

ATGGCCGCGGCCATCGCTAGCGGCTTGATCCGCCAGAAGCGGCAGGCGCGGGAGCAGCACTGG
GACCGGCCGTCTGCCAGCAGGAGGCGGAGCAGCCCCAGCAAGAACCGCGGGCTCTGCAACGGC
AACCTGGTGGATATCTTCTCCAAAGTGCGCATCTTCGGCCTCAAGAAGCGCAGGTTGCGGCGC
CAAGATCCCCAGCTCAAGGGTATAGTGACCAGGTTATATTGCAGGCAAGGCTACTACTTGCAA
ATGCACCCCGATGGAGCTCTCGATGGAACCAAGGATGACAGCACTAATTCTACACTCTTCAAC
CTCATACCAGTGGGACTACGTGTTGTTGCCATCCAGGGAGTGAAAACAGGGTTGTATATAGCC
ATGAATGGAGAAGGTTACCTCTACCCATCAGAACTTTTTACCCCTGAATGCAAGTTTAAAGAA
TCTGTTTTTGAAAATTATTATGTAATCTACTCATCCATGTTGTACAGACAACAGGAATCTGGT
AGAGCCTGGTTTTTTGGGATTAAATAAGGAAGGGCAAGCTATGAAAGGGAACAGAGTAAAGAAA
ACCAAACCAGCAGCTCATTTTCTACCCAAGCCATTGGAAGTTGCCATGTACCGAGAACCATCT
TTGCATGATGTTGGGGAAACGGTCCCGAAGCCTGGGGTGACGCCAAGTAAAAGCACAAAGTGCG
TCTGCAATAATGAATGGAGGCAAACCAGTCAACAAGAGTAAGACAACATAG

284/550

FIGURE 284

MAAAIASGLIRQKRQAREQHWDRPSASRRRSSPSKNRGLCNGNLVDIFSKVRIFGLKKRRLRR
QDPQLKGIVTRLYCRQGYLQMHPDGALDGTKDDSTNSTLFNLIPVGLRVVAIQGVKTGLYIA
MNGEGYLYPSELFTECKFKESVFENYYVIYSSMLYRQQESGRAWFLGLNKEGQAMKGNRVKK
TKPAAHFLPKPLEVAMYREPSLHDVGETVPKPGVTPSKSTSASAIMNGGKPVNKS KTT

Important features:

N-glycosylation sites:

Amino acids 100-104, 242-246

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 28-32, 29-33

Tyrosine kinase phosphorylation site:

Amino acids 199-207

N-myristoylation sites:

Amino acids 38-44, 89-95, 118-124, 122-128, 222-228

HBGF/FGF family proteins:

Amino acids 104-155, 171-198

285/550

FIGURE 285

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGCTGGTTCAGGTCCAGGTTTGGCTTTGA
TCCTTTTCAAAAAGTGGAGACACAGAAGAGGGCTCTAGGAAAAAGTTTGGATGGGATTATGTGGAACTACCTT
GCGATTCTCTGCTGCCAGAGCAGGCTCGGCGCTTCCACCCAGTGCAGCCTTCCCCTGGCGGTGGTGAAAGAGAC
TCGGGAGTCTGCTTCCAAAAGTGCCCGCGTGTAGTGAGCTCTACCCAGTGCAGCCAAATGAGCCTCTTCGGGC
TTCTCCTGCTGACATCTGCCCTGGCCGCCAGAGACAGGGGACTCAGGCGGAATCCAACCTGAGTAGTAAATTCC
AGTTTTCCAGCAACAAGGAACAGAACGGAGTACAAGATCCTCAGCATGAGAGAATTATTACTGTGTCTACTAATG
GAAGTATTCACAGCCCAAGGTTTCTCATACTTATCCAAGAAATACGGTCTTGGTATGGAGATTAGTAGCAGTAG
AGGAAAATGTATGGATACAACCTTACGTTTGTATGAAAGATTGGGCTTGAAGACCCAGAAGATGACATATGCAAGT
ATGATTTTGTAGAAGTTGAGGAACCCAGTGTGGAATATATTAGGGCGCTGGTGTGGTCTGGTACTGTACCAG
GAAAACAGATTTCTAAAGGAAATCAAATTAGGATAAGATTTGTATCTGATGAATATTTTCTTCTGAACCAGGT
TCTGCATCCACTACAACATTGTCTATGCCACAATTCACAGAAGCTGTGAGTCCTTCAGTGCTACCCCTTCAGCTT
TGCCACTGGACCTGCTTAATAATGCTATAACTGCCTTTAGTACCTTGAAGACCTTATTCGATATCTTGAACCAG
AGAGATGGCAGTTGGACTTAGAAGATCTATATAGGCCAAGTGGCAACTTCTTGGCAAGGCTTTTGTTTTGGAA
GAAAATCCAGAGTGGTGGATCTGAACCTTCTAACAGAGGAGGTAAGATTATACAGCTGCACACCTCGTAACCTCT
CAGTGTCCATAAGGGAAGAACTAAAGAGAACCGATACCATTTTCTGGCCAGGTTGTCTCCTGGTTAAACGCTGTG
GTGGGAACTGTGCCTGTGTCTCCACAATTGCAATGAATGTCAATGTGTCCCAAGCAAAGTTACTAAAAAATACC
ACGAGGTCTTCAGTTGAGACCAAGACCGGTGTGAGGGGATTGCACAAATCACTACCGACGTGGCCCTGGAGC
ACCATGAGGAGTGTGACTGTGTGTGCAGAGGGAGCACAGGAGGATAGCCGCATCACCAACAGCAGCTCTTGCCCA
GAGCTGTGCAGTGCAGTGGCTGATTCTATTAGAGAACGTATGCGTTATCTCCATCCTTAATCTCAGTTGTTTGTCT
TCAAGGACCTTTTCATCTTCAGGATTTACAGTGCAATCTGAAAGAGGAGACATCAACAGAATTAGGAGTTGTGCA
ACAGCTCTTTTGGAGAGGAGGCCTAAAGGACAGGAGAAAAGGTCTTCAATCGTGGAAAGAAAATTAAATGTTGTAT
TAAATAGATCACCAGCTAGTTTCAGAGTTACCATGTACGTATTCACCTAGCTGGGTCTGTATTTTCAGTTCTTTC
GATACGGCTTAGGGTAATGTGAGTACAGGAAAAAACTGTGCAAGTGCAGCCTGATTCGTTGCCTTGCTTAAC
TCTAAAGCTCCATGTCTGGGCCTAAAATCGTATAAAATCTGGATTTTTTTTTTTTTTTTGTCTCATATTCACAT
ATGTAAACCAGAACATTCTATGTACTACAACTGGTTTTTAAAAAGGAATATGTTGCTATGAATTAACTTGT
GTCATGCTGATAGGACAGACTGGATTTTTCATATTTCTTATTAATAATTTCTGCCATTTAGAAGAAGAGAACTACA
TTCATGGTTTGAAGAGATAAACCTGAAAAGAAGAGTGGCCTTATCTTCACTTTATCGATAAGTCAGTTTATTTG
TTTCATTGTGTACATTTTATATTTCTCTTTTGACATTATAACTGTTGGCTTTTCTAATCTTGTAAATATATCT
ATTTTTACCAAAGGTATTTAATATCTTTTTTATGACAACCTTAGATCAACTATTTTGTAGCTTGGTAAATTTTCT
AAACACAATTGTTATAGCCAGAGGAACAAAGATGATATAAAATATTGTTGCTCTGACAAAAATACATGTATTTCA
TTCTCGTATGGTGTAGAGTTAGATTAATCTGCATTTTAAAAAACTGAATTGGAATAGAATTGGTAAGTTGCAAA
GACTTTTTGAAAATAATTAAATTATCATATCTTCCATTCTGTATTGGAGATGAAAATAAAAAGCAACTTATGA
AAGTAGACATTGAGATCCAGCCATTACTAACCTATTCTTTTTTGGGGAAATCTGAGCCTAGCTCAGAAAAACAT
AAAGCACCTTGAAAAGACTTGGCAGCTTCTGTATAAGCGTGTGTGCTGTGCAGTAGGAACACATCCTATTTA
TTGTGATGTTGTGGTTTTATTATCTTAACTCTGTTCCATACACTTGTATAAATACATGGATATTTTTATGTACA
GAAGTATGTCTCTTAACGAGTTCACTTATTGTACTCTGGCAATTTAAAAGAAAATCAGTAAAATATTTTGTCTGT
AAAATGCTTAATATNGTGCCTAGGTTATGTGGTGAATTTGAATCAAAAATGTATTGAATCATCAAAATAAAGA
ATGTGGCTATTTTGGGGAGAAAATTAAAAAAGGTTTAGGGATAACAGGTAATGCGGCC

286/550

FIGURE 286

MSLFGLLLLSALAGQRQGTQAESNLSSKFQFSSNKEQNGVQDPQHERIITVSTNGSIHSPRF
PHTYPRNTVLVWRLVAVEENVWQLTFDERFGLEDPEDDICKYDFVEVEEPSDGTILGRWCGS
GTVPGKQISKGNQIRIRFVSDEYFPSEPGFCIHYNIVMPQFTEAVSPSVLPSPALPLDLLNNA
ITAFSTLEDLIRYLEPERWQLDLEDLYRPTWQLLGKAFVFGRKSRVVDLNLLEEVRLYSCTP
RNFSVSIREELKRTDTIFWPGCLLVKRCGGNCACCLHNCNECQCVPSKVTKKYHEVLQLRPKT
GVRGLHKSLTDVALEHHEECDCVCRGSTGG

Important features:

signal sequence:

Amino acids 1-14

N-glycosylation sites:

Amino acids 25-29;55-59;254-258

N-myristoylation sites:

Amino acids 15-21;117-123;127-133;281-287;282-288;319-325

Amidation site:

Amino acids 229-233

287/550

FIGURE 287

CAGCGCTGACTGCGCCGCGGAGAAAGCCAGTGGGAACCCAGACCCATAGGAGACCCGCGTCCC
CGCTCGGCCTGGCCAGGCCCCGCGCT**ATG**GAGTTCCTCTGGGCCCCCTCTCTTGGGTCTGTGCT
GCAGTCTGGCCGCTGCTGATCGCCACACCGTCTTCTGGAACAGTTCAAATCCCAAGTTCGGGA
ATGAGGACTACACCATAACATGTGCAGCTGAATGACTACGTGGACATCATCTGTCCGCACTATG
AAGATCACTCTGTGGCAGACGCTGCCATGGAGCAGTACATACTGTACCTGGTGGAGCATGAGG
AGTACCAGCTGTGCCAGCCCCAGTCCAAGGACCAAGTCCGCTGGCAGTGCAACCGGCCCCAGTG
CCAAGCATGGCCCCGAGAAGCTGTCTGAGAAGTTCCAGCGCTTCACACCTTTCACCCCTGGGCA
AGGAGTTCAAAGAAGGACACAGCTACTACTACATCTCCAAACCCATCCACCAGCATGAAGACC
GCTGCTTGAGGTTGAAGGTGACTGTCACTGAGTGGCAAAATCACTCACAGTCCTCAGGCCCCATGACA
ATCCACAGGAGAAGAGACTTGCAGCAGATGACCCAGAGGTGCGGGTTCTACATAGCATCGGTC
ACAGTGCTGCCCCACGCCTCTTCCCACTTGCCCTGGACTGTGCTGCTCCTTCCACTTCTGCTGC
TGCAAACCCCGT**G**AAGGTGTGTGCCACACCTGGCCTTAAAGAGGGACAGGCTGAAGAGAGGGA
CAGGCACTCCAAACCTGTCTTGGGGCCACTTTCAGAGCCCCAGCCCTGGGAACCACTCCCAC
CACAGGCATAAGCTATCACCTAGCAGCCTCAAAACGGGTCAATATTAAGGTTTTCAACCGGAA
GGAGGCCAACCAGCCCGACAGTGCCATCCCCACCTTCACCTCGGAGGGATGGAGAAAGAAGTG
GAGACAGTCCTTTCCACCATTCCTGCCTTTAAGCCAAAGAAACAAGCTGTGCAGGCATGGTC
CCTTAAGGCACAGTGGGAGCTGAGCTGGAAGGGGGCCACGTGGATGGGCAAAGCTTGTCAAAGA
TGCCCCCTTCAGGAGAGAGCCAGGATGCCCAGATGAACTGACTGAAGGAAAAGCAAGAAACAG
TTTCTTGCTTGGAAGCCAGGTACAGGAGAGGCAGCATGCTTGGGCTGACCCAGCATCTCCCAG
CAAGACCTCATCTGTGGAGCTGCCACAGAGAAGTTTGTAGCCAGGTACTGCATTCTCTCCCAT
CCTGGGGCAGCACTCCCCAGAGCTGTGCCAGCAGGGGGGCTGTGCCAACCTGTTCTTAGAGTG
TAGCTGTAAGGGCAGTGCCCATGTGTACATTCTGCCTAGAGTGTAGCCTAAAGGGCAGGGCCC
ACGTGTATAGTATCTGTATATAAGTTGCTGTGTGTCTGTCCTGATTTCTACAACCTGGAGTTTT
TTTATACAATGTTCTTTGTCTCAAATAAAGCAATGTGTTTTTTCGG

288/550

FIGURE 288

MEFLWAPLLGLCCSLAAADRHTVFWNSSNPFRNEDYTIHVQLNDYVDIICPHYEDHSADAAM
EQYILYLVEHEEYQLCQPQSKDQVRWQCNRPSAKHGPEKLSEKFQRFTEPFTLGKEFKEGHSYY
YISKPIHQHEDRCLRLKVTVSGKITHSPQAHDPQEKRLAADDPEVRVLHSIGHSAAPRLFPL
AWTVLLLPLLLLQTP

Important features:

Signal sequence:

Amino acids 1-17

N-glycosylation site:

Amino acids 26-30

Tyrosine kinase phosphorylation site:

Amino acids 118-127

N-myristoylation site:

Amino acids 10-16

289/550

FIGURE 289

CGGACGCGTGGGCGGACGCGTGGGCGGCCACGGCGCCCGGGGCTGGGGCGGTGCTTCTTC
CTTCTCCGTGGCCTACGAGGGTCCCCAGCCTGGGTAAAGATGGCCCCATGGCCCCGAAGGGC
CTAGTCCCAGCTGTGCTCTGGGGCCTCAGCCTCTTCTCAACCTCCCAGGACCTATCTGGCTC
CAGCCCTCTCCACCTCCCCAGTCTTCTCCCCCGCTCAGCCCCATCCGTGTCATACCTGCCGG
GGACTGGTTGACAGCTTTAACAAGGGCCTGGAGAGAACCATCCGGGACAACTTTGGAGGTGGA
AACACTGCCTGGGAGGAAGAGAATTTGTCCAAATACAAAGACAGTGAGACCCGCCTGGTAGAG
GTGCTGGAGGGTGTGTGCAGCAAGTCAGACTTCGAGTGCCACCGCCTGCTGGAGCTGAGTGAG
GAGCTGGTGGAGAGCTGGTGGTTTCAACAAGCAGCAGGAGGCCCCGGACCTCTTCCAGTGGCTG
TGCTCAGATTCCCTGAAGCTCTGCTGCCCCGAGGCACCTTCGGGGCCCTCCTGCCTTCCCTGT
CCTGGGGGAACAGAGAGGCCCTGCGGTGGCTACGGGCAGTGTGAAGGAGAAGGGACACGAGGG
GGCAGCGGGCACTGTGACTGCCAAGCCGGCTACGGGGGTGAGGCCTGTGGCCAGTGTGGCCTT
GGCTACTTTGAGGCAGAACGCAACGCCAGCCATCTGGTATGTTGCGCTTGTTTTGGCCCCCTGT
GCCCCGATGCTCAGGACCTGAGGAATCAAACCTGTTTGAATGCAAGAAGGGCTGGGCCCTGCAT
CACCTCAAGTGTGTAGACATTGATGAGTGTGGCACAGAGGGAGCCAACTGTGGAGCTGACCAA
TTCTGCGTGAACACTGAGGGCTCCTATGAGTGCCGAGACTGTGCCAAGGCCTGCCTAGGCTGC
ATGGGGGCAGGGCCAGGTCGCTGTAAGAAGTGTAGCCCTGGCTATCAGCAGGTGGGCTCCAAG
TGTCTCGATGTGGATGAGTGTGAGACAGAGGTGTGTCCGGGAGAGACAAGCAGTGTGAAAC
ACCGAGGGCGGTTATCGCTGCATCTGTGCCGAGGGCTACAAGCAGATGGAAGGCATCTGTGTG
AAGGAGCAGATCCCAGAGTCAGCAGGCTTCTTCTCAGAGATGACAGAAGACGAGTTGGTGGTG
CTGCAGCAGATGTTCTTTGGCATCATCATCTGTGCACTGGCCACGCTGGCTGCTAAGGGCGAC
TTGGTGTTACCGCCATCTTCATTGGGGCTGTGGCGGCCATGACTGGCTACTGGTTGTCAGAG
CGCAGTGACCGTGTGCTGGAGGGCTTCATCAAGGGCAGATTAATCGCGGCCACCACCTGTAGGA
CCTCCTCCCACCCACGCTGCCCCCAGAGCTTGGGCTGCCCTCCTGCTGGACACTCAGGACAGC
TTGGTTTATTTTTGAGAGTGGGGTAAGCACCCCTACCTGCCTTACAGAGCAGCCCAGGTACCC
AGGCCCGGGCAGACAAGGCCCCCTGGGGTAAAAAGTAGCCCTGAAGGTGGATACCATGAGCTCT
TCACCTGGCGGGGACTGGCAGGCTTCACAATGTGTGAATTTCAAAGTTTTCTTAATGGTG
GCTGCTAGAGCTTTGGCCCCCTGCTTAGGATTAGGTGGTCCTCACAGGGGTGGGGCCATCACAG
CTCCCTCCTGCCAGCTGCATGCTGCCAGTTCCTGTTCTGTGTTACCACATCCCCACACCCCA
TTGCCACTTATTTATTCATCTCAGGAAATAAAGAAAGGTCTTGGAAGTTAAAAAAAAAAAAA
AAAAAAAAAAAAA

290/550

FIGURE 290

MAPWPPKGLVPAVLWGLSLFLNLPGPILWLQSPSPPPQSSPPPPQHPCHTCRGLVDSFNKGLERT
IRDNFGGGNTAWEEENLSKYKDSETRLVEVLEGVCSKSDFECHRLLLELSEELVESWWFHKQQE
APDLFQWLCSDSLKLCCPAGTFGPSCLPCPGGTERPCGGYGQCEGEGTRGGSGHCDCQAGYGG
EACGQCGLGYFEAERNASHLVCSACFGPCARCSGPESNCLQCKKGWALHHLKCVDIDECGTE
GANCGADQFCVNTEGSYECRDCAKACLGCMGAGPGRCKKCSPGYQQVGSKCLDVDECETEVCP
GENKQCENTEGGYRCICAEGYKQMEGICVKEQIPESAGFFSEMTEDELVLVQQMFFGIIICAL
ATLAAKGDLVFTAIFIGAVAAMTGYWLSERSDRVLEGFIKGR

Important features:**Signal sequence:**

Amino acids 1-29

Transmembrane domain:

Amino acids 342-392

N-glycosylation sites:

Amino acids 79-83;205-209

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 290-294

Aspartic acid and asparagine hydroxylation site:

Amino acids 321-333

EGF-like domain cysteine pattern signature:

Amino acids 181-193

291/550

FIGURE 291

CAGGTCCAACCTGCACCTCGGTTCTATCGATTGAATTCCCCGGGGATCCTCTAGAGATCCCTCGACCTCGACCCAC
GCGTCCGAACACAGGTCTCTGTTGCTGCAGAGAAGCAGTTGTTTTGCTGGAAGGAGGGAGTGCGGGGCTGCCCC
GGGCTCCTCCCTGCCGCTCCTCTCAGTGGATGGTTCCAGGCACCTGTCTGGGGCAGGAGGGCACAGGCCTGC
ACATCGAAGGTGGGGTGGGACCAGGCTGCCCTCGCCCCAGCATCCAAGTCTCCTTGGGCGCCCGTGGCCCTG
CAGACTCTCAGGGCTAAGGTCTCTGTTGCTTTTTGGTTCCACCTTAGAAGAGGCTCCGCTTGACTAAGAGTAGC
TTGAAGGAGGCACCAATGCAGGAGCTGCATCTGCTCTGGTGGGCGCTTCTCCTGGGCTGGCTCAGGCCTGCCCTG
AGCCCTGCGACTGTGGGAAAAAGTATGGCTTCCAGATCGCCGACTGTGCCTACCGCGACCTAGAATCCGTGCCGC
CTGGCTTCCCGCCAATGTGACTACACTGAGCCTGTGAGCAACCGGCTGCCAGGCTTGCCGGAGGGTGCCTTCA
GGGAGGTGCCCTGCTGCAGTGCCTGTGGCTGGCACACAATGAGATCCGCACGGTGGCCGCGGAGCCCTGGCCT
CTCTGAGCCATCTCAAGAGCCTGGACCTCAGCCACAATCTCATCTCTGACTTTGCCTGGAGCGACCTGCACAACC
TCAGTGCCCTCCAATTGCTCAAGATGGACAGCAACGAGCTGACCTTCATCCCCGCGACGCCTTCCGCAGCCTCC
GTGCTCTGCGCTCGCTGCAACTCAACCACAACCGCTTGACACATTGGCCGAGGGCACCTTCACCCCGCTCACCG
CGCTGTCCACCTGCAGATCAACGAGAACCCCTTCGACTGCACCTGCGGCATCGTGTGGCTCAAGACATGGGCC
TGACCACGGCCGTGTCCATCCCGGAGCAGGACAACATCGCTGCACCTACCCCATGTGCTCAAGGGTACACCGC
TGAGCCGCTGCCGCCACTGCCATGCTCGGCGCCCTCAGTGCAGCTCAGCTACCAACCCAGCCAGGATGGTGCCG
AGCTGCGGCTGGTTTTGTGCTGGCACTGCACTGTGATGTGGACGGGAGCCGGCCCTCAGCTTCACTGGCACA
TCCAGATACCCAGTGGCATTGTGGAGATCACCAGCCCCAACGTGGGCACTGATGGGCGTGCCCTGCCTGGCACCC
CTGTGGCCAGCTCCAGCCGCGCTTCCAGGCCTTTGCCAATGGCAGCCTGCTTATCCCGACTTTGGCAAGCTGG
AGGAAGGCACCTACAGCTGCCTGGCCACCAATGAGCTGGGCAGTGTGAGAGCTCAGTGGACGTGGCACTGGCCA
CGCCCGGTGAGGGTGGTGGAGACACACTGGGGCGCAGGTTCCATGGCAAAGCGGTTGAGGGAAGGGCTGCTATA
CGGTTGACAACGAGGTGCAGCCATCAGGGCCGGAGGACAATGTGGTCATCATCTACCTCAGCCGTGCTGGGAACC
CTGAGGCTGCAGTCGCAGAAGGGTCCCTGGGCAGCTGCCCCAGGCCTGCTCCTGCTGGGCCAAAGCCTCCTCC
TCTTCTTCTCCTCACCTCCTTCTAGCCCCACCCAGGGCTTCCCTAACTCCTCCCTTGCCCTACCAATGCCCC
TTTAAGTGCTGCAGGGGTCTGGGGTTGGCAACTCCTGAGGCCTGCATGGGTGACTTCACATTTTCTACCTCTCC
TTCTAATCTCTTCTAGAGCACCTGCTATCCCAACTTCTAGACCTGCTCCAACTAGTACTAGGATAGAATTTG
ATCCCTAACTCACTGTCTGCGGTGCTCATTGCTGCTAACAGCATTGCCTGTGCTCTCCTCTCAGGGGCAGCATG
CTAACGGGGCGACGTCCTAATCCAAGTGGGAGAAGCCTCAGTGGTGAATTCCAGGCACGTGACTGTCAAGCTG
GCAAGGGCCAGGATTGGGGGAATGGAGCTGGGGCTTAGCTGGGAGGTGGTCTGAAGCAGACAGGGAATGGGAGAG
GAGGATGGGAAGTAGACAGTGGCTGGTATGGCTCTGAGGCTCCCTGGGGCTGCTCAAGCTCCTCCTGCTCCTTG
CTGTTTTCTGATGATTTGGGGCTTGGGAGTCCCTTTGTCTCATCTGAGACTGAAATGTGGGGATCCAGGATGG
CCTTCCTTCTCTTACCCTTCTCCTCAGCCTGCAACCTCTATCCTGGAACCTGTCTCCCTTTCTCCCAACT
ATGCATCTGTTGTCTGCTCCTCTGCAAGGCCAGCCAGCTTGGGAGCAGCAGAGAAATAAACAGCATTTCTGATG
CCAAAAAAGGGGCGCCGACTCTAGAGTCGACCT

292/550

FIGURE 292

MQELHLLWALLLGLAQACPEPCDCGEKYGFQIADCAYRDLESVPPGFANVTTLSSLNRLP
GLPEGAFREVPLLQSLWLAHNEIRTVAAGALASLSHLKSLDLNLSLISDFAWSDLNLSALQL
LKMSNELTFIPRDAFRSLRALRSLQLNHNRLHTLAEGTFTPLTALSHLQINENPFDCGIV
WLKTWALTAVSIPEQDNIACTSPHVLKGTPLSRLPPLPCSAPSVQLSYQPSQDGAELRPGFV
LALHCDVDGQPAPQLHWHIQIPSGIVEITSPNVGTDGRALPGTPVASSQPRFQAFANGSLIIP
DFGKLEEGTYSCLATNELGSAESSVDVALATPGEGGEDTLGRRFHGKAVEGKGCYTVDNEVQP
SGPEDNVVYIYLSRAGNPEAAVAEGVPGQLPPGLLLLGQSLLLFFFLTSF

Important features:**Signal peptide:**

amino acids 1-18

Transmembrane domain:

amino acids 403-418

N-glycosylation sites:

Amino acids 51-55, 120-124, 309-313

Tyrosine kinase phosphorylation site:

amino acids 319-326

N-myristoylation sites:amino acids 14-20, 64-70, 92-98, 218-224, 294-300, 323-329, 334-340,
350-356, 394-400**Amidation site:**

amino acids 355-359

Leucine Rich Repeat:

amino acids 51-74, 75-98, 99-122, 123-146, 147-170

Leucine rich repeat C-terminal domain:

amino acids 180-230

293/550

FIGURE 293

ACTTGAGCAAGCGGCGGCGGAGACAGAGGCAGAGGCAGAAGCTGGGGCTCCGTCCTCGCCTCCACGAGCG
ATCCCCGAGGAGAGCGCGGCGCCTCGGCGAGGCGAAGAGGCCGACGAGGAAGACCCGGGTGGCTGCGCCCTGCC
TCGCTTCCCAGGCGCCGGCGGCTGCAGCCTTGCCCTCTTGCTCGCCTTGAAAATGGAAAAGATGCTCGCAGGCT
GCTTCTGCTGATCCTCGGACAGATCGTCTCTCCCTGCCGAGGCCAGGAGCGGTACGTGGGAGGTCCATCT
CTAGGGGCGAGACAGCTCGGACCCACCCGAGACGGCCCTTCTGGAGAGTTCTGTGAGAACAGCGGGCAGACC
TGGTTTTCATCATTGACAGCTCTCGCAGTGTCAACACCCATGACTATGCAAAGGTCAAGGAGTTCATCGTGGACA
TCTTGCAATTCTTGACATTGGTCTGATGTCAACCGAGTGGGCTGTCCAATATGGCAGCACTGTCAAGAATG
AGTTCCTCCCTCAAGACCTTCAAGAGGAAGTCCGAGGTGGAGCGTGTCAAGAGGATGCCGCATCTGTCCACGG
GCACCATGACTGGGCTGGCCATCCAGTATGCCCTGAACATCGCATTCTCAGAAGCAGAGGGGGCCCGGCCCTGA
GGGAGAATGTGCCACGGGTCAATGATCGTGACAGATGGGAGACCTCAGGACTCCGTGGCCGAGGTGGCTGCTA
AGGCACGGGACCGGGCATCCTAATCTTGCCATTGGTGTGGGCCAGGTAGACTTCAACACCTTGAAGTCCATTG
GGAGTGAGCCCCATGAGGACCATGTCTTCTTGTGGCCAATTTCAAGCAGATTGAGACGCTGACCTCCGTGTTCC
AGAAGAAGTTGTGCACGGCCCATGTGCAGCACCTGGAGCATAACTGTGCCCACTTCTGCATCAACATCCCTG
GCTCATACGTCTGCAGGTGCAACAAGGCTACATTCTCAACTCGGATCAGACGACTTGCAGAATCCAGGATCTGT
GTGCCATGGAGGACCACAATGTGAGCAGCTCTGTGTGAATGTGCCGGGCTCCTTCGTCTGCCAGTGTACAGTG
AGCAGGACCATGGCTGTGAGCAGCTGTGTCTGAACCGGAGGATTCTTTCGTCTGCCAGTGTCAAGAAGCTTCC
ATGAGTGTGTAATGCTGATGGCTCCTACCTTTGCCAGTGCCATGAAGGATTTGCTCTTAACCCAGATGAAAAA
CGTGCAACAAGGATCAACTACTGTGCACTGAACAAACCGGGCTGTGAGCATGAGTGCCTCAACATGGAGGAGAGCT
ACTACTGCCGCTGCCACCGTGGCTACACTCTGGACCCCAATGGCAAAACCTGCAGCCGAGTGGACCACTGTGCAC
AGCAGGACCATGGCTGTGAGCAGCTGTGTCTGAACCGGAGGATTCTTTCGTCTGCCAGTGTCAAGAAGCTTCC
TCATCAACGAGGACCTCAAGACCTGCTCCCGGTGGATTACTGCCTGCTGAGTGACCATGGTTGTGAATACTCCT
GTGTCAACATGGACAGATCCTTTGCCCTGTGAGTGTCTGAGGGACACGTGCTCCGACGGATGGGAAGACGTGTG
CAAAATTTGACTCTTGTGCTCTGGGGGACCACGGTTGTGAACATTCGTGTGTAAGCAGTGAAGATTCTGTTGTG
GCCAGTGCCTTTGAAGGTTATATACTCCGTGAAGATGGAAAAACCTGCAGAAGGAAAGATGTCTGCCAAGCTATAG
ACCATGGCTGTGAACACATTTGTGTGAACAGTGACGACTCATACAGTGGAGTGTGGAGGGATTCCGGCTCG
CTGAGGATGGGAACGCTGCCGAAGGAAGGATGTCTGCAAATCAACCCACCATGGCTGCCAACACATTTGTGTTA
ATAATGGGAATTCCTACATCTGCAAATGCTCAGAGGGATTTGTCTAGCTGAGGACGGAAGACGGTGCAAGAAAT
GCACTGAAGGCCAATTGACCTGGTCTTTGTGATCGATGGATCCAAGAGTCTTGGAGAAGAGAATTTTGAGTCTG
TGAAGCAGTTTGTCACTGGAATTATAGATTCTTGACAATTTCCCCAAAGCCGCTCGAGTGGGGCTGCTCCAGT
ATTCACACAGGTCCACACAGAGTTCACTCTGAGAACTTCAACTCAGCCAAAGACATGAAAAAGCCGTGGCCC
ACATGAAATACATGGGAAGGGCTCTATGACTGGGCTGGCCCTGAAACACATGTTTGAGAGAAGTTTACCCAAG
GAGAAGGGGCCAGGCCCTTTCCACAAGGCTGCCAGAGCAGCCATTGTGTTACCGACGACGGGCTCAGGATG
ACGTCTCCGAGTGGGCGAGTAAAGCCAAGGCCAATGGTATCACTATGTATGCTGTTGGGGTAGGAAAAAGCATTG
AGGAGGAACATAAGAGATTGCCTCTGAGCCCAACAAACAGCATCTCTTCTATGCCGAAGACTTCAGCACAATGG
ATGAGATAAGTAAAAAATCAAGAAAGGCATCTGTGAAGCTCTAGAAGACTCCGATGGAAGACAGGACTCTCCAG
CAGGGGAACCTGCCAAAAACGGTCCAACAGCCAACAGAATCTGAGCCAGTCACCATAAATATCCAAGACCTACTTT
CCTGTTCTAATTTGCAAGTCAACACAGATATCTGTTTGAAGAAGACAATCTTTACGGTCTACACAAAAGCTTT
CCCATTCACAAAAACCTTCAGGAAGCCCTTTGGAAGAAAAACAGATCAATGCAAATGTGAAAACCTTATAATGT
TCCAGAACCTTGCAAACGAAGAAGTAAGAAAATTAACACAGCGCTTAGAAGAAATGACACAGAGAATGGAAGCCC
TGGAAAATCGCCTGAGATACAGATGAAGATTAGAAATCGCGACACATTTGTAGTCATTGTATCACGGATTACAAT
GAACGCGAGTGCAGAGCCCCAAAGCTCAGGCTATTGTTAAATCAATAATGTTGTGAAGTAAAAACAATCAGTACTGA
GAAACCTGGTTTGCCACAGAACAAAGACAAGAAGTATACACTAATTTGTATAAATTTATCTAGGAAAAAATCCT
TCAGAATTCTAAGATGAATTTACCAGGTGAGAATGAATAAGCTATGCAAGGTATTTTGTAAATATACTGTGGACAC
AACTTGCTTCTGCCTCATCTGCCTTAGTGTGCAATCTCATTTGACTATACGATAAAGTTTGACACAGTCTTACTT
CTGTAGAACACTGGCCATAGGAAATGCTGTTTTTGTACTGGACTTTACCTTGATATATGTATATGGATGTATG
CATAAAATCATAGGACATATGTAATGTGGAACAAGTTGGATTTTATACAATATTAAATTCACCACTTCAG

294/550

FIGURE 294

MEKMLAGCFLILGQIVLLPAEARERSRGRSISRGRHARTHPTALLESSCENKRADLVFIID
SSRSVNTHDYAKVKEFIVDILQFLDIGPDVTRVGLLOYGSTVKNEFSLKTFRKSEVERAVKR
MRHLSTGMTGLAIQYALNIAFSEAEGARPLRENVPRVIMIVTDGRPQDSVAEVAAKARDTGI
LIFAIGVGQVDFNTLKSIGSEPHEDHVFLVANFSQIETLTSVFQKKLCTAHMCSTLEHNCAHF
CINIPGSYVCRCKQGYILNSDQTTTCRIQDLCAMEDHNCEQLCVNVPGSFVCQCYSGYALAEDG
KRCVAVDYCASENHGCEHECVNADGSYLCQCHEGFALNPDEKTCTRINYCALNKPGEHECVN
MEESYYCRCHRGYTLDPNGKTC SRVDHCAQQDHGCEQLCLNTEDSFVCQCSEGF LINEDLKTC
SRVDYCLSDHGCEYSCVNMDRSFACQCPEGHVLRSDGKTC AKLDSCALGDHGCEHSCVSSD
SFVCQCFEGYILREDGKTCRRKDVCQAIDHGCEHICVNSDDSYTCECLEGFRLAEDGKRCRRK
DVCKSTHHGCEHICVNNGNSYICKCSEGFVLAEDGRRCKKCTEGPIDLVFVIDGSKSLGEENF
EVVKQFVTGIIDSLTISPKAARVGLLQYSTQVHTEFTLRNFNSAKDMKKAVAHMKYMGKGSMT
GLALKHMFERSFTQGEGARPLSTRVPRAAIVFTDGRAQDDVSEWASKAKANGITMYAVGVGKA
IEEELQEIASEPTNKHLYAEDFSTMDIESEKLKKGICEALEDSDGRQDSPAGELPKTVQOPT
ESEPVTINIQDLLSCSNFAVQHRYLFEEDNLLRSTQKLSHSTKPSGSPLEEKHDQCKCENLIM
FQNLANEEVRKLTQRLEEMTQRMEALENRLRYR

Important features:**Signal sequence:**

Amino acids 1-23

N-glycosylation site:

Amino acids 221-225

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 115-119; 606-610; 892-896

N-myristoylation sites:Amino acids 133-139; 258-264; 299-305; 340-346; 453-459; 494-500;
639-645; 690-694;
752-758; 792-798**Amidation sites:**

Amino acids 314-318; 560-564; 601-605

Aspartic acid and asparagine hydroxylation sites:Amino acids 253-265; 294-306; 335-347; 376-388; 417-429;
458-470; 540-552; 581-593

295/550

FIGURE 295

GGCCGGAGCAGCACGGCCGACGACCTGGAGCTCCGGCTGCGTCTTCCCGCAGCGCTACCCGC
CATGCGCCTGCCGCGCCGGGCGCGCTGGGGCTCCTGCCGCTTCTGCTGCTGCTGCCGCCCCG
GCCGGAGGCCGCCAAGAAGCCGACGCCCTGCCACCGGTGCCGGGGGCTGGTGGACAAGTTTAA
CCAGGGGATGGTGGACACCGCAAAGAAGAACTTTGGCGGCGGGAACACGGCTTGGGAGGAAAA
GACGCTGTCCAAGTACGAGTCCAGCGAGATTCGCCTGCTGGAGATCCTGGAGGGGCTGTGCGA
GAGCAGCGACTTCGAATGCAATCAGATGCTAGAGGCGCAGGAGGAGCACCTGGAGGCCTGGTG
GCTGCAGCTGAAGAGCGAATATCCTGACTTATTCGAGTGGTTTTGTGTGAAGACACTGAAAGT
GTGCTGCTCTCCAGGAACCTACGGTCCCGACTGTCTCGCATGCCAGGGCGGATCCCAGAGGCC
CTGCAGCGGGAATGGCCACTGCAGCGGAGATGGGAGCAGACAGGGCGACGGGTCCTGCCGGTG
CCACATGGGGTACCAGGGCCCGCTGTGCACTGACTGCATGGACGGCTACTTCAGCTCGCTCCG
GAACGAGACCCACAGCATCTGCACAGCCTGTGACGAGTCCTGCAAGACGTGCTCGGGCCTGAC
CAACAGAGACTGCGGCGAGTGTGAAGTGGGCTGGGTGCTGGACGAGGGCGCCTGTGTGGATGT
GGACGAGTGTGCGGCCGAGCCGCTCCCTGCAGCGCTGCGCAGTTCTGTAAGAACGCCAACGG
CTCCTACACGTGCGAAGAGTGTGACTCCAGCTGTGTGGGCTGCACAGGGGAAGGCCCAGGAAA
CTGTAAAGAGTGTATCTCTGGCTACGCGAGGGAGCACGGACAGTGTGCAGATGTGGACGAGTG
CTCACTAGCAGAAAAAACCTGTGTGAGGAAAAACGAAACTGCTACAATACTCCAGGGAGCTA
CGTCTGTGTGTGCTGACGGCTTCGAAGAAACGGAAGATGCCTGTGTGCCGCCGCGCAGAGGC
TGAAGCCACAGAAGGAGAAAGCCCGACACAGCTGCCCTCCCGCGAAGACCTGTAAATGTGCCGG
ACTTACCCTTTAAATTATTCAGAAGGATGTCCCGTGGAAAATGTGGCCCTGAGGATGCCGTCT
CCTGCAGTGGACAGCGCGGGGAGAGGCTGCCTGCTCTTAACGGTTGATTCTCATTTGTCCC
TTAAACAGCTGCATTTCTTGGTTGTTCTTAAACAGACTTGTATATTTTGATACAGTTCTTTGT
AATAAAATTGACCATTGTAGGTAATCAGGAGGAAAAAAAAA

296/550

FIGURE 296

MRLPRRAALGLLPLLLLLPPAPEAAKKPTPCHRCRGLVDKFNQGMVDTAKKNFGGGNTAWEEK
TLSEYSESEIRLLEILEGLCESSDFECNQMLEAQEEHLEAWWLQLKSEYPDLFEWFCVKTLLKV
CCSPGTYGPDCLACQGGSQRPCSGNGHCSGDGSRQGDGSCRCHMGYQGPLCTDCMDGYFSSLR
NETHSICTACDESKTCSGLTNRDCGECEVGWVLDEGACVDVDECAAEPFPCSAQFCKNANG
SYTCEECDSSCVGCTGEGPGNCKECISGYAREHGQCADVDECSLAEKTCVRKNENCYNTPGSY
VCVCPDGFEEEDACVPPAEAEATEGESPTQLPSREDL

Important features:**Signal peptide:**

Amino acids 1-24

N-glycosylation sites:

Amino acids 190-194;251-255

Glycosaminoglycan attachment sites:

Amino acids 149-153;155-159

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 26-30

Tyrosine kinase phosphorylation site:

Amino acids 303-310

N-myristoylation sites:Amino acids 44-50;54-60;55-61;81-87;150-156;158-164;164-170;
252-258;313-319**Aspartic acid and asparagine hydroxylation site:**

Amino acids 308-320

EGF-like domain cysteine pattern signature:

Amino acids 166-178

Leucine zipper pattern:

Amino acids 94-116

297/550

FIGURE 297

GACATCGGAGGTGGGCTAGCACTGAACTGCTTTTCAAGACGAGGAAGAGGAGGAGAAAGAGAAAGAAGAGGAAG
ATGTTGGGCAACATTTATTTAACATGCTCCACAGCCCGGACCCTGGCATCATGCTGCTATTCCTGCAAATACTGA
AGAAGCATGGGATTAAATATTTTACTTCTAAATAAATGAATTACTCAATCTCCTATGACCATCTATACATACTC
CACCTTCAAAAAGTACATCAATATTATATCATTAAAGGAAATAGTAACCTTCTCTTCTCCAATATGCATGACATTT
TTGGACAATGCAATTGTGGCACTGGCACTTATTTCACTGAAGAAAACTTTGTGGTTCTATGGCATTTCATCTTT
GACAAATGCAAGCATCTTCCTTATCAATCAGCTCCTATTGAACCTTACTAGCACTGACTGTGGAATCCTTAAGGGC
CCATTACATTTCTGAAGAAGAAAGCTAAGATGAAGGACATGCCACTCCGAATTCATGTGCTACTTGGCCTAGCTA
TCACTACACTAGTACAAGCTGTAGATAAAAAAGTGATTGTCCACGGTTATGTACGTGTGAAATCAGGCCTTGGT
TTACACCCAGATCCATTTATATGGAAGCATCTACAGTGGATTGTAATGATTTAGGTCTTTTAACTTTCCAGCCA
GATTGCCAGCTAACACACAGATTCTTCTCCTACAGACTAACAAATATTGCAAAAATTGAATACTCCACAGACTTTC
CAGTAAACCTTACTGGCCTGGATTATCTCAAAACAATTTATCTTCAGTCACCAATATTAATGTAAAAAAGATGC
CTCAGCTCCTTTCTGTGTACCTAGAGGAAAACAACTTACTGAACTGCCTGAAAAATGTCTGTCCGAACTGAGCA
ACTTACAAGAACTCTATATTAATCACAACCTTGCTTTCTACAATTTACCTGGAGCCTTTATTGGCCTACATAATC
TTCTTCGACTTCATCTCAATTCAAATAGATTGCAGATGATCAACAGTAAGTGGTTTGATGCTCTTCCAAATCTAG
AGATTCTGATGATTGGGAAAATCCAATTATCAGAATCAAAGACATGAACCTTTAAGCCTCTTATCAATCTTCGCA
GCCTGGTTATAGCTGGTATAAACCTCACAGAAATACCAGATAACGCCTTGGTTGGACTGGAAAACCTTAGAAAAGCA
TCTCTTTTACGATAACAGGCTTATTAAAGTACCCCATGTTGCTCTTCAAAAAGTTGTAATCTCAAATTTTGG
ATCTAAATAAAAATCCTATTAATAGAATACGAAGGGTGATTTTAGCAATATGCTACACTTAAAAGAGTTGGGGA
TAAATAATATGCCTGAGCTGATTTCCATCGATAGTCTTGCTGTGGATAACCTGCCAGATTTAAGAAAAATAGAAG
CTACTAACAACCCTAGATTGTCTTACATTCACCCCAATGCATTTTTCAGACTCCCCAAGCTGGAATCACTCATGC
TGAACAGCAATGCTCTCAGTGCCTGTACCATGGTACCATTGAGTCTCTGCCAAACCTCAAGGAAATCAGCATAC
ACAGTAACCCCATCAGGTGTGACTGTGTATCCGTTGGATGAACATGAACAAAACCAACATTTCGATTTCAGGAGC
CAGATTCACTGTTTTGCGTGGACCCACCTGAATTCGAAGTCAAGATGTTTCGGCAAGTGCAATTCAGGGACATGA
TGGAATTTGTCTCCCTCTTATAGCTCCTGAGAGCTTTCCTTCTAATCTAAATGTAGAAGCTGGGAGCTATGTTT
CCTTTCAGTGTAGAGCTACTGCAGAACCACAGCCTGAAATCTACTGGATAACACCTTCTGGTCAAAAACCTTTGC
CTAATACCCTGACAGACAAGTTCTATGTCCATTCTGAGGGAACACTAGATATAAATGGCGTAACCTCCCAAAGAAG
GGGTTTATATACTTGTATAGCAACTAACCTAGTTGGCGCTGACTTGAAGTCTGTTATGATCAAAGTGGATGGAT
CTTTTCCACAAGATAACAATGGCTCTTTGAATATTAAAATAAGAGATATTCAGGCCAATTCAGTTTTGGTGTCTCT
GGAAAGCAAGTTCTAAAATCTCAAATCTAGTGTTAAATGGACAGCCTTTGTCAAGACTGAAAATCTCATGCTG
CGCAAAGTGCTCGAATACCATCTGATGTCAAGGTATATAATCTTACTCATCTGAATCCATCAACTGAGTATAAAA
TTTGTATTGATATTCCCACCATCTATCAGAAAAACAGAAAAAATGTGTAATGTCACCACCAAGGTTTGCACC
CTGATCAAAAAGAGTATGAAAAGAATAATACCACAACACTTATGGCCTGTCTTGGAGGCCTTCTGGGGATTATG
GTGTGATATGTCTTATCAGCTGCCTCTCTCCAGAAATGAACTGTGATGGTGGACACAGCTATGTGAGGAATTACT
TACAGAAACCAACCTTTGCATTAGGTGAGCTTTATCCTCCTCTGATAAATCTCTGGGAAGCAGGAAAAGAAAAA
GTACATCACTGAAAGTAAAAGCAACTGTTATAGGTTTACCAACAAATATGTCTTAAAAACCACCAAGGAAACCTA
CTCCAAAAATGAAC

298/550

FIGURE 298

MKDMPLRIHVLLGLAITTLVQAVDKKVDPCRLCTCEIRPWFTPRSIYMEASTVDCNDLGLLTF
PARLPANTQIILLQTNNAKIEYSTDFPVNLTGLDLSQNNLSSVTNINVKKMPQLLSVYLEEN
KLTPEKCLSELSNLQELYINHNLSTISPGAFIGLHNLLRLHLNSNRLQMINSKWFDPALPN
LEILMIGENPIIRIKDMNFKPLINLRSLVIAGINLTEIPDNALVGLENLESISFYDNRLIKVP
HVALQKVVNLFKFDLNKNPINRIRRGDFSNNMLHLKELGINNMPELISIDSLAVDNLPDLRKIE
ATNNPRLSYIHPNAFFRLPKLESMLNSNALSALYHGHTIESLPNLKEISHSNPIRCDCVIRW
MNMNKTNIREFMEPDSLFCVDPPEFQGNVRQVHFRDMMEICLPIAPESFPSNLNVEAGSYVS
FHCRTAEPPQPEIYWITPSGQKLLPNTLTDFYVHSEGLDINGVTPKEGGLYTCIATNLVGA
DLKSVMIKVDGSFPQDNNGSLNIKIRDIQANSVLVSWKASSKILKSSVKWTAFAVKTENSHAAQ
SARIPSDVKVYNLTHLNPSTEYKICIDIPTIYQKNRKKCVNVTTKGLHPDQKEYEKNNTTLM
ACLGGLLGIIGVICLISCLSPENCDGGHSYVRNYLQKPTFALGELYPPLINLWEAGKEKSTS
LKVKATVIGLPTNMS

Important features:**Signal sequence:**

amino acids 1-22

Transmembrane domain:

amino acids 633-650

N-glycosylation site.amino acids 93-97, 103-107, 223-227, 382-386, 522-526, 579-583,
608-612, 624-628, 625-629**Casein kinase II phosphorylation site.**

amino acids 51-55, 95-99, 242-246, 468-472, 487-491

Tyrosine kinase phosphorylation site.

amino acids 570-579

N-myristoylation site.amino acids 13-19, 96-102, 158-164, 221-227, 352-358, 437-443,
491-497, 492-498, 634-640, 702-708**Cell attachment sequence.**

amino acids 277-280

299/550

FIGURE 299

GCTGTGGGAACCTCTCCACGCGCACGAACTCAGCCAACGATTTCTGATAGATTTTTGGGAGTT
TGACCAGAGATGCAAGGGGTGAAGGAGCGCTTCCTACCGTTAGGGAACCTCTGGGGACAGAGCG
CCCCGGCCGCCTGATGGCCGAGGCAGGGTGCGACCCAGGACCCAGGACGGCGTCGGGAACCAT
ACCATGCCCCGGATCCCCAAGACCCTAAAGTTCGTTCGTTCATCGTCGCGGTCCTGCTGCCA
GTCCTAGCTTACTCTGCCACCACTGCCCCGGCAGGAGGAAGTTCCCCAGCAGACAGTGGCCCCA
CAGCAACAGAGGCACAGCTTCAAGGGGGAGGAGTGTCCAGCAGGATCTCATAGATCAGAACAT
ACTGGAGCCTGTAACCCGTGCACAGAGGGTGTGGATTACACCAACGCTTCCAACAATGAACCT
TCTTGCTTCCCATGTACAGTTTGTAAATCAGATCAAAAACATAAAAAGTTCCTGCACCATGACC
AGAGACACAGTGTGTTCAGTGTAAAGAAGGCACCTTCGGAATGAAAACCTCCCCAGAGATGTGC
CGGAAGTGTAGCAGGTGCCCTAGTGGGGAAGTCCAAGTCAGTAATTGTACGTCCTGGGATGAT
ATCCAGTGTGTTGAAGAATTTGGTGCCAATGCCACTGTGGAAACCCAGCTGCTGAAGAGACA
ATGAACACCAGCCCCGGGGACTCCTGCCCCAGCTGCTGAAGAGACAATGAACACCAGCCCAGGG
ACTCCTGCCCCAGCTGCTGAAGAGACAATGACCACCAGCCCCGGGGACTCCTGCCCCAGCTGCT
GAAGAGACAATGACCACCAGCCCCGGGGACTCCTGCCCCAGCTGCTGAAGAGACAATGACCACC
AGCCCCGGGGACTCCTGCCTCTTCTCATTACCTCTCATGCACCATCGTAGGGATCATAGTTCTA
ATTGTGCTTCTGATTGTGTTTGTTGAAAGACTTCACTGTGGAAGAAATTCCTTCCTTACCTG
AAAGGTTCAAGTAGGCGCTGGCTGAGGGCGGGGGCGCTGGACACTCTCTGCCCTGCCTCCCT
CTGCTGTGTTCCACAGACAGAAACGCCTGC

300/550

FIGURE 300

MARI PKTLKFVVVIVAVLLPV LAYSATTARQEEVPQQT VAPQQQRHSFKGEECPAGSHRSEHT
GACNPCTEGVDYTNASNNEPSCFPCTVCKSDQKHKSCTMTRODTVCQCKEGTFRNENSPEMCR
KCSRCPSGEVQVSNCTSWDDIQCVEEFGANATVETPAAEETMNTSPGTPAPAAEETMNTSPGT
PAPAAEETMTTSPGTPAPAAEETMTTSPGTPAPAAEETMTTSPGTPASSHYLSCTIVGIIVLI
VLLIVFV

Important features:

Signal peptide:

Amino acids 1-29

Transmembrane domain:

Amino acids 240-259

N-glycosylation site:

Amino acids 77-81;140-144;156-160

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 126-130

N-myristoylation sites:

Amino acids 56-62;72-78;114-120;154-160;233-239

301/550

FIGURE 301

CACAAGCATCTTAATTTGAATCCACAAAGTTTCATGTAATGAAAAGAAATACATAATTTTAAT
TCAACCCGAGTGTTTTCCAAGAAGATTGTATTTGCTTAAATTGCTACAGTAATTCAGAGACA
GCCCTGTCTGGACACAGAGTTACTGTGGATTTTTAAGAGACTCAGTTAAAGAATTTAGGAATT
TCTGATTCATTTAAAGGATTACAAATTCATCAACCCCTGAAAACATAAGCAAATTGAACAGG
AAAAAAAAAAGAAGATGGGTTTTTTAAGTCCAATATATGTTATTTTCTTCTTTTTTGGAGTC
AAAGTACATTGCCAATATGAACTTATCAGTGGGATGAAGACTATGACCAAGAGCCAGATGAT
GATTACCAAACAGGATTCCCATTTTCGTCAAATGTAGACTACGGAGTTCCTTTTCATCAGTAT
ACTTTAGGCTGTGTCTCAGTGAATGCTTCTGTCCAACCTAACTTTCCATCATCAATGTACTGTGAT
AATCGCAAACCTCAAGACTATCCCAAATATTCGATGCACATTCAGCAACTCTACCTTCAGTTC
AATGAAATTGAGGCTGTGACTGCAAATTCATTCATCAATGCAACTCATCTTAAAGAAATTAAC
CTCAGCCACAACAAATTAATCTCAAAAGATTGATTATGGTGTGTTTGCTAAGCTTCCAAAT
CTACTACAACCTTCATCTAGAGCATAATAATTTAGAAGAATTTCCATTTCTCTTCTTAAATCT
CTGGAAAGACTCCTTCTTGGTTACAATGAAATCTCCAACTGCAGACAAATGCTATGGATGGG
CTAGTAAACTTGACCATGCTTGATCTCTGTTATAATTATCTTCATGATTCTCTGCTAAAAGAC
AAAATCTTTGCCAAATGGAAAACTAATGCAGCTCAACCTCTGCAGTAACAGATTAGAATCA
ATGCCTCCTGGTTTGCCTTCTTCACTTATGTATCTGTCTTTAGAAAATAATTCAATTTCTTCT
ATACCCGAAAAATACTTCGACAACTTCCAACTTCATACTCTAAGAATGTCACACAACAAA
CTACAAGACATCCCATAATAATTTTTAATCTTCCCAACATTGTAGAACTCAGTGTTGGACAC
AACAAATTGAAGCAAGCATTCTATATTCCAAGAAATTTGGAACACCTATACCTACAAAATAAT
GAAATAGAAAAGATGAATCTTACAGTGATGTGTCCTTCTATTGACCCACTACATTACCACCAT
TTAACATACATTTCGTGTGGACCAAAATAAACTAAAAGAACCAATAAGCTCATACATCTTCTTC
TGCTTCCCTCATATACACACTATTTATTATGGTGAACAACGAAGCACTAATGGTCAAACAATA
CAACTAAAGACACAAGTTTTTCAGGAGATTTCCAGATGATGATGATGAAAGTGAAGATCAGGAT
GATCCTGACAATGCTCATGAGAGCCCAGAACAAGAAGGAGCAGAAGGGCACTTTGACCTTCAT
TATTATGAAAATCAAGAAATAGCAAGAACTATATAGGTATACACTTACGACTTCACAAAACCTA
TACTTAATATAGTAAATCTAAGTAAACATGTATTACTCAAAGTAATATATTTAGAATTATGTA
TTAGTATAAGATCAGAATTGAATTTAAGTTGTTGGTGACATCTGCATCATTTTCATAGGATTAG
AACTTACTCAAATAATGTAAATCTTTAAAAATATAAATTAGAATGACAAGTGGGAATCATAA
ATTAAACGTTAATGGTTTCTTATGCTCTTTTTAAATATAGAAATATCATGTTAAAGAAAAAAA
AAAAAAA

302/550

FIGURE 302

MGFLSPIYVIFFFFGVKVHCQYETYQWDEDYDQEPDDDYQTGFPPFRQNVVDYGVPFHQYTLGCV
SECFCPTNFPSSMYCDNRKLKTIPNIPMHIQQLYLQFNEIEAVTANSFINATHLKEINLSHNK
IKSQKIDYGVFAKLPNLLQLHLEHNNLEEFPPPLPKSLERLLLGYNEISKLQTNAMDGLVNLT
MLDLCYNYLHDSLLKDKIFAKMEKLMQLNLCSNRLESMPPGLPSSLMYLSLENNSSISSIPEKY
FDKLPKLHTLRMSHNKLQDIPYNIFNLPNIVELSVGHNKLKQAFYIPRNLEHLYLQNNIEIKM
NLTVMCPSIDPLHYHHLTYIRVDQNKLEPISSYIFFCFPHIHTIYYGEQRSTNGQTIQLKTQ
VFRFRPDDDDDESEDHDDPDNAHESPEQEGAEGHFDLHYENQE

Important features:**N-glycosylation sites:**

Amino acids 113-117;121-125; 187-191;242-246;316-320

Tyrosine kinase phosphorylation sites:

Amino acids 268-275;300-307

N-myristoylation site:

Amino acids 230-236

Leucine zipper patterns:

Amino acids 146-168;217-239

303/550

FIGURE 303

GCCCCGGGACTGGCGCAAGGTGCCCCAAGCAAGGAAAGAAATAATGAAGAGACACATGTGTTAGC
TGCAGCCTTTTGAAACACGCAAGAAGGAAATCAATAGTGTGGACAGGGCTGGAACCTTTACCA
CGCTTGTTGGAGTAGATGAGGAATGGGCTCGTGATTATGCTGACATTCCAGCATGAATCTGGT
AGACCTGTGGTTAACCCGTTCCCTCTCCATGTGTCTCCTCCTACAAAGTTTTGTTCTTATGAT
ACTGTGCTTTCATTCTGCCAGTATGTGTCCCAAGGGCTGTCTTTGTTCTTCCTCTGGGGGTTT
AAATGTCACCTGTAGCAATGCAAATCTCAAGGAAATACCTAGAGATCTTCCTCCTGAAACAGT
CTTACTGTATCTGGACTCCAATCAGATCACATCTATTCCCAATGAAATTTTAAAGGACCTCCA
TCAACTGAGAGTTCTCAACCTGTCCAAAAATGGCATTGAGTTTATCGATGAGCATGCCTTCAA
AGGAGTAGCTGAAACCTTGACAGACTCTGGACTTGTCCGACAATCGGATTCAAAGTGTGCACAA
AAATGCCTTCAATAACCTGAAGGCCAGGGCCAGAATTGCCAACAACCCCTGGCACTGCGACTG
TACTCTACAGCAAGTTCTGAGGAGCATGGCGTCCAATCATGAGACAGCCCACAACGTGATCTG
TAAAACGTCCGTGTTGGATGAACATGCTGGCAGACCATTCTCAATGCTGCCAACGACGCTGA
CCTTTGTAACCTCCCTAAAAAACTACCGATTATGCCATGCTGGTCACCATGTTTGGCTGGTT
CACTATGGTGATCTCATATGTGGTATATTATGTGAGGCAAAATCAGGAGGATGCCCGGAGACA
CCTCGAATACTTGAAATCCCTGCCAAGCAGGCAGAAGAAAGCAGATGAACCTGATGATATTAG
CACTGTGGTATTAGTGTCCAACTGACTGTCATTGAGAAAGAAAGAAAGTAGTTTGCGATTGCA
GTAGAAATAAGTGGTTTACTTCTCCCATCCATTGTAAACATTTGAACTTTGTATTTTCAGTTT
TTTTTGAATTATGCCACTGCTGAACTTTTAACAAACACTACAACATAAATAATTTGAGTTTAG
GTGATCCACCCCTTAATTGTACCCCGATGGTATATTTCTGAGTAAGCTACTATCTGAACATT
AGTTAGATCCATCTCACTATTTAATAATGAAATTTATTTTTTTAATTTAAAAGCAAATAAAAG
CTTAACTTTGAACCATGGGAAAAAAAAAAAAAAAAAAAAAAAAAACA

304/550

FIGURE 304

MNLVDLWLTRSLSMCLLLQSFVLMILCFHSASMC PKGCLCSSSGGLNVTCSNANLKEIPRDL P
 PETVLLYLDSNQITSIPNEIFKDLHQLRVLNLSKNGIEFIDEHAFKGVAETLQTLDSLSDNRIQ
 SVHKNAFNNLKARARIANNPWHCDC TLQQVLRSMASNHETAHNVICKTSVLDEHAGRPFLNAA
 NDADLCNLPPKKT TDYAMLVTMFGWFTMVISYVVYYVRQNE DARRHLEYLKS LPSRQKKADEP
 DDISTVV

Important features:

Signal sequence:

Amino acids 1-33

Transmembrane domain:

Amino acids 204-219

N-glycosylation sites:

Amino acids 47-51;94-98

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 199-203

Casein kinase II phosphorylation site.

amino acids 162-166, 175-179

N-myristoylation sites:

Amino acids 37-43;45-51;110-116

305/550

FIGURE 305

CGCCACCACTGCGGCCACCGCCAATGAAACGCCTCCCGCTCCTAGTGGTTTTTTCCACTTTGTTGAATTGTTCTCT
ATACTCAAAATTCACCAAGACACCTTGCTCTCCCAATGC AAAATGTGAAATACGCAATGGAATGAAGCCTGCT
ATTGCAACATGGGATTTTCAGGAAATGGTGTCACAATTTGTGAAGATGATAATGAATGTGGAATTTAACTCAGT
CCTGTGGCGAAATGCTAATTCACCTAACACAGAGGAAGTTATTATTGTATGTGTACCTGGCTTCAGATCCA
GCAGTAACCAAGACAGGTTTATCACTAATGATGGAACCGTCTGTATAGAAAATGTGAATGCAAACTGCCATTAG
ATAATGTCTGTATAGCTGCAAAATATTAATAAACTTTAACAAAAATCAGATCCATAAAAGAACCTGTGGCTTTC
TACAAGAAGTCTATAGAAATCTGTGACAGATCTTCACCAACAGATATAATTACATATATAGAAAATATTAGCTG
AATCATCTTCATTACTAGGTTACAAGAACAACACTATCTCAGCCAAGGACACCTTTCTAACTCAACTCTTACTG
AATTTGTA AAAACCGTGAATAATTTTGTTCAAAGGGATACATTTGTAGTTTGGGACAAGTTATCTGTGAATCATA
GGAGAACACATCTTACAAAACCTCATGCACACTGTTGAACAAGCTACTTAAAGGATATCCCAGAGCTTCCAAAAGA
CCACAGAGTTTGATACAAATTCACCGGATATAGCTCTCAAAGTTTCTTTTTTGTTCATATAACATGAAACATA
TTCATCCTCATATGAATATGGATGGAGACTACATAAATATATTTCCAAAGAGAAAAGCTGCATATGATTCAAATG
GCAATGTTGCAGTTGCATTTTATATATAAGAGTATTGGTCCTTTGCTTTTCATCATCTGACAACTTCTTATTGA
AACCTCAAAATTATGATAATCTGAAGAGGAGGAAAGAGTCATATCTTCAGTAATTTCACTCTCAATGAGCTCAA
ACCCACCCACATTATATGAACCTTGAAAAATAACATTACATTAAGTCATCGAAAGGTACAGATAGGTAAGGA
GTCTATGTGCATTTTGGAAATTAATCACCTGATACCATGAATGGCAGCTGGTCTTCAGAGGGCTGTGAGCTGACAT
ACTCAAATGAGACCCACACCTCATGCCGCTGTAAATCACCTGACACATTTGCAATTTTGATGTCTCTGGTCCTT
CCATTGGTATTAAAGATTATAATATCTTACAAGGATCACTCAACTAGGAATAATTATTTCACTGATTTGTCTTG
CCATATGCATTTTACCTTCTGGTCTTCACTGAAATTCAAAGCACCAGGACAACAATTCACAAAATCTTTGCT
GTAGCCTATTTCTTGCTGAACTTGTTTTCTTGTGGGATCAATACAAATACTAATAAGCTCTTCTGTTCAATCA
TTGCCGGACTGCTACACTACTTCTTTTAGCTGCTTTTGATGGATGTGCATTGAAGGCATACATCTCTATCTCA
TTGTTGTGGGTGTCATCTACAACAAGGGATTTTGCACAAGAATTTTATATCTTTGGCTATCTAAGCCCAGCCG
TGGTAGTTGGATTTTTCGGCAGCACTAGGATACAGATATTATGGCACAACCAAGTATGTTGGCTTAGCACCGAAA
ACAACCTTTATTTGGAGTTTATAGGACCAGCATGCCTAATCATTCTTGTAAATCTCTTGGCTTTTGGAGTCATCA
TATACAAAGTTTTCGTCACTGCAGGGTTGAAACCAGAGTTAGTTGCTTTGAGAACATAAGGTCTTGTGCAA
GAGGAGCCCTCGCTCTTCTGTTCTCTCGGCACCCTGGATCTTTGGGGTCTCCATGTTGTGCACGCATCAG
TGGTTACAGCTTACCTCTTACAGTCAGCAATGCTTTCCAGGGGATGTTCAATTTTTTATTCTGTGTGTTTAT
CTAGAAAGATTCAAGAAGAATATTACAGATTGTTCAAAAATGTCCCCTGTTGTTTGGATGTTTAAAGGTAACAT
AGAGAATGGTGGATAATTACAACGACAAAAATAAAATTCAGCTGTGGATGACCAATGTATAAAATGACT
CATCAAATTTATCAATTTAATACTAGACAAAAAGTATTTAAATCAGTTTTCTGTTTATGCTATAGGAACT
GTAGATAATAAGGTAAATTTATGTATCATATAGATATCTATGTTTTCTATGTGAAATAGTTCTGTCAAAAATA
GTATTGCAGATATTTGGAAAGTAATTGGTTTTCTCAGGAGTGATATCACTGCACCCAAGGAAAGATTTTCTTCTA
ACACGAGAAGTATATGAATGTCTGAAGGAACCACTGGCTTGATATTTCTGTGACTCGTGTGCCTTTGAACT
AGTCCCCTACCACCTCGGTAATGAGCTCCATTACAGAAAGTGAACATAAGAGAATGAAGGGGCAGAAATATCAAA
CAGTGAAGGAAGGAAATGATAAGATGATTTTGAATGAAGTGTCTGTAAGTAAATGTCCACTAAAACAACCTT
AAAATAAAGAATTTGAAGAAACACATTTTACCATTTTGTGAATGTTCTGAACTTAAATGTCCACTAAAACAACCTT
AGACTTCTGTTTGCTAAATCTGTTTCTTTTCTAATATTTCAAAAAAAGGTTTACCTCCACAAATTGA
AA

306/550

FIGURE 306

MKRLPLLVVFTLLNCSYTONCTKTCLPNAKCEIRNGIEACYCNMGFSGNGVTICEDDNECGNLTQSCGENANC
TNTEGSYYCMCVPGFRSSSNQDRFITNDGTVCIEVNVANCHLDNVCIAANINKTLTKIRSIKEPVALLQEVYRNS
VTDLSPTDIITYIEILAESSSSLGYKNNTISAKDTLSNSTLTFVKTVNNFVQRDTFVWVDKLSVNHRRTHLTKL
MHTVEQATLRISQSFQKTTEFDTNSTDIALKVFFDFSYNMKHIHPHMNDGDYINIFPKRKAAYDSNGNVAFAFL
YYKSIGPLLSSSDNELLKPQNYDNSEEEERVISVISVSMSSNPPTLYELEKITFTLSHRKVTDRYRSLCAFWNY
SPDTMNGSWSSEGCETYSNETHTSCRCNHLTHFAILMSSGPSIGIKDYNILTRITQLGIIISLICLAICIFTFW
FFSEIQSTRTTIHKNLCCSLFLAELVFLVGINTNTNKLFCSSIIAGLLHYFFLAFAWMCIEGIIHLYLIVVGVYIN
KGFLHKNFYIFGYLSPAVVVGFSAAALGYRYYGTTKVCWLSTENNFWSFIGPACLIILVNLLAFGVIIYKVRHT
AGLKEPVSCFENIRSCARGALALLFLLGTTWIFGVLVVHASVVTAYLFTVSNAFQGMFIFLFLCVLSRKIQEY
YRLFKNVPCCFGCLR

Important features:**Signal peptide:**

Amino acids 1-19

Transmembrane domain:

Amino acids 431-450;494-515;573-594;619-636;646-664

N-glycosylation sites:Amino acids 15-19;21-25;64-68;74-78;127-131;177-181;
188-192;249-253;381-385;395-399**Glycosaminoglycan attachment site:**

Amino acids 49-53

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 360-364

Tyrosine kinase phosphorylation sites:

Amino acids 36-44;670-677

N-myristoylation sites:Amino acids 38-44;50-56;52-58;80-86;382-388;388-394;
434-440;480-486;521-527**Aspartic acid and asparagine hydroxylation site:**

Amino acids 75-87

307/550

FIGURE 307

CCAGGCCGGGAGGCGACGCGCCAGCCGTCTAAACGGGAACAGCCCTGGCTGAGGGAGCTGCAGCGCAGCAGAGT
ATCTGACGGCGCCAGGTTGCGTAGGTGCGGCACGAGGAGTTTCCCGGCAGCGAGGAGGTCTGAGCAGCATGGC
CCGGAGGAGCGCCTTCCCTGCCGCGCGCTCTGGCTCTGGAGCATCCTCCTGTGCCTGCTGGCACTGCGGGCGGA
GGCCGGGCGCGCAGGAGGAGAGCCTGTACCTATGGATCGATGCTCACCAGGCAAGAGTACTCATAGGATTTGA
AGAAGATATCCTGATTGTTTCAGAGGGGAAAATGGCACCTTTTACACATGATTTAGAAAAGCGCAACAGAGAAT
GCCAGCTATTCTGTCAATATCCATTCCATGAATTTTACCTGGCAAGCTGCAGGGCAGGCAGAATACTTCTATGA
ATCCTGTCTTGCGCTCCCTGGATAAAGGCATCATGGCAGATCCAACCGTCAATGTCCCTCTGCTGGGAACAGT
GCCTCACAAGGCATCAGTTGTTCAAGTTGGTTTCCCATGTCTTGAAAAACAGGATGGGGTGGCAGCATTGAAGT
GGATGTGATTGTTATGAATTCTGAAGGCAACACCATTCTCCAAACACCTCAAATGCTATCTTCTTTAAACATG
TCAACAAGCTGAGTGCCAGGCGGGTGCCGAAATGGAGGCTTTTGTAAATGAAAGACGCATCTGCGAGTGTCTGA
TGGGTTCCACGGACCTCACTGTGAGAAAGCCCTTTGTACCCACGATGTATGAATGGTGGACTTTGTGTGACTCC
TGGTTTCTGCATCTGCCACCTGGATTCTATGGAGTGAAGTGTGACAAAGCAAAGTCTCAACCACCTGCTTTAA
TGGAGGGACCTGTTTCTACCCTGGAAAATGTATTTGCCCTCCAGGACTAGAGGGAGAGCAGTGTGAAATCAGCAA
ATGCCCACAACCCTGTGGAATGGAGGTAAATGCATTGGTAAAGCAAATGTAAGTGTTCAAAGGTTACCAGGG
AGACCTCTGTTCAAAGCCTGTCTGCGAGCCTGGCTGTGGTGCACATGGAACCTGCCATGAACCAACAAATGCCA
ATGTCAAGAAGGTTGGCATGGAAGACACTGCAATAAAAGGTACGAAGCCAGCCTCATAATGCCCTGAGGCCAGC
AGGCGCCAGCTCAGGCAGCACACGCCTTCACTTAAAAAGGCCGAGGAGCGGCGGGATCCACCTGAATCCAATTA
CATCTGGTGAACTCCGACATCTGAAACGTTTAAAGTTACACCAAGTTCATAGCCTTTGTAAACCTTTTCATGTGT
GAATGTTCAAATAATGTTTACTTACACTTAAGAATACTGGCCTGAATTTTATTAGCTTCATTATAAATCACTGAGC
TGATATTTACTCTTCTTTTAAAGTTTCTAAGTACGTCTGTAGCATGATGGTATAGATTTTCTTGTTCAGTGCT
TTGGGACAGATTTTATATTATGTCAATTGATCAGGTTAAATTTTCACTGTGTAGTTGGCAGATATTTTCAAAT
TACAATGCATTTATGCTGTCTGGGGCAGGGGAACATCAGAAAGGTTAAATTTGGGCAAAATGCGTAAGTCACAA
GAATTTGGATGGTGCAGTTAATGTTGAAGTTACAGCATTTTCAATTTTATTGTCAGATATTTAGATGTTTGTAC
ATTTTTAAAAATGCTCTTAATTTTAACTCTCAATACAATATATTTTGACCTTACCATTATTCCAGAGATTCA
GTATTAATAAAAAAAAAAATTACACTGTGGTAGTGGCATTTAAACAATATAATATATTCTAAACACAATGAAATAG
GGAATATAATGTATGAACCTTTTGCATTGGCTTGAAGCAATATAATATATTGTAAACAAAACACAGCTCTTACCT
AATAAACATTTTATACTGTTGTATGTATAAAATAAAGGTGCTGCTTTAGTTTTTGGAAAAAAAAAAAAAAAA
AAAAAAA

308/550

FIGURE 308

MARRSAFPAAALWLWSILLCLLALRAEAGPPQEESLYLWIDAHQARVLIGFEEDILIVSEGKM
APFTHDFRKAQQRMPAIPVNIHSMNFTWQAAGQAIFYEFLSLRSLDKGIMADPTVNVPLLGT
VPHKASVVQVGFPCLGKQDGVAAFEVDVIVMNSEGNTILQTPQNAIFFKTCQQAECPPGGCRNG
GFCNERRICECPDGFHGHCEKALCTPRCMNGGLCVTPGFCICPPGFYGVNCDKANCSTTCFN
GGTCFYPGKCICPPGLEGEQCEISKCPQPCRNGGKCIGKSKCKCSKGYQGDLCSPVCEPGCG
AHGTCHEPNKCQCQEGWHGRHCNKRYEASLIHALRPAGAQLRQHTPSLKKAEEERRDPPESNYIW

Important features:**Signal sequence:**

Amino acids 1-28

N-glycosylation sites:

Amino acids 88-92;245-249

Tyrosine kinase phosphorylation site:

Amino acids 370-378

N-myristoylation sites:

Amino acids 184-190;185-191;189-195;315-321

ATP/GTP-binding site motif A (P-loop):

Amino acids 285-293

EGF-like domain cysteine pattern signatures:

Amino acids 198-210;230-242;262-274;294-306;326-338

309/550

FIGURE 309

CCCACGCGTCCGGTCTCGCTCGCTCGCGCAGCGCGGCAGCAGAGGTGCGGCACAGATGCGGG
TTAGACTGGCGGGGGAGGAGGCGGAGGAGGGAAGGAAGCTGCATGCATGAGACCCACAGACT
CTTGCAAGCTGGATGCCCTCTGTGGATGAAAGATGATCATGGAATGAACCCGAGCAATGGAG
ATGGATTTCTAGAGCAGCAGCAGCAGCAGCAACCTCAGTCCCCCAGAGACTCTTGCCCG
TGATCCTGTGTTTCAGCTGGCGCTGTGCTTCGGCCCTGCACAGCTCACGGGCGGGTTCGATG
ACCTTCAAGTGTGTGCTGACCCCGGCATTCCCGAGAATGGCTTCAGGACCCCGAGCGGAGGGG
TTTTCTTTGAAGGCTCTGTAGCCCGATTTCACTGCCAAGACGGATTCAAGCTGAAGGGCGCTA
CAAAGAGACTGTGTTTGAAGCATTTTAATGGAACCCCTAGGCTGGATCCCAAGTGATAATTCCA
TCTGTGTGCAAGAAGATTGCCGTATCCCTCAAATCGAAGATGCTGAGATTCTATAACAAGACAT
ATAGACATGGAGAGAAGCTAATCATCACTTGTTCATGAAGGATTCAGATCCGGTACCCCGACC
TACACAATATGGTTTCATTATGTCGCGATGATGGAACGTGGAATAATCTGCCCATCTGTCAAG
GCTGCCTGAGACCTCTAGCCTCTTCTAATGCGATATGTAAACATCTCTGAGCTCCAGACCTCCT
TCCCGGTGGGGACTGTGATCTCCTATCGCTGCTTTCCCGGATTTAAACTTGATGGGTCTGCGT
ATCTTGAGTGCTTACAAAACCTTATCTGGTTCGTCCAGCCACCCCGGTGCCTTGCTCTGGAAG
CCCAAGTCTGTCCACTACCTCCAATGGTGAGTCACGGAGATTTCTGCTGCCACCCGCGGCCTT
GTGAGCGCTACAACCACGGAACGTGGTGGAGTTTTACTGCGATCCTGGCTACAGCCTCACCA
GCGACTACAAGTACATCACCTGCCAGTATGGAGAGTGGTTTCCTTCTTATCAAGTCTACTGCA
TCAAATCAGAGCAAACGTGGCCAGCACCCATGAGACCTCCTGACCACGTGGAAGATTGTGG
CGTTCACGGCAACCAGTGTGCTGCTGGTGTGCTGCTCGTCATCCTGGCCAGGATGTTCCAGA
CCAAGTTCAAGGCCCCACTTTCCCCCAGGGGGCCTCCCCGGAGTCCAGCAGTGACCCTGACT
TTGTGGTGGTAGACGGCGTGCCCGTCATGCTCCCGTCTATGACGAAGCTGTGAGTGGCGGCT
TGAGTGCCTTAGGCCCCGGGTACATGGCCTCTGTGGGCCAGGGCTGCCCCCTTACCCGTGGACG
ACCAGAGCCCCCAGCATACCCCGGCTCAGGGGACACGGACACAGGCCAGGGGAGTCAGAAA
CCTGTGACAGCGTCTCAGGCTCTTCTGAGCTGCTCCAAAGTCTGTATTACCTCCAGGTGCC
AAGAGAGCACCCACCCTGCTTCGGACAACCCTGACATAATTGCCAGCACGGCAGAGGAGGTGG
CATCCACCAGCCAGGCATCCATCATGCCCCACTGGGTGTTGTTTCTAAGAAACTGATTGATTA
AAAAATTTCCCAAAGTGTCTGAAGTGTCTCTTCAAATACATGTTGATCTGTGGAGTTGATTC
CTTTCCTTCTCTTGGTTTTAGACAAATGTAAACAAAGCTCTGATCCTTAAAATTGCTATGCTG
ATAGAGTGGTGAGGGCTGGAAGCTTGATCAAGTCCTGTTTCTTCTTGACACAGACTGATTAA
AATTAAAGNAAAAA

310/550

FIGURE 310

MYHGMNPSNGDGFLEQQQQQQPQSPQRLLAVILWFQLALCFGPAQLTGGFDDLQVCADPGIP
ENGERTPSGGVFFEGSVARFHCQDGFKLKGATKRLCLKHFNGTLGWIPSDNSICVQEDCRIPQ
IEDAEIHNKTYRHGEKLIITCHEGFKIRYPDLHNMVSLCRDDGTWNNLPICQGCLRPLASSNG
YVNISELQTSFPVGTVISYRCFPGFKL DGSAYLECLQNLIWSSSPRCLALEAQVCPLPPMVS
HGDFVCHPRPCERYNHGTVVEFYCDPGYSLTSDYKYITCQYGEWFPSYQVYCIKSEQTWPSTH
ETLLTTWKIVAFTATSVLLVLLLVLARMFQTKFAHFPPRGPPRSSSSDPDFVVVDGVPVML
PSYDEAVSGGLSALGPGYMASVGQCPLPVDDQSPPAYPGSGD TDTGPGESETCDSVSGSSEL
LQSLYSPPRCQESTHPASDNPDIIASTAEVASTSPGIHHAHWVFLRN

Important features:**Signal sequence:**

amino acids 1-41

Transmembrane domain:

amino acids 325-344

N-glycosylation site:

amino acids 104-108, 134-138, 192-196

Casein kinase II phosphorylation site:amino acids 8-12, 146-150, 252-256, 270-274, 313-317, 362-366,
364-368, 380-384, 467-471, 468-472**N-myristoylation site:**amino acids 4-10, 61-67, 169-175, 203-209, 387-393, 418-424,
478-484**Prokaryotic membrane lipoprotein lipid attachment site:**

amino acids 394-405

311/550

FIGURE 311

CAGCGCGTGGCCGGCGCCGCTGTGGGGACAGCATGAGCGGCGGTTGGATGGCGCAGGTTGGAG
CGTGGCGAACAGGGGCTCTGGGCCTGGCGCTGCTGCTGCTGCTCGGCCTCGGACTAGGCCTGG
AGGCCGCCGCGAGCCCGCTTTCCACCCGACCTCTGCCCAGGCCGCGAGGCCCCAGCTCAGGCT
CGTGCCCACCCACCAAGTTCCAGTGCCGCACCAGTGGCTTATGCGTGCCCCCTCACCTGGCGCT
GCGACAGGGACTTGGACTGCAGCGATGGCAGCGATGAGGAGGAGTGCAGGATTGAGCCATGTA
CCCAGAAAGGGCAATGCCACCGCCCCCTGGCCTCCCCTGCCCCCTGCACCGGCGTCAGTGA
GCTCTGGGGGAAGTACAAGAACTGCGCAACTGCAGCCGCGCTGGCCTGCCTAGCAGGCGAGC
TCCGTTGCACGCTGAGCGATGACTGCATTCCACTCACGTGGCGCTGCGACGGCCACCCAGACT
GTCCCGACTCCAGCGACGAGCTCGGCTGTGGAACCAATGAGATCCTCCCGGAAGGGGATGCCA
CAACCATGGGGCCCCCTGTGACCCTGGAGAGTGTACCTCTCTCAGGAATGCCACAACCATGG
GGCCCCCTGTGACCCTGGAGAGTGTCCCCTCTGTGCGGAATGCCACATCCTCCTCTGCCGGAG
ACCACTCTGGAAGCCCCAAGTGCCTATGGGGTTATTGCAGCTGCTGCGGTGCTCAGTGCAAGCC
TGGTCACCGCCACCCTCCTCCTTTTGTCTGGCTCCGAGCCCAGGAGCGCCTCCGCCCCACTGG
GGTTACTGGTGGCCATGAAGGAGTCCCTGCTGCTGTCAGAACAGAAGACCTCGCTGCCCTTGAG
GACAAGCACTTGCCACCACCGTCACTCAGCCCTGGGCGTAGCCGGACAGGAGGAGAGCAGTGA
TGCGGATGGGTACCCGGGCACACCAGCCCTCAGAGACCTGAGTTCTTCTGGCCACGTGGAACC
TCGAACCCGAGCTCCTGCAGAAAGTGGCCCTGGAGATTGAGGGTCCCTGGACACTCCCTATGGA
GATCCGGGGAGCTAGGATGGGGAACCTGCCACAGCCAGAACTGAGGGGCTGGCCCCAGGCAGC
TCCCAGGGGGTAGAACGGCCCTGTGCTTAAGACACTCCCTGCTGCCCCGTCTGAGGGTGGCGA
TTAAAGTTGCTTC

312/550

FIGURE 312

MSGGWMAQVGAWRTGALGLALLLLGLGLGLEAAASPLSTPTSAQAAGPSSGSCPPTKFQCRT
SGLCVPLTWRCDRDLDCSDGSDEEECRIEPCTQKGQCPPPPGLPCPCTGVSDCSGGTDKKLRN
CSRLACLAGELRCTLSDDCIPLTWRCDGHPDCPDSSDELGCGTNEILPEGDATTMGPPVTLES
VTSLRNATTMGPPVTLESVPSVGNATSSSAGDQSGSPYAYGVIAAAVLSASLVATLLLLSW
LRAQERLRPLGLLVAMKESLLLSEQKTSLP

Important features:**Signal sequence:**

Amino acids 1-30

Transmembrane domain:

Amino acids 231-248

N-glycosylation sites:

Amino acids 126-130;195-199;213-217

Casein kinase II phosphorylation site.

amino acids 84-88, 140-144, 161-165, 218-222

N-myristoylation sites:Amino acids 3-9;10-16;26-32;30-36;112-118;166-172;212-218;
224-230;230-236;263-269**Prokaryotic membrane lipoprotein lipid attachment site:**

Amino acids 44-55

Leucine zipper pattern:

Amino acids 17-39

313/550

FIGURE 313

CGGACGCGTGGGCGTCCGGCGGTGCGAGAGCCAGGAGGCGGAGGCGCGGGCCAGCCTGGGCCCCAGCCACAC
CTTCACCAGGGCCCAGGAGCCACCATGTGCGGATGTCCACTGGGGCTACTGCTGTTGCTGCCGCTGGCTGGCCAC
TTGGCTCTGGGTGCCAGCAGGGTCTGGGCGCCGGGAGCTAGCACCGGGTCTGCACCTGCGGGGCATCCGGGAC
GCGGGAGGCCGGTACTGCCAGGAGCAGGACCTGTGCTGCCGCGGCCGTGCCGACGACTGTGCCCTGCCCTACCTG
GGCGCCATCTGTTACTGTGACCTCTTCTGCAACCGCACGGTCTCCGACTGCTGCCCTGACTTCTGGGACTTCTGC
CTCGGCGTGCCACCCCTTTTCCCCCGATCCAAGGATGTATGCATGGAGGTCTGTATCTATCCAGTCTTGGGAACG
TACTGGGACAACTGTAACCGTTGCACCTGCCAGGAGAACAGGCAGTGGCATGGTGGATCCAGACATGATCAAAGC
CATCAACCAGGGCAACTATGGCTGGCAGGCTGGGAACCACAGCGCTTCTGGGGCATGACCCTGGATTCAGGGCAT
TCGCTACCGCTGGGCACCATCCGCCATCTTCTCGGTGATGAACATGCATGAAATTTATACAGTGCTGAACCC
AGGGGAGGTGCTTCCACAGCCTTCGAGGCCTCTGAGAAGTGGCCCAACCTGATTCATGAGCCTCTTGACCAAGG
CAACTGTGACAGGCTCTGGGCCTTCTCCACAGCAGCTGTGGCATCCGATCGTGTCTCAATCCATTCTCTGGGACA
CATGACGCCTGTCTGTGCGCCCCAGAACCTGCTGTCTTGTGACACCCACCAGCAGCAGGGCTGCCGCGGTGGGCG
TCTCGATGGTGCCTGGTGGTTCTGCGTCCGCCAGGGGTGGTGTCTGACCACTGCTACCCCTTCTCGGGCCGTGA
ACGAGACGAGGCTGGCCCTGCGCCCCCTGTATGATGCACAGCCGAGCCATGGGTGCGGGCAAGCGCCAGGCCAC
TGCCCACTGCCCCAACAGCTATGTTAATAACAATGACATCTACCAGGTCACTCCTGTCTACCGCTCGGCTCCAA
CGACAAGGAGATCATGAAGGAGCTGATGGAGAATGGCCCTGTCCAAGCCCTCATGGAGGTGCATGAGGACTTCTT
CCTATACAAGGAGGCATCTACAGCCACAGCCAGTGAGCCTTGGGAGGCCAGAGAGATACCGCCGGCATGGGAC
CCACTCAGTCAAGATCACAGGATGGGGAGAGGAGACGCTGCCAGATGGAAGGACGCTCAAATACTGGACTGCGGC
CAACTCCTGGGGCCCAGCCTGGGGCGAGAGGGGCCACTTCCGCATCGTGCGGCGGTCAATGAGTGCGACATCGA
GAGCTTCGTGCTGGGCGTCTGGGGCCGCTGGGCATGGAGGACATGGGTCACTGAGGCTGCGGGCACCACGC
GGGTCCGGCTGGGATCCAGGCTAAGGGCCGCGGAAGAGGCCCAATGGGGCGGTGACCCAGCCTCGCCCCGA
CAGAGCCCGGGCGCAGGCGGGGCCAGGGCGCTAATCCCGCGCGGGTTCCGCTGACGCAGCGCCCCGCTGGG
AGCCGCGGGCAGGCGAGACTGGCGGAGCCCCAGACCTCCAGTGGGGACGGGGCAGGGCCTGGCCTGGGAAGAG
CACAGCTGCAGATCCCAAGCCTCTGGCGCCCCACTCAAGACTACCAAAGCCAGGACACCTCAAGTCTCCAGCCC
CAATACCCACCCCAATCCCGTATTCTTTTTTTTTTTTTTTTAGACAGGGTCTTGCTCCGTTGCCAGSTTGGAG
TGCAGTGGCCCATCAGGGCTCACTGTAACCTCCGACTCCTGGGTCAAGTGACCCTCCACCTCAGCCTCTCAAG
TAGCTGGGACTACAGGTGACACCACACCTGGCTAATTTTGTATTTTGTAAAGAGGGGGGTCTCACTGTGT
TGCCAGGCTGGTTTCGAACCTCTGGGCTCAAGCGGTCCACCTGCCTCCGCCTCCCAAAGTGCTGGGATTGCAGG
CATGAGCCACTGCACCCAGCCCTGTATTCTTATTCTTCAGATATTTATTTTCTTTTCACTGTTTTAAATAAAA
CCAAAGTATTGATAAAAAAAA

314/550

FIGURE 314

MWRCPLGLLLLLPLAGHLALGAQQGRGRRELAPGLHLRGIRDAGGRYÇQEQDLCCRGRADDCA
LPYLGAICYCDLFCNRTVSDCCPDFWDFCLGVPPFPPIQGCMHGGRIYPVLGTYWDNCNRCT
CQENRQWHGGSRRHDQSHQPGQLWLAGWEPQRLLGHDPG

Important features:**N-glycosylation site.**

amino acids 78-82, 161-165

Casein kinase II phosphorylation site.amino acids 80-84, 117-121, 126-130, 169-173, 205-209, 296-300,
411-415**N-myristoylation site.**amino acids 21-27, 39-45, 44-50, 104-110, 160-164, 224-230,
269-275, 378-384, 442-448**Amidation site.**

amino acids 26-30, 318-322

Eukaryotic thiol (cysteine) proteases histidine active site.

amino acids 398-409

315/550

FIGURE 315

CGGACGCGTGGGCCCCCTGGTGGGCCCAGCAAGATGGATCTACTGTGGATCCTGCCCTCCCTGT
GGCTTCTCCTGCTTGGGGGGCCTGCCTGCCTGAAGACCCAGGAACACCCAGCTGCCCAGGAC
CCAGGGAAGTGAAGCCAGCAAAGTTGTCTCCTGCCCAGTTGTCCCGGAGCTCCAGGAAGTC
CTGGGGAGAAGGGAGCCCCAGGTCCTCAAGGGCCACCTGGACCACCAGGCAAGATGGGCCCCA
AGGGTGAGCCAGGCCCCAGAACTGCCGGGAGCTGTTGAGCCAGGGCGCCACCTTGAGCGGCT
GGTACCATCTGTGCCTACCTGAGGGCAGGGCCCTCCCAGTCTTTTGTGACATGGACACCGAGG
GGGGCGGCTGGCTGGTGTTCAGAGGCGCCAGGATGGTTCTGTGGATTTCTTCCGCTCTTGGT
CCTCCTACAGAGCAGGTTTTGGGAACCAAGAGTCTGAATTCTGGCTGGGAAATGAGAATTTGC
ACCAGCTTACTCTCCAGGGTAACTGGGAGCTGCGGGTAGAGCTGGAAGACTTTAATGGTAACC
GTACTTTCGCCCACTATGCGACCTTCCGCCTCCTCGGTGAGGTAGACCACTACCAGCTGGCAC
TGGGCAAGTTCTCAGAGGGCACTGCAGGGGATTCCCTGAGCCTCCACAGTGGGAGGCCCTTTA
CCACCTATGACGCTGACCACGATTCAAGCAACAGCAACTGTGCAGTGATTGTCCACGGTGCCT
GGTGGTATGCATCCTGTTACCGATCAAATCTCAATGGTCGCTATGCAGTGTCTGAGGCTGCCG
CCCACAAATATGGCATTGACTGGGCCTCAGGCCGTGGTGTGGGCCACCCCTACCGCAGGGTTC
GGATGATGCTTCGATAGGGCACTCTGGCAGCCAGTGCCCTTATCTCTCCTGTACAGCTTCCGG
ATCGTCAGCCACCTTGCCCTTTGCCAACCACCTCTGCTTGCCTGTCCACATTTAAAAATAAAAT
CATTTTAGCCCTTTCA

316/550

FIGURE 316

MDLLWILPSLWLLLLGGPACLKTQEHPSCPGPRELEASKVVLLPSCPGAPGSPGEKGAPGPQG
PPGPPGKMGPKGEPGPRNCRELLSQGATLSGWYHLCLPEGRALPVFCMDTEGGGWLVFQRRQ
DGSVDFFRSWSSYRAGFGNQESEFWLGNNENLHQLTLQGNWELRVELEDENGRTFAHYATFRL
LGEVDHYQLALGKFSEGTAGDSLHSGRPFTTYDADHDSSNSNCAVIVHGAWWYASCYRSNL
NGRYAVSEAAAHKYGIDWASGRGVGHPYRRVRMMLR

Important features:

Signal peptide:

Amino acids 1-16

N-glycosylation site:

Amino acids 178-182

Glycosaminoglycan attachment site:

Amino acids 272-276

Tyrosine kinase phosphorylation site:

Amino acids 188-197

N-myristoylation sites:

Amino acids 16-22;89-95;144-150;267-273

Fibrinogen beta and gamma chains C-terminal domain signature:

Amino acids 242-255

317/550

FIGURE 317

CCCAAGCCAGCCGAGCCGCCAGAGCCGCGGGCCGCGGGGGTGTGCGGGGCCCAACCCAGGAT
GCTCCCCTGCGCCTCCTGCCTACCCGGGTCTCTACTGCTCTGGGCGCTGCTACTGTTGCTCTT
GGGATCAGCTTCTCCTCAGGATTCTGAAGAGCCCGACAGCTACACGGAATGCACAGATGGCTA
TGAGTGGGACCCAGACAGCCAGCACTGCCGGGATGTCAACGAGTGTCTGACCATCCCTGAGGC
CTGCAAGGGGGAAATGAAGTGCATCAACCACTACGGGGGCTACTTGTGCCTGCCCCGCTCCGC
TGCCGTCATCAACGACCTACATGGCGAGGGACCCCCGCCACCAGTGCCTCCCGCTCAACACCC
CAACCCCTGCCCACCAGGCTATGAGCCCGACGATCAGGACAGCTGTGTGGATGTGGACGAGTG
TGCCAGGCCCTGCACGACTGTGCCCCAGCCAGGACTGCCATAACTTGCTGGCTCCTATCA
GTGCACCTGCCCTGATGGTTACCGCAAGATCGGGCCCCGAGTGTGTGGACATAGACGAGTGCCG
CTACCGCTACTGCCAGCACCGCTGCGTGAACCTGCCTGGCTCCTTCCGCTGCCAGTGCGAGCC
GGGCTTCCAGCTGGGGCCTAACAACCGCTCCTGTGTTGATGTGAACGAGTGTGACATGGGGGC
CCCATGCGAGCAGCGCTGCTTCAACTCCTATGGGACCTTCTGTGTCGCTGCCACCAGGGCTA
TGAGCTGCATCGGGATGGCTTCTCCTGCAGTGATATTGATGAGTGTAGCTACTCCAGCTACCT
CTGTCAGTACCGCTGCGTCAACGAGCCAGGCCGTTTCTCCTGCCACTGCCACAGGGTTACCA
GCTGCTGGCCACACGCCTCTGCCAAGACATTGATGAGTGTGAGTCTGGTGCGCACCAAGTGCTC
CGAGGCCCAAACCTGTGTCAACTTCCATGGGGGCTACCGCTGCGTGGACACCAACCGCTGCGT
GGAGCCCTACATCCAGGTCTCTGAGAACCGCTGTCTCTGCCCCGGCCTCCAACCCCTCTATGTCG
AGAGCAGCCTTCATCCATTGTGCACCGCTACATGACCATCACCTCGGAGCGGAGCGTGCCCGC
TGACGTGTTCCAGATCCAGGCGACCTCCGTCTACCCCGGTGCCTACAATGCCTTTCAGATCCG
TGCTGGAAACTCGCAGGGGGACTTTTACATTAGGCAAATCAACAACGTCAGCGCCATGCTGGT
CCTCGCCCCGGCCGGTGACGGGCCCCCGGGAGTACGTGCTGGACCTGGAGATGGTCACCATGAA
TTCCCTCATGAGCTACCGGGCCAGCTCTGTACTGAGGCTCACCGTCTTTGTAGGGGCCTACAC
CTTCTGAGGAGCAGGAGGGAGCCACCCTCCCTGCAGCTACCCTAGCTGAGGAGCCTGTTGTGA
GGGGCAGAATGAGAAAGGCAATAAAGGGAGAAAGAAAGTCCTGGTGGCTGAGGTGGGCGGGTC
ACACTGCAGGAAGCCTCAGGCTGGGGCAGGGTGGCACTTGGGGGGGCAGGCCAAGTTCACCTA
AATGGGGGTCTCTATATGTTCAGGCCCAGGGGCCCCCATTGACAGGAGCTGGGAGCTCTGCAC
CACGAGCTTCAGTACCCCCGAGAGGAGAGGAGGTAACGAGGAGGGCGGACTCCAGGCCCCGGC
CCAGAGATTTGGAATTGGCTGGCTTGCAGGGGTCTAAGAACTCCACTCTGGACAGCGCCAG
GAGGCCCTGGGTTCCATTCTAACTCTGCCTCAAACGTGTACATTTGGATAAGCCCTAGTAGTT
CCCTGGGCCTGTTTTTCTATAAAACGAGGCAACTGGAAAAAAAAAAAAA

318/550

FIGURE 318

MLPCASCLPGSLLLWALLLLLLGSASPQDSEEPDSYTECTDGYEWDPD SQHCRDVNECLTIPE
ACKGEMKCINHYGGYLC LPRSAAVINDLHGEGPPPPVPPAQHPNPCPPGYEPDDQDSCVDVDE
CAQALHDCRPSQDCHNLP GSYQCTCPDGYRKIGPECVDIDECRYRYCQHRCVNLPGSFRCQCE
PGFQLGPNNRSCVDVNECDMGAPCEQRCFNSYGTFLCRCHQGYELHRDGFSCSDIDECYSSY
LCQYRCVNEPGRFSCHCPQGYQLLATRLCQDIDECESGAHQCEAQTCVNFHGGYRCVDTNRC
VEPYIQVSENRCLCPASNPLCREQPSSIVHRYMTITSERV PADVFQIQATSVYPGAYNAFQI
RAGNSQGD FYIRQINNVSAMLVLARPVTGPREYVLDLEMVTMNSLMSYRASSVLRLTVFVGAYTF

Important features:**Signal sequence:**

Amino acids 1-25

N-glycosylation sites:

Amino acids 198-202;394-398

N-myristoylation sites:Amino acids 76-82;145-151;182-188;222-228;290-296;305-311;
371-377;381-387**Aspartic acid and asparagine hydroxylation sites:**

amino acids 140-152;177-189;217-229;258-270

319/550

FIGURE 319

GCTGGGGACATGAGAGGCACACCGAAGACCCACCTCCTGGCCTTCTCCCTCCTCTGCCTCCTC
TCAAAGGTGCGTACCCAGCTGTGCCCCGACACCATGTACCTGCCCCTGGCCACCTCCCCGATGC
CCGCTGGGAGTACCCCTGGTGCTGGATGGCTGTGGCTGCTGCCGGGTATGTGCACGGCGGCTG
GGGGAGCCCTGCGACCAACTCCACGTCTGCGAGCCAGCCAGGGCCTGGTCTGCCAGCCCCGGG
GCAGGACCCGGTGGCCGGGGGGCCCTGTGCCTCTTGGCAGAGGACGACAGCAGCTGTGAGGTG
AACGGCCGCTGTATCGGGAAGGGGAGACCTTCCAGCCCCACTGCAGCATCCGCTGCCGCTGC
GAGGACGGCGGCTTCACCTGCGTGCCGCTGTGCAGCGAGGATGTGCGGCTGCCAGCTGGGAC
TGCCCCCAGCCAGGAGGGTCGAGGTCTGGGCAAGTGCTGCCCTGAGTGGGTGTGCGGCCAA
GGAGGGGGACTGGGGACCCAGCCCCCTTCCAGCCCAAGGACCCAGTTTTCTGGCCTTGCTCTCT
TCCCTGCCCCCTGGTGCTCCCTGCCCAGAATGGAGCACGGCCTGGGGACCCTGCTCGACCACC
TGTGGGCTGGGCATGGCCACCCGGGTGTCCAACCAGAACCGCTTCTGCCGACTGGAGACCCAG
CGCCGCCTGTGCCTGTCCAGGCCCTGCCACCCTCCAGGGGTGCGAGTCCACAAAACAGTGCC
TTCTAGAGCCGGGCTGGGAATGGGGACACGGTGTCCACCATCCCCAGCTGGTGGCCCTGTGCC
TGGGCCCTGGGCTGATGGAAGATGGTCCGTGCCAGGCCCTTGGCTGCAGGCAACACTTTAGC
TTGGGTCCACCATGCAGAACACCAATATTAACACGCTGCCTGGTCTGTCTGGATCCCGAGGTA
TGGCAGAGGTGCAAGACCTAGTCCCCCTTTCCTCTAACTCACTGCCTAGGAGGCTGGCCAAGGT
GTCCAGGGTCCTCTAGCCCACTCCCTGCCTACACACACAGCCTATATCAAACATGCACACGGG
CGAGCTTTCTCTCCGACTTCCCCCTGGGCAAGAGATGGGACAAGCAGTCCCTTAATATTGAGGC
TGCAGCAGGTGCTGGGCTGGACTGGCCATTTTTCTGGGGGTAGGATGAAGAGAAGGCACACAG
AGATTCTGGATCTCCTGCTGCCTTTTCTGGAGTTTGTAATAATTGTTCTGAATACAAGCCTAT
GCGTGA

320/550

FIGURE 320

MRGTPKTHLLAFSLLCLLSKVRTQLCPTPCTCPWPPPRCPLGVPLVLDGCGCCRVCAARRLGEP
CDQLHVCDASQGLVCQPGAGPGGRGALCLLAEDDSSCEVNGRLYREGETFQPHCSIRCRCEGDG
GFTCVPLCSEDVRLPSWDCPHPRRVEVLGKCCPEWVCGQGGGLGTQPLPAQGPQFSGLVSSLP
PGVPCPEWSTAWGPCSTTCGLGMATRVSNQNRFCRLETQRRRLCLSRPCPPSRGRSPQNSAF

Important features:

Signal sequence:

Amino acids 1-23

N-myristoylation sites:

Amino acids 3-9;49-55;81-87;85-91;126-132;164-170;166-172;
167-173;183-189;209-215

Insulin-like growth factor binding proteins signature:

Amino acids 49-65

von Willebrand C1 domain:

Amino acids 107-124

Thrombospondin 1 Homology Block:

Amino acids 201-216

IGF binding protein site:

Amino acids 49-58

FIGURE 321

[illegible]

322/550

FIGURE 322

MMGLSLASAVLLASLLSLHLGTATRGSDISKTC CFQYSHKPLPWTWVRSYEFTSNSCSQRAVI
FTTKRGKKVCTHPRKKWVQKYISLLKTPKQL

Important features:

Signal peptide:

amino acids 1-23

N-myristoylation sites.

amino acids 3-9, 26-32

Amidation site.

amino acids 68-72

Small cytokines (intecrine/chemokine).

amino acids 23-88

323/550

FIGURE 323

ACCGAGCCGAGCGGACCGAAGGCGCGCCGAGATGTCAGGTGAGCAAGAGGATGCTGGCGGGGGCGTGAGGAGCA
TGCCAGCCCCCTCCTGGCCTGCTGGCAGCCCATCCTCCTGCTGGTGTGGGCTCAGTGCTGTGAGGCTCGGCCA
CGGGCTGCCCCCGCTGCGAGTGCTCCGCCCAGGACCGGCTGTGCTGTGCCACCGCAAGTGCTTTGTGGCAG
TCCCCGAGGGCATCCCCACCGAGACGCGCTGCTGGACCTAGGCAAGAACCGCATCAAAACGCTCAACCAGGACG
AGTTCGCCAGCTTCCCGCACCTGGAGGAGCTGGAGCTCAACGAGAACATCGTGAGCGCCGTGGAGCCCGGCGCCT
TCAACAACCTCTTCAACCTCCGGACGCTGGGTCTCCGACGCAACCGCCTGAAGCTCATCCCGCTAGGCGTCTTCA
CTGGCCTCAGCAACCTGACCAAGCAGGACATCAGCGAGAACAAGATCGTTATCCTACTGGACTACATGTTTCAGG
ACCTGTACAACCTCAAGTCACTGGAGGTTGGCGACAATGACCTCGTCTACATCTCTACCGCGCCTTCAGCGGCC
TCAACAGCCTGGAGCAGCTGACGCTGGAGAAATGCAACCTGACCTCCATCCCCACCGAGGCGCTGTCCACCTGC
ACGGCCTCATCGTCCTGAGGCTCCGGCACCTCAACATCAATGCCATCCGGGACTACTCCTTCAAGAGGCTGTACC
GACTCAAGGTCTTGGAGATCTCCCACTGGCCCTACTTGGACACCATGACACCCAACCTGCCTCTACGGCCTCAACC
TGACGTCCCTGTCCATCACACACTGCAATCTGACCGCTGTGCCCTACCTGGCCGTCCGCCACCTAGTCTATCTCC
GCTTCCTCAACCTCTCCTACAACCCCATCAGCACCATTGAGGGCTCCATGTTGCATGAGCTGCTCCGGCTGCAGG
AGATCCAGCTGGTGGGCGGGCAGCTGGCCGTGGTGGAGCCCTATGCCTTCCGCGGCCTCAACTACCTGCGCGTGC
TCAATGTCTCTGGCAACCAGCTGACCACACTGGAGGAATCAGTCTTCCACTCGGTGGGCAACCTGGAGACACTCA
TCCTGGACTCCAACCGCTGGCCTGCGACTGTGCGCTCCTGTGGGTGTTCCGGCGCCGCTGGCGGCTCAACTTCA
ACGGGCAGCAGCCACGTGCGCCACGCCCCGAGTTTGTCCAGGGCAAGGAGTTCAAGGACTTCCCTGATGTGCTAC
TGCCCAACTACTTACCTGCCGCCGCGCCGCATCCGGGACCGCAAGGCCAGCAGGTGTTGTGGACGAGGGCC
ACACGGTGCAAGTTTGTGTGCCGGGCGATGGCGACCCGCCCGCCCATCCTCTGGCTCTACCCCGAAAGCACC
TGGTCTCAGCCAAGAGCAATGGGCGGCTCACAGTCTTCCCTGATGGCAGCTGGAGGTGCGCTACGCCCAGGTAC
AGGACAACGGCACGTACCTGTGCATCGCGGCCAACGCGGGCGGCAACGACTCCATGCCCGCCACCTGCATGTGC
GCAGTACTCGCCCGACTGGCCCCATCAGCCCAACAAGACCTTCGCTTTCATCTCCAACCAGCCGGGCGAGGGAG
AGGCCAACAGACCCGCGCCACTGTGCCTTTCCTTTCGACATCAAGACCTCATCATCGCCACCACCATGGGCT
TCATCTCTTTCCTGGGCGTCGTCCTCTTCTGCCTGGTGTGCTGTTTCTCTGGAGCCGGGGCAAGGGCAACACAA
AGCACAACATCGAGATCGAGTATGTGCCCCGAAAGTCGGACGCAGGCATCAGCTCCGCCGACGCGCCCCGCAAGT
TCAACATGAAGATGATAAGGCGGGGCGGGGGGAGGGACCCCGGGCGGCCGGCAGGGGAAGGGCCTGGT
CGCCACCTGCTCACTCTCCAGTCTTCCACCTCTCCCTACCCTTCTACACACGTTCTCTTCTCCCTCCCGCC
TCCGTCCCCTGCTGCCCCCGCCAGCCCTCACCACCTGCCCTCCTTCTACCAGGACCTCAGAAGCCCAGACCTGG
GGACCCACCTACACAGGGGCATTGACAGACTGGAGTTGAAAGCCGACGAACCGACACGCGGCAGAGTCAATAAT
TCAATAAAAAAGTTACGAACCTTCTCTGTAACCTTGGGTTTCAATAATTATGGATTTTATGAAAACCTTGAAATAA
TAAAAAGAGAAAAAACTAAAAA

324/550

FIGURE 324

MQVSKRMLAGGVRSMPSPLLACWQPIILLVLGSLVSGSATGCPPRCECSAQDRAVLCHRKCFVAVPEGIPTETRL
LDLGKNRIKTLNQDEFASFPHLEEELELNENIVSAVEPGAFFNNLFNLRITLGLRSNRLKLIPLGVFTGLSNLTQDI
SENKIVILLDYMFDLYNLKSLEVGDNDLVYISHRAFSGLSLEQLTLEKCNLTSTPTEALSHLHGLIVLRHL
NINAIIRDYSFKRLYLKVLKLEISHWPYLDTMTPNCLYGLNLTSLSITHCNLTAVPYLAVRHLVYLRFLNLSYNPIS
TIEGSMLEHLLRLQEIQLVGGQLAVVEPYAFRGLNYLRVLNVSGNQLTTLEESVFHSGVGNLETILDSNPLACDC
RLLWVFRRRWRNLNENRQPTCATPEFVQGEKFKDFPDVLLPNYFTCRRARIRDRKAQQVFVDEGHTVQFVCRADG
DPPPAIWLSPRKHLVSAKSNGRITVFPDGTLEVRYAQVDNGTYLCIAANAGGNDSPAHLHVRYSYSPDWP HQP
NKTFAFISNQPGEGEANSTRATVPFPFDIKTLIIATTMGFISFLGVVLFCLVLLFLWSRGKGN TKHNIEIEYVPR
KSDAGISSADAPRKFNMKMI

Important features:**Signal sequence:**

amino acids 1-41

Transmembrane domain:

amino acids 556-578

N-glycosylation site.amino acids 144-148, 202-206, 264-268, 274-278, 293-297, 341-345, 492-496,
505-509, 526-530, 542-546**Casein kinase II phosphorylation site.**

amino acids 49-53, 108-112, 146-150, 300-304, 348-352, 349-353, 607-611

Tyrosine kinase phosphorylation site.

amino acids 590-598

N-myristoylation site.amino acids 10-16, 32-38, 37-43, 113-119, 125-131, 137-143, 262-268, 320-326,
344-350, 359-365, 493-499, 503-509, 605-611**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 32-43

325/550

FIGURE 325

CCCACGCGTCCGCCCCACGCGTCCGAGGGACAAGAGAGAAGAGAGACTGAAACAGGGAGAAGAG
GCAGGAGAGGAGGAGGTGGGGAGAGCACGAAGCTGGAGGCCGACACTGAGGGAGGGCGGGAGG
AGGTGAAGAAGGAGAGAGGGGAGAAGAGGCAGGAGCTGGAAAGGAGAGAGGGAGGAGGAGGAG
GAGATGCGGGATGGAGACCTGGAGTTAGGTGGCTTGGGAGAGCTTAATGAAAAGAGAACGGAG
AGGAGGTGTGGGTTAGGAACCAAGAGGTAGCCCTGTGGGCAGCAGAAGGCTGAGAGGAGTAGG
AAGATCAGGAGCTAGAGGGAGACTGGAGGGTTCCGGGAAAAGAGCAGAGGAAAGAGGAAAGAC
ACAGAGAGACGGGAGAGAGAAGAAGAGTGGGTTTGAAGGGCGGATCTCAGTCCCTGGCTGCTT
TGGCATTGTGGGAACTGGGACTCCCTGTGGGGAGGAGAGGAAAGCTGGAAGTCCTGGAGGGAC
AGGGTCCCAGAAGGAGGGGACAGAGGAGCTGAGAGAGGGGGGCAGGGCGTTGGGCAGGGGTCC
CTCGGAGGCCTCCTGGGGATGGGGGCTGCAGCTCGTCTGAGCGCCCCCTCGAGCGCTGGTACTC
TGGGCTGCACTGGGGGCAGCAGCTCACATCGGACCAGCACCTGACCCCGAGGACTGGTGGAGC
TACAAGGATAATCTCCAGGGAACTTCGTGCCAGGGCCTCCTTTCTGGGGCCTGGTGAATGCA
GCGTGGAGTCTGTGTGCTGTGGGGAAGCGGCAGAGCCCCGTGGATGTGGAGCTGAAGAGGGTT
CTTTATGACCCCTTTCTGCCCCATTAAGGCTCAGCACTGGAGGAGAGAAGCTCCGGGGAACC
TTGTACAACACCGGCCGACATGTCTCCTTCCTGCCTGCACCCCGACCTGTGGTCAATGTGTCT
GGAGGTCCCCTCCTTTACAGCCACCGACTCAGTGAAGTGCAGGCTGCTGTTGGAGCTCGCGAC
GGAGCCGGCTCGGAACATCAGATCAACCACCAGGGCTTCTCTGCTGAGGTGCAGCTCATTAC
TTCAACCAGGAAGTCTACGGGAATTTACGCGCTGCCTCCCGCGGCCCAATGGCCTGGCCATT
CTCAGCCTCTTTGTCAACGTTGCCAGTACCTCTAACCATTCTCAGTCGCCTCCTTAACCGC
GACACCATCACTCGCATCTCCTACAAGAATGATGCCTACTTTCTTCAAGACCTGAGCCTGGAG
CTCCTGTTCCCTGAATCCTTCGGCTTCATCACCTATCAGGGCTCTCTCAGCACCCCGCCCTGC
TCCGAGACTGTACCTGGATCCTCATTGACCGGGCCCTCAATATCACCTCCCTTCAGATGCAC
TCCCTGAGACTCCTGAGCCAGAATCCTCCATCTCAGATCTTCCAGAGCCTCAGCGGTAACAGC
CGGCCCCTGCAGCCCTTGGCCCACAGGGCACTGAGGGGCAACAGGGACCCCGGCACCCCGAG
AGGCGCTGCCGAGGCCCCAACTACCGCCTGCATGTGGATGGTGTCCCCCATGGTCGCTGAGAC
TCCCCTTCGAGGATTGCACCCGCCGTCTAAGCCTCCCCACAAGGCGAGGGGAGTTACCCCT
AAAACAAAGCTATTAAAGGGACAGAATACTTA

326/550

FIGURE 326

MGAAARLSAPRALVLWAALGAAAHIGPAPDPEDWWSYKDNLQGNFVPGPPFWGLVNAAWSLCA
VGKRQSPVDVELKRVLYDPFLPPLRLSTGGEKLRGTLYNTGRHVSFLPAPRPVVNVSGGPLY
SHRLSELRLLFGARDGAGSEHQINHQGFSAEVQLIHFNQELYGNFSAASRGPNGLAILSLFVN
VASTSNPFLSRLLNRDTITRISYKNDAYFLQDLSLELLFPESFGFITYQGSLSTPPCSETVTW
ILIDRALNITSLQMHSRLLSQNPPSQIFQSLSGNSRPLQPLAHRALRGNRDPRHPERRCRGP
NYRLHVDGVPHGR

Important features:**Signal peptide:**

Amino acids 1-23

Transmembrane domain:

Amino acids 177-199

N-glycosylation sites:

Amino acids 118-122;170-174;260-264

Eukaryotic-type carbonic anhydrases proteins:

Amino acids 222-271;128-165;45-93

327/550

FIGURE 327

GGACTAATCTGTGGGAGCAGTTTATTCCAGTATCACCCAGGGTGCAGCCACACCAGGACTGTGTTGAAGGGTGT
TTTTTCTTTTAAATGTAATACCTCCTCATCTTTCTTCTTACACAGTGTCTGAGAACATTACATTATAGATAA
GTAGTACATGCTGGATAACTTCTACTTTTAGGAGGACTACTCTCTTCTGACAGTCTTAGACTGGTCTTCTACACT
AAGACACCATGAAGGAGTATGTGCTCCTATTATTCTGGCTTTGTGCTCTGCCAAACCCTTCTTTAGCCCTTCAC
ACATCGCACTGAAGAATATGATGCTGAAGGATATGGAAGACACAGATGATGATGATGATGATGATGATGATG
ATGATGATGAGGACAACCTCTTTTTCCAACAAGAGAGCCAAGAAGCCATTTTTTCCATTGATCTGTTTCCAA
TGTGTCCATTGGATGTCAGTGTATTACGAGTTGTACATTGCTCAGATTTAGGTTTGACCTCAGTCCCAACCA
ACATTCCATTGATACTCGAATGCTTGATCTTCAAAACAATAAAATTAAGGAAATCAAAGAAAATGATTTAAAG
GACTCACTTCACTTTATGGTCTGATCCTGAACAACAACAGCTAACGAAGATTCACCCAAAAGCCTTTCTAACCA
CAAAGAAGTTGCGAAGGCTGTATCTGTCCACAATCAACTAAGTGAAATACCACTTAATCTTCCCAAATCATTAG
CAGAACTCAGAATTCATGAAAATAAAGTTAAGAAAATACAAAAGGACACATTCAAAGGAATGAATGCTTTACACG
TTTTGGAAATGAGTGCAAACCCTCTTGATAATAATGGGATAGAGCCAGGGGCATTTGAAGGGGTGACGGTGTTC
ATATCAGAATGCAGAAGCAAACTGACCTCAGTTCCTAAAGGCTTACCACCACTTTATTGGAGCTTCACTTAG
ATTATAATAAAATTTCAACAGTGGAACCTTGAGGATTTTAAACGATACAAAGAACTACAAAGGCTGGGCCTAGGAA
ACAACAAAATCACAGATATCGAAAATGGGAGTCTTGCTAACATACCAGTGTGAGAGAAATACATTTGGAAAACA
ATAAACTAAAAAAATCCCTTCAGGATTACCAGAGTTGAAATACCTCCAGATAATCTTCTTCATTCTAATTCAA
TTGCAAGAGTGGGAGTAAATGACTTCTGTCCAACAGTGCCAAAGATGAAGAAATCTTTATACAGTGCAATAAGTT
TATTCAACAACCCGGTGAAATACTGGGAAATGCAACCTGCAACATTTGTTGTGTTTGGAGCAGAATGAGTGTTC
AGCTTGGGAACCTTTGGAATGTAATAATTAGTAATTGGTAATGTCCATTTAATATAAGATTCAAAAATCCCTACAT
TTGGAATACTTGAACCTCTATTAATAATGGTAGTATTATATATACAAGCAAATATCTATTCTCAAGTGGAAGTCC
ACTGACTTATTTTATGACAAGAAATTTCAACGGAATTTTGCCAACTATTGATACATAAGGGGTGAGAGAAACA
AGCATCTATTGCAGTTTCTTTTTGCGTACAAATGATCTTACATAAATCTCATGCTTGACCATTCTTTCTTCAT
AACAAAAAAGTAAGATATTCGGTATTTAACACTTTGTATCAAGCACATTTTAAAAAGAACTGTACTGTAAATGG
AATGCTTGACTTAGCAAAATTTGTGCTCTTTCATTGCTGTTAGAAAAACAGAATTAACAAAGACAGTAATGTGA
AGAGTGCATTACACTATTCTTATTCTTTAGTAACCTGGGTAGTACTGTAATATTTTAAATCATCTTAAAGTATGA
TTTGATATAATCTTATTGAAATTACCTTATCATGTCTTAGAGCCCGTCTTTATGTTTAAAACTAATTTCTTAAAA
TAAAGCCTTCAGTAAATGTTCACTACCAACTTGATAAATGCTACTCATAAGAGCTGGTTTGGGGCTATAGCATAT
GCTTTTTTTTTTTAATTATTACCTGATTTAAAAATCTCTGTAAAAACGTGAGTGTTCATAAAATCTGTAAC
CGCATTTTAATGATCCGCTATTATAAGCTTTTAATAGCATGAAAATGTTAGGCTATATAACATTGCCACTTCAA
CTCTAAGGAATATTTTTGAGATATCCCTTTGGAAGACCTTGCTTGAAGAGCCTGGACACTAACAATTCTACACC
AAATTGTCTCTTCAAATACGTATGGACTGGATAACTCTGAGAAACACATCTAGTATAACTGAATAAGCAGAGCAT
CAAATTAAACAGACAGAAACCGAAAGCTCTATATAAATGCTCAGAGTCTTTATGTATTTCTTATTGGCATTCAA
CATATGTAAATCAGAAAACAGGGAAATTTTCATTAAAAATATTGGTTTGAAT

328/550

FIGURE 328

MKEYVLLLFLALCSAKPFFSPSHIALKNMMLKDMEDTDDDDDDDDDDDDDDDDNSLFPTREPRS
HFFPFDLFPMCPFGCQCYSRVVHCSDLGLTSVPTNIPFDTRMLDLQNNKIKEIKENDFKGLTS
LYGLILNNNKLTKIHPKAFLTTKKLRRLYLSHNQLSEIPLNLPKSLAELRIHENKVKKIQKDT
FKGMNALHVLEMSANPLDNNGIEPGAEGVTVFHIRIAEAKLTSVPKGLPPTLLELHLDYNKI
STVELEDFKRYKELQRLGLGNKITDIENGLANIPRVREIHLENNKLKKIPSGLPELKYLQI
IFLHSNSIARVGVNDFCPTVPKMKKSLYSAISLFNNPVKYWEMQPATFRCVLSRMSVQLGNFGM

Important features:

Signal sequence.

amino acids 1-15

N-glycosylation site.

amino acids 281-285

N-myristoylation sites.

amino acids 129-135, 210-216, 214-220, 237-243, 270-276, 282-288

Leucine zipper pattern.

amino acids 154-176

329/550

FIGURE 329

GGGGTCTCCCTCAGGGCCGGGAGGCACAGCGGTCCCTGCTTGCTGAAGGGCTGGATGTACGCA
TCCGCAGGTTCCCGCGGACTTGGGGGCGCCCGCTGAGCCCCGGCGCCCGCAGAAGACTTGTGT
TTGCCTCCTGCAGCCTCAACCCGGAGGGCAGCGAGGGCCTACCACCATGATCACTGGTGTGTT
CAGCATGCGCTTGTGGACCCAGTGGGCGTCCTGACCTCGCTGGCGTACTGCCTGCACCAGCG
GCGGGTGGCCCTGGCCGAGCTGCAGGAGGCCGATGGCCAGTGTCCGGTCGACCGCAGCCTGCT
GAAGTTGAAAATGGTGCAGGTCGTGTTTCGACACGGGGCTCGGAGTCCTCTCAAGCCGCTCCC
GCTGGAGGAGCAGGTAGAGTGGAACCCCCAGCTATTAGAGGTCCCACCCAACTCAGTTTGA
TTACACAGTCACCAATCTAGCTGGTGGTCCGAAACCATATTCTCCTTACGACTCTCAATACCA
TGAGACCACCCTGAAGGGGGGCATGTTTGCTGGGCAGCTGACCAAGGTGGGCATGCAGCAAAT
GTTTGCCTTGGGAGAGAGACTGAGGAAGAACTATGTGGAAGACATTCCCTTTCTTTCACCAAC
CTTCAACCCACAGGAGGTCTTTATTTCGTTCCACTAACATTTTTTCGGAATCTGGAGTCCACCCG
TTGTTTGCTGGCTGGGCTTTTCCAGTGTCAGAAAGAAGGACCCATCATCATCCACACTGATGA
AGCAGATTGAGAAGTCTTGATCCCAACTACCAAGCTGCTGGAGCCTGAGGCAGAGAACCAG
AGGCCGGAGGCAGACTGCCTCTTTACAGCCAGGAATCTCAGAGGATTTGAAAAAGGTGAAGGA
CAGGATGGGCATTGACAGTAGTGATAAAGTGGAATTCTTCATCCTCCTGGACAACGTGGCTGC
CGAGCAGGCACACAACCTCCCAAGCTGCCCCATGCTGAAGAGATTTGCACGGATGATCGAACA
GAGAGCTGTGGACACATCCTTGACATACTGCCCAAGGAAGACAGGGAAAGTCTTCAGATGGC
AGTAGGCCCATTCCTCCACATCCTAGAGAGCAACCTGCTGAAAGCCATGGACTCTGCCACTGC
CCCCGACAAGATCAGAAAGCTGTATCTCTATGCGGCTCATGATGTGACCTTCATACCGCTCTT
AATGACCCTGGGGATTTTTGACCACAAATGGCCACCGTTTGCTGTTGACCTGACCATGGAAC
TTACCAGCACCTGGAATCTAAGGAGTGGTTTGTGCAGCTCTATTACCACGGGAAGGAGCAGGT
GCCGAGAGGTTGCCCTGATGGGCTCTGCCCCGCTGGACATGTTCTTGAATGCCATGTCAGTTTA
TACCTTAAGCCCAGAAAAATACCATGCACTCTGCTCTCAAACCTCAGGTGATGGAAGTTGAAA
TGAAGAGTAACTGATTTATAAAAGCAGGATGTGTTGATTTTAAATAAAGTGCCTTTATACAATG

330/550

FIGURE 330

MITGVFSMRLWTPVGVLTSLAYCLHQRRVALAELQEADGQCPVDRSLLKLKMVQVVRHGARSPLKPLPLEEQVE
WNPQLLEVPPQTQFDYTVTNLAGGPKPYSPYDSQYHETTLKGGMFAGQLTKVGMQQMFAJGERLRKNYVEDIPFL
SPTFNPQEVFIRSTNIFRNLESTRCLLAGLFQCQKEGPIIHTDEADSEVLYPNYQSCWSLRQRTRGRRQTASLQ
PGISEDLLKKVKDRMGIDSSDKVDFILLDNVAAEQAHNLPSCPMLKRFFARMIEQRAVDTSLYILPKEDRESLQMA
VGPFLHILESNNLLKAMDSATAPDKIRKLYLYAAHDVTFIPLLTLGIFDHKWPPFAVDLTMELYQHLESKEWVQ
LYYHGKEQVPRGCPDGLCPLDMFLNAMS VYTTLSPEKYHALCSQTQVMEVGNEE

Important features:

Signal sequence:

amino acids 1-23

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 218-222

Casein kinase II phosphorylation site.

amino acids 87-91, 104-108, 320-324

Tyrosine kinase phosphorylation site.

amino acids 280-288

N-myristoylation site.

amino acids 15-21, 117-123, 118-124, 179-185, 240-246, 387-393

Amidation site.

amino acids 216-220

Leucine zipper pattern.

amino acids 10-32

Histidine acid phosphatases phosphohistidine signature.

amino acids 50-65

331/550

FIGURE 331

CGAGGGCTTTCCGGCTCCGGAATGGCACATGTGGGAATCCCAGTCTTGTTGGCTACAACATTTTCCCTTTCCT
AACAAAGTTCTAACAGCTGTTCTAACAGCTAGTGATCAGGGGTTCTTCTTGCTGGAGAAGAAAGGGCTGAGGGCAG
AGCAGGGCACTCTCACTCAGGGTGACCAGCTCCTTGCTCTCTGTGGATAACAGAGCATGAGAAAAGTGAAGAGAT
GCAGCGGAGTGAGGTGATGGAAGTCTAAAATAGGAAGGAATTTTGTGTGCAATATCAGACTCTGGGAGCAGTTGA
CCTGGAGAGCCTGGGGGAGGGCTGCCTAACAGCTTTCAAAAACAGGAGCGACTTCCACTGGGCTGGGATAAG
ACGTGCCGCTAGGATAGGGAAGACTGGGTTTAGTCTCTAATATCAAATTGACTGGCTGGGTGAACCTCAACAGCCT
TTTAACCTCTCTGGGAGATGAAAACGATGGCTTAAGGGGCCAGAAATAGAGATGCTTTGTAAAATAAAATTTTAA
AAAAAGCAAGTATTTTATAGCATAAAGGCTAGAGACCAAATAGATAACAGGATTCCTGAACATTCCTAAGAGG
GAGAAAGTATGTTAAAAATAGAAAAACCAAATGCAGAAGGAGGAGACTCACAGAGCTAAACCAGGATGGGGACC
CTGGGTGAGGCCAGCCTCTTTGCTCCTCCCGAAATTATTTTGGTCTGACCACTCTGCCTTGTTTTCAGAA
TCATGTGAGGGCCAACCGGGGAAGGTGGAGCAGATGAGCACACAGGAGCCGTCTCCTCACCGCCGCCCTCTC
AGCATGGAACAGAGGCAGCCCTGGCCCCGGGCCCTGGAGGTGGACAGCCGCTCTGTGGTCTGCTCTCAGTGGTC
TGGGTGCTGCTGGCCCCCAGCAGCCGGCATGCCTCAGTTCAGCACCTTCCACTCTGAGAATCGTGACTGGACC
TTCAACCACTTGACCGTCCACCAAGGGACGGGGCCGTCTATGTGGGGGCCATCAACCGGGTCTATAAGCTGACA
GGCAACCTGACCATCCAGGTGGCTCATAAGACAGGGCCAGAAGAGGACAACAAGTCTCGTTACCCGCCCTCATC
GTGCAGCCCTGCAGCGAAGTGCTCACCTCACCAACAATGTCAACAAGCTGCTCATCATTGACTACTCTGAGAAC
CGCCTGCTGGCCTGTGGGAGCCTCTACCAGGGGTCTGCAAGCTGCTGCGGCTGGATGACCTCTTCATCTGGTG
GAGCCATCCCAAGAAGGAGCACTACCTGTCCAGTGTCAACAAGACGGGCACCATGTACGGGGTGATTGTGCGC
TCTGAGGGTGAGGATGGCAAGCTCTTCATCGGCACGGCTGTGGATGGGAAGCAGGATTACTTCCCGACCTGTCC
AGCCGGAAGCTGCCCCGAGACCCTGAGTCTCAGCCATGCTCGACTATGAGCTACACAGCGATTTGTCTCCTCT
CTCATCAAGATCCCTTCAGACACCCTGGCCCTGGTCTCCCACTTTGACATCTTCTACATCTACGGCTTTGCTAGT
GGGGGCTTTGTCTACTTTCTCACTGTCCAGCCGAGACCCTGAGGGTGTGGCCATCAACTCCGCTGGAGACCTC
TTCTACACCTCACGCATCGTGCGCTCTGCAAGGATGACCCCAAGTCCACTCATACGTGTCCCTGCCCTTCGGC
TGACCCGGGCGGGGTGGAATACCGCCTCCTGCAGGCTGCTTACCTGGCCAAGCCTGGGGACTCACTGGCCAG
GCCTTCAATATCACCAGCCAGGACGATGTACTCTTTGCCATCTTCTCCAAAGGGCAGAAGCAGTATCACCACCG
CCCGATGACTCTGCCCTGTGTGCCCTTCCCTATCCGGGCCATCAACTGCAGATCAAGGAGCGCTGCAGTCTGC
TACCAGGGCGAGGGCAACCTGGAGCTCAACTGGCTGCTGGGAAGGACGTCCAGTGACGAAGGCGCCTGTCCCC
ATCGATGATAACTTCTGTGGACTGGACATCAACCAGCCCTGGGAGGCTCAACTCCAGTGGAGGGCCTGACCCGT
TACACCACCAGCAGGGACCGCATGACCTCTGTGGCCTCCTACGTTTACAACGGCTACAGCGTGGTTTTTGTGGGG
ACTAAGAGTGGCAAGCTGAAAAGGTAAGAGTCTATGAGTTCAGATGCTCCAATGCCATTACCTCCTCAGCAAA
GAGTCCCTCTTGGAAGGTAGCTATTGGTGGAGATTTAACTATAGGCAACTTTATTTTCTTGGGAACAAAGTGA
AATGGGGAGGTAAGAAGGGTTAATTTTGTGACTTAGCTTCTAGCTACTTCCTCCAGCCATCAGTCATTGGGTAT
GTAAGGAATGCAAGCGTATTTCAATATTTCCCAAACCTTTAAGAAAAAAGCTTTAAGAAGGTACATCTGCAAAAGCAAA

332/550

FIGURE 332

MGTLGQASLFAPPGNYFWS DHSALCFAESCEGQPGKVEQMSTHRSRLLTAAPLSMEQRQPWPR
ALEVD SRSVLLSVVWVLLAPPAAGMPQFSTFHSEN RDWTFNHLTVHQGTGAVYVGAINRVYK
LTGNLTIQVAHKTGPEEDNKSRYPP LIVQPCSEVLTLTNNVNKLLIIDYSENRL LACGS LYQG
VCKLLRLDDL FILVEPSHKKEHYLSSVNKTGTMYGVIVRSEGEDGKLFIGTAVDGKQDYFPTL
SSRKLPRDP ESSAMLDYELHSDFVSSLIKIPSDTLALVSHFDIFYIYG FASGGFVYFLTVQPE
TPEGVAINSAGDLFYTSRIVRLCKDDPKFHSYVSLPFGCTRAGVEYRLLQAAYLAKPGDSL AQ
AFNITSQDDVLF AIFSKGQKQYHHPDDSALCAFP IRAINLQIKERLQSCYQGEGNLELNWLL
GKDVQCTKAPVPIDDNFCGLDINQPLGGSTPVEGLTLYTTSRDRMTSVASYVYNGYSVV FVGT
KSGKLLKVRVYEFRC SNAIHLLSKESLLEGSYWWRFNYRQLYFLGEQR

Important features:**Signal sequence:**

amino acids 1-32

Transmembrane domain:

amino acids 71-87

N-glycosylation site.

amino acids 130-134, 145-149, 217-221, 381-385

Casein kinase II phosphorylation site.amino acids 139-143, 229-233, 240-244, 291-295, 324-328, 383-387,
384-388, 471-475, 481-485, 530-534**N-myristoylation site.**

amino acids 220-226, 319-325, 353-359, 460-466, 503-509

333/550

FIGURE 333

GCTGAGTCTGCTGCTCCTGCTGCTGCTGCTCCAGCCTGTAACCTGTGCCTACACCACGCCAGG
CCCCCCCAGAGCCCTCACCACGCTGGGCGCCCCAGAGCCCACACCATGCCGGGCACCTACGC
TCCCTCGACCACACTCAGTAGTCCCAGCACCCAGGGCCTGCAAGAGCAGGCACGGGCCCTGAT
GCGGGACTTCCCCTCGTGGACGGCCACAACGACCTGCCCCCTGGTCCTAAGGCAGGTTTACCA
GAAAGGGCTACAGGATGTTAACCTGCGCAATTTAGCTACGGCCAGACCAGCCTGGACAGGCT
TAGAGATGGCCTCGTGGGCGCCCAGTTCTGGTCAGCCTATGTGCCATGCCAGACCCAGGACCG
GGATGCCCTGCGCCTCACCTGGAGCAGATTGACCTCATACGCCGCATGTGTGCCTCCTATTC
TGAGCTGGAGCTTGTGACCTCGGCTAAAGCTCTGAACGACACTCAGAAATTGGCCTGCCTCAT
CGGTGTAGAGGGTGGCCACTCGCTGGACAATAGCCTCTCCATCTTACGTACCTTCTACATGCT
GGGAGTGCCTACCTGACGCTCACCCACACCTGCAACACACCCTGGGCAGAGAGCTCCGCTAA
GGGCGTCCACTCCTTCTACAACAACATCAGCGGGCTGACTGACTTTGGTGAGAAGGTGGTGGC
AGAAATGAACCGCCTGGGCATGATGGTAGACTTATCCCATGTCTCAGATGCTGTGGCACGGCG
GGCCCTGGAAGTGTCACAGGCACCTGTGATCTTCTCCCACTCGGCTGCCCGGGGTGTGTGCAA
CAGTGCTCGGAATGTTCCCTGATGACATCCTGCAGCTTCTGAAGAAGAACGGTGGCGTCGTGAT
GGTGTCTTTGTCCATGGGAGTAATACAGTGCAACCCATCAGCCAATGTGTCCACTGTGGCAGA
TCACTTCGACCACATCAAGGCTGTCATTGGATCCAAGTTCATCGGGATTGGTGGAGATTATGA
TGGGGCCGGCAAATTCCCTCAGGGGCTGGAAGACGTGTCCACATACCCGGTCTGATAGAGGA
GTTGCTGAGTCGTGGCTGGAGTGAGGAAGAGCTTCAGGGTGTCTTCGTGGAAACCTGCTGCG
GGTCTTCAGACAAGTGGAAGGTACAGGAAGAAAACAAATGGCAAAGCCCCCTTGGAGGACAA
GTTCCCGGATGAGCAGCTGAGCAGTTCCTGCCACTCCGACCTCTCACGTCTGCGTCAGAGACA
GAGTCTGACTTCAGGCCAGGAACCTCACTGAGATTCCCATACTGGACAGCCAAGTTACCAGC
CAAGTGGTCAGTCTCAGAGTCTCCCCCACATGGCCCCAGTCCTTGCAGTTGTGGCCACCTT
CCCAGTCCTTATTCTGTGGCTCTTGATGACCCAGTTAGTCCTGCCAGATGTCACTGTAGCAAGC
CACAGACACCCACAAAGTTCCCTGTTGTGCAGGCACAAATATTCCTGAAATAAATGTTTT
GGACATAG

334/550

FIGURE 334

MPGTYAPSTTLSSPSTQGLQEQRALMRDFPLVDGHNDLPLVLRQVYQKGLQDVNLRNFSYQQ
TSLDRLRDGLVGAQFWSAYVPCQTQDRDALRLTLEQIDLIRRMCaseySELELVTSAKALNDTQ
KLACLIGVEGGHSLDNSLSILRTFYMLGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGLTDF
GEKVVAEMNRLGMMVDLSHVSDAVARRALEVSQAPVIFSHSAARGVCNSARNVPDDILQLLKK
NGGVVMVSLSMGVIQCNPSANVSTVADHFDHIKAVIGSKFIGIGGDYDGAGKFPQGLEDVSTY
PVLIEELLSRGWSEEEELQGVLRGNLLRVFRQVEKVQEENKWQSPLEDKFPDEQLSSSCHSDLS
RLRQRQSLTSGQELTEIPIHWTAKLPAKWSVSESSPHMAPVLAVVATFPVLILWL

Important features:**N-glycosylation sites..**

amino acids 58-62, 123-127, 182-186, 273-277

N-myristoylation sites.

amino acids 72-78, 133-139, 234-240, 264-270, 334-340, 389-395

Renal dipeptidase active site.

amino acids 134-157

336/550

FIGURE 336

MARRSRHRLLLLLLRYLVVALGYHKAYGFSAPKDQQVVTAVEYQEAILACKTPKKTVSSRLEW
KKLGRSVSFVYYQQTLQGDFKNRAEMIDFNIRIKNVTRSDAGKYRCEVSAPSEQQNLEEDTV
TLEVLVAPAVPSCEVPSSALSGTVVELRCQDKEGNPAPEYTWFKDGIRLLENPRLGSQSTNSS
YTMNTKTGTLQFNTVSKLDTGEYSCEARNVSGYRRCPGKRMQVDDLNISGIIAAVVVVVALVIS
VCGLGVCYAQRKGYFSKETSFQKSNSSSKATTMSENVQWLTPVIPALWCAAAGGSRGQEF

Important features:

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 130-144, 238-258

N-glycosylation site.

amino acids 98-102, 187-191, 236-240, 277-281

Casein kinase II phosphorylation site.

amino acids 39-43, 59-63, 100-104, 149-153, 205-209, 284-288

N-myristoylation site.

amino acids 182-188, 239-245, 255-261, 257-263, 305-311

Amidation site.

amino acids 226-230

337/550

FIGURE 337

GGAGCCGCCCTGGGTGTCAGCGGCTCGGCTCCCGCGCACGCTCCGGCCGTCGCGCAGCCTCGG
CACCTGCAGGTCCGTGCGTCCCGCGGCTGGCGCCCCCTGACTCCGTCCCGGCCAGGGAGGGCCA
TGATTCCCTCCCGGGGCCCTGGTGACCAACTTGCTGCGGTTTTTGTTCCTGGGGCTGAGTG
CCCTCGCGCCCCCTCGCGGGCCCAGCTGCAACTGCACTTGCCCGCCAACCGGTTGCAGGCGG
TGGAGGGAGGGGAAGTGGTGCTTCCAGCGTGGTACACCTTGACGCGGGAGGTGTCTTCATCCC
AGCCATGGGAGGTGCCCTTTGTGATGTGGTTCTTCAAACAGAAAGAAAAGGAGGATCAGGTGT
TGTCTACATCAATGGGGTCACAACAAGCAAACCTGGAGTATCCTTGGTCTACTCCATGCCCT
CCCGAACCCTGTCCCTGCGGCTGGAGGGTCTCCAGGAGAAAGACTCTGGCCCCCTACAGCTGCT
CCGTGAATGTGCAAGACAAACAAGGCAAATCTAGGGGCCACAGCATCAAAACCTTAGAACTCA
ATGTACTGGTTCCTCCAGCTCCTCCATCCTGCCGTCTCCAGGGTGTGCCCCATGTGGGGGCAA
ACGTGACCCTGAGCTGCCAGTCTCCAAGGAGTAAGCCCGCTGTCCAATACCAGTGGGATCGGC
AGCTTCCATCCTTCCAGACTTTCTTTGCACCAGCATTAGATGTCATCCGTGGGTCTTTAAGCC
TCACCAACCTTTCTGTTTCCATGGCTGGAGTCTATGTCTGCAAGGCCACAATGAGGTGGGCA
CTGCCCCAATGTAATGTGACGCTGGAAGTGAGCACAGGGCCTGGAGCTGCAGTGGTTGCTGGAG
CTGTTGTGGGTACCCTGGTTGGACTGGGGTTGCTGGCTGGGCTGGTCTCTTGTACCACCGCC
GGGGCAAGGCCCTGGAGGAGCCAGCCAATGATATCAAGGAGGATGCCATTGCTCCCCGGACCC
TGCCCTGGCCCAAGAGCTCAGACACAATCTCCAAGAATGGGACCCTTTCCTCTGTCACCTCCG
CACGAGCCCTCCGGCCACCCCATGGCCCTCCCAGGCCTGGTGCATTGACCCCCACGCCAGTC
TCTCCAGCCAGGCCCTGCCCTACCAAGACTGCCCACGACAGATGGGGCCCACCCTCAACCAA
TATCCCCCATCCCTGGTGGGGTTTCTTCTCTGGCTTGAGCCGCATGGGTGCTGTGCCTGTGA
TGGTGCCTGCCCAGAGTCAAGCTGGCTCTCTGGTATTGATGACCCCACTACTCATTGGCTAAAG
GATTTGGGGTCTCTCCTTCTATAAGGGTCACCTCTAGCACAGAGGCCTGAGTCATGGGAAAG
AGTCACACTCCTGACCCTTAGTACTCTGCCCCACCTCTCTTTACTGTGGGAAAACCATCTCA
GTAAGACCTAAGTGTCAGGAGACAGAAGGAGAAGAGGAAGTGGATCTGGAATTGGGAGGAGC
CTCCACCCACCCCTGACTCCTCCTTATGAAGCCAGCTGCTGAAATTAGCTACTCACCAAGAGT
GAGGGGCAGAGACTTCCAGTCACTGAGTCTCCAGGCCCTTGATCTGTACCCACCCCTAT
CTAACACCACCCCTGGCTCCCACTCCAGCTCCCTGTATTGATATAACCTGTCAGGCTGGCTTG
GTTAGGTTTTTACTGGGGCAGAGGATAGGGAATCTCTATTAAACTAACATGAAATATGTGTT
GTTTTCATTTGCAAATTTAAATAAAGATACATAATGTTTGTATGAAAAA

338/550

FIGURE 338

MISLPGPLVTNLLRFLFLGLSALAPPSRAQLQLHLPANRLQAVEGGEVVLPAWYTLHGEVSSS
QPWEVPFVMWFFKQKEKEDQVLSYINGVTTSKPGVSLVYSMPSRNLSLRLEGLQEKDSGPYSC
SVNVQDKQGKSRGHSIKTLELNVLPAPPSCRLQGVPHVGANVTLSQCSPRSKPAVQYQWDR
QLPSFQTFFAPALOVIRGSLSLTNLSSSMAGVYVCKAHNEVGTAQCNVTLEVSTGPGAADVAG
AVVGTLVGLGLLAGLVLLYHRRGKALEEPANDIKEDAIAPRTLWPWKSSDTISKNGTLSSVTS
ARALRPPHGP RP GALTPTPSLSSQALPSRPLPTTDGAHPQPISPIPGGVSSSGLSRMGAVPV
MVPAQSQAGSLV

Important features:**Signal peptide:**

amino acids 1-29

Transmembrane domain:

amino acids 245-267

N-glycosylation site.

amino acids 108-112, 169-173, 213-217, 236-240, 307-311

N-myristoylation site.amino acids 90-96, 167-173, 220-226, 231-237, 252-258, 256-262,
262-268, 308-314, 363-369, 364-370**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 164-175

339/550

FIGURE 339

GCGAGAACCTTTGCACGCGCACAAACTACGGGGACGATTTCTGATTGATTTTTTGGCGCTTTTCGATCCACCCTCCT
CCCTTCTCATGGGACTTTGGGGACAAAGCGTCCCGACGCGCTCGAGCGCTCGAGCAGGGCGCTATCCAGGAGCCA
GGACAGCGTCGGGAACCAGACCATGGCTCCTGGACCCCAAGATCCTTAAGTTCGTCGTCTTCATCGTCGCGGTTT
TGCTGCCGGTCCGGGTTGACTCTGCCACCATCCCCGGCAGGACGAAGTTCCCAGCAGACAGTGGCCCCCAGC
AACAGAGCGCAGCCTCAAGGAGGAGGAGTGTCCAGCAGGATCTCATAGATCAGAAATATACTGGAGCCTGTAAAC
CGTGCACAGAGGGTGTGGATTACACCATTGCTTCCAACAATTTGCCTTCTTGCTGCTATGTACAGTTTGTAAAT
CAGGTCAAACAAATAAAAGTTCTGTACCACGACAGACACCGTGTGTAGTGTGAAAAAGGAAGCTTCCAGG
ATAAAACTCCCCGAGATGTGCCGACGTGTAGAACAGGGTGTCCCAGAGGGATGGTCAAGGTCAAGTCAATTTGTA
CGCCCCGGAGTGACATCAAGTGCAAAATGAATCAGTCGCCAGTTCCTGCGGAAAACCCAGCAGCGGAGGAGA
CAGTGACCACCATCTGGGGATGCTTGCCCTCTCCCTATCACTACCTTATCATCATAGTGGTTTTAGTCATCATTT
TAGCTGTGTTGTGTTGGCTTTTCATGTGGAAGAAATTCATTTCTTACCTCAAAGGCATCTGCTCAGGTGGTG
GAGGAGTCCCGAACGTGTGCACAGAGTCTTTTCCGGCGCGGTTTCATGTCTTTCACGAGTTCTGGGGCGGAGG
ACAATGCCGCAACGAGACCTTGAGTAACAGATACTTCAGCCCCACCCAGGTCTCTGAGCAGGAAATCCAGGTC
AGGAGCTGGCAGAGCTAACAGGTGTGACTGTAGAGTCGCCAGAGGAGCCACAGCGTCTGCTGGAACAGGCAGAAG
CTGAAGGGTGTGAGAGGAGGAGCTGCTGGTTCCAGTGAATGACGCTGACTCCGCTGACATCAGCACCTTGCCTGG
ATGCTCGGCAACACTGGAAGAAGGACATGCAAAGGAAACAATTCAGGACCAACTGGTGGGCTCCGAAAAGCTCT
TTTATGAAGAAGATGAGGCAGGCTCTGCTACGTCCTGCCTGTGAAGAATCTCTTCAGGAAACAGAGCTTCCCT
CATTTACCTTTTCTCTACAAAGGGAAGCAGCTGGAAGAAACAGTCCAGTACTTGACCCATGCCCCAACAACT
CTACTATCCAATATGGGGCAGCTTACCAATGGTCTTAGAACTTTGTAAACGCACTTGGAGTAATTTTTATGAAT
ACTGCGTGTGATAAGCAAACGGGAGAAATTTATATCAGATTCTTGCTGCTAGTATATACGATTGTGTATTAAAG
GTCGTTTTAGGCCACATGCGGTGGCTCATGCCTGTAATCCCAGCACTTTGATAGGCTGAGGCAGGTGGATTGCTT
GAGCTCGGGAGTTTGAGACCAGCCTCATCAACACAGTGAAACTCCATCTCAATTTAAAAAGAAAAAAGTGGTTT
TAGGATGTCATTCTTTGCAGTCTTTCATCATGAGACAAGTCTTTTTTTCTGCTTCTTATATTGCAAGCTCCATCT
CTACTGCTGTGTGATTTAATGACATCTAATACAGATGCCGCACAGCCACAATGCTTTGCCTTATAGTTTTTTA
ACTTTAGAACGGGATTATCTTGTATTACCTGTATTTTCAGTTTCGGATATTTTGACTTAATGATGAGATTATC
AAGCGTAGCCTATGATCAAGTCATGAGCATATGGACTTACGAGGGTTCGACTTAGAGTTTTGAGCTTTAAGATA
GGATTATTGGGGCTTACCCCCACCTTAATTAGAGAAACATTTATATTGCTTACTACTGTAGGCTGTACATCTCTT
TTCCGATTTTTGTATAATGATGTAACATGGAAAACTTTAGGAAATGCACTTATTAGGCTGTTTACATGGGTTG
CCTGGATACAAATCAGCAGTCAAAATGACTAAAAATATAACTAGTGACGGAGGGAGAAATCCTCCCTCTGTGGG
AGGCACTTACTGCATTCCAGTTCTCCCTCTGCGCCCTGAGACTGGACCAGGGTTTGATGGCTGGCAGCTTCTCA
AGGGGCAGCTTGTCTTACTTGTAAATTTTAGAGGTATATAGCCATATTTATTTATAAATAAATATTTATTTATTT
ATTTATAAGTAGATGTTTACATATGCCCAGGATTTTGAAGAGCCTGGTATCTTTGGGAAGCCATGTGTCTGGTTT
GTCGTGCTGGGACAGTCATGGGACTGCATCTCCGACTTGTCCACAGCAGATGAGGACAGTGAGAATTAAGTTAG
ATCCGAGACTGCGAAGAGCTTCTCTTCAAGCGCCATTACAGTTGAACGTTAGTGAATCTTGAGCCTCATTGGG
CTCAGGGCAGAGCAGGTGTTTATCTGCCCCGGCATCTGCCATGGCATCAAGAGGGAAGAGTGGACGGTGTGGG
AATGGTGTGAATGGTTGCCGACTCAGGCATGGATGGGCCCCCTCTCGCTTCTGGTGGTCTGTGAAGTGAATCCCT
GGGATGCCTTTTAGGGCAGAGATTCTGAGCTGCGTTTTAGGGTACAGATTCCTGTGTTGAGGAGCTTGGCCCCCT
CTGTAAGCATCTGACTCATCTCAGAGATATCAATTTTAAACACTGTGACAACGGGATCTAAATGGCTGACACA
TTTGTCTTGTGTACGTTCCATTATTTTATTTAAAAACCTCAGTAATCGTTTTAGCTTCTTTCCAGCAAACTCT
TCTCCACAGTAGCCAGTCTGCTAGGATAAATTACGGATATAGTCATTCTAGGGGTTTCAGTCTTTTCCATCTC
AAGGCATTGTGTGTTTTGTTCCGGGACTGGTTTGGCTGGGACAAAGTTAGAAGTGCCTGAAGTTCGCACATTCAG
ATTGTTGTGTCCATGGAGTTTTAGGAGGGATGGCCTTTCCGGTCTTCGCACTTCCATCCTCTCCCACTTCCATC
TGGCGTCCACACCTTGTCCCTGCACTTCTGGATGACACAGGGTGTGCTGCTGCTCCTAGTCTTTGCTTTGCTG
GGCCTTCTGTGCAGGAGACTTGGTCTCAAAGCTCAGAGAGAGCCAGTCCGGTCCAGCTCCTTTGTCCCTTCTC
AGAGGCCTTCTTGAAGATGCATCTAGACTACCAGCCTTATCAGTGTAAAGCTTATTCCTTTAACATAAGCTTC
CTGACAACATGAATTTGTTGGGGTTTTTTGGCGTTGGTTGATTTGTTAGGTTTTGCTTTATACCCGGGCCAAAT
AGCACAATAACACCTGTTATATATGAATACTCATATGTTTATGACCAAAATAAATATGAAACCTCATRTTAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAA

340/550

FIGURE 340

MGLWGQSVPTASSARAGRYPGARTASGTRPWLLDPKILKFVVFIVAVLLPVRVDSATIPRQDEVPPQTVAPQQQR
RSLKEEECPAGSHRSEYTGACNPCTEGVDYTIASNNLPSCLLCTVCKSGQTNKSSCTTTTRDTVCQCEKGSFQDKN
SPEMCRCTRTGCPRGMVKVSNCTPRSDIKCKNESAASSTGKTPAAEETVTTILGMLASPYHYLIIIVVLVILAV
VVVGFSCKKKFISYLGKICSGGGGGPERVHRVLFRRRSCPSRVPGAEDNARNETLSNRYLQPTQVSEQEIQGQEL
AELTGVTVESPEEPQRLLEQAEAGCQRRRLVLPVNDADSADISTLLDASATLEEGHAKETIQDQLVGSEKLFYE
EDEAGSATSCL

Important features:**Transmembrane domains:**

amino acids 35-52, 208-230

N-glycosylation sites.

amino acids 127-131, 182-186, 277-281

Glycosaminoglycan attachment site.

amino acids 245-249

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 260-264

N-myristoylation sites.

amino acids 21-27, 86-92, 102-108, 161-167, 242-248, 270-276, 297-303, 380-386

ATP/GTP-binding site motif A (P-loop).

amino acids 185-193

TNFR/NGFR cysteine-rich region.

amino acids 99-139

341/550

FIGURE 341

GCCTCTGAATTGTTGGGCAGTCTGGCAGTGGAGCTCTCCCCGGTCTGACAGCCACTCCAGAGG
CCATGCTTCGTTTCTTGCCAGATTTGGCTTTTCAGCTTCCTGTTAATTCTGGCTTTGGGCCAGG
CAGTCCAATTTCAAGAATATGTCTTTCTCCAATTTCTGGGCTTAGATAAGGCGCCTTCACCCC
AGAAGTTCCAACCTGTGCCTTATATCTTGAAGAAAATTTCCAGGATCGCGAGGCAGCAGCGA
CCACTGGGGTCTCCCGAGACTTATGCTACGTAAAGGAGCTGGGCGTCCGCGGGAATGTACTTC
GCTTTCTCCCAGACCAAGGTTTCTTTCTTTACCCAAAGAAAATTTCCCAAGCTTCCTCCTGCC
TGCAGAAGCTCCTCTACTTTAACCTGTCTGCCATCAAAGAAAGGGAACAGTTGACATTGGCCC
AGCTGGGCCTGGACTTGGGGCCCAATTCCTTACTATAACCTGGGACCAGAGCTGGAACCTGGCTC
TGTTCCCTGGTTTCAGGAGCCTCATGTGTGGGGCCAGACCACCCCTAAGCCAGGTAAAATGTTTG
TGTTGCGGTCAGTCCCATGGCCACAAGGTGCTGTTCACTTCAACCTGCTGGATGTAGCTAAGG
ATTGGAATGACAACCCCCGAAAAATTTCTGGGTTATTCCTGGAGATACTGGTCAAAGAAGATA
GAGACTCAGGGGTGAATTTTCAGCCTGAAGACACCTGTGCCAGACTAAGATGCTCCCTTCATG
CTTCCCTGCTGGTGGTGACTCTCAACCCTGATCAGTGCCACCCTTCTCGGAAAAGGAGAGCAG
CCATCCCTGTCCCCAAGCTTTCTTGTAAGAACCTCTGCCACCGTCACCAGCTATTCATTAAC
TCCGGGACCTGGGTTGGCACAAGTGGATCATTGCCCCAAGGGGTTTCATGGCAAATTACTGCC
ATGGAGAGTGTCCCTTCTCACTGACCATCTCTCTCAACAGCTCCAATTATGCTTTTCATGCAAG
CCCTGATGCATGCCGTTGACCCAGAGATCCCCCAGGCTGTGTGTATCCCCACCAAGCTGTCTC
CCATTTCCATGCTCTACCAGGACAATAATGACAATGTCATTCTACGACATTATGAAGACATGG
TAGTCGATGAATGTGGGTGTGGGTAGGATGTCAGAAATGGGAATAGAAGGAGTGTTCCTTAGGG
TAAATCTTTTAATAAAACTACCTATCTGGTTTATGACCACTTAGATCGAAATGTC

342/550

FIGURE 342

MLRFLPDLAFSLLILALGQAVQFQEYVFLQFLGLDKAPSPQKFQVPYILKKIFQDREAAAT
TGVSRDLCYVKELGVRGNVLRFLPDQGFFLYPKKISQASSCLQKLLYFNLSAIKEREQLTLAQ
LGLDLGPNSYYNLGPELELALFLVQEPHVWGQTTKPGKMFVLRSPWPQGAVHFNLLDVAKD
WNDNPRKNFGLFLEILVKEDRDSGVNFQPEDTCARLRCSLHASLLVVTLNPDQCHPSRKRAA
IPVPKLSCKNLCHRHQLFINFRDLGWHKWIAPKGFMANYPCHGECPFSLTISLNSSNYAFMQA
LMHAVDPEIPQAVCIPTKLSPISMLYQDNNDNVILRHYEDMVVDECGCG

Important features:**Signal peptide:**

amino acids 1-21

N-glycosylation sites.

amino acids 112-116, 306-310

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 96-100

N-myristoylation site.

amino acids 77-83

TGF-beta family proteins.

amino acids 264-299, 327-341, 345-364

343/550

FIGURE 343

CCCACGCGTCCGGCCTTCTCTCTGGACTTTGCATTTCCATTCCCTTTTCATTGACAACTGACTTTTTTTATTTCT
TTTTTTCATCTCTGGGCCAGCTTGGGATCCTAGGCCGCCCTGGGAAGACATTGTGTTTTACACACATAAGGAT
CTGTGTTTGGGGTTTCTTCTTCTCCCTGACATTGGCATTGCTTAGTGTTGTGTTGGGGAGGGAGACCACGTGG
GCTCAGTGCTTGTCTGCACTTATCTGCCTAGGTACATCGAAGTCTTTTGACCTCCATACAGTGATTATGCCTGTC
ATCGCTGGTGGTATCCTGGCGCCTTGCTCCTGCTGATAGTTGTGCTGCTCTGTCTTTACTTCAAAATACACAAC
GCGCTAAAAGCTGCAAAGGAACCTGAAGCTGTGGCTGTAAAAAATCACAACCCAGACAAGGTGTGGTGGGCCAAG
AACAGCCAGGCCAAAACCATTTGCCACGGAGTCTTGCTGCTGCCCTGCAGTGCTGTGAAGGATATAGAATGTGTGCC
AGTTTGTATTCCCTGCCACCTTGCTGTGCGACATAAAATGAGGGCCTCTGAGTTAGGAAAGGCTCCCTTCTCAA
GCAGAGCCCTGAAGACTTCAATGATGTCAATGAGGCCACCTGTTTGTGATGTGCAGGCACAGAAGAAAGGCACAG
CTCCCCATCAGTTTCATGGAAAATAACTCAGTGCCTGCTGGGAACCCAGCTGCTGGAGATCCCTACAGAGAGCTTC
CACTGGGGGCAACCTTCCAGGAAGGAGTTGGGGAGAGAGAACCTCACTGTGGGGAATGCTGATAAACCAGTCA
CACAGCTGCTCTATTCTCACACAAATCTACCCCTTGCGTGGCTGGAAGTACGCTTTCCCTGGAGGTGTCCAGAAA
GCTGATGTAACACAGAGCCTATAAAAGCTGTGGTCTTAAAGGCTGCCCAGCGCCTTGCCAAAATGGAGCTTTGTA
AGAAGGCTCATGCCATTGACCTCTTAATTCTCTCTGTTTGGCGGAGCTGACAATGGCGGAGGCTGAAGGCAAT
GCAAGCTGCACAGTCAGTCTAGGGGGTGCCAATATGGCAGAGACCCACAAGCCATGATCCTGCAACTCAATCCC
AGTGAGAAGTGCACCTGGACAATAGAAAGACCAGAAAACAAAGCATCAGAATTATCTTTTCCATGTCCAGCTT
GATCCAGATGGAAGCTGTGAAAGTGAAGCAATTAAGTCTTTGACGGAACCTCCAGCAATGGGCCTCTGCTAGGG
CAAGTCTGCAGTAAAAACGACTATGTTCTGTATTGAATCATCATCCAGTACATTGACGTTTCAAATAGTTACT
GACTCAGCAAGAATTCAAAGAAGTGTCTTTGTCTTCTACTACTTCTTCTCTCCTAACATCTCTATTCCAACTGT
GGCGGTTACCTGGATACCTTGAAGGATCCTTACCAGCCCAATTACCCAAAGCCGCATCCTGAGCTGGCTTAT
TGTGTGTGGCACATAAAGTGGAGAAAGATTACAAGATAAAACTAAACTTCAAAGAGATTTTCTAGAAATAGAC
AAACAGTGCAAAATTTGATTTTCTTGCCATCTATGATGGCCCTCCACCAACTCTGGCCTGATTGGACAAGTCTGT
GGCCGTGTGACTCCACCTTCGAATCGTCATCAAACTCTCTGACTGTGCTGTTGTCTACAGATTATGCCAATCT
TACCGGGGATTTTCTGCTTCTACACCTCAATTTATGCAGAAAACATCAACACTACATCTTTAACTTGCTCTTCT
GACAGGATGAGAGTTATTATAAGCAAATCCTACCTAGAGGCTTTTAACTCTAATGGGAATAACTTGCAACTAAAA
GACCCAACTTGACAGACCAAAATTTCAAATGTTGTGGAATTTTCTGTCCCTCTTAATGGATGTGGTACAATCAGA
AAGGTAGAAGATCAGTCAATTACTTACACCAATATAATCACTTTTCTGCATCCTCAACTCTGAAGTGATCACC
CGTCAGAAACAACCTCCAGATTATTGTGAAGTGTGAAATGGGACATAATTCTACAGTGGAGATAATATACATAACA
GAAGATGATGTAATACAAAGTCAAATGCACTGGGCAATATAACACCAGCATGGCTCTTTTGAATCCAATTCA
TTTGAAAAGACTATACTTGAATCACCATATTATGTGGATTGAACCAAACTCTTTTGTTCAGTTAGTCTGCAC
ACCTCAGATCCAAATTTGGTGGTGTCTTGTATACCTGTAGAGCCTCTCCACCTCTGACTTTGCATCTCCAACC
TACGACCTAATCAAGAGTGGATGTAGTGCAGATGAACTGTGAAGGTGTATCCCTTATTTGGACACTATGGGAGA
TTCCAGTTTAAATGCCTTTAAATTTCTTGAGAAGTATGAGCTCTGTGTATCTGCAGTGTAAAGTTTGTATGTGAT
AGCAGTGACCACCAAGTCTCGCTGCAATCAAGGTTGTGTCTCCAGAAGCAAACGAGACATTTCTCATATAAATGG
AAAACAGATTCCATCATAGGACCCATTCTGTGAAAAGGGATCGAAGTGCAAGTGGCAATTCAGGATTTCAAGCAT
GAAACACATGCGGAAGAACTCCAAACAGCCTTTCAACAGTGTGCATCTGTTTTCCTTCATGGTTCTAGCTCTG
AATGTGGTGACTGTAGCGACAATCACAGTGAGGCATTTGTAAATCAACGGGCAGACTACAAATACCAGAAGCTG
CAGAACTATTAACAACTAACAGGTCCAACCCTAAGTGAGACATGTTTCTCCAGGATGCCAAAGGAAATGCTACCTCGT
GGCTACACATATTATGAATAAATGAGGAAGGCCTGAAAGTGACACACAGGCCTGCATGTAAAAAAA

344/550

FIGURE 344

MELVRRRLMPLTLLILSCLAELTMAEAEGNASCTVSLGGANMAETHKAMILQLNPSENCTWTIE
RPENKSIRIIIFSIVQLDPDGSCSENIKVFDGTSSNGPLLQVCSKNDYVPVFESSSSTLTFTQ
IVTDSARIQRTVFVFYFFSPNISIPNCGGYLDTLEGSFTSPNYPKPHPELAYCVWHIQVEKD
YKIKLNFKEIFLEIDKQCKFDLAIYDGPSTNSGLIGQVCGRVTPTFESSSNSLTVVLSTDYA
NSYRGFSASYTSIYAENINTTSLTCSSDRMRVIIISKSYLEAFNSNGNNLQLKDPTCRPKLSNV
VEFSVPLNGCGTIRKVEDQSITYTNIITFSASSTSEVITRQKQLQIIVKCEMGNSTVEIIYI
TEDDVIQSQNALGKYNTSMALFESNSFEKTILESPYYVDLNQTLFVQVSLHTSDPNLVVFLDT
CRASPTSDFASPTYDLIKSGCSRDETCKVYPLFGHYGRFQFNAFKFLRSMSSVYLQCKVLICD
SSDHQSRCNQGCVSRSKRDISSYKWKTDSSIIGPIRLKRDRSASGNSGFQHETHAEETPNQPFN
SVHLFSFMVLALNVVTVATITVRHFVNQRADYKYQKLQNY

Important features:**Signal sequence:**

amino acids 1-24

Transmembrane domain:

amino acids 571-586

N-glycosylation site.amino acids 29-33, 57-61, 67-71, 148-152, 271-275, 370-374,
394-398, 419-423**Casein kinase II phosphorylation site.**amino acids 22-26, 108-112, 289-293, 348-352, 371-375, 379-383,
408-412, 463-467, 520-524, 556-560**Tyrosine kinase phosphorylation site.**

amino acids 172-180, 407-415, 407-416, 519-528

N-myristoylation site.

amino acids 28-34, 38-44, 83-89, 95-101, 104-110, 226-232

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 7-18

345/550

FIGURE 345

TGGGGGCCCCCAGGCTCGCGCGTGGAGCGAAGCAGCATGGGCAGTGGGTGCGCGCTGGCCCTGGCGGTGCTCTC
GGCCTTGCTGTGTAGGTCTGGAGCTCTGGGGTGTTCGAACTGAAGCTGCAGGAGTTCGTCAACAAGAAGGGGCT
GCTGGGGAACCGCAATTGCTGCCGCGGGGCGGGGCCACCGCCGTGCGCCTGCCGGACCTTCTCCGCGTGTG
CCTCAAGCACTACCAGGCCAGCGTGTCCCCGAGCCGCCCTGCACCTACGGCAGCGCCGTACCCCCGTGCTGGG
CGTCGACTCCTTCAGTCTGCCCCGACGGCGGGGCGCGGACTCCGCGTTCAGCAACCCCATCCGCTTCCCCTTCGG
CTTCACCTGGCCGGGCACCTTCTCTCTGATTATTGAAGCTCTCCACACAGATTCTCCTGATGACCTCGCAACAGA
AAACCCAGAAAGACTCATCAGCCGCTGGCCACCCAGAGGCACCTGACGGTGGGCAGGAGTGGTCCCAGGACCT
GCACAGCAGCGGCCGCGACCTCAAGTACTCCTACCGCTTCACCTGTGGGAGCGTGGGGAGAAAGTGTCAA
CTCCGTTTTCTGCCGTCCCCGGGACGATGCCTTCGGCCACTTCACCTGTGGGAGCGTGGGGAGAAAGTGTCAA
CCCTGGCTGGAAAGGGCCCTACTGCACAGAGCCGATCTGCCTGCCTGGATGTGATGAGCAGCATGGATTTGTGA
CAAACCGGGGAATGCAAGTGCAGAGTGGGCTGGCAGGGCCGGTACTGTGACGAGTGTATCCGCTATCCAGGCTG
TCTCCATGGCACCTGCCAGCAGCCCTGGCAGTGCACCTGCCAGGAAGGCTGGGGGGGCTTTTCTGCAACCCAGGA
CCTGAACTACTGCACACACCATAAGCCCTGCAAGAATGGAGCCACCTGCACCAACCGGGCCAGGGGAGCTACAC
TTGCTCTTGCCGGCCTGGGTACACAGGTGCCACCTGCGAGCTGGGGATTGACGAGTGTGACCCACGCCCTTGTGA
GAACGGAGGGAGCTGCACGGATCTCGAGAACAGCTACTCCTGTACTGCCACCCGGCTTCTACGGCAAAATCTG
TGAATTGAGTGCCATGACCTGTGCGGACGGCCCTTGCTTTAACGGGGGTGGTGTCTCAGACAGCCCCGATGGAGG
GTACAGCTGCCGCTGCCCGTGGGCTACTCCGGCTTCAACTGTGAGAAGAAATGACTACTGCAGCTCTTACC
CTGTTCTAATGGTGCCAAAGTGTGTGGACCTCGGTGATGCCTACCTGTGCCGCTGCCAGGCCGCTTCTCGGGAG
GCACTGTGACGACAACGTGGACGACTGCGCCTCCTCCCCGTGCGCAACGGGGGCACCTGCCGGGATGGCGTGAA
CGACTTCTCCTGCACCTGCCCGCTGGCTACACGGGCAGGAAGTGCAGTGGCCCCGTGACGAGGTGCGAGCACGC
ACCTGCCACAATGGGGCCACCTGCCACGAGAGGGGCCACCGCTATGTGTGCGAGTGTGCCGAGGCTACGGGGG
TCCCAACTGCCAGTTCTGTCTCCCCGAGCTGCCCCGGGGCCAGCGGTGGTGGACCTCACTGAGAAGCTAGAGGG
CCAGGGCGGGCCATTCCCCCTGGGTGGCCGTGTGCGCGGGGTGATCCTTGTCTCATGCTGTCTGGGCTGTGC
CGCTGTGGTGGTCTGCGTCCGGCTGAGGCTGCAGAAGCACCGGCCCCCAGCCGACCCCTGCCGGGGGAGACGGA
GACCATGAACAACCTGGCCAACCTGCCAGCGTGAGAAGGACATCTCAGTCAGCATCATCGGGGCCACGCAGATCAA
GAACACCAACAAGAAGGGGACTTCCACGGGGACCACAGCGCCGACAAGAATGGCTTCAAGGCCCGCTACCCAG
GGTGGACTATAACCTCGTGCAGGACCTCAAGGGTGACGACACCGCCGTGAGGGACCGGCACAGCAAGCGTGACAC
CAAGTGCCAGCCCCAGGGCTCCTCAGGGGAGGAGAAGGGGACCCCGACCACTCAGGGGTGGAGAAGCATCTGA
AAGAAAAAGCGCGGACTCGGGCTGTTCAACTTCAAAAAGACACCAAGTACCAGTCCGGTGTACGTATATCCGAGGA
GAAGGATGAGTGCCTCATAGCAACTGAGGTGTAAATGGAAGTGAGATGGCAAGACTCCCGTTTCTTAAATA
AGTAAATTTCAAGGATATATGCCCCAACGAATGCTGCTGAAGAGGAGGGAGGCCTCGTGGACTGCTGAGAA
ACCGAGTTTACAGCCGAGCAGGTTCTCCTCTGAGGTCTCGACGCTGCCGACAGCCTGTGCGGGCCCGGCC
TGCGGCACTGCCTTCCGTGACGTGCGGCTTGCACTATGACAGTTGCTCTTAAGAGAATATATATTTAAATGGGT
GAACTGAATTACGCATAAGAAGCATGCACTGCCTGAGTGTATATTTTGGATTCTTATGAGCCAGTCTTTCTTGA
ATTAGAAACACAAACTGCCTTTATGTCTTTTATACGAAGATGTGCTTTTCTAGATGGAAAGATGTGT
GTTATTTTGGATTGTAAAAATATTTTATGATATCTGTAAAGCTTGAGTATTTTGTGATGTTTCTTTTAA
TAATTTAAATTTTGGTAAATATGTACAAAGGCACTTCGGGTCTATGTGACTATATTTTGTATATAAATGTAT
TTATGGAATATTGTGCAATGTTATTTGAGTTTTTACTGTTTTGTTAATGAAGAAATTCCTTTTAAATATTT
TTCCAAAATAAATTTTATGAATGACAAAAA

346/550

FIGURE 346

MGSRCALALAVLSALLCQVWSSGVFELKLQEFVNKKGLLGNRNCCRGGAGPPPCACRTFFRVCLKHYQASVSPEPPCTYGSVTPVLGVDSFSLPDGGGADSAFSNPIRFPFGFTWPGTFSLIIEALHTDSPDDLATENPERLISRLATQRHLTVGEEWSQDLHSSGRTDLKYSYRFVCDEHYYGEGCSVFCRPRDDAFGHFTCGERGEKVCNPGWKGPYCTEPICLPGCDEQHGFCDKPGECKCRVGVWQGRYCDECIRYPGCLHGTCQQPWQCNCQEGWGGLFCNQDLNYCTHHKPKNGATCTNTGQGSYTCSRPGYTGATCELGIDECDPSPCKNGGSCTDLENSYSCTCPPGFYGKICELSAMTCADGPCFNGGRCSDSPDGGYSCRCVPVGYSGFNCEKKIDYCSSSPCSNGAKCVDLGDAYLCRCQAGFSGRHCDDNVDDCASSPCANGGTCRDGVNDFSCTCPPGYTGRNCSAPVSRCEHAPCHNGATCHERGHRYVCECARGYGGPNCQFLLPELPPGPAVVDLTEKLEGQGGPFPWVAVCAGVILVLMMLLGCAAVVVCVRLRLQKHRPPADPCRGETETMNNLANCQREKDISVSIIGATQIKNTNKKADFHGDHSADKNGFKARYPAVDYNLVQDLKGDDTAVRDAHSKRDTKCQPQGSSEEEKGTPTTLRGGEASERKRPDSGCSTSKDTKYQSVYVISEEKDECVIATEV

Important features:**Signal sequence:**

Amino acids 1-21

Transmembrane domain:

Amino acids 546-566

N-glycosylation site:

Amino acids 477-481

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 660-664

Tyrosine kinase phosphorylation sites:

Amino acids 176-185;252-261

N-myristoylation sites:

Amino acids 2-8;37-43;40-46;98-104;99-105;262-268;281-287;
282-288;301-307;310-316;328-334;340-344;378-384;387-393;512-518;
676-682;683-689;695-701

Aspartic acid and asparagine hydroxylation sites:

Amino acids 343-355;420-432;458-470

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 552-563

EGF-like domain cysteine pattern signature:

Amino acids 243-255;274-286;314-326;352-364;391-403;429-441;
467-479;505-517

347/550

FIGURE 347

CCCACGCGTCCGCACCTCGGCCCCGGGCTCCGAAGCGGCTCGGGGGCGCCCTTTCGGTCAACA
TCGTAGTCCACCCCTCCCCATCCCCAGCCCCCGGGATTAGGCTCGCCAGCGCCAGCCAG
GGAGCCGGCCGGGAAGCGCGATGGGGGCCCCAGCCGCCCTCGCTCCTGCTCCTGCTCCTGCTGT
TCGCCTGCTGCTGGGCGCCCGGCGGGGCCAACCTCTCCCAGGACGACAGCCAGCCCTGGACAT
CTGATGAAACAGTGGTGGCTGGTGGCACCGTGGTGCTCAAGTGCCAAGTGAAAGATCACGAGG
ACTCATCCCTGCAATGGTCTAACCTGCTCAGCAGACTCTCTACTTTGGGGAGAAGAGAGCCC
TTCGAGATAATCGAATTCAGCTGGTTACCTCTACGCCCCACGAGCTCAGCATCAGCATCAGCA
ATGTGGCCCTGGCAGACGAGGGCGAGTACACCTGCTCAATCTTCACTATGCCTGTGCGAACTG
CCAAGTCCCTCGTCACTGTGCTAGGAATTCACAGAAGCCCATCATCACTGGTTATAAATCTT
CATTACGGGAAAAAGACACAGCCACCCTAAACTGTCAGTCTTCTGGGAGCAAGCCTGCAGCCC
GGCTCACCTGGAGAAAGGGTGACCAAGAACTCCACGGAGAACCAACCCGCATACAGGAAGATC
CCAATGGTAAACCTTCACTGTCAGCAGCTCGGTGACATTCCAGGTTACCCGGGAGGATGATG
GGGCGAGCATCGTGTGCTCTGTGAACCATGAATCTCTAAAGGGAGCTGACAGATCCACCTCTC
AACGCATTGAAGTTTATACACACCAACTGCGATGATTAGGCCAGACCCTCCCCATCCTCGTG
AGGGCCAGAAGCTGTTGCTACACTGTGAGGGTTCGCGGCAATCCAGTCCCCCAGCAGTACCTAT
GGGAGAAGGAGGGCAGTGTGCCACCCCTGAAGATGACCCAGGAGAGTGCCCTGATCTTCCCTT
TCCTCAACAAGAGTGACAGTGGCACCTACGGCTGCACAGCCACCAGCAACATGGGCAGCTACA
AGGCCTACTACACCCTCAATGTTAATGACCCAGTCCGGTGCCCTCCTCCTCCAGCACCTACC
ACGCCATCATCGGTGGGATCGTGGCTTTCATTGTCTTCTGCTGCTCATCATGCTCATCTTCC
TTGGCCACTACTTGATCCGGCACAAAGGAACCTACCTGACACATGAGGCAAAAGGCTCCGACG
ATGCTCCAGACGCGGACACGGCCATCATCAATGCAGAAGGCGGGCAGTCAGGAGGGGACGACA
AGAAGGAATATTTTCATCTAGAGGCGCCTGCCCCACTTCTGCGCCCCCAGGGGCCCTGTGGGG
ACTGCTGGGGCCGTACCAACCCGGACTTGTACAGAGCAACCGCAGGGCCGCCCTCCCGCTT
GCTCCCCAGCCACCCACCCCTGTACAGAATGTCTGCTTTGGGTGCGGTTTTGTACTCGGT
TTGGAATGGGGAGGGAGGAGGGCGGGGGAGGGGAGGGTTGCCCTCAGCCCTTTCCTGCGCTT
CTCTGCATTTGGGTATTATTATTTTTGTAACAATCCCAAATCAAATCTGTCTCCAGGCTGGA
GAGGCAGGAGCCCTGGGGTGAGAAAAGCAAAAACAAACAAAAACA

348/550

FIGURE 348

MGAPAASLLLLLLLLFACCWAPGGANLSQDDSQPWTSDETVVAGGTVVCLKCQVKDHEDSSLQWS
NPAQQTLYFGEKRALRDNRILVTSTPHELSSISINVALADEGEYTCSTFTMPVRTAKSLVTV
LGIPQKPIITGYKSSLREKDTATLNCQSSGSKPAARLTWRKGDQELHGEPTRIQEDPNGKTFT
VSSSVTFQVTREDDGASIVCSVNHESLKGADRSTSQRIEVLYTPTAMIRPDPPHPREGQKLLL
HCEGRGNPVPQQYLWEKEGSPPLKMTQESALIFPFLNKSDSGTYGCTATSNMGSYKAYYTLN
VNDPSPVPSSSSTYHAIIGGIVAFIVFLLIMLIFLGHYLIRHKGTYLTAEAKGSDDAPDADT
AIINAEGGQSGGDDKKEYFI

Important features:**Signal sequence:**

amino acids 1-20

Transmembrane domain:

amino acids 331-352

N-glycosylation site.

amino acids 25-29, 290-294

Casein kinase II phosphorylation site.

amino acids 27-31, 35-39, 89-93, 141-145, 199-203, 388-392

N-myristoylation site.amino acids 2-8, 23-29, 156-162, 218-224, 295-301, 298-304,
306-310, 334-340, 360-364, 385-389, 386-390**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 7-18

349/550

FIGURE 349

ACTTGCCATCACCTGTTGCCAGTGTGGAAAAATTCTCCCTGTTGAATTTTTTGCACATGGAGGACAGCAGCAAAG
AGGGCAACACAGGCTGATAAGACCAGAGACAGCAGGGAGATTATTTTACCATACGCCCTCAGGACGTTCCCTCTA
GCTGGAGTTCTGGACTTCAACAGAACCCCATCCAGTCATTTTGATTTTGCTGTTTATTTTTTTTTTCTTTTCTT
TTTCCCACCACATTGTATTTTATTTCCGTACTTCAGAAATGGGCCTACAGACCACAAAGTGGCCCAGCCATGGGG
CTTTTTTCTGAAGTCTTGCTTATCATTTCCCTGGGGCTCTACTCACAGGTGTCCAACTCCTGGCCTGCCCTA
GTGTGTGCCGCTGCGACAGGAACTTTGTCTACTGTAATGAGCGAAGCTTGACCTCAGTGCCCTCTTGCGATCCCCG
AGGGCGTAACCGTACTCTACCTCCACAACAACCAATTAATAATGCTGGATTTCTGCAGAACTGCACAATGTAC
AGTCGGTGCACACGGTCTACCTGTATGGCAACCACTGGACGAATTCCCATGAACCTTCCAAGAATGTCAGAG
TTCTCCATTTGCAGGAAAACAATATTCAGACCATTTACAGGGCTGCTCTTGCCAGCTCTTGAAGCTTGAAGAGC
TGCACCTGGATGACAACTCCATATCCACAGTGGGGGTGGAAGACGGGGCCTTCGGGAGGCTATTAGCCTCAAAT
TGTTGTTTTTGTCTAAGAATCACCTGAGCAGTGTGCTGTTGGGCTTCTGTGGACTTGCAAGAGCTGAGAGTGG
ATGAAATCGAATTGCTGTCATATCCGACATGGCCTTCCAGAATCTCACGAGCTTGAGCGTCTTATTGTGGACG
GGAACCTCCTGACCAACAAGGGTATCGCCGAGGGCACCTTCAGCCATCTCACCAGCTCAAGGAATTTTCAATTG
TACGTAATTCGCTGTCCACCCCTCCTCCGATCTCCAGGTACGCATCTGATCAGGCTCTATTTGCAGGACAACC
AGATAAACACATTCTTTGACAGCCTTCTCAAATCTGCGTAAGCTGGAACGGCTGGATATATCCAACAACCAAC
TGCGGATGCTGACTCAAGGGGTTTTTGATAATCTCTCCAACCTGAAGCAGCTCACTGCTCGGAATAACCCCTTGGT
TTTGTGACTGCAGTATTAAATGGGTACAGAATGGCTCAAATATATCCCTTCATCTCTCAACGTGCGGGGTTTCA
TGTGCCAAGGTCTGAACAAGTCCGGGGATGGCCGTACGGGAATTAATATGAATCTTTTGTCTGTCCCACCA
CGACCCCCGGCCTGCCTCTCTTACCCCCAGCCCCAAGTACAGCTTCTCCGACCACTCAGCCTCCCACCCTCTCTA
TTCCAACCCCTAGCAGAAGCTACACGCCTCCAACCTCTACCACATCGAACTTCCCACGATTCTGACTGGGATG
GCAGAGAAAGAGTGACCCACCTATTTCTGAACGGATCCAGCTCTCTATCCATTTTGTGAATGATACTTCCATT
AAGTCAGCTGGCTCTCTCTCTTACCGTGATGGCATACAAACCTCACATGGGTGAAAATGGGCCACAGTTTAGTAG
GGGGCATCGTTTACAGGAGCGCATAGTCAGCGGTGAGAAGCAACACCTGAGCCTGGTTAACTTAGAGCCCCGATCCA
CCTATCGGATTTGTTTAGTGCCACTGGATGCTTTTAACTACCGCGCGGTAGAAGACACCATTGTTTACAGAGCCA
CCACCCATGCCTCTATCTGAACAACGGCAGCAACACAGCGTCCAGCCATGAGCAGACGACGTCCCACAGCATGG
GCTCCCCCTTTCTGCTGGCGGGCTTGATCGGGGGCGGGTGATATTTGTGCTGGTGGTCTTGCTCAGCGTCTTTT
GCTGGCATATGCACAAAAGGGGCGCTACACCTCCCAGAAGTGGAAATACAACCGGGGGCCGGCGGAAAGATGATT
ATTGCGAGGCAGGCACCAAGAAGGACAACTCCATCTGGAGATGACAGAAACAGTTTTTTCAGATCGTCTCCTTAA
ATAACGATCAACTCCTTAAAGGAGATTTCAGACTGCAGCCATTTACACCCCAAATGGGGGCATTAATTACACAG
ACTGCCATATCCCAACAACATGCGATACTGCAACAGCAGCGTGCCAGACCTGGAGCACTGCCATACGTGACAGC
CAGAGGCCAGCGTTATCAAGGCGGACAATTAGACTCTTGAGAACACACTCGTGTGTGCACATAAAGACACGCAG
ATTACATTTGATAAATGTTACACAGATGCATTTGTGCATTTGAATACTCTGTAATTTATACGGTGTACTATATAA
TGGGATTTAAAAAAGTGCTATCTTTCTATTTCAAGTTAATTACAAACAGTTTTGTAACCTTTTGCTTTTTTAA
TCTT

350/550

FIGURE 350

MGLQTTKWPSHGAFFLKSWLIISLGLYSQVSKLLACPSVCRCDRNFVYCNERSLTSVPLGIPE
GVTVLYLHNNQINNAGFPAELHNVQSVHTVYLYGNQLDEFPMNLPKNVRVLHLQENNIQTISR
AALAQLLKLEELHLDNNSISTVGVEDGAFREAIKLLFLSKNHLSSVPVGLPVDLQELRVDE
NRIAVISDMAFQNLTSLERLIVDGNLLTNKGIAEGTFSHLTKLKEFSIVRNSLSHPRPDLPGT
HLIRLYLQDNQINHIPLTAFSNLRKLERLDISNNQLRMLTQGVFDNLSNLKQLTARNNPWFCD
CSIKWVTEWLKYIPSSLNVRGFMCGPEQVRGMVRELMNLLSCPTTTPGLPLFTPAPSTAS
PTTQPPTLSIPNPSRSYTPPTPTTSKLPTIPDWDGRERVTPPISERIQLSIHFVNDTSIQVSW
LSLFTVMAYKLTWVKMGHSLVGGIVQERIVSGEKQHLSLVNLEPRSTYRICLVPLDAFNRYRAV
EDTICSEATTHASYLNNGSNTASSHEQTTSHSMGSPFLLAGLIGGAVIFVLVVLLSVFCWHMH
KKGRTYSQKWYNRGRKDDYCEAGTKKDNSILEMTETSFQIVSLNNDQLLKGD FRLQPIYTP
NGGINYTDCHIPNNMRYCNSSVPDLEHCHT

Important features:**Signal peptide:**

amino acids 1-42

Transmembrane domain:

amino acids 542-561

N-glycosylation site.

amino acids 202-206, 298-302, 433-437, 521-525, 635-639, 649-653

Casein kinase II phosphorylation site.

amino acids 204-208, 407-411, 527-531, 593-597, 598-602, 651-655

Tyrosine kinase phosphorylation site.

amino acids 319-328

N-myristoylation site.amino acids 2-8, 60-66, 149-155, 213-219, 220-226, 294-300,
522-528, 545-551, 633-639**Amidation site.**

amino acids 581-585

Leucine zipper pattern.

amino acids 164-186

Phospholipase A2 aspartic acid active site.

amino acids 39-50

351/550

FIGURE 351

AGCCGACGCTGCTCAAGCTGCAACTCTGTTGTCAGTTGGCAGTCTTTTTCGGTTTCCCTCCTGCTGTTTGGGGGCA
TGAAAGGGCTTCGCCGCCGGGAGTAAAAGAAGGAATTGACCGGGCAGCGCAGGGAGGAGCGCGCAGCGCCG
GAGGCGGGGCTGCAACCTCGCTGGAAGTTTGTGCCGGGCCCGAGCGCGCGCGGCTGGGAGCTTCGGGTAGA
GACCTAGGCGCGTGGACCGCATGAGCGCGCCAGGCTCCGTGCGCGCGCGCGGGGTTGGGGCTGCTGCTGTGC
GCGGTGCTGGGGCGCGCTGGCGGTCCGACAGCGGGGTGCGGGGAACCTCGGCGACCCCTCTGGGGTAGCCGCC
GAGCGCCCATGCCCCACTACCTGCCGTGCTCGGGGACCTGCTGGAGCTGCAGTCTGAAGCGGCTAGCGCGTCTT
CCCAGGCCACTCCCGTCTGGGTGCTCGCTGGACTTAAGTCAACAAGATTATCTTTTCATCAAGGCAAGTTCC
ATGAGCCACCTTCAAAGCCTTCGAGAAGTGAACCTGAACAACAAATGAATTGGAGACCATTCCAAATCTGGGACCA
GTCTCGGCAAAATATACACTTCTCTCTTGGCTGGAAACAGGATTGTTGAAATACTCCCTGAACATCTGAAAGAG
TTTCAGTCCCTTGAACCTTTGGACCTTAGCAGCAACAATATTTAGAGCTCAAACCTGCATTTCCAGCCCTACAG
CTCAAAATATCTGTATCTCAACAGCAACCGAGTCACATCAATGGAACCTGGGTATTTTGACAAATTTGGCCAAACACA
CTCCTTGTTTAAAGCTGAACAGGAACCGAATCTAGCATATCCACCCAAAGATGTTTAAACTGCCCAACTGCAA
CATCTCGAATTTGAACCGAAACGAATTAATAATGTAGATGGACTGATGAGCTTTTGGGGCTGAGCAACTGGAAATTTT
CTGAAATGCAAAGAAATGGAGTAACGAACTTATGGATGGAGCTTTTGGGGCTGAGCAACTGGAAATTTT
CAGCTGGACCATAAACACCTAACAGAGATTACCAAAGGCTGGCTTTACGGCTTGCTGATGCTGCAGGAACCTTAT
CTCAGCCAAAATGCCATCAACAGGATCAGCCCTGATGCTTGGGAGTTCTGCCAGAAGCTCAGTGAAGCTGGACCTA
ACTTTCAACTACTTATCAAGTTAGATGATTCAAGCTTCTTGGCCTAAAGCTTACTAATAACACTGCACATTTGGG
AACACAGAGTCAGCTACATTGCTGATTGTGCTTCCGGGGCTTTCCAGTTTAAAGACTTTGGATCTGAAGAAC
AATGAAATTTCTGGACTATTGAAGACATGAATGGTGTCTTCTTGGGCTTGACAACTGAGGCGCATGATACCTC
CAAGGAAATTCGGATCCGTTCTATTACTAAAAAGCCTTCACTGGTTTGGATGCATTGGAGCATCTAGACCTGAGT
GACAACGCAATCATGCTTTACAAGGCAATGCATTTTCAAAATGAAGAACTGCACAAATGCAATTTAAATACA
TCAAGCCTTTTGTGCGATTGCCAGCTAAAATGCTTCCACAGTGGGTGGCGGAAACCACTTTCAGAGCTTTGTA
AATGCCAGTTGTGCCCATCCTCAGCTGCTAAAAGGAAGAAGCATTTTTGTGTTAGCCAGATGGCTTTGTGTGT
GATGATTTTCCCAAACCCAGATCAGGGTTCAGCCAGAACACAGTCGGCAATAAAAGGTTTCAATTTGAGTTTC
ATCTGCTCAGCTGCCAGCAGTGAATCCCAATCACTTTTGTCTGGAAGAAAGCAATGAACTACTGCATGAT
GCTGAAATGGAATAATGACACCTCCGGGCCAAGTGGCGAGGTGATGGAGTATACCACCATCCTTCGGTGT
CGCGAGGTGGAATTTGCCAGTGAGGGGAAATATCAGTGTGTATCTCCAATCACTTTGTTTATCTACTCTGTC
AAAGCCAAAGCTTACAGTAAATATGCTTCCCTCATTACCAAGACCCCATGGATCTCACCATCCGAGCTGGGGCC
ATGGCAGCTTGGAGTGTGCTGTGTTGGGCCACCCAGCCCCCAGATAGCCTGGCAGAAGGATGGGGGCACAGAC
TTCCACAGCTGCACGGGAGAGACGATGATGATGCCGAGGATGACGTGTTCTTTATCTGTTGATGTGAAGATA
GAGGACATTTGGGTATACAGCTGCACAGCTCAGAACAGTGCAGGAAGTATTTAGCAAAATGCAACTGACTGTC
CTAGAACACCATCATTTTTGCGGCCACTGTTGGACCGAACTGTAACCAAGGGAGAAACAGCCGTCTACAGTGC
ATTGTGAGGAGAGCCCTCCCCCTAACTGAAGTGGACCAAGATGATAGCCCATTTGGTGGTAACCGAGAGGCAC
TTTTTTGACGAGGCAATCAGCTTCTGATTTTGTGACTCAGATGTCAGTATGCTGAGGAAATACACATGTGAG
ATGTCTAACACCCCTTGGCACTGAGAGAGGAAACGTGCGCCTCAGTGTGATCCCCACTGCAATCGACTCCCCT
CAGATGACAGCCCCATCGTTAGACGATGACGGATGGGCCACTGTGGGTGTCGTGATCATAGCCGTGGTTTGTGT
GTGGTGGGACGTCACCTGTTGGGTGGTCATCATATACCACAAAGGCGGAGGAATGAAGATTGCAGCATTACC
AACACAGATGAGACCAACTTGCAGCAGATTTCTAGTTATTTGTCATCTCAGGGAACGTTAGCTGACAGGCAG
GATGGGTACGTGTCCTCAGAAAGTGAAGCCACCACAGTTTGTACATCTTCAGGTGCTGGAATTTTCTTACCA
CAACATGACAGTGTGGGACCTGCCATATTGACAATAGCAGTGAAGCTGATGTGGAAGCTGCCACAGATCTGTTT
CTTTGTCCGTTTTTGGGATCCAGGCCCTATGTATTTGAAGGAAATGTGTATGGCTCAGATCCTTTTGAACA
TATCATACAGGTTGACGCTCTGACCCAAAGACAGTTTAAATGGACCACTATGAGCCAGTTACATATAAGAAAG
GAGTGCTACCCATGTTCTCATCTCTCAGAAGAACTCTGCAAGCGAGCTTCAGTAATATCGTGGCCTTCACAT
GTGAGGAAGCTACTTAACACTAGTTACTCTCACAATGAAGGACCTGGAATGAAAAATCTGTGCTAAACAAGTCC
TCTTTAGATTTTAGTGCAAACTCCAGAGCCAGCGTCGGTTGCTCGAGTAATCTTTTCATGGGTACCTTTGAAAA
GCTCTCAGGAGACCTCACCTAGATGCCTATTCAAGCTTTGGACAGCACTCAGATTGTGACGCCAAGAGCCTTTTAT
TTGAAAGCTCATCTTCTCCAGACTTGGACTCTGGGTGAGGAGAGTGGGAAGAAAGGACAGATTTTCAGGA
GAAATCACATTTGTACCTTTAAACAGACTTTAGAAAATACAGGACTCAAATTTTTCAGTCTTATGACTTGGAC
ACATAGACTGAATGAGACCAAAGGAAAGCTTAACATACTACCTCAAGTGAACCTTTTATTTAAAGAGAGAGAAAT
CTTATGTTTTTTAAATGGAGTTATGAATTTTAAAGGATATAAAATGCTTTATTTATACAGATGAACCAAAATTAC
AAAAAGTTATGAAATTTTATACCTGGGAATGATGCTCATATAAGAATACCTTTTAACTATTTTAACTTTG
TTTTATGCAAAAAGTATCTTACGTAATAATGATATATAAATGATTTTATGTATTTTATGATTTTAAATGCCAGA
TTCTTTTTATGGAAGATGAGTTACTAAAGCATTTTAAATAATACCTGCTTGTACCAATTTTAAATAGAAGTT
ACTTCATTATATTTGCACATTATATTTAATAAAATGTGTCAATTTGAAAAAAAAAAAAAAAAAAAAAAAAAAAA

352/550

FIGURE 352

MSAPSLRARAAGLGLLLCAVLGRAGRSDSGGRGELQPSGVAAERPCPTTCRCGLDLLDCSRKRLARLPEPLPSW
VARLDLSHNRLSFIKASSMSHLQSLREVKNLNNELETIPNLGPVSANITLLSLAGNRIVEILPEHLKEFQSLETL
DLSSNNISELQTAFFPALQLKYLILNSNRVTSMEPGYFDNLANTLLVLKLNRRNISAIIPKMFKLPLQHLNLRN
KIKNVDGLTFQGLGALKSLKMQRNGVTKLMDGAFWGLSNMEILQLDHNNLTEITKGWLYGLLMLQELHLSQNAIN
RISPDWEFCQKLSELDTFNHLSRLDSSFLGLSLLNTLHIGNNRVSYIADCAFRGLSSLKTLDLKNEISWTI
EDMNGAFSGLDKLRRLILQGNRIRSITKKAFTGLDALEHLDSLDAIMSLQGNFASQMKKLQQLHLNTSSLLCDC
QLKWLPQWVAENNFSFVNASCAPQLLKGRSIFAVSPDGFVCDDFPKPQITVQPETQSAIKGSNLSFICSAASS
SDSPMTFAWKKNELLHDAEMENYAHLEAQQGGEVMEYTTILRLREVEFASEGKYQCVISNHFSSYSVKAKLTVN
MLPSFTKTPMDLTIRAGAMARLECAAVGHPAPQIAWQKDGDTDFPAARERRMHVMPEDDVFFIVDVKIEDIGVYS
CTAONSAGSISANATLTVLETFSFLRPLLDRTVTKGETAVLQCIAGGSPPPKLNWTKDSDPLVVTERHFFAAGNQ
LLIIVDSVDSDAGKYTCMSNTLGTGRGNVRLSVIPTCDSPQMTAPSLDDDGWATVGVVIIAVVCCVVGTSLV
WVVIYHTRRRNEDCSITNTDETNPADIPSYLSSQGTADRQDGYVSSSESGSHHQFVTSSGAGFFLPQHDSSGT
CHIONSSEADVEAATDLFLCPFLGSTGPMYKGNVYGSDPFETYHTGCSPPDRTVLMOHYEPSYIKKKECYPCSH
PSEESCERSFSNISWPSHVRKLLNTSYSHNEGPGMKNLCLNKSSLDFSANPEPASVASSNSFMGTFGKALRRPHL
DAYSSFGQPSDCQPRAFYLAHSSPDLDGSEEDGKERTDFQEENHICTFKQTLNRYRTPNFQSYDLDT

Important features:**Signal sequence:**

amino acids 1-27

Transmembrane domain:

amino acids 808-828

N-glycosylation site.amino acids 122-126, 156-160, 274-278, 442-446, 469-473, 515-519,
688-692, 729-733, 905-909, 987-991, 999-1003, 1016-1020**Glycosaminoglycan attachment site.**

amino acids 886-890

Casein kinase II phosphorylation site.amino acids 99-103, 180-184, 263-267, 314-318, 324-328, 374-378,
383-387, 407-411, 524-528, 608-612, 692-696, 709-713, 731-735,
799-803, 843-847, 863-867, 907-911, 1003-1007, 1018-1022,
1073-1077, 1079-1083, 1081-1085**Tyrosine kinase phosphorylation site.**

amino acids 667-675

N-myristoylation site.amino acids 14-20, 36-42, 239-245, 257-263, 380-386, 427-433,
513-519, 588-594, 672-678, 683-687, 774-780, 933-939**Leucine zipper pattern.**

amino acids 58-80, 65-87

353/550

FIGURE 353

GGGGGTAGGGAGGAAGGAATCCACCCCCACCCCCCAAACCTTTTCTTCTCCTTTCCTGGCTTCGGACATTGG
AGCACTAAATGAACCTGAATTGTGTCTGTGGCGAGCAGGATGGTCGCTGTTACTTTGTGATGAGATCGGGGATGA
ATTGCTCGCTTTAAAAATGCTGCTTTGGATTCTGTTGCTGGAGACGTCTCTTTGTTTTGCCGCTGGAAACGTTAC
AGGGGACGTTTGCAAAGAGAAGATCTGTTCTGCAATGAGATAGAAGGGGACCTACACGTAGACTGTGAAAAAA
GGGCTTCACAAGTCTGCAGCGTTTCACTGCCCGACTTCCAGTTTACCATTATTTCTGCATGGCAATTCCTT
CACTCGACTTTTCCCTAATGAGTTCGCTAACTTTTATAATGCGGTTAGTTTGCACATGGAAAACAATGGCTTGCA
TGAAATCGTTCGGGGGCTTTTCTGGGGCTGCAGCTGGTGAAAAGGCTGCACATCAACAACAACAAGATCAAGTC
TTTTCGAAAGCAGACTTTTCTGGGGCTGGACGATCTGGAATATCTCCAGGCTGATTTTAATTTATTACGAGATAT
AGACCCGGGGGCTTCCAGGACTTGAACAAGCTGGAGGTGCTCATTTTAAATGACAATCTCATCAGCACCTTACC
TGCCAAAGTGTTCAGTATGTGCCATCACCCACCTCGACCTCCGGGGTAACAGGCTGAAAACGCTGCCCTATGA
GGAGGTCTTGAGCAAAATCCCTGGTATTGCGGAGATCTGCTAGAGGATAACCTTGGGACTGCACCTGTGATCT
GCTCTCCCTGAAAGAATGGCTGGAAAACATTCCCAAGAATGCCCTGATCGGCCGAGTGGTCTGCGAAGCCCCAC
CAGACTGCAGGGTAAAGACCTCAATGAAACCACCGAACAGGACTTGTGTCTTTGAAAACCGAGTGGATTCTAG
TCTCCCGGCGCCCCCTGCCAAGAAGAGACCTTTGCTCCTGGACCCCTGCCAACTCCTTTCAAGACAAATGGGCA
AGAGGATCATGCCACACAGGGTCTGCTCCAAACGGAGGTACAAAGATCCCAGGCAACTGGCAGATCAAAATCAG
ACCCACAGCAGCGATAGCGACGGGTAGCTCCAGGAACAAACCTTAGCTAACAGTTTACCCTGCCCTGGGGGCTG
CAGCTGCGACCACATCCCAGGGTGGGTTTAAAGATGAACTGCAACAACAGGAACGTGAGCAGCTTGGCTGATTT
GAAGCCCAAGCTCTCTAACGTGCAGGAGCTTTTCTACGAGATAACAAGATCCACAGCATCCGAAAATCGCACTT
TGTGGATTACAAGAACCTCATTCTGTTGGATCTGGGCAACAATAACATCGCTACTGTAGAGAACAACACTTTCAA
GAACCTTTTGACCTCAGGTGGCTATACATGGATAGCAATTACCTGGACACGCTGTCCCGGAGAAATTCGCGGG
GCTGCAAAACCTAGAGTACCTGAACGTGGAGTACAACGCTATCCAGCTCATCCTCCCGGGCACTTTCAATGCCAT
GCCCAAACCTGAGGATCCTCATTCTCAACAACAACCTGCTGAGGTCCCTGCCTGTGGACGTGTTGCTGGGGTCTC
GCTCTCTAAACTCAGCCTGCACAACAATTACTTCATGTACCTCCCGGTGGCAGGGGTGCTGGACCAGTTAACCTC
CATCATCCAGATAGACCTCCACGGAACCCCTGGGAGTGCTCCTGCACAATTGTGCCTTTCAAGCAGTGGGCAGA
ACGCTTGGGTTCGGAAGTGCTGATGAGCGACCTCAAGTGTGAGACGCCGGTGAACCTTTTAGAAAGGATTTTAT
GCTCCTCTCAATGACGAGATCTGCCCTCAGCTGTACGCTAGGATCTCGCCACGTTAACTTCGCACAGTAAAAA
CAGCACTGGGTGGCGGAGACCGGGACGCACTCCAACCTACCTAGACACCAGCAGGGTGTCCATCTCGGTGTT
GGTCCCGGACTGCTGCTGGTGTGTTGTCACCTCCGCCTTACCCTGGTGGGCATGCTCGTGTGTTATCCTGAGGAA
CCGAAAGCGGTCCAAGAGACGAGATGCCAACTCCTCCGCGTCCGAGATTAATTCCTACAGACAGTCTGTGACTC
TTCTACTGGCACAATGGGCCTTACAACGCAGATGGGGCCACAGAGTGATGACTGTGGCTCTCACTCGCTCTC
AGACTAAGACCCCAACCCCAATAGGGGAGGGCAGAGGGAAGGCGATACATCCTTCCCCACCGCAGGCACCCCGG
GGCTGGAGGGGCGTGATCCCAAATCCCGCGCCATCAGCCTGGATGGGCATAAGTAGATAAATAACTGTGAGCTC
GCACAACCGAAAGGGCCTGACCCCTTACTTAGCTCCCTCCTTGAAACAAAGAGCAGACTGTGGAGAGCTGGGAGA
GCGCAGCCAGCTCGCTCTTTGCTGAGAGCCCCCTTTTGACAGAAAGCCAGCACGACCTGCTGGAAGAACTGACA
GTGCCCTCGCCCTCGGCCCGGGGCTGTGGGGTTGGATGCCGCGGTTCTATACATATATACATATATCCACATC
TATATAGAGAGATAGATATCTATTTTCCCCTGTGGATTAGCCCCGTGATGGCTCCCTGTTGGCTACGCAGGGAT
GGGAGTTGCACGAAGGCATGAATGTATTGTAAATAAGTAACCTTGACTTCTGAC

354/550

FIGURE 354

MLLWILLETSCLCFAAGNVTGDVCKEKICSCNEIEGDLHVDCEKKGFTSLQRFTAPT SQFYHL
FLHGNSLTRLPNEFANFYNAVSLHMENNGLHEIVPGAFLGLQLVKRLHINNNKIKSFRKQTF
LGLDDLEYLQADFNLLRDIDPGAFAQDLNKLEVLILNDNLISTLPANVFQYVPITHLDLRGNRL
KTLPYEEVLEQIPGIAEILLEDNPWDCTCDLLSLKEWLENIPKNALIGRVVCEAPTRLQ GKDL
NETTEQDLCPLKNRVDSSLPAPPAQEETFAPGPLPTPFKTNQEDHATPGSAPNGGTKIPGNW
QIKIRPTAAIATGSSRNKPLANS LPCPGGCSCDHIPGSGLMKMCNNRVSS LADLPKLSNVQ
ELFLRDNKIHSIRKSHFVDYKNLILLDLGNNNIATVENNTFKNLLDLRWLYMDSNYLDTLSRE
KFAGLQNLLEYLNVEYNAIQILILPGTFNAMPKLRILILNNNLLRSLPVDVFAGVSLSKLSLHNN
YFMYLPVAGVLDQLTSIIQIDLHGPNWECSTIVPFKQWAERLGSEVLMSDLKCETPVNFFRK
DFMLLSNDEICPOLYARISPTLTSHSKNSTGLAETGTHSNSYLDTSRVSISVLVPGLLLVFVT
SAFTTVGMLVFILNRKRKRSDANSSASEINSLQTVCDSSYWHNGPYNADGAHRVYDCGSHS
LSD

Important features:**Signal sequence:**

amino acids 1-15

Transmembrane domain:

amino acids 618-638

N-glycosylation site.

amino acids 18-22, 253-257, 363-367, 416-420, 595-599, 655-659

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 122-126, 646-650

Casein kinase II phosphorylation site.amino acids 30-34, 180-184, 222-226, 256-260, 366-370, 573-577,
608-612, 657-661, 666-670, 693-697**N-myristoylation site.**amino acids 17-23, 67-73, 100-106, 302-308, 328-334, 343-349,
354-360, 465-471, 493-499, 598-604, 603-609**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 337-348

355/550

FIGURE 355

AGTCGACTGCGTCCCCTGTACCCGGCGCCAGCTGTGTTCTGACCCAGAATAACTCAGGGCTGCACCGGGCCTG
GCAGCGCTCCGCACACATTTCTGTGCGGGCCTAAGGGAACTGTTGGCCGCTGGGCCCGGGGGGATTCTTGG
CAGTTGGGGGTCCGTGCGGAGCGAGGGCGAGGGGAAGGGAGGGGAACCGGGTTGGGAAGCCAGCTGTAGAG
GGCGGTGACCGCTCCAGACACAGCTCTGCGTCTCGAGCGGGACAGATCCAAGTTGGGAGCAGCTCTGCGTGC
GGGGCCTCAGAGAATGAGGCCGGCGTTTCGCCCTGTGCCTCCTCTGGCAGGCGCTCTGGCCCGGGCGGGCGGCGG
CGAACACCCCACTGCCGACCGTGCTGGCTGCTCGGCCTCGGGGGCCTGCTACAGCCTGCACCACGCTACCATGAA
GCGGCAGGCGGGCGAGGAGGCTGCATCCTGCGAGGTGGGGCGCTCAGCACCGTGCGTGCGGGCGCGAGCTGCG
CGCTGTGCTCGCGCTCCTGCGGGCAGGCCAGGGCCCGAGGGGCTCCAAAGACCTGCTGTTCTGGGTGCGACT
GGAGCGCAGGCGTTCCCACTGCACCTGGAGAACGAGCCTTTGCGGGTTTCTCTGGCTGTCTCCGACCCCGG
CGGTCTCGAAAGCGACACGCTGCAGTGGGTGGAGGAGCCCCAACGCTCCTGCACCGCGCGGAGATGCGCGGTACT
CCAGGCCACCGGTGGGGTCGAGCCCGCAGGCTGGAAGGAGATGCGATGCCACCTGCGCGCCAACGGCTACCTGTG
CAAGTACCAGTTTGTAGGTCTTGTGTCTGCGCCGCGCCCCGGGGCCGCTCTAACTTGAGCTATCGCGCGCCCTT
CCAGCTGCACAGCGCCGCTCTGGAATTCAGTCCACCTGGGACCGAGGTGAGTGCCTCTGCCGGGACAGCTCCC
GATCTCAGTTACTTGCATCGCGGACGAAATCGCGCTCGCTGGGACAACTCTCGGGCGATGTGTTGTGTCCCTG
CCCCGGGAGGTACTCCGTGTGGAATGCGCAGAGCTCCCTAACTGCCTAGACGACTTGGGAGGCTTTGCCTG
CGAATGTGCTACGGGCTTCGAGCTGGGGAAGGACGGCCGCTCTTGTGTGACCAGTGGGGAAGGACAGCCGACCT
TGGGGGACCGGGGTGCCACACAGGCGCCCGCGGCCACTGCAACCAGCCCCGTGCCGAGAGAACATGGCCAAT
CAGGGTCGACGAGAAGCTGGGAGAGACCACTTGTCCCTGAACAAGACAATTAGTAACATCTATTCTGAGAT
TCCTCGATGGGGATCACAGAGCAGATGTCTACCTTCAAAATGTCCCTCAAGCCGAGTCAAAGGCCACTATCAC
CCCATCAGGGAGCGTGATTTCCAAGTTAATTCTACGACTTCCTCTGCCACTCCTCAGGCTTTCGACTCCTCCTC
TGCCGTGGTCTTCATATTTGTGAGCACAGCAGTAGTAGTGTGGTGATCTTGACCATGACAGTACTGGGGCTTGT
CAAGCTCTGCTTTCAGGAAAGCCCTCTTCCCAGCCAAGGAAGGAGTCTATGGGCCCGCGGGCTGGAGAGTGA
TCCTGAGCCCGCTGCTTTGGGCTCCAGTTCTGCACATTGCACAAACAATGGGGTGAAAGTCGGGGACTGTGATCT
GCGGGACAGAGCAGAGGCTGCCTTGCTGGCGGAGTCCCCTCTTGGCTCTAGTGATGCATAGGGAAACAGGGGACA
TGGGCACTCCTGTGAACAGTTTTTCACTTTTGTGAAACGGGGAACCAAGAGGAACCTACTTGTGTAAGTACAA
TTTCTGCAGAAATCCCCCTTCTCTAAATTCCTTTACTCCACTGAGGAGCTAAATCAGAACTGCACACTCCTTC
CCTGATGATAGAGGAAGTGGAAAGTGCCTTTAGGATGGTGATACTGGGGGACCGGTAGTGCTGGGGAGAGATATT
TTCTTATGTTTATTCGAGAATTTGGAGAAGTGATTGAACTTTCAAGACATTGGAACAAATAGAACACAATAT
AATTTACATTAAAAATAATTTCTACCAAATGGAAGGAAATGTTCTATGTTGTTTCAAGGCTAGGAGTATATTGG
TTCGAAATCCCAGGGAAAAAATAAAAAATAAAAAATTAAAGGATTGTTGAT

356/550

FIGURE 356

MRPAFALCLLWQALWPGPGGGEHPTADRAGCSASGACYSLHHATMKRQAAEEACILRGGALST
VRAGAE LRAVLALLRAGPGPGGGSKDLLFWVALERRRSHCTLENEPLRGFSWLSSDPGGLESD
TLQWVEEPQRSCTARRCAVLQATGGVEPAGWKEMRCHLRANGYLCKYQFEVLCPPAPRPGAASN
LSYRAPFQLHSAALDFSPPGTEVSALCRGQLPISVTCTIADEIGARWDKLSGDVLCPCPGRYLR
AGKCAELPNCLDDLGGFACATGFELGKDGRSCVTSGEGQPTLGGTGVPTRRPPATATSPVP
QRTWPIRVDEKLGETPLVPEQDNSVTSIPEIPRWGSQSTMSTLQMSLQAESKATITPSGSVIS
KFNSTTSSATPQAFDSSSAVVFI FVSTAVVVLVILTMTVLGLVKLCFHESPSSQPRKESMGPP
GLES DPEPAALGSSSAHCTNNGVKVGDCDLRDRAEGALLAESPLGSSDA

Important features:**Signal sequence:**

amino acids 1-16.

Transmembrane domain:

amino acids 399-418

N-glycosylation site.

amino acids 189-193, 381-385

Glycosaminoglycan attachment site.

amino acids 289-293

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 98-102, 434-438

Casein kinase II phosphorylation site.

amino acids 275-279, 288-292, 342-346, 445-449

N-myristoylation site.amino acids 30-36, 35-41, 58-64, 59-65, 121-127, 151-157,
185-191, 209-215, 267-273, 350-356, 374-380, 453-459, 463-469,
477-483**Aspartic acid and asparagine hydroxylation site.**

amino acids 262-274

357/550

FIGURE 357

CCCATCTCAAGCTGATCTTGGCACCTCTCATGCTCTGCTCTCTTCAACCAGACCTCTACATTCATTTTGAAGA
AGACTAAAAATGGTGTTCCTAATGTGGACACTGAAGAGACAAATCTTATCCTTTTTAACATAATCCTAATTTCC
AACTCCTTGGGGCTAGATGGTTTCTAAACTCTGCCCTGTGATGTCACTCTGGATGTTCCAAAGAACCATGTG
ATCGTGGACTGCACAGACAAGCATTTGACAGAAATTCCTGGAGGTATTTCCACGAACACCAGAACCTCACCTC
ACCATTAACCACATACCAGACATCTCCCCAGCGTCCCTTTCACAGACTGGACCATCTGGTAGAGATCGATTTCAGA
TGCAACTGTGTACCTATTCCACTGGGGTCAAAAAACAACATGTGCATCAAGAGGCTGCAGATTAACCCAGAAGC
TTTAGTGGACTCACTTATTTAAAAATCCCTTTACCTGGATGGAACCAGCTACTAGAGATACCGCAGGGCCTCCCG
CCTAGCTTACAGCTTCTCAGCCTTGAGGCCAACAACATCTTTTCCATCAGAAAAGAGAATCTAACAGAACTGGCC
AACATAGAAATACTCTACCTGGGCCAAACTGTTATTATCGAAATCCTTGTATGTTTCATATTCAATAGAGAAA
GATGCCTTCCTAAACTTGACAAAGTTAAAAGTGCTCTCCCTGAAAGATAACAATGTACAGCCGTCCCTACTGTT
TTGCCATCTACTTTAACAGAACTATATCTCTACAACAACATGATTGCAAAAATCCAAGAAGATGATTTTAATAAC
CTCAACCAATTACAAATTTCTGACCTAAGTGGAATTTGCCCTCGTGTATATGCCCCATTTCTTGTGCGCCG
TGTAATAATAATTTCTCCCTACAGATCCCTGTAATGCTTTTGATGCGCTGACAGAATTAAGGTTTTACGTCTA
CACAGTAACCTCTCTCAGCATGTGCCCAAGATGGTTTAAGAACAATCAACAACTCCAGGAAGTGGATCTGTCC
CAAACTTCTTGGCCAAAGAAATGGGGATGCTAAATTTCTGCATTTTCTCCACAGCCTCATCCAATTTGGATCTG
TCTTTCAATTTTGAACCTCAGGTCTATCGTGCATCTATGAATCTATCACAAGCATTTTCTTCACTGAAAGCCTG
AAAATCTGCGGATCAGAGGATATGTCTTTAAAGAGTTGAAAAGCTTTAACCTCTCGCCATTACATAATCTTCAA
AATCTTGAAGTTCTTGATCTTGGCACTAACTTTATAAAAATTGCTAACCTCAGCATGTTTAAACAATTTAAAGA
CTGAAAGTCATAGATCTTTCACTGAATAAAATATCACCTTCAGGAGATTCAAGTGAAGTTGGCTTCTGCTCAAT
GCCAGAACTTCTGTAGAAAGTTATGAACCCAGGTCTGGAACAATTACATTATTTAGATATGATAAGTATGCA
AGGAGTTGCAGATTCAAAAACAAGAGGCTTCTTTTATGTCTGTTAATGAAAGCTGCTACAAGTATGGCAGACC
TTGGATCTAAGTAAAAATAGTATATTTTGTCAAGTCTCTGATTTTTCAGCATCTTTCTTCTCAAATGCCTG
AATCTGTGAGGAATCTCATTAGCCAACTCTTAATGGCAGTGAATTCACCTTTAGCAGAGCTGAGATATTTG
GACTTCTCCAACAACCGGCTTGATTTACTCCATTCAACAGCATTTGAAGAGCTTCACAACTGGAAGTTCTGGAT
ATAAGCAGTAATAGCCATTATTTCAATCAGAAGGAATTAATCATATGCTAACTTTACCAAGAACCTAAAGGTT
CTGCAGAACTGATGATGAACGACAATGACATCTCTTCTCCACCAGCAGGACCATGGAGAGTGAGTCTTTAGA
ACTCTGGAATTCAGAGGAATCACTTAGATGTTTTATGGAGAGAAGGTGATAACAGATACTTACAATTTATTCAAG
AATCTGCTAAAATTAGAGGAATTAGACATCTCTAAAAATTCCTAAGTTTCTTGCCTTCTGGAGTTTTTGATGGT
ATGCCTCCAAATCTAAAGAATCTCTCTTTGGCCAAAAATGGGCTCAAATCTTTCAGTTGGAAGAACTCCAGTGT
CTAAAGAACCTGGAACCTTTGGACCTCAGCCACAACCAACTGACCACTGTCCCTGAGAGATTATCCAATGTTCC
AGAAGCCTCAAGAATCTGATTTCTTAAGAATAATCAATCAGGAGTCTGACGAAGTATTTTCTACAAGATGCCTTC
CAGTTGCGATATCTGGATCTCAGCTCAATAAAAATCCAGATGATCCAAAAGACCAGCTTCCAGAAAAATGTCCTC
ACAATCTGAAGATGTTGCTTTTGATCATAATCGTTTCTGTGCACCTGTGATGCTGTGGTGTGCTGGTGG
GTTAACCATACGGAGGTGACTATTCCTTACCTGGCCACAGATGTGACTTGTGTGGGGCCAGGAGCACACAAGGGC
CAAAGTGTGATCTCCCTGGATCTGTACACCTGTGAGTTAGATCTGACTAACCTGATTCTGTCTCACTTTCCATA
TCTGTATCTCTTTCTCATGGTGATGATGACAGCAAGTACCTCTATTTCTGGGATGTGTGGTATATTTACCAT
TTCTGTAAGGCCAAGATAAAGGGGTATCAGCGTCTAATATCACCAGACTGTTGCTATGATGCTTTTATGTGTAT
GACACTAAAGACCCAGCTGTGACCGAGTGGGTTTTGGCTGAGCTGGTGGCCAACTGGAAGACCCAAGAGAGAAA
CATTTTAATTTATGTCTCGAGGAAAGGACTGGTTACCAGGGCAGCCAGTTCTGGAAAACCTTTCCAGAGCATA
CAGCTTAGCAAAAAGACAGTGTGTTGTGATGACAGACAAGTATGCAAAGACTGAAAATTTAAGATAGCATTTTAC
TTGTCCCATCAGAGGCTCATGGATGAAAAAGTTGATGTGATTATCTTGATATTTCTTGAGAAGCCCTTTCAGAAG
TCCAAGTTCTCCAGCTCCGGAAGAGGCTCTGTGGGAGTTCTGTCTTGAGTGGCCAACAACCCGCAAGCTCAC
CCATACTTCTGGCAGTGTCTAAAGAAGCCCTGGCCACAGACAATCATGTGGCCTATAGTCAGGTGTTCAAGGAA
ACGGTCTAGCCCTTCTTTGCAAAACACAACCTGCCTAGTTTACCAGGAGAGGCCTGGC

358/550

FIGURE 358

MVFPMWTLKRQILILFNIILISKLLGARWFPKTLPCDVTLDVPKNHVIVDCTDKHLTEIPGGI
PTNTTNLTLTINHIPDISPASFHRLDHLVEIDFRNCNCVPIPLGSKNNMCIKRLQIKPRSFSGL
TYLKSLEYLDGNQLLEIPQGLPPSLQLLSLEANNIFSIKKNLTTELANIEILYLGNQNCYRNPC
YVSYSIEKDAFLNLTCLKVLSLKDNNVTAVPTVLPSTLTLEYLYNNMIAKIQEDDFNNLNQLQ
ILDLSGNCPRCYNAPFPCAPCKNNSPLQIPVNAFDALTELKVLRLHSNSLQHVPPRWFKNINK
LQELDLSQNF LAKEIGDAKFLHFLPSLIQLDLSFNELQVYRASMNLSQAFSSLSLKILRIR
GYVFKELKSFNLSPLHNLQNLEVLDTGNFIKIANLSMFKQFKRLKVIDLSVNKISPSGDSSE
VGFCSNARTSVESYEPQVLEQLHYFRYDKYARSCRFKNKEASFMSVNESCYKYGQTLDSLKNS
IFFVKSSDFQHLSFLKCLNLSGNLISQTLNGSEFQPLAELRYLDFSNNRLDLLHSTAFEELHK
LEVLDISSNSHYFQSEGITHMLNFTKNLKV LQKLMNDNDISSSTSRTMESESLRTLEFRGNH
LDVLWREGDNRYLQLFKNLLKLEELDISKNLSLFLPSGVFDGMPPNLKNLSLAKNGLKSFWSK
KLQCLKNLETLDLSHNQLTTVPERLSNCSRSKLNILKNNQIRSLTKYFLQDAFQLRYLDLSS
NKIQMIQKTSFPENVLNNLKMLLLHHNRFLCTCDAVWFVWVWNHTEVTIPYLATDVTCVGPGA
HKGQSVISLDLYTCELDLTNLILFSLSISVSFLMVMMTASHLYFWDVWYIYHFCKAKIKGYQ
RLISPDCCYDAFIVYDTKDPVTEWVLAELVAKLEDPREKHFNLCLEERDWLPGQPVLENLSQ
SIQLSKKTVFVMTDKYAKTENFKIAFYLSHQRLMDEKVDVIIILIFLEKPFQKSKFLQLRKRLC
GSSVLEWPTNPQAHFYFWQCLKNALATDNHVAYSQVFKETV

Important features:**Signal sequence:**

amino acids 1-26

Transmembrane domain:

amino acids 840-860

359/550

FIGURE 359

GACGGCTGGCCACCATGCACGGCTCCTGCAGTTTCCTGATGCTTCTGCTGCCGCTACTGCTAC
TGCTGGTGGCCACCACAGGCCCCGTTGGAGCCCTCACAGATGAGGAGAAACGTTTGATGGTGG
AGCTGCACAACCTCTACCGGGCCAGGTATCCCCGACGGCCTCAGACATGCTGCACATGAGAT
GGGACGAGGAGCTGGCCGCCTTCGCCAAGGCCTACGCACGGCAGTGCGTGTGGGGCCACAACA
AGGAGCGCGGGCGCCGCGGCGAGAATCTGTTCCGCATCACAGACGAGGGCATGGACGTGCCGC
TGGCCATGGAGGAGTGGCACCACGAGCGTGAGCACTACAACCTCAGCGCCGCCACCTGCAGCC
CAGGCCAGATGTGCGGCCACTACACGCAGGTGGTATGGGCCAAGACAGAGAGGATCGGCTGTG
GTTCCCACTTCTGTGAGAAGCTCCAGGGTGTTGAGGAGACCAACATCGAATTACTGGTGTGCA
ACTATGAGCCTCCGGGGAACGTGAAGGGGAAACGGCCCTACCAGGAGGGGACTCCGTGCTCCC
AATGTCCCTCTGGCTACCACTGCAAGAACTCCCTCTGTGAACCCATCGGAAGCCCGGAAGATG
CTCAGGATTTGCCTTACCTGGTAACCTGAGGCCCCATCCTTCCGGGCGACTGAAGCATCAGACT
CTAGGAAAATGGGTACTCCTTCTTCCCTAGCAACGGGGATTCCGGCTTTCTTGGTAACAGAGG
TCTCAGGCTCCCTGGCAACCAAGGCTCTGCCTGCTGTGGAAACCCAGGCCCCAACTTCCTTAG
CAACGAAAGACCCGCCCTCCATGGCAACAGAGGCTCCACCTTGCGTAACAACCTGAGGTCCCTT
CCATTTTGGCAGCTCACAGCCTGCCCTCCTTGGATGAGGAGCCAGTTACCTTCCCCAAATCGA
CCCATGTTCTATCCCCAAATCAGCAGACAAAGTGACAGACAAAACAAAAGTGCCCTCTAGGA
GCCCAGAGAACTCTCTGGACCCCAAGATGTCCCTGACAGGGGCAAGGGAACCTACCCCATG
CCCAGGAGGAGGCTGAGGCTGAGGCTGAGTTGCCTCCTTCCAGTGAGGTCTTGGCCTCAGTTT
TTCCAGCCCAGGACAAGCCAGGTGAGCTGCAGGCCACACTGGACCACACGGGGCACACCTCCT
CCAAGTCCCTGCCCAATTTCCCCAATACCTCTGCCACCGCTAATGCCACGGGTGGGCGTGCCC
TGGCTCTGCAGTCGTCTTGCCAGGTGCAGAGGGCCCTGACAAGCCTAGCGTTGTGTGAGGGC
TGAATCGGGCCCTGGTCATGTGTGGGGCCCTCTCCTGGGACTACTGCTCCTGCCTCCTCTGG
TGTGCTGGAATCTTCTGAATGGGATACCACTCAAAGGGTGAAGAGGTCAGCTGTCTCCTG
TCATCTTCCCCACCCTGTCCCCAGCCCCCTAAACAAGATACTTCTTGGTTAAGGCCCTCCGGAA
GGGAAAGGCTACGGGGCATGTGCCTCATCACACCATCCATCCTGGAGGCACAAGGCCTGGCTG
GCTGCGAGCTCAGGAGGCCGCTGAGGACTGCACACCGGGCCACACCTCTCCTGCCCCCTCCC
TCCTGAGTCCTGGGGGTGGGAGGATTTGAGGGAGCTCACTGCCTACCTGGCCTGGGGCTGTCT
GCCCACACAGCATGTGCGCTCTCCCTGAGTGCCTGTGTAGCTGGGGATGGGGATTCTAGGGG
CAGATGAAGGACAAGCCCCACTGGAGTGGGGTTCTTTGAGTGGGGGAGGCAGGGACGAGGGAA
GGAAAGTAACTCCTGACTCTCCAATAAAAACCTGTCCAACCTGTGAAA

360/550

FIGURE 360

MHGSCSFLMLLLPLLLLLLVATTGPVGALTDEEKRLMVELHNLVYRAQVSPTASDMLHMRWDEEL
AAFAKAYARQCWGHNKERRGENLFAITDEGMDVPLAMEEWHHEREHYNLSAATCSPGQMC
GHYTQVVWAKTERIGCGSHFCEKLGVEETNIELLVVCNYEPPGNVKGKRPYQEGTPCSQCPSG
YHCKNSLCEPIGSPEDAQDLPYLVTEAPSFRAEASDSRKMGTTPSSLATGIPAFVLVTEVSGSL
ATKALPAVETQAPTSLATKDPSPMATEAPPCVTTEVPSILAAHSLPSLDEEPVTFPKSTHVPI
PKSADKVTDKTKVPSRSPENSLDPKMSLTGARELLPHAQEEAEAEELPPSSEVLASVFPAQD
KPGELQATLDHTGHTSSKSLPNFPNTSATAATGGRALALQSSLPGAEGPDKPSVVVSGLN
GHVWGPLLGLLLLPLVLGIF

Important features:**Signal sequence:**

amino acids 1-22

N-glycosylation site.

amino acids 114-118, 403-407, 409-413

Glycosaminoglycan attachment site.

amino acids 439-443

Casein kinase II phosphorylation site.

amino acids 29-33, 50-54, 156-160, 195-199, 202-206, 299-303

N-myristoylation site.

amino acids 123-129, 143-149, 152-158, 169-175, 180-186, 231-237, 250-256

Amidation site.

amino acids 82-86, 172-176

Peroxidases proximal heme-ligand signature.

amino acids 287-298

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 1.

amino acids 127-138

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 2.

amino acids 160-172

361/550

FIGURE 361

GACTAGTTCTCTTGGAGTCTGGGAGGAGGAAAGCGGAGCCGGCAGGGAGCGAACCAGGACTGG
GGTGACGGCAGGGCAGGGGGCGCCTGGCCGGGGAGAACGCGGGGGCTGGAGCACCACCAACT
GGAGGGTCCGGAGTAGCGAGCGCCCCGAAGGAGGCCATCGGGGAGCCGGGAGGGGGGACTGCG
AGAGGACCCCGGCGTCCGGGCTCCCGGTGCCAGCGCTTATGAGGCCACTCCTCGTCCTGCTGCT
CCTGGGCTTGGCGGCCGGCTCGCCCCACTGGACGACAACAAGATCCCCAGCCTCTGCCCCGG
GCACCCCGGCTTCCAGGCACGCCGGGCCACCATGGCAGCCAGGGCTTGCCGGGCCGCGATGG
CCGCGACGGCCGCGACGGCGCGCCCGGGGCTCCGGGAGAGAAAGGCGAGGGCGGGAGGCCGGG
ACTGCCGGGACCTCGAGGGGACCCCGGGCCGCGAGGAGAGGGCGGGACCCGCGGGGCCACCGG
GCCTGCCGGGGAGTGCTCGGTGCCTCCGCGATCCGCCTTCAGCGCCAAGCGCTCCGAGAGCCG
GGTGCTCCGCCGTCTGACGCACCTTGCCCTTCGACCGCGTGCTGGTGAACGAGCAGGGACA
TTACGACGCCGTCACCGCAAGTTACCTGCCAGGTGCCTGGGGTCTACTACTTCGCCGTCCA
TGCCACCGTCTACCGGGCCAGCCTGCAGTTTGATCTGGTGAAGAATGGCGAATCCATTGCCTC
TTTCTTCCAGTTTTTCGGGGGGTGGCCCAAGCCAGCCTCGCTCTCGGGGGGGCCATGGTGAG
GCTGGAGCCTGAGGACCAAGTGTGGGTGCAGGTGGGTGTGGGTGACTACATTGGCATCTATGC
CAGCATCAAGACAGACAGCACCTTCTCCGGATTTCTGGTGTACTCCGACTGGCACAGCTCCCC
AGTCTTTGCTTAGTGCCCCACTGCAAAGTGAGCTCATGCTCTCACTCCTAGAAGGAGGGTGTGA
GGCTGACAACAGGTCATCCAGGAGGGCTGGCCCCCTGGAATATTGTGAATGACTAGGGAGG
TGGGGTAGAGCACTCTCCGTCCTGCTGCTGGCAAGGAATGGGAACAGTGGCTGTCTGCGATCA
GGTCTGGCAGCATGGGGCAGTGGCTGGATTTCTGCCCAAGACCAGAGGAGTGTGCTGTGCTGG
CAAGTGTAAGTCCCCCAGTTGCTCTGGTCCAGGAGCCCACGGTGGGGTGCTCTCTTCTGGTC
CTCTGCTTCTCTGGATCCTCCCCACCCCTCCTGCTCCTGGGGCCGGCCCTTTTCTCAGAGAT
CACTCAATAAACCTAAGAACCCTCATAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

362/550

FIGURE 362

MRPLLVLALLLGLAAGSPPLDDNKIPSLCPGHPGLPGTPGHHGSQGLPGRDGRDGRDGAPGAPG
EKGEGRPGLPGPRGDPGRGEAGPAGPTGPAGECSVPPRSAFSAKRSESRVPPPSDAPLPFD
RVLVNEQGHYDAVTGKFTCQVPGVYYFAVHATVYRASLQFDLVKNGESIÄSFFQFFGGWPKPA
SLSGGAMVRLEPEDQVWVQVGVDYIGIYASIKTDSTFSGELVYSDWHSSPVFA

Important features:

Signal sequence.

amino acids 1-15

N-myristoylation sites.

amino acids 11-17, 68-74, 216-222

Cell attachment sequence.

amino acids 77-80

363/550

FIGURE 363

[illegible]

364/550

FIGURE 364

MMWRPSVLLLLLLLLLRHGAQGKPSPDAGPHGQGRVHQAAPLSDA PHDDAHGNFQYDHEAFLGRE
VAKEFDQLTPEESQARLGRIVDRMDRAGDGDGWVSLAELRAWIAHTQQRHIRDSVSAAWDTYD
TDRDGRVGWEELRNATYGHYAPGEEFHDVEDAETYKKMLARDERRFRVADQDGDSMATREELT
AFLHPPEEFPHMRDIVIAETLEDLDRNKDGYVQVEEYIADLYSAEPGEEEPWVQTERQQFRDF
RDLNKDGHLDGSEVGHVWLPPAQDQPLVEANHLLHESDTDKDGRLSKAEILGNWNMFVGSQAT
NYGEDLTRHHDEL

Important features:

Signal sequence:

amino acids 1-20

N-glycosylation site.

amino acids 140-144

Casein kinase II phosphorylation site.

amino acids 72-76, 98-102, 127-131, 184-188, 208-212, 289-293,
291-295, 298-302

N-myristoylation site.

amino acids 263-269, 311-317

Endoplasmic reticulum targeting sequence.

amino acids 325-330

365/550

FIGURE 365

GTCTGTTCCCAGGAGTCCTTCGGCGGCTGTTGTGTGTCAGTGGCCTGATCGCGATGGGGACAAAG
GCGCAAGTCGAGAGGAACTGTTGTGCCTCTTCATATTGGCGATCCTGTTGTGCTCCCTGGCA
TTGGGCAGTGTTACAGTGCACCTCTTCTGAACCTGAAGTCAGAATTCCTGAGAATAATCCTGTG
AAGTTGTCCTGTGCCTACTCGGGCTTTTCTTCTCCCCGTGTGGAGTGGAAGTTTGACCAAGGA
GACACCACCAGACTCGTTTGCTATAATAACAAGATCACAGCTTCCTATGAGGACCGGGTGACC
TTCTTGCCAACTGGTATCACCTTCAAGTCCGTGACACGGGAAGACACTGGGACATACACTTGT
ATGGTCTCTGAGGAAGGCGGCAACAGCTATGGGGAGGTCAAGGTCAAGCTCATCGTGCTTGTG
CCTCCATCCAAGCCTACAGTTAACATCCCCTCCTCTGCCACCATTGGGAACCGGGCAGTGCTG
ACATGCTCAGAACAAGATGGTTCCCCACCTTCTGAATACACCTGGTTCAAAGATGGGATAGTG
ATGCCTACGAATCCCAAAAGCACCCGTGCCTTCAGCAACTCTTCCTATGTCCTGAATCCCACA
ACAGGAGAGCTGGTCTTTGATCCCCTGTCAGCCTCTGATACTGGAGAATACAGCTGTGAGGCA
CGAATGGGTATGGGACACCCATGACTTCAAATGCTGTGCGCATGGAAGCTGTGGAGCGGAAT
GTGGGGGTATCGTGGCAGCCGTCCTTGTAACCCTGATTCTCCTGGGAATCTTGTTTTTGGC
ATCTGGTTTGCCTATAGCCGAGGCCACTTTGACAGAACAAGAAAGGGACTTCGAGTAAGAAG
GTGATTTACAGCCAGCCTAGTGCCCGAAGTGAAGGAGAATTCAAACAGACCTCGTCATTCCCTG
GTGTGAGGCCTGGTTCGGCTCACCGCCTATCATCTGCATTTGCCTTACTCAGGTGCTACCGGACT
CTGGCCCCCTGATGTCTGTAGTTTACAGGATGCCTTATTTGTCTTCTACACCCACAGGGCCC
CCTACTTCTTCGGATGTGTTTTTAATAATGTCAGCTATGTGCCCCATCCTCCTTCATGCCCTC
CCTCCCTTTCCTACCACTGCTGAGTGGCCTGGAACCTGTTTAAAGTGTTTATTCCCCATTTCT
TTGAGGGATCAGGAAGGAATCCTGGGTATGCCATTGACTTCCCTTCTAAGTAGACAGCAAAAA
TGGCGGGGTCGCAGGAATCTGCACTCAACTGCCCACCTGGCTGGCAGGGATCTTTGAATAGG
TATCTTGAGCTTGGTTCTGGGCTCTTTCCTTGTTACTGACGACCAGGGCCAGCTGTTCTAGA
GCGGGAATTAGAGGCTAGAGCGGCTGAAATGGTTGTTTGGTGATGACACTGGGGTCCCTCCAT
CTCTGGGGCCCACTCTCTTCTGTCTTCCCATGGGAAGTGCCACTGGGATCCCTCTGCCCTGTC
CTCCTGAATACAAGCTGACTGACATTGACTGTGTCTGTGGAAAATGGGAGCTCTTGTTGTGGA
GAGCATAGTAAATTTTCAGAGAACTTGAAGCCAAAAGGATTTAAAACCGTGCTCTAAAGAAA
AGAAAACCTGGAGGCTGGGCGCAGTGGCTCACGCCTGTAATCCAGAGGCTGAGGCAGGCGGAT
CACCTGAGGTCTGGGAGTTCTGGGATCAGCCTGACCAACATGGAGAAACCCTACTGGAAATACAA
AGTTAGCCAGGCATGGTGGTGCATGCCTGTAGTCCCAGCTGCTCAGGAGCCTGGCAACAAGAG
CAAAACTCCAGCTCAAAAAAAAAAAAAAAAAA

366/550

FIGURE 366

MGTKAQVERKLLCLFILAILLCSLALGSVTVHSSEPEVRIPENNPVKLSCAYSGFSSPRVEWK
FDQGDTTTRLVCYNNKITASYEDRVTFLLPTGITFKSVTREDTGTYTCMVSEEGNSYGEVKVKL
IVLVPPSKPTVNIPSSATIGNRAVLTCSEQDGSPPSEYTWFKDGIVMPTNPKSTRAFSNSSYV
LNPTTGELVFDPLSASDTGEYSCEARNGYGTPMTSNAVRMEAVERNVGVIVA AVLVTLLILLGI
LVFGIWFAYSRRGHFDRTKKGTSSKKVIYSQPSARSEGEFKQTSSFLV

Important features:

Signal sequence:

amino acids 1-27

Transmembrane domain:

amino acids 238-255

N-glycosylation site.

amino acids 185-189

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 270-274

Casein kinase II phosphorylation site.

amino acids 34-38, 82-86, 100-104, 118-122, 152-156, 154-158,
193-197, 203-207, 287-291

N-myristoylation site.

amino acids 105-111, 116-122, 158-164, 219-225, 237-243, 256-262

367/550

FIGURE 367

GGGGAGAGGAATTGACCATGTAAAAGGAGACTTTTTTTTTTGGTGGTGGTGGCTGTTGGGTGCCTTGCAAAAATG
AAGGATGCAGGACGCAGCTTTCTCCTGGAACCGAACGCAATGGATAAACTGATGTGCAAGAGAGAAGGAAGAAC
GAAGCTTTTTCTTGAGCCCTGGATCTTAACACAAATGTGTATATGTGCACACAGGGAGCATTCAAGAATGAAA
TAAACCAGAGTTAGACCCGCGGGGTTGGTGTGTTCTGACATAAAATAAATAATCTTAAAGCAGCTGTTCCCTCC
CCACCCCCAAAAAAGGATGATTGGAATGAAGAACCAGGATTACAAAAGAAAAAGTATGTTCAATTTTTCTC
TATAAAGGAGAAAGTGAGCCAAGGAGATATTTTGAATGAAAAGTTTGGGGCTTTTTTAGTAAAGTAAAGAACT
GGTGTGGTGGTGTCTTCTTTCTTTTGAATTTCCACAAGAGGAGAGGAAATTAATAATACATCTGCAAGAAA
TTTCAGAGAAGAAAAGTTGACCGCGGAGATTGAGGCATTGATTGGGGGAGAGAAACCAGCAGAGCACAGTTGGA
TTTGTGCCATATGTTGACTAAAATTGACGGATAATTGCAGTTGGATTTTTCTTCATCAACCTCCTTTTTTTAAAT
TTTTATCCTTTTGGTATCAAGATCATGCGTTTTCTCTTGTCTTAACCACCTGGATTTCCATCTGGATGTTGCT
GTGATCAGTCTGAAATACAACCTGTTTGAATTCAGAGGACCAACACCAGATAAATTATGAATGTTGAACAAGAT
GACCTTACATCCACAGCAGATAATGATAGGTCCTAGGTTTAAACAGGGCCCTATTTGACCCCTGCTTGTGGTGTCT
GCTGGCTCTTCAACTTCTTGTGGTGGCTGGTCTGGTGCGGGCTCAGACCTGCCCTTCTGTGTGCTCCTCCAGCAA
CCAGTTCAGCAAGGTGATTTGTGTTCCGAAAAACCTGCGTGAGGTTCCGGATGGCATCTCCACCAACACACGGCT
GCTGAACCTCCATGAGAACCATAATCCAGATCATCAAAGTGAACAGCTTCAAGCACTTGAGGCATCTGGAATCCT
ACAGTTGAGTAGGAACCATATCAGAACCATTGAAATTTGGGGCTTTCAATGGTCTGGCGAACCTCAACACTCTGGA
ACTCTTTGACAATCGTCTTAAATCCATCCGAATGGAGCTTTTGTATACTGTCTAAACTGAAGGAGCTCTGGTT
GCGAAACAACCCATTGAAAGCATCCCTTCTTATGCTTTTAACAGAATTCCTTCTTTGCGCGGACTAGACTTAGG
GGAATTGAAAAGACTTTTATACATCTCAGAAGGTGCCTTTGAAGTCTGTCCAACCTTGAGGTATTTGAACCTTGC
CATGTGCAACCTTCGGGAAATCCCTAACCTCACACCGCTCATAAAACCTAGATGAGCTGGATCTTTCTGGGAATCA
TTTATCTGCCATCAGGCCTGGCTCTTCCAGGGTTTGATGCACCTTCAAAAACCTGTGGATGATACAGTCCAGAT
TCAAGTGATTGAACGGAATGCCTTTGACAACCTTCAGTCACTAGTGGAGATCAACCTGGCACACAATAATCTAAC
ATTACTGCCTCATGACCTCTTCACTCCCTTGATCATCTAGAGCGGATACATTTACATCACAACCTTGGAACCTG
TAACTGTGACATACTGTGGCTCAGCTGGTGGATAAAAGACATGGCCCCCTCGAACACAGCTTGTGTGCCCCGGTG
TAACACTCCTCCCAATCTAAAGGGGAGGTACATTGGAGAGCTCGACCAAGTAACTTACATGCTATGCTCCGGT
GATTGTGGAGCCCCCTGCAGACCTCAATGTCACTGAAGGCATGGCAGCTGAGCTGAAATGTGCGGCCCTCCACATC
CCTGACATCTGTATCTTGGATTACTCCAAATGGAACAGTCATGACACATGGGGCGTACAAAGTGGCGATAGCTGT
GCTCAGTGATGGTACGTTAAATTTACAAATGTAAGTGTGCAAGATACAGGCATGTACACATGTATGTTGAGTAA
TTCCGTTGGGAATACTACTGCTTCAGCCACCCTGAATGTTACTGCAGCAACCACTACTCCTTTCTTACTTTT
AACCCTCACAGTAGAGACTATGGAACCGTCTCAGGATGAGGCACGGACCACAGATAACAATGTGGGTCCCACTCC
AGTGGTCGACTGGGAGACCACCAATGTGACCCTCTCTCACACCACAGAGCACAAGGTCGACAGAGAAAACCTT
CACCATCCCAGTGACTGATATAAACAGTGGGATCCCAGGAATTGATGAGGTCATGAAGACTACCAAAATCATCAT
TGGGTGTTTTGTGGCCATCAGACTCATGGCTGCAGTGATGCTGGTCATTTTCTACAAGATGAGGAAGCAGCACCA
TCGGCAAAACCATCAGCCCCAACAAAGGACTGTTGAAATTATTAATGTGGATGATGAGATTACGGGAGACACACC
CATGGAAGCCACCTGCCATGCCTGCTATCGAGCATGAGCACCTAAATCACTATAACTCATACAAATCTCCCTT
CAACCACACAACAACAGTTAAACACAATAAATTCAATACACAGTTCAGTGCATGAACCGTTATTGATCGGAATGAA
CTCTAAAGACAATGTACAAGAGACTCAAATCTAAACATTTACAGAGTTACAAAAACAAACAATCAAAAAAAA
GACAGTTTATTAATAAATGACACAATGACTGGGCTAAATCTACTGTTTCAAAAAAGTGTCTTTACAAAAAACAA
AAAAGAAAAGAAATTTATTTATTAATAAATCTATTGTGATCTAAAGCAGACAAAA

368/550

FIGURE 368

MLNKMTLHPQQIMIGPRFNRAFDPLLVLALLQLLVVAGLVRAQTCPSCSCSNQFSKVICVRKNLREVPDGIS
TNTRLNLHENQIQI IKVNSFKHLRHLEILQLSRNHIRTIEIGAFNGLANLNTLELFDNRLTTIPNGAFVYLSKL
KELWLRNNPIESIPSYAFNRIPSLRRLDLGELKRLSYISEGAFEGLSNRLRYNLAMCNLREIPNLTPLIKDELD
LSGNHLSAIRPGSFQGLMHLQKLWMIQSQIQVIERNAFDNLQSLVEINLAHNNLTLLPHDLFTPLHHLERIHLLH
NPWNCNC DILWLSWWIKDAPSN TACCARCNTPPNLKGRYIGELDQNYFTCYAPVIVEPPADLNVTEGMAAELKC
RASTSLTSVSWITPNGTVMTHGAYKVRIAVLSDGTNLFTNVTQVQDTGMYTCMVNSVGNNTTASATLNVTAAATTP
FSYFSTVTVETMEPSQDEARTTDNNVGPTPVVDWETTNVTTSLTPQSTRSTEKFTFTIPVTDINS GIPGIDEVMKT
TKIIIGCFVAITLMAAVMLVIFYKMRKQHRQNH HAPTRTVEI INV DDEITGDT PMESHLPMPAIEHEHLNHYS
YKSPFNHTTTVNTINSIHSSVHEPLLRMNSKDNVQETQI

Important features:**Signal sequence:**

amino acids 1-44

Transmembrane domain:

amino acids 523-543

N-glycosylation site.amino acids 278-282, 364-368, 390-394, 412-416, 415-419, 434-438, 442-446,
488-492, 606-610**cAMP- and cGMP-dependent protein kinase phosphorylation site.**

amino acids 183-187

Casein kinase II phosphorylation site.

amino acids 268-272, 417-421, 465-469, 579-583, 620-624

N-myristoylation site.amino acids 40-46, 73-79, 118-124, 191-197, 228-234, 237-243, 391-397,
422-428, 433-439, 531-537

369/550

FIGURE 369

CAAACTTGGCTCGCGGAGAGCGCCAGCTTGACTTGAATGGAAGGAGCCCGAGCCCGGGAGCGCAGCTGAGAC
TGGGGGAGCGCGTTTCGGCCTGTGGGGCGCCGCTCGGGCGCCGGGGCGCAGCAGGGAAGGGGAAGCTGTGGTCTGCC
CTGCTCCACGAGGCGCACTGGTGTGAACCGGGAGAGCCCTGGGTGGTCCCGTCCCCTATCCCTCCTTTATATA
GAAACCTTCCACACTGGGAAGGCAGCGGCGAGGCAGGAGGCTCATGGTGAGCAAGGAGGCGGCTGATCTGCAG
GCGCACAGCATTCCGAGTTTACAGATTTTACAGATACCAAATGGAAGGCGAGGAGGCAGAACAGCCTGCCTGGT
TCCATCAGCCCTGGCGCCAGGCGCATCTGACTCGGCACCCCTGCAGGCACCATGGCCAGAGCCGGGTGCTGC
TGCTCCTGCTGCTGCTGCCGCCACAGCTGCACCTGGGACCTGTGCTTGCCGTGAGGGCCCCAGGATTGGCCGAA
GTGGCGGCCACAGCCTGAGCCCCGAAGAGAACAATTTGCGGAGGAGGAGCCGGTGTGGTACTGAGCCCTGAGG
AGCCCGGGCCTGGCCAGCCGCGGTGAGTGCCTGCTGCTGAGCAGCAACCAACCATATCTCTGCAGAACCAACGAGC
CGGTATTGACCTGCGTGAGTTCCCGGGGGACCTGCTGAGCAGCAACCAACCATATCTCTGCAGAACCAACGAGC
TGGAAGATCTACCTGAGGAGCTCTCCGGCTGCACCGGCTGGAGACACTGAACCTGCAAAACAACCGCCTGA
CTCCCGAGGGCTCCAGAGAAGGCGTTTGAACCTGACCAACCTCAATTACCTGTACTTGGCCAAATAACAAGC
TGACCTTGGCACCCGCTTCTGCCAAACGCTGATCAGTGTGGACTTTGCTGCCAACTATCTCACAAGATCT
ATGGGCTCACCTTGGCCAGAAGCCAACTTGAAGTCTGTGTACCTGCACAACAACAGCTGGAGAAGATCCCCCGGGGGCT
TGCGGACAACATCTTCAACGGCTCCAGCAACGTCGAGGTCTCATCTGTCCAGCAACTTCTGCGCCACGTGC
CCAAGCAGCTGCCGCTGCCCTGTACAAGCTGCACCTCAAGAACAACAGCTGGAGAAGATCCCCCGGGGGCT
TCAGCGAGCTGAGCAGCTGCGCGAGCTATACCTGCAGAACCAACTACCTGACTGACGAGGCTGGACAACGAGA
CCTTCTGGAAGCTCTCCAGCCTGGAGTACCTGGATCTGTCCAGCAACAACCTGTCTCGGGTCCCAGCTGGGCTGC
CGCGCAGCTGCTGCTGCTGCACTGGAGAAGAAGCCATCCGGAGCGTGGACGCGAATGTGCTGACCCCATCC
GCAGCCTGGAGTACCTGCTGCTGCAAGCAACAGCTGCGGGAGCAGGGCATCCACCACTGGCCTTCCAGGGCC
TCAAGCGGTGCAACGCTGCACCTGTACAACAACGCGCTGGAGCGCGTGGCCAGTGGCCTGCCCTGCGCGCTGC
GCACCTCATGATCTGCACAACAGATCACAGGCATTGGCCGCAAGACTTTGCCACCACTACTTCTTGAGG
AGCTCAACCTCAGCTACAACGCTATCACAGCCACAGGTGCACCGCGACGCTTCCGCAAGCTGCGCTGCTGC
GCTCGTGGAGCTGTGCGGCAACCGCTGCACAGCTGCCACCTGGGCTGCCTCGAAATGTCCATGTGCTGAAGG
TCAAGCGCAATGAGCTGGCTGCCCTGGACAGGCGGCTGGCGGGCATGGCTCAGCTGCGTGAGCTGTACCTCA
CCAGCAACCGACTGCGCAGCCGAGCCCTGGGCCCCGCTGCCCTGGGTGGACCTCGCCCATCTGCAGCTGTGACA
TCGCGGGAATCAGCTCACAGAGATCCCCGAGGGGCTCCCCGAGTCACTTGAGTACCTGTACCTGCAGAACAA
AGATTAGTGGGTGCGGCAATGCCTTCGACTCCACGCCAACCTCAAGGGGATCTTTCTCAGGTTTAAACAAGC
TGGCTGTGGGCTCCGTGGTGGACAGTGCCTTCCGGAGGCTGAAGCACCTGCAGGTCTTGGACATTGAAGGCAACT
TAGAGTTTGGTGACATTTCCAAGGACCGTGGCCGCTTGGGGAAGGAAAAGGAGGAGGAGGAGGAGGAGGAGG
AGGAAGAGGAAACAAGATAGTGACAAGGTGATGAGATGTGACCTAGGATGATGGACCGCCGACTCTTTCTGC
AGCACAGCCTGTGTGCTGTGAGCCCCCACTCTGCCGTGCTCACACAGACACACCCAGCTGCACACATGAGGCA
TCCACATGACACGGCTGACACAGTCTCATATCCCCACCCCTTCCACGGCGTGTCCACGGCCAGACACATGC
ACACACATCACACCTCAAACACCCAGCTCAGCCACACACAACCTACCCTCAAACCAACCAAGTCTCTGTACAC
CCCCACTACCGCTGCCACGCCCTCTGAATCATGCAGGAAGGGTCTGCCCTGCCCTGGCACACACAGGCACCCA
TTCCCTCCCCCTGCTGACATGTGTATGCGTATGCATACACACACACACACATGCACAAGTCATGTGCGAA
CAGCCCTCAAAGCCTATGCCACAGACAGCTCTTGCCCCAGCCAGAATCAGCCATAGCAGCTCGCCGTCTGCCCT
GTCCATCTGTCCGTCCGTTCCTGGAGAAGACACAAGGGTATCCATGCTCTGTGGCCAGGTGCCTGCCACCTCT
GGAACCTCAAAAAGCTGGCTTTTATCTTTTCCATCTATGGGGACAGGAGCCTTCAGGACTGCTGGCCTGGCC
TGCCCAACCTGCTCCTCAGGTGCTGGGCACTCTGCTAAGAGTCCCTCCCTGCCACGCCCTGGCAGGACA
CAGGCACTTTTCAATGGGCAAGCCAGTGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG
CAGGAGTGAAGCAGAGGTGATGGGCTGGGCTGAGCCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG
GTTCTTCAGGCCTGTGGGGAAGTTCGGGTGCCTTTATTTTTTATTCTTTTCTAAGGAAAAAATGATAAAAT
CTCAAAGCTGATTTTTCTGTTATAGAAAACTAATATAAAGCATTATCCCTATCCCTGCAAAAAA

370/550

FIGURE 370

MEGEEAEQPAWFHQWPWPGASDSAPPAGTMAQSRVLLLLLLLLPPQLHLGPVLAVRAPGFGRSG
GHSLSPREENEFAEEEPVLVLSPEEPGPGPAAVSCPRDCACSQEGVVDCGGIDLREFPGDLPEH
TNHLSLQNNQLEKIYPEELSRHRLETNLQNNRLTSRGLPEKA FEHLTNLNYLYLANNKLT
APRFLPNALISVDFAANYLTKIYGLTFGQKPNLRSVYLHNNKLADAGLPDNMFNGSSNVEVLI
LSSNFLRHVPKHLPPALYKLHLKNNKLEKIPPGAFSELSSLRELYLQNNYLTDEGLDNETFWK
LSSLEYLDLSSNNLSRVPAGLPRSLVLLHLEKNAIRSV DANVLTPIRSLEYLLLHSNQLREQG
IHPLAFQGLKRLHTVHLYNNALERVPSGLPRRVRTL MILHNQITGIGREDFATTYFLEELNLS
YNRITSPQVHRDAFRKLRLRLSLDLSGNRLHTLPPGLPRNVHVLKVKRNELAALARGALAGMA
QLRELYLTSNRLRSRALGPRAWVDLAHLQLLDIAGNQLTEIPEGLPESLEYLYLQNNKISAVP
ANAFDSTPNLKGIFLRFNKLAVGSSVDSAFRRLKHLQVLDIEGNLEFGDISKDRGLGKEKEE
EEEEEEEEETR

Important features:**Signal sequence:**

amino acids 1-48

N-glycosylation site.

amino acids 243-247, 310-314, 328-332, 439-443

Casein kinase II phosphorylation site.

amino acids 68-72, 84-88, 246-250, 292-296, 317-321, 591-595

N-myristoylation site.amino acids 19-25, 107-113, 213-219, 217-223, 236-242, 335-341,
477-483, 498-502, 539-545, 548-554**Leucine zipper pattern.**amino acids 116-138, 251-273, 258-280, 322-344, 464-486, 471-493,
535-557

371/550

FIGURE 371

CACTTTCTCCCTCTCTTCTTTACTTTTCGAGAAACCGCGCTTCCGCTTCTGGTCGCAGAGACCTCGGAGACCGG
CCGGGAGACGGAGGTGCTGTGGGTGGGGGGGACCTGTGGCTGCTCGTACCGCCCCCACCCTCTTCTGCAC
TGCCGTCCCTCCGGAAGACCTTTTCCCTGCTCTGTTTCTTTCACCGAGTCTGTGCATCGCCCCGACCTGGCCGG
GAGGAGGCTTGGCCGGCGGAGATGCTCTAGGGGCGGCGGGAGGAGCGGCCGGCGGGACGGAGGGCCCGGAG
GAAGATGGGCTCCCGTGACAGGACTCTTGCTGGCGTACTGCCTGCTCCTTGCCCTTGCCCTTGCCCTGGCTGCTCCT
GAGTCTGTGCCCATGTCCAGGGGGAACAGCAGGAGTGGGAGGGGACTGAGGAGCTGCCGTGCGCTCCGGACCA
TGCCGAGAGGGCTGAAGAACAACATGAAAAATACAGGCCAGTCAGGACCAGGGGCTCCCTGCTTCCCGGTGCTT
GCGCTGCTGTGACCCCGGTACCTCCATGTACCGGCGACCGCGTGCCCGAGATCAACATCACTATCTTGAAAGG
GGAGAAGGTGACCGCGGAGATCGAGGCTCCAAGGGAATATGGCAAAACAGGCTCAGCAGGGGCCAGGGGCCA
CACTGGACCCAAAGGGCAGAAGGGCTCCATGGGGGCCCCGAGGAGCGGTGCAAGAGCCACTACGCCGCCCTTTC
GGTGGGCCGGAAGAAGCCCATGCACAGCAACCACTACTACCAGACGGTGATCTTCGACACGGAGTTCGTGAACCT
CTACGACCACTTCAACATGTTTACCGGCAAGTTCTACTGTACGTGCCCGGCCCTTACTTCTTCAGCCTCAACGT
GCACACCTGGAACAGAAGGAGACCTACCTGCACATCATGAAGAACGAGGAGGAGGTGGTGATCTTGTTCGCGCA
GGTGGGCGACCGCAGCATCATGCAAGCCAGAGCCTGATGCTGGAGCTGCGAGAGCAGGACCAGGTGTGGGTACG
CCTCTACAAGGGCGAACGTGAGAACGCCATCTTCAGCGAGGAGCTGGACACCTACATCACCTTCAGTGGCTACCT
GGTCAAGCAGCCACCGAGCCCCTAGCTGGCCGGCCACCTCCTTTCTCTCGCCACCTTCCACCCTGCGCTGTGC
TGACCCACCGCCTCTTCCCGATCCCTGGACTCCGACTCCCTGGCTTTGGCATTCACTGAGACGCCCTGCACAC
ACAGAAAGCCAAAGCGATCGGTGCTCCAGATCCCGCAGCCTCTGGAGAGAGCTGACGGCAGATGAAATCACCAG
GGCGGGGCACCCGCGAGAACCCTCTGGGACCTTCCGCGGCCCTCTCTGCACACATCCTCAAGTGACCCCGCACGG
CGAGACGCGGGTGGCGGAGGGGCTCCAGGGTGCGGCACCGCGGCTCCAGTCCCTGGAAATAATTAGGCAAATT
CTAAAGGTCTCAAAAGGAGCAAAGTAAACCGTGGAGGACAAAGAAAGGGTTGTTATTTTTGTCTTTCCAGCCAG
CCTGCTGGCTCCCAAGAGAGAGGCTTTTCACTTGAGACTCTGCTTAAGAGAAGATCCAAAGTTAAAGCTTGGG
GTCAGGGGAGGGGCCGGGGCAGGAACTACCTCTGGCTTAATTCTTTTAAGCCACGTAGGAACCTTTCTTGAGGG
ATAGGTGGACCTGACATCCCTGTGGCCTTGCCCAAGGGCTCTGCTGGTCTTTCTGAGTCACAGCTGCGAGGTGA
TGGGGGCTGGGGCCCCAGGCGTCAGCCTCCAGAGGGACAGCTGAGCCCCCTGCCCTGGCTCCAGGTTGGTAGAA
GCAGCCGAAGGGCTCCTGACAGTGGCCAGGACCCCTGGGTCCCCAGGCGCTGCAGATGTTTCTATGAGGGGAG
AGCTCCTTGGTACATCCATGTGTGGCTCTGCTCCACCCCTGTGCCACCCAGAGCCCTGGGGGGTGGTCTCCATG
CCTGCCACCTGGCATCGGCTTTCTGTGCCGCTCCACACAAATCAGCCCCAGAGGCCCGGGGCTTGGCTT
CTGTTTTTATAAAACACCTCAAGCAGCACTGCAGTCTCCCATCTCCTCGTGGGCTAAGCATACCGCTTCCACG
TGTGTTGTGTTGGTTGGCAGCAAGGCTGATCCAGACCCCTTCTGCCCCACTGCCCTCATCCAGGCTCTGACCA
GTAGCCTGAGAGGGGCTTTTCTAGGCTTCAGAGCAGGGGAGAGCTGGAAGGGGCTAGAAAGCTCCCGCTTGTCT
GTTTCTCAGGCTCCTGTGAGCCTCAGTCTGAGACCAGAGTCAAGAGGAAGTACACGTCCCAATCACCCGTGTCA
GGATTCACTCTCAGGAGCTGGGTGGCAGGAGAGGCAATAGCCCCCTGTGGCAATTGCAGGACCAGCTGGAGCAGGG
TTGCGGTGCTCCACGGTGTCTCTGCCCTGCCATGGCCACCCAGACTCTGATCTCCAGGAACCCCATAGCCCC
TCTCCACCTCACCCCATGTTGATGCCAGGGTCACTCTTGCTACCCGCTGGGCCCCCAAAACCCCGCTGCCCTCTC
TTCCTTCCCCCATCCCCACCTGGTTTTGACTAATCCTGCTTCCCTCTCTGGGCTGGCTGCCGGGATCTGGGG
TCCCTAAGTCCCTCTCTTAAAGAACTTCTGCGGGTCAGACTCTGAAGCCGAGTTGCTGTGGGCGTGCCCGAAG
CAGAGCGCCACACTCGCTGCTTAAGCTCCCCAGCTCTTCCAGAAAACATTAAACTCAGAATTGTGTTTTCAA

372/550

FIGURE 372

MGSRGQGLLLAYCLLLAFASGLVLSRVPHVQGEQQEWEGTEELPSPPOHAERAEEQHEKYRPS
QDQGLPASRCLRCCDPGTSMPATAVPQINITILKGEKGDRGDRGLQGKYGKTGSAGARGHTG
PKGQKGSMSGAPGERCKSHYAAFSVGRKKPMHSNHYYQTVIFDTEFVNLYDHFNMFTGKFYCYV
PGLYFFSLNVHTWNQKETYLHIMKNEEEVVILFAQVGDRSIMQSQSLMLELREQDQVWVRLYK
GERENAI FSEELDTYIT FSGYLVKHATEP

Important features:

Signal sequence.

amino acids 1-25

N-glycosylation site.

amino acids 93-97

N-myristoylation sites.

amino acids 7-13, 21-27, 67-73, 117-123, 129-135

Amidation site.

amino acids 150-154

Cell attachment sequence.

amino acids 104-107

373/550

FIGURE 373

CGGAGTGGTGCGCCAACGTGAGAGGAAACCCGTGCGGGCTGCGCTTTCCTGTCCCCAAGCCG
TTCTAGACGCGGGAAAAATGCTTTCTGAAAGCAGCTCCTTTTTGAAGGGTGTGATGCTTGAA
GCATTTTCTGTGCTTTGATCACTATGCTAGGACACATTAGGATTGGTCATGGAAATAGAATGC
ACCACCATGAGCATCATCACCTACAAGCTCCTAACAAAGAAGATATCTTGAAAATTTAGAGG
ATGAGCGCATGGAGCTCAGTAAGAGCTTTCGAGTATACTGTATTATCCTTGTAACCCAAAG
ATGTGAGTCTTTGGGCTGCAGTAAAGGAGACTTGGACCAACACTGTGACAAAGCAGAGTTCT
TCAGTTCTGAAAATGTTAAAGTGTGAGTCAATTAATATGGACACAAATGACATGTGGTTAA
TGATGAGAAAAGCTTACAAATACGCCTTTGATAAGTATAGAGACCAATACAACCTGGTTCTTCC
TTGCACGCCCCACTACGTTTGCTATCATTGAAAACCTAAAGTATTTTTTGTAAAAAAGGATC
CATCACAGCCTTTCTATCTAGGCCACACTATAAAATCTGGAGACCTTGAATATGTGGGTATGG
AAGGAGGAATTGTCTTAAGTGTAGAATCAATGAAAAGACTTAACAGCCTTCTCAATATCCCAG
AAAAGTGTCTGAACAGGGAGGGATGATTTGGAAGATATCTGAAGATAAACAGCTAGCAGTTT
GCCTGAAATATGCTGGAGTATTTGCAGAAAATGCAGAAGATGCTGATGGAAAAGATGTATTTA
ATACCAAATCTGTTGGGCTTTCTATTAAAGAGGCAATGACTTATCACCCCAACCAGGTAGTAG
AAGGCTGTTGTTTCAGATATGGCTGTTACTTTTAATGGACTGACTCCAAATCAGATGCATGTGA
TGATGTATGGGGTATACCGCCTTAGGGCATTGCGGCATATTTTCAATGATGCATTGGTTTTCT
TACCTCCAAATGGTTCTGACAATGACTGAGAAGTGGTAGAAAAGCGTGAATATGATCTTTGTA
TAGGACGTGTGTTGTCATTATTTGTAGTAGTAACTACATATCCAATACAGCTGTATGTTTCTT
TTTCTTTTCTAATTTGGTGGCACTGGTATAACCACACATTAAAGTCAGTAGTACATTTTTAAA
TGAGGGTGGTTTTTTTCTTTAAACACATGAACATTGTAAATGTGTTGGAAAGAAGTGTTTTA
AGAATAATAATTTGCAAATAAACTATTAATAAATATTATATGTGATAAATTCTAAATTATGA
ACATTAGAAATCTGTGGGGCACATATTTTGTGATTGGTTAAAAAATTTTAACAGGTCTTTA
GCGTTCTAAGATATGCAAATGATATCTCTAGTTGTGAATTTGTGATTAAAGTAAACTTTTAG
CTGTGTGTTCCCTTTACTTCTAATACTGATTTATGTTCTAAGCCTCCCAAGTTCCAATGGAT
TTGCCTTCTCAAAATGTACAACCTAAGCAACTAAAGAAAATTAAAGTGAAAGTTGAAAAAT

374/550

FIGURE 374

MLSESSSFLKGVMLGSIFCALITMLGHIRIGHGNRMHHHEHHHLQAPNKEDILKISEDERMELSKSFRVYCIILV
KPKDVSLLWA AVKETWTKHCDKAEFFSEENVKVFESINMDTNDMWLMMRKAYKYAFDKYRDQYNWFFLARPTTFAI
IENLKYFLLKKDPSQPFYLGHTIKSGDLEYVGMEGGIVLSVESMKRLNSLLNIPEKCPEQGGMIWKISEDKQLAV
CLKYAGVFAENAEDADGKDVENTKSVGLSIKEAMTYHPNQVVEGCCSDMAVTFNGLTPNQMHVMMYGVYRLRAFG
HIFNDALVFLPPNGSDND

Important features:

Signal sequence:

amino acids 1-33

N-glycosylation site.

amino acids 121-125, 342-346

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 319-323, 464-468

Casein kinase II phosphorylation site.

amino acids 64-132, 150-154, 322-326, 331-335, 368-372, 385-389, 399-403,
409-413, 473-477, 729-733, 748-752

Tyrosine kinase phosphorylation site.

amino acids 736-743

N-myristoylation site.

amino acids 19-25, 23-29, 136-142, 397-403, 441-447, 544-550, 558-564,
651-657, 657-663, 672-672

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 14-25

Cell attachment sequence.

amino acids 247-250

375/550

FIGURE 375

GTTGTGTCCTTCAGCAAAACAGTGGATTTAAATCTCCTTGACACAAGCTTGAGAGCAACACAAT
CTATCAGGAAAGAAAGAAAGAAAAAACCGAACCTGACAAAAAGAAGAAAAAGAAGAAA
AAAAATCATGAAAACCATCCAGCCAAAAATGCACAATTCTATCTCTTGGGCAATCTTCACGGG
GCTGGCTGCTCTGTGTCTCTTCCAAGGAGTGGCGTGCGCAGCGGAGATGCCACCTTCCCCAA
AGCTATGGACAACGTGACGGTCCGGCAGGGGAGAGCGCCACCCTCAGGTGCACTATTGACAA
CCGGGTCACCCGGTGGCCTGGCTAAACCGCAGCACCATCCTCTATGCTGGGAATGACAAGTG
GTGCCTGGATCCTCGCGTGGTCCTTCTGAGCAACACCCAAACGCAGTACAGCATCGAGATCCA
GAACGTGGATGTGTATGACGAGGGCCCTTACACCTGCTCGGTGCAGACAGACAACCACCCAAA
GACCTCTAGGGTCCACCTCATTGTGCAAGTATCTCCCAAATTTGTAGAGATTTCTTCAGATAT
CTCCATTAATGAAGGGAACAATATTAGCCTCACCTGCATAGCAACTGGTAGACCAGAGCCTAC
GGTACTTGGAGACACATCTCTCCCAAAGCGGTTGGCTTTGTGAGTGAAGACGAATACTTGGAA
AATTCAGGGCATCACCCGGGAGCAGTCAGGGGACTACGAGTGCAGTGCCTCCAATGACGTGGC
CGCGCCCGTGGTACGGAGAGTAAAGGTCACCGTGAACCTATCCACCATAACATTTCAGAAGCCAA
GGGTACAGGTGTCCCGTGGGACAAAAGGGGACACTGCAGTGTGAAGCCTCAGCAGTCCCCTC
AGCAGAATTCCAGTGGTACAAGGATGACAAAAGACTGATTGAAGGAAAGAAAGGGGTGAAAGT
GGAAAACAGACCTTTCTCTCAAACTCATCTTCTTCAATGTCTCTGAACATGACTATGGGAA
CTACACTTGCCTGGCCTCCAACAAGCTGGGCCACACCAATGCCAGCATCATGCTATTTGGTCC
AGGCGCCGTCAGCGAGGTGAGCAACGGCACGTCGAGGAGGGCAGGCTGCGTCTGGCTGCTGCC
TCTTCTGGTCTTGACCTGCTTCTCAAATTTTGATGTGAGTGCCACTTCCCCACCCGGGAAAG
GCTGCCGCCACCACCACCAACACAACAGCAATGGCAACACCGACAGCAACCAATCAGATA
TATACAAATGAAATTAGAAGAAACACAGCCTCATGGGACAGAAATTTGAGGGAGGGGAACAAA
GAATACTTTGGGGGGAAAAGAGTTTTAAAAAAGAAATTGAAAATTGCCTTGAGATATTTAGG
TACAATGGAGTTTTCTTTCCCAAACGGGAAGAACACAGCACACCCGGCTTGGACCCACTGCA
AGCTGCATCGTGCAACCTCTTTGGTGCCAGTGTGGCAAGGGCTCAGCCTCTCTGCCACAGA
GTGCCCCCACGTGGAACATTCTGGAGCTGGCCATCCCAAATTCATCAGTCCATAGAGACGAA
CAGAAATGAGACCTTCCGGCCCAAGCGTGGCGCTGCGGGCACTTTGGTAGACTGTGCCACCACG
GCGTGTGTTGTGAAACGTGAAATAAAAAGAGCAAAAAAAA

376/550

FIGURE 376

MKTIQPKMHNSISWAIFTGLAALCLFQGVVPRSGDATFPKAMDNVTVRQGESATLRCTIDNRV
TRVAWLNIRSTILYAGNDKWCLDPRVVLLSNTQTQYSIEIQNVVDVYDEGPYTCSVQTDNHPKTS
RVHLIVQVSPKIVEISSDISINEGNNISLTCIATGRPEPTVTWRHISPKAVGFVSEDEYLEIQ
GITREQSGDYECASNDVAAPVVRVKVTVNYPPISEAKGTGVPVGQKGTLQCEASAVPSAE
FQWYKDDKRLIEGKKGVKVENRPFLSKLIFFNVSEHDYGNITCVASNKLGHTNASIMLEFGPGA
VSEVSNGTSSRRAGCVWLLPLLVLHLLKF

Important features:

Signal peptide:

amino acids 1-28

377/550

FIGURE 377

CTTCTTTGAAAAGGATTATCACCTGATCAGGTTCTCTCTGCATTTGCCCCCTTTAGATTGTGAA
ATGTGGGCTCAAGGTCTTCACAACCTTTCCCTTTGCAACAGGTGCTTGCTCGGGGCTGAAG
GTGACAGTGCCATCACACACTGTCCATGGCGTCAGAGGTCAGGCCCTCTACCTACCCGTCCAC
TATGGCTTCCACACTCCAGCATCAGACATCCAGATCATATGGCTATTTGAGAGACCCACACA
ATGCCCAAATACTTACTGGGCTCTGTGAATAAGTCTGTGGTTCCTGACTTGGAATACCAACAC
AAGTTCACCATGATGCCACCCAATGCATCTCTGCTTATCAACCCACTGCAGTTCCTGATGAA
GGCAATTACATCGTGAAGGTCAACATTCAGGGAAATGGAAGTCTATCTGCCAGTCAGAAGATA
CAAGTCACGGTTGATGATCCTGTACAAAGCCAGTGGTGCAGATTTCATCCTCCCTCTGGGGCT
GTGGAGTATGTGGGGAACATGACCCTGACATGCCATGTGGAAGGGGGCACTCGGCTAGCTTAC
CAATGGCTAAAAAATGGGAGACCTGTCCACACCAGCTCCACCTACTCCTTTTCTCCCCAAAAC
AATACCTTCATATTGCTCCAGTAACCAAGGAAGACATTGGGAATTACAGCTGCCTGGTGAGG
AACCCTGTCAGTGAAATGGAAAGTGATATCATTATGCCCATCATATATTATGGACCTTATGGA
CTTCAAGTGAATTCGTATAAAGGGCTAAAAGTAGGGGAAGTGTTTACTGTTGACCTTGGAGAG
GCCATCCTATTTGATTGTTCTGCTGATTCTCATCCCCCAACACCTACTCCTGGATTAGGAGG
ACTGACAATACTACATATATCATTAAGCATGGGCCTCGCTTAGAAGTTGCATCTGAGAAAGTA
GCCAGAAGACAATGGACTATGTGTGCTGTGCTTACAACAACATAACCGGCAGGCAAGATGAA
ACTCATTTACAGTTATCATCACTTCCGTAGGACTGGAGAAGCTTGCACAGAAAGGAAAATCA
TTGTCACCTTTAGCAAGTATAACTGGAATATCACTATTTTTGATTATATCCATGTGTCTTCTC
TTCTTATGGAAAAAATATCAACCCTACAAAGTTATAAAACAGAACTAGAAGGCAGGCCAGAA
ACAGAATACAGGAAAAGCTCAAACATTTTCAGGCCATGAAGATGCTCTGGATGACTTCGGAATA
TATGAATTTGTTGCTTTTCCAGATGTTTCTGGTGTTCAGGATTCCAAGCAGGTCTGTTCCA
GCCTCTGATTGTGTATCGGGGCAAGATTTGCACAGTACAGTGTATGAAGTTATTCAGCACATC
CCTGCCCAGCAGCAAGACCATCCAGAG**TGA**ACTTTTCATGGGCTAAACAGTACATTCGAGTGAA
ATTCTGAAGAAACATTTTAAGGAAAAACAGTGGAAGTATATTAATCTGGAATCAGTGAAGA
AACCAGGACCAACACCTCTTACTCATTATTCCCTTTACATGCAGAATAGAGGCATTTATGCAAA
TTGAACTGCAGGTTTTTTCAGCATATACACAATGTCTTGTGCAACAGAAAAACATGTTGGGGAA
ATATTCTCAGTGGAGAGTCGTTCTCATGCTGACGGGGAGAACGAAAGTGACAGGGGTTTCCT
CATAAGTTTTGTATGAAATATCTCTACAAACCTCAATTAGTTCTACTCTACACTTTCACTATC
ATCAACACTGAGACTATCCTGTCTCACCTACAAATGTGGAACTTTACATTGTTTCGATTTTTTC
AGCAGACTTTGTTTTATTAAATTTTTATTAGTGTTAAGAATGCTAAATTTATGTTTCAATTTT
ATTTCCAAATTTCTATCTTGTATTGTGTACAACAAAGTAATAAGGATGGTTGTCACAAAAACA
AACTATGCCTTCTCTTTTTTTTTCAATCACCAGTAGTATTTTTGAGAAGACTTGTGAACACTT
AAGGAAATGACTATTAAAGTCTTATTTTTATTTTTTTCAAGGAAAGATGGATTCAAATAAATT
ATTCTGTTTTTGCTTTTAAAAA

378/550

FIGURE 378

MWLKVFTTFLSFATGACSGLKVTVPSTVHGVGRQALYLPVHYGFHTPASDIQIIWLFRPHTMPKYLLGSVNKS
VVPDLEYQHKFTMMPPNASLLINPLQFPDEGNYIVKVNIQNGTLSASQKIQVTVDDPVTKPVVQIHPPSGAVEY
VGNMTLTCHVEGGTRLAYQWLKNGRPVHTSSTYSFSPQNNTLHIAPVTKEDIGNYSCLVRNPVSEMESDIIMPII
YYGPYGLQVNSDKGLKVGVEFTVDLGEAILEDSCSADSHPPNTYSWIRRTDNTTYIIKHGPRLEVASEKVAQKTMD
YVCCAYNNITGRQDETHFTVIIITSVGLEKLAQKGKSLSPASITGISLFLIISMCLLFLWKKYQPYKVIKQKLEG
RPETEURKAQTFSGHEDALDDFGIYEFVAFPDVSGVSRIPSRVSPASDCVSGQDLHSTVYEVQIHIPAAQQQDHPE

Important features:**Signal sequence:**

amino acids 1-18

Transmembrane domain:

amino acids 341-359

N-glycosylation site.

amino acids 73-77, 92-96, 117-121, 153-157, 189-193, 204-208, 276-280, 308-312

Casein kinase II phosphorylation site.

amino acids 129-133, 198-202, 214-218, 388-392, 426-430, 433-437

Tyrosine kinase phosphorylation site.

amino acids 272-280

N-myristoylation site.

amino acids 15-21, 19-25, 118-124, 163-167, 203-209, 231-237, 239-245

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 7-18

379/550

FIGURE 379

ATAGTAGAAGAATGTCTCTGAAATTACTGGATGAGTTTCAGTCATACTTTCACATGGGCACAA
TTTCACATTCAAGCTCCTTATCCTAGGCTAATTTTATATTATGTTAAATCACTTGTTTTTGTT
CTCACGGCTTCCTGCCTGCTATAGGCATAATTACGAGGAAGCAGAACTTCTCCAGAAGCAAGC
GCACATGCGTTCCAAAATAAGAGCAAATTCGCTCTAAACACAGGAAAAGACCTGAAGCTTTAA
TTAAGGGGTTACATCCAACCCAGAGCGCTTTTGTGGGCACTGATTGCTCCAGCTTCTGCGTC
ACTGCGCGAGGGAAGAGGGAAGAGGATCCAGGCGTTAGACATGTATAGACACAAAAACAGCTG
GAGATTGGGCTTAAAATACCCACCAAGCTCCAAAGAAGAGACCCAAGTCCCCAAAACATTGAT
TTCAGGGCTGCCAGGAAGGAAGAGCAGCAGCAGGGTGGGAGAGAAGCTCCAGTCAGCCCACAA
GATGCCATTGTCCCCCGGCCTCCTGCTGCTGCTGCTCTCCGGGGCCACGGCCACCGCTGCCCT
GCCCCTGGAGGGTGGCCCCACCGGCCGAGACAGCGAGCATATGCAGGAAGCGGCAGGAATAAG
GAAAAGCAGCCTCCTGACTTTCCTCGCTTGGTGGTTTGAGTGGACCTCCCAGGCCAGTGCCGG
GCCCCTCATAGGAGAGGAAGCTCGGGAGGTGGCCAGGCGGCAGGAAGGCGCACCCCCCAGCA
ATCCGCGCGCCGGGACAGAATGCCCTGCAGGAACCTTCTTCTGGAAGACCTTCTCCTCCTGCAA
ATAG

380/550

FIGURE 380

MYRHKNSWRLGLKYPPSSKEETQVPKTLISGLPGRKSSSRVGEKLQSAHKMPLSPGLLLLLLS
GATATAALPLEGGPTGRDSEHMQEAAAGIRKSSLLTFLAWWFEWTSQASAGPLIGEEAREVARR
QEGAPPQQSARRDRMPCRNFFWKTFSCK

Important features:

Transmembrane domain:

amino acids 51-69

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 35-39, 92-96

N-myristoylation sites.

amino acids 64-70, 75-81, 90-96

Amidation site.

amino acids 33-37

381/550

FIGURE 381

GGCGCCGGTGCACCGGGCGGGCTGAGCGCCTCCTGCGGCCCGGCCTGCGCGCCCCGGCCCGCC
GCGCCGCCCCACGCCCCAACCCCGGCCCCGCCCCCTAGCCCCCGCCCGGGCCCCGCGCCCGCGC
CCGCGCCCAGGTGAGCGCTCCGCCCGCCGCGAGGCCCGCCCCGGCCCCGCCCCCGCCCCGCC
CGGCCGGCGGGGAACCGGGCGGATTCTCGCGCGTCAAACCACCTGATCCCATAAAACATTTC
ATCCTCCCCGGCGGCCCGCGCTGCGAGCGCCCCCGCAGTCCGCGCCCGCCCGCCCTCGCCCTG
TGCGCCCTGCGCGCCCTGCGCACCCGCGGCCCGAGCCCAGCCAGAGCCGGGCGGAGCGGAGCG
CGCCGAGCCTCGTCCCGCGGCCCGGGCGGGGCGGGCCGTAGCGGCGGGCGCTGGATGCGGAC
CCGGCCGCGGGGAGACGGGCGCCCCGCCCGAAACGACTTTCAGTCCCCGACGCGCCCCGCCA
ACCCCTACGATGAAGAGGGCGTCCGCTGGAGGGAGCCGGCTGCTGGCATGGGTGCTGTGGCTG
CAGGCCTGGCAGGTGGCAGCCCCATGCCAGGTGCTGCGTATGCTACAATGAGCCCAAGGTG
ACGACAAGCTGCCCCCAGCAGGGCCTGCAGGCTGTGCCCGTGGGCATCCCTGCTGCCAGCCAG
CGCATCTTCTGCACGGCAACCGCATCTCGCATGTGCCAGCTGCCAGCTTCCGTGCTGCCG
AACCTACCATCCTGTGGCTGCACTCGAATGTGCTGGCCCGAATTGATGCGGGCTGCCTTCACT
GGCCTGGCCCTCCTGGAGCAGCTGGACCTCAGCGATAATGCACAGCTCCGCTGTGTGGACCT
GCCACATTCCACGGCCTGGGCCGCTACACACGCTGCACCTGGACCGCTGCGGCCTGCAGGAG
CTGGGCCCGGGGCTGTTCCGCGGCCCTGCGCTGCCCTGCAGTACCTCTACCTGCAGGACAACGCG
CTGCAGGCACTGCCTGATGACACCTTCCGCGACCTGGGCAACCTCACACACCTCTTCTGCAC
GGCAACCGCATCTCCAGCGTGCCCCGAGCGCGCCTTCCGTGGGCTGCACAGCCTCGACCGTCTC
CTACTGCACAGAACCGCGTGCCCCATGTGCACCCGCGATGCCTTCCGTGACCTTGGCCCGCCTC
ATGACACTCTATCTGTTTGCCAACAATCTATCAGCGCTGCCCACTGAGGCCCTGGCCCCCCTG
CGTGCCCTGCAGTACCTGAGGCTCAACGACAACCCCTGGGTGTGTGACTGCCGGGCACGCCCA
CTCTGGGCCTGGCTGCAGAAGTTCCGCGGCTCCTCCTCCGAGGTGCCCTGCAGCCTCCCGCAA
CGCCTGGCTGGCCGTGACCTCAAACGCCTAGCTGCCAATGACCTGCAGGGCTGCGCTGTGGCC
ACCGGCCCTTACCATCCCATCTGGACCGGCAGGGCCACCGATGAGGAGCCGCTGGGGCTTCCC
AAGTGCTGCCAGCCAGATGCCGCTGACAAGGCCTCAGTACTGGAGCCTGGAAGACCAGCTTCG
GCAGGCAATGCGCTGAAGGGACGCGTGCCGCCCGGTGACAGCCCGCCGGGCAACGGCTCTGGC
CCACGGCACATCAATGACTCACCTTTGGGACTCTGCCTGGCTCTGCTGAGCCCCCGCTCACT
GCAGTGCGGCCCGAGGGCTCCGAGCCACCAGGGTTCCCCACCTCGGGCCCTCGCCGGAGGCCA
GGCTGTTACGCAAGAACCGCACCCGAGCCACTGCCGTCTGGGCCAGGCAGGCAGCGGGGT
GGCGGGACTGGTGACTCAGAAGGCTCAGGTGCCCTACCCAGCCTCACCTGCAGCCTCACCCCC
CTGGGCCTGGCGCTGGTGCTGTGGACAGTGCTTGGGCCCTGCTGAACCCCCAGCGGACACAAGA
GCGTGCTCAGCAGCCAGGTGTGTGTACATACGGGGTCTCTCTCCACGCCGCCAAGCCAGCCGG
GCGGCCGACCCGTGGGGCAGGCCAGGCCAGGTCTCCTGATGGACGCTGCCGCCCGCCACC
CCATCTCCACCCCATCATGTTTACAGGGTTGGCGGCGAGCGTTTGTTCAGAACGCGCCTC
CCACCCAGATCGCGGTATATAGAGATATGCATTTTATTTTACTTGTGTAAAAATATCGGACGA
CGTGGAATAAAGAGCTCTTTCTTAAAAAA

382/550

FIGURE 382

MKRASAGGSRLAWVLWLQAWQVAAPCPGACVCYNEPKVTTSCPQQGLQAVPVGIPAASQRIF
LHGNRISHVPAASFRACRNLTILWLHSNVLARIDAAFTGLALLEQLDLSDNAQLRSVDPATF
HGLGRLHTLHLDRCGLQELGPGLFRGLAALQYLYLQDNALQALPDDTFRDLGNLTHLFLHG NR
ISSVPERAFRGLHSLDRLLLHQNRVAHVHPHAFRDLGRLMTLYLFANNLSALPTEALAPLRAL
QYLR LNDNPWVCD CRARPLWAWLQKFRGSSSEVP CSLPQRLAGRDLKRLAANDLQGCAVATGP
YHPIWTGRATDEEPLGLPKCCQPDAA DKASVLEPGRPASAGNALKGRVPPGDSPPGNGSGPRH
INDSPFGTLPGSAEPPLTAVRPEGSEPPGFPTSGP RRRPGCSRKNRTRSHCRLGQAGSGGGGT
GDSEGS GALPSLTCSLTPLGLALVLWTVLGPC

Important features:**Signal peptide:**

amino acids 1-26

Leucine zipper pattern.

amino acids 135-156

Glycosaminoglycan attachment site.

amino acids 436-439

N-glycosylation site.

amino acids 82-85, 179-183, 237-240, 372-375 and 423-426

VWFC domain

amino acids 411-425

383/550

FIGURE 383

TTCGTGACCCTTGAGAAAAGAGTTGGTGGTAAATGTGCCACGTCTTCTAAGAAGGGGGAGTCCTGAACTTGTCTG
AAGCCCTTGTCCGTAAGCCTTGAACCTACGTTCTTAAATCTATGAAGTCGAGGGACCTTTCGCTGCTTTTGTAGGG
ACTTCTTTTCTTGTGCTTCAGCAACATGAGGCTTTTCTTGTGGAACGCGGTCTTGACTCTGTTGCTCACTTCTTTGA
TTGGGGCTTTGATCCCTGAACCAGAAGTGAAAATTGAAGTTCTCCAGAAGCCATTTCATCTGCCATCGCAAGACCA
AAGGAGGGGATTGATGTTGGTCCACTATGAAGGCTACTTAGAAAAGGACGGCTCCTTATTTCACTCCACTCACA
AACATAACAATGCTCAGCCATTGGTTTACCCTGGGCATCCTGGAGGCTCTCAAAGGTTGGGACCAGGGCTTGA
AAGGAATGTGTGTAGGAGAGAAGAGAAAGCTCATCATTCCCTCTGCTCTGGGCTATGGAAAAGAAGGAAAAGGTA
AAATCCCCCAGAAAGTACACTGATATTTAATATTGATCTCCTGGAGATTGAAATGGACCAAGATCCCATGAAT
CATTCCAAGAAATGGATCTTAATGATGACTGGAACTCTCTAAAGATGAGGTTAAAGCATATTTAAAGAAGGAGT
TTGAAAACATGGTGGGTTGATGAAAGTCATCATGATGCTTTGGTGGAGGATATTTTGATAAAGAAGATG
AAGACAAAGATGGGTTTATATCTGCCAGAGAATTTACATATAAACACGATGAGTTATAGAGATACATCTACCCTT
TTAATATAGCACTCATCTTTCAAGAGAGGGCAGTCATCTTTAAAGAACATTTTATTTTATACAATGTTCTTTCT
TGCTTTGTTTTTTATTTTATATATTTTCTGACTCCTATTTAAAGAACCCTTAGGTTTCTAAGTACCCATTT
CTTTCTGATAAGTTATTGGGAAGAAAAGCTAATTGGTCTTTGAATAGAAGACTTCTGGACAATTTTCACTTTC
ACAGATATGAAGCTTTGTTTTACTTTCTCACTTATAAATTTAAAGTGTGCAACTGGGAATATACCACGACATGA
GACCAGGTTATAGCACAAATTAGCACCTATATTTCTGCTTCCCTCTATTTTCTCCAAGTTAGAGGTCAACATTT
GAAAAGCCTTTTGCAATAGCCCAAGGCTTGCTATTTTCATGTTATAATGAAATAGTTTATGTGTAAGTGGCTCTG
AGTCTCTGCTTGAGGACCAGAGGAAAATGGTTGTTGGACCTGACTTGTAAATGGCTACTGCTTTACTAAGGAGAT
GTGCAATGCTGAAGTTAGAAACAAGTTAATAGCCAGGCATGGTGGCTCATGCCTGTAATCCCAGCACTTTGGGA
GGCTGAGGCGGGCGGATCACCTGAGGTTGGGAGTTTCGAGACCAGCCTGACCAACACGGAGAAACCCTATCTCTAC
TAAAAATACAAAGTAGCCCGGCGTGGTGATGCGTGCCTGTAATCCCAGCTACCCAGGAAGGCTGAGGCGGCAGAA
TCACTTGAACCCGAGGCCGAGGTTGCGGTAAGCCGAGATCACCTNCAGCCTGGACACTCTGTCTCGAAAAAAGAA
AAGAACACGGTTAATACCATATNAATATGTATGCATTGAGACATGCTACCTAGGACTTAAGCTGATGAAGCTTGG
CTCCTAGTGATTGGTGGCCTATTATGATAAATAGGACAAATCATTATGTGTGAGTTCTTTGTAATAAAATGTA
TCAATATGTTATAGATGAGGTAGAAAGTTATATTTATATCAATATTTACTTCTTAAGGCTAGCGGAATATCCTT
CCTGGTTCTTTAATGGGTAGTCTATAGTATATTATACTACAATAACATTGTATCATAAGATAAAGTAGTAAACCA
GTCTACATTTTCCCATTTCTGTCTCATCAAAAACCTGAAGTTAGCTGGGTGTGGTGGCTCATGCCTGTAATCCCAG
CACTTTGGGGGCCAAGGAGGGTGATCACTTGAGATCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAACCT
TGTCTCTACTAAAAATACAAAATTAGCCAGGCGTGGTGGTGCACACCTGTAGTCCCAGCTACTCGGGAGGCTGA
GACAGGAGATTTGCTTGAACCGGGAGGCGGAGGTTGCAGTGAGCCAAGATTGTGCCACTGCACTCCAGCCTGGG
TGACAGAGCAAGACTCCATCTCAAAAAAAAAAAGAAGCAGACCTACAGCAGCTACTATTGAATAAATACCTA
TCCTGGATTTT

384/550

FIGURE 384

MRLFLWNAVLTLEFVTSLIGALIPPEVKIEVLQKPFICHRKTKGGDLMLVHYEGYLEKDGSLF
HSTHKHNNQPIWFTLGILEALKGWDQGLKGMCVGEKRKLIIPPALGYGKEGKGKIPPESTLI
FNIDLLEIRNGPRSHESFQEMDLNDDWKLSKDEVKAYLKKEFEKKGAVVNESHHDALVEDIFD.
KEDEDKDGFIAREFTYKHDEL

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation site.

amino acids 176-179

Casein kinase II phosphorylation site.

amino acids 143-146, 156-159, 178-181 and 200-203

Endoplasmic reticulum targeting sequence.

amino acids 208-211

FKBP-type peptidyl-prolyl cis-trans isomerase

amino acids 78-114 and 118-131

EF-hand calcium-binding domain.

amino acids 191-203, 184-203 and 140-159

S-100/ICaBP type calcium binding domain

amino acids 183-203

385/550

FIGURE 385

CTCCACGGTGTCCAGCGCCAGAAATGCGGCTTCTGGTCCTGCTATGGGGTTGCCTGCTGCTC
CCAGGTTATGAAGCCCTGGAGGGGCCAGAGGAAATCAGCGGGTTCGAAGGGGACACTGTGTCC
CTGCAGTGCACCTACAGGGAAGAGCTGAGGGACCACCGGAAGTACTGGTGCAGGAAGGGTGGG
ATCCTCTTCTCTCGCTGCTCTGGCACCATCTATGCAGAAGAAGAAGGCCAGGAGACAATGAAG
GGCAGGGTGTCCATCCGTGACAGCCGCCAGGAGCTCTCGCTCATTGTGACCCTGTGGAACCTC
ACCCTGCAAGACGCTGGGGAGTACTGGTGTGGGGTCGAAAAACGGGGCCCCGATGAGTCTTTA
CTGATCTCTCTGTTCTGTCTTTCCAGGACCCGTGTGTCTCCCTCCCTTCTCCACCTTCCAG
CCTCTGGCTACAACACGCCTGCAGCCCAAGGCAAAAGCTCAGCAAACCCAGCCCCAGGATTG
ACTTCTCCTGGGCTCTACCCGGCAGCCACCACAGCCAAGCAGGGGAAGACAGGGGCTGAGGCC
CCTCCATTGCCAGGGACTTCCCAGTACGGGCACGAAAGGACTTCTCAGTACACAGGAACCTCT
CCTCACCAGCGACCTCTCCTCCTGCAGGGAGCTCCCGCCCCCATGCAGCTGGACTCCACC
TCAGCAGAGGACACCAGTCCAGCTCTCAGCAGTGGCAGCTCTAAGCCAGGGTGTCCATCCCG
ATGGTCCGCATACTGGCCCCAGTCTGGTGCTGCTGAGCCTTCTGTGAGCCGACGGCCTGATC
GCCTTCTGCAGCCACCTGCTCCTGTGGAGAAAGGAAGCTCAACAGGCCACGGAGACACAGAGG
AACGAGAAGTTCTGGCTCTCAGCCTTGACTGCGGAGGAAAAGGAAGCCCCTTCCCAGGCCCT
GAGGGGGACGTGATCTCGATGCCTCCCTCCACACATCTGAGGAGGAGCTGGGCTTCTCGAAG
TTTGTCTCAGCGTAGGGCAGGAGGCCCTCCTGGCCAGGCCAGCAGTGAAGCAGTATGGCTGGC
TGGATCAGCACCGATTCCCGAAAGCTTTCCACCTCAGCCTCAGAGTCCAGCTGCCCGGACTCC
AGGGCTCTCCCCACCCTCCCCAGGCTCTCCTCTTGTCATGTTCCAGCCTGACCTAGAAGCGTTT
GTCAGCCCTGGAGCCAGAGCGGTGGCCTTGCTCTTCCGGCTGGAGACTGGGACATCCCTGAT
AGGTTCACATCCCTGGGCAGAGTACCAGGCTGCTGACCCTCAGCAGGGCCAGACAAGGCTCAG
TGGATCTGGTCTGAGTTTCAATCTGCCAGGAACCTCTGGGCTCATGCCAGTGTGCGACCCCT
GCCTTCTCCCACTCCAGACCCACCTTGTCTTCCCTCCCTGGCGTCTCAGACTTAGTCCCA
CGGTCTCCTGCATCAGCTGGTGATGAAGAGGAGCATGCTGGGGTGAGACTGGGATTCTGGCTT
CTCTTTGAACCACCTGCATCCAGCCCTTCAGGAAGCCTGTGAAAAACGTGATTCTGGCCCCA
CCAAGACCCACCAAAACCATCTCTGGGCTTGGTGCAGGACTCTGAATTCTAACAATGCCAGT
GACTGTGCACTTGAGTTTGAGGGCCAGTGGGCTGATGAACGCTCACACCCCTTCAGCTTAG
AGTCTGCATTTGGGCTGTGACGTCTCCACCTGCCCAATAGATCTGCTCTGTCTGCGACACCA
GATCCACGTGGGGACTCCCTGAGGCCTGCTAAGTCCAGGCCTTGGTCAGGTGAGGTGCACAT
TGCAGGATAAGCCAGGACCGGCACAGAAGTGGTTGCCTTTNCCATTTGCCCTCCCTGGNCCA
TGCCTTCTTGCTTTGGAAAAATGATGAAGAAAACCTTGGCTCCTTCCTTGTCTGGAAAGGG
TTACTTGCCATATGGGTTCTGGTGGCTAGAGAGAAAAGTAGAAAACCAGAGTGCACGTAGGTGT
CTAACACAGAGGAGAGTAGGAACAGGGCGGATACCTGAAGGTGACTCCGAGTCCAGCCCCCTG
GAGAAGGGGTGCGGGGTGGTGGTAAAGTAGCACAATACTATTTTTTTCTTTTTCCATTATT
ATTGTTTTTTAAGACAGAATCTCGTGCTGCTGCCCAGGCTGGAGTGCAGTGGCAGCATCTGCA
AACTCCGCCTCCTGGGTCAAGTGATTCTTCTGCCTCAGCCTCCCGAGTAGCTGGGATTACAG
GCACGCACCAACACCTGGCTAATTTTTGTACTTTTAGTAGAGATGGGGTTTCACCATGTTG
GCCAGGCTGGTCTTGAACCTCTGACCTCAAATGAGCCTCCTGCTTCAGTCTCCCAAATTGCCG
GGATTACAGGCATGAGCCACTGTGTCTGGCCCTATTTCTTTAAAAAGTGAAATTAAGAGTTG
TTCAGTATGCAAACTTGGAAGATGGAGGAGAAAAAGAAAAGGAAGAAAAAATGTCACCCA
TAGTCTCACCAGAGACTATCATTTATTTGTTTTGTTGTAATTCCTTCCACTCTTTTCTTCTTC
ACATAATTTGCCGGTGTCTTTTTACAGAGCAATTATCTTGTATATACAATTTGTATCCTGC
CTTTTCCACCTTATCGTTCCATCACTTTATTCCAGCACTTCTCTGTGTTTTACAGACCTTTTT
ATAAATAAAATGTTTCATCAGCTGCATAAAAAAAAAAAAAA

386/550

FIGURE 386

MRLLVLLWGCLLLPGYEALGPPEISGFEGDTVSLQCTYREELRDHRKYWCRKGGILFSRCSG
TIYAEEEGQETMKGRVSIIRDSRQELSLIVTLWNLTLDAGEYWCGVEKRGPDSELLISLFVFP
GPCCPPSPSPTFQPLATTRLQPKAKAQQTQPPGLTSPGLYPAATTAKQGKTGAEAPPLPGTSQ
YGHERTSQYTGTSHPATSPPPAGSSRPPMQLDSTSAEDTSPALSSGSSKPRVSI PMVRILAPV
LVLLSLLSAAGLIAFCSHLLLWRKEAQATETQRNEKFWLSRLTAEKEAPSQAPEGDVISMV
PLHTSEEELGFSKFVSA

Important features:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 248-269

N-glycosylation site.

amino acids 96-99

Fibrinogen beta and gamma chains C-terminal domain.

amino acids 104-113

Ig like V-type domain:

amino acids 13-128

387/550

FIGURE 387

GCGCCGGGAGCCCATCTGCCCCAGGGGCACGGGGCGGGGCCGGCTCCCGCCCGGCACATG
GCTGCAGCCACCTCGCGCGCACCCCGAGGCGCGCGCCAGCTCGCCCGAGGTCCGTCCGAGG
CGCCCGGCCGCCCGGAGCCAAGCAGCAACTGAGCGGGGAAGCGCCCGCTCCGGGGATCGGG
ATGTCCCTCCTCCTTCTCCTCTTGCTAGTTTTCTACTATGTTGGAACCTTGGGGACTCACACT
GAGATCAAGAGAGTGGCAGAGGAAAAGGTCACTTTGCCCTGCCACCATCAACTGGGGCTTCCA
GAAAAAGACACTCTGGATATTGAATGGCTGCTCACCATAATGAAGGGAACCAAAAAGTGGTG
ATCACTTACTCCAGTCGTTCATGTCTACAATAACTTGACTGAGGAACAGAAGGGCCGAGTGGCC
TTTGCTTCCAATTTCTGCGAGGAGATGCCTCCTTGACAGATTGAACCTCTGAAGCCAGTGAT
GAGGGCCGGTACACCTGTAAGGTTAAGAATTCAGGGCGCTACGTGTGGAGCCATGTCATCTTA
AAAGTCTTAGTGAGACCATCCAAGCCCAAGTGTGAGTTGGAAGGAGAGCTGACAGAAGGAAGT
GACCTGACTTTGCAGTGTGAGTCATCCTCTGGCACAGAGCCCATTTGTGTATTACTGGCAGCA
ATCCGAGAGAAAAGAGGAGAGGATGAACGTCTGCCTCCCAAATCTAGGATTGACTACAACCA
CCTGGACGAGTTCTGCTGCAGAATCTTACCATGTCTCTACTCTGGACTGTACCAGTGACACAGCA
GGCAACGAAAGCTGGGAAGGAAAGCTGTGTGGTGCGAGTAACTGTACAGTATGTACAAAGCATC
GGCATGGTTGCAGGAGCAGTGACAGGCATAGTGGCTGGAGCCCTGCTGATTTTCTCTTGGTG
TGGCTGCTAATCCGAAGGAAAGACAAAGAAAGATATGAGGAAGAAGAGAGACCTAATGAAATT
CGAGAAGATGCTGAAGCTCCAAAAGCCCGTCTTGTGAAACCCAGCTCCTCTTCTCAGGCTCT
CGGAGCTCACGCTCTGGTTCTTCTTCCACTCGCTCCACAGCAAATAGTGCCTCACGCAGCCAG
CGGACACTGTCAACTGACGCAGCACCCAGCCAGGGCTGGCCACCCAGGCATACAGCCTAGTG
GGCCAGAGGTGAGAGGTTCTGAACCAAAGAAAGTCCACCATGCTAATCTGACCAAAGCAGAA
ACCACACCCAGCATGATCCCCAGCCAGAGCAGAGCCTTCCAAAACGGTCT**TGA**ATTACAATGGAC
TTGACTCCACGCTTTTCTTAGGAGTCAGGGTCTTTGGACTCTTCTCGTCATTGGAGCTCAAGT
CACCAGCCACACAACCAGATGAGAGGTCATCTAAGTAGCAGTGAGCATTGCACGGAACAGATT
CAGATGAGCATTCTTCTTATACAATACCAAACAAGCAAAAGGATGTAAGCTGATTCATCTGTA
AAAAGGCATCTTATTGTGCCTTTAGACCAGAGTAAGGGAAAGCAGGAGTCCAAATCTATTTGT
TGACCAGGACCTGTGGTGAGAAGGTTGGGGAAAGGTGAGGTGAATATACCTAAAACCTTTTAAT
GTGGGATATTTTGTATCAGTGCTTTGATTACAATTTTCAAGAGGAAATGGGATGCTGTTTGT
AAATTTTCTATGCATTTCTGCAAACCTATTGGATTATTAGTTATTCAGACAGTCAAGCAGAAC
CCACAGCCTTATTACACCTGTCTACACCATGTACTGAGCTAACCCTTCTAAGAACTCCAAA
AAAGGAAACATGTGTCTTCTATTCTGACTTAACCTCATTTGTCATAAGGTTTGGATATTAATT
TCAAGGGGAGTTGAAATAGTGGGAGATGGAGAAGAGTGAATGAGTTTCTCCCACTCTATACTA
ATCTCACTATTTGTATTGAGCCCAAAATAACTATGAAAGGAGACAAAATTTGTGACAAAGGA
TTGTGAAGAGCTTTCCATCTTCATGATGTTATGAGGATTGTTGACAAACATTAGAAATATATA
ATGGAGCAATTGTGGATTTCCCTCAAATCAGATGCCTCTAAGGACTTTCTGCTAGATATTT
CTGGAAGGAGAAAATACAACATGTCAATTTATCAACGTCTTAGAAAGAATTCTTCTAGAGAAA
AAGGGATCTAGGAATGCTGAAAGATTACCCAACATACCATTATAGTCTCTTCTTTCTGAGAAA
ATGTGAAACCAGAATTGCAAGACTGGGTGGACTAGAAAGGGAGATTAGATCAGTTTTCTCTTA
ATATGTCAAGGAAGGTAGCCGGGCATGGTGCCAGGCACCTGTAGGAAAATCCAGCAGGTGGAG
GTTGCAGTGAGCCGAGATTATGCCATTGCACTCCAGCCTGGGTGACAGAGCGGGACTCCGTCTC

388/550

FIGURE 388

MSLLLLLLLLVSYYVGTLGTHTEIKRVAEEKVTLPCHHQLGLPEKDTLDIEWLLTDNEGNQKV
ITYSSRHVYNNLTTEEQKGRVAFASNFLAGDASLQIEPLKPSDEGRYTCKVKNSGRYVWSHVIL
KVLVRPSKPKCELEGELTEGSDTLQCESSSGTEPIVYYWQRIREKEGEDERLPPKSRIDYNH
PGRVLLQNLTMSSGLYQCTAGNEAGKESCVVRVTVQYVQSIGMVAGAVTGIVAGALLIFLLV
WLLIRRKDKERYEEEEERPNEIREDAEAPKARLVKPSSSSSGSRSSRSGSSSTRSTANSASRSQ
RTLSTDAAPQPGLATQAYSLVGPEVRGSEPKKVHHANLTKAETTPSMIPSQSRAFQTV

Important features:

Signal sequence:

amino acids 1-16

Transmembrane domain:

amino acids 232-251

389/550

FIGURE 389

GCGGCACCTGGAAGATGCGCCCATTGGCTGGTGGCCTGCTCAAGGTGGTGTTTCGTGGTCTTCG
CCTCCTTGTGTGCCTGGTATTTCGGGGTACCTGCTCGCAGAGCTCATTCCAGATGCACCCCTGT
CCAGTGCTGCCTATAGCATCCGCAGCATCGGGGAGAGGCCTGTCCTCAAAGCTCCAGTCCCCA
AAAGGCAAAAATGTGACCACTGGACTCCCTGCCCATCTGACACCTATGCCTACAGGTTACTCA
GCGGAGGTGGCAGAAGCAAGTACGCCAAAATCTGCTTTGAGGATAACCTACTTATGGGAGAAC
AGCTGGGAAATGTTGCCAGAGGAATAAACATTGCCATTGTCAACTATGTAAGTGGGAATGTGA
CAGCAACACGATGTTTTGATATGTATGAAGGCGATAACTCTGGACCGATGACAAAGTTTATTC
AGAGTGCTGCTCCAAAATCCCTGCTCTTCATGGTGACCTATGACGACGGAAGCACAAGACTGA
ATAACGATGCCAAGAATGCCATAGAAGCACTTGGAAGTAAAGAAATCAGGAACATGAAATTCA
GGTCTAGCTGGGTATTTATTGCAGCAAAAGGCTTGGAAGTCCCTTCCGAAATTCAGAGAGAAA
AGATCAACCACTCTGATGCTAAGAACAACAGATATTCTGGCTGGCCTGCAGAGATCCAGATAG
AAGGCTGCATACCCAAAGAACGAAGCTTGACACTGCAGGGTCCTGAGTAAATGTGTTCTGTATA
AACAAATGCAGCTGGAATCGCTCAAGAATCTTATTTTTCTAAATCCAACAGCCCATATTTGAT
GAGTATTTTGGGTTTGTGTAAACCAATGAACATTTGCTAGTTGTATCAAATCTTGGTACGCA
GTATTTTATACCAAGTATTTTATGTAGTGAAGATGTCAATTAGCAGGAAACTAAAATGAATGG
AAATTCTTAAAAAAAAA

390/550

FIGURE 390

MRPLAGGLLKVVVFVFWFASLCAWYSGYLLAELIPDAPLSSAAYSIRSIGERPVLKAPVPRQKC
DHWTCPSPDTYAYRLLSGGGRSKYAKICFEDNLLMGEQLGNVARGINIAIVNYVTGNVTATRC
FDMYEGDN SGPM TKFIQSAAPKS LLEFMTYDDGSTRLNNDAKNAIEALGSKEIRNMKFRSSWV
FIAAKGLELPSEIQREKINHSDAKNNRYSGWPAEIQIEGCIPKERS

Important features:

Signal sequence.

amino acids 1-20

N-glycosylation sites.

amino acids 120-124, 208-212

Glycosaminoglycan attachment site.

amino acids 80-84

N-myristoylation sites.

amino acids 81-87, 108-114, 119-125

391/550

FIGURE 391

GGGGGCTTTCTTGGGCTTGGCTGCTTGAACACCTGCCTCCAAGGACCGGCTCGGAGGGGTGCGCGGGAAGGG
AGGGAAGAAGGAAGGGCGGGCCGCCCCCTGCGCCCGCCCCGCGCTCTGCGCGCCCTGTCCGCCCCGGCCCC
AGCCCCAGCCAGCCCCGCGGGCCGCTCACACGCGCAGCCAGCCGCGCCCTCCGCGCCCAAGCGCGCCGCTCTG
CTGTGCCCTGCGCCCTTGCCCCGCGCCAGCTTCTGCGCCCGCAGCCCGCCGCGCCCGGCGCCCGGTGACCGTGACCCCT
GCCCTGGGCGCGGGGCGGAGCAGGCATGTCGCGCCCGGGGACCGCTACCCAGCGCTGGCCCTGGTGCTCCTGGC
AGTGACCCCTGGCCGGGTGCGAGCCAGGGCGCAGCCCTCGAGGACCTGATTATTACGGGCAGGAGATCTGGAG
CCGGGAGCCCTACTACGCGCGCCCGGAGCCGAGCTCGAGACCTTCTCTCCGCGCTGCTGCGGGGCCCCGGGA
GGAGTGGGAGCGCGCCCGCAGGAGCCAGGGCGCAGCCCTCGAGGACCTGATTATTACGGGCAGGAGATCTGGAG
GAAGTCGGCTCCGAGCCGCTCCACCAGGTAAACACAGCAACAAAAAGTTATGAGAACCAAGAGCTCTGAGAA
GGCTGCCAACGATGATCACAGTGTCCGTGTGGCCCGTGAAGATGTGAGAGAGTTGCCCCACCTCTTGGTCTGGA
AACCTTAAAAATCACAGACTTCCAGCTCCATGCCTCCACGGTGAAGCGCTATGGCCTGGGGGCACATCGAGGGAG
ACTCAACATCCAGGCGGGCATTAAATGAAAATGATTTTATGACGGAGCGTGGTGCGCGGGAAGAAATGACCTCCA
GCAGTGGATTGAAGTGGATGCTCGGCGCCTGACCAGATTCACTGGTGTCTCACTCAAGGAGGAACCTCCCTCTG
CTGAGTGACTGGGTGACATCCTATAAGGTGATGGTGAGCAATGACAGCCACACGTGGGTCACTGTTAAGATGG
ATCTGGAGACATGATATTGAGGGAACAGTGAGAAGGAGATCCCTGTTCTCAATGAGCTACCCGTCCCCATGGT
GGCCCGCTACATCCGATATAACCTCAGTCTGTGTTGATAATGGGAGCATCTGCATGAGAATGGAGATCCTGGG
CTGCCCACTGCCAGATCCTAATAATTATTATCACCGCCGGAACGAGATGACCACCACTGATGACCTGGATTTTAA
GCACCACAATTATAAGGAATGCGCCAGTTGATGAAAGTTGTGAATGAAATGTGTCCCAATATCACCAGAATTTA
CAACATTGGAAAAAGCCACAGGGCCTGAAGCTGTATGCTGTGGAGATCTCAGATCACCTGGGGAGCATGAAGT
CGGTGAGCCCGAGTTCCACTACATCGCGGGGGCCACGGCAATGAGGTGCTGGGCGGGAGCTGCTGCTGCTGCT
GGTGACGTTCTGTGTGTCAGGAGTACTTGGCCCGGAATGCGCGCATCGTCCACCTGGTGAGGAGACGCGGATTCA
CGTCTCCCTCCCTCAACCCCGATGGCTACGAGAAGGCTACGAAGGGGGCTCGGAGCTGGGAGGCTGGTCCCT
GGGACGCTGGACCCACGATGGAATTGACATCAACAACCTTTCCTGATTAAACACGCTGCTCTGGGAGGCAGA
GGATCGACAGAATGTCCCAAGAAAGTTCCCAATCACTATATTGCAATCCCTGAGTGGTCTGTGCGAAAATGC
CACGGTGGCTGCCGAGACCAGAGCAGTATAGCCTGGATGGAAAGAAATCCCTTTTGTGCTGGGCGCAACCTGCA
GGGCGCGAGCTGGTGGTGGCGTATCCCTACGACCTGGTGGCGTCCCTGGAAGACGAGGAAACACCCCGAC
CCCCGATGACCACGTTTCCGCTGGCTGGCTACTCTATGCCTCCACACACCGCTCATGACAGACGCCCCGGAG
GAGGTGTGCCACACGGAGGACTTCCAGAAGGAGGAGGCACTGTCAATGGGGCCTCCTGGCACACCGTCTGCTGG
AAGTCTGAACGATTTAGCTACCTTCATACAACTGTTGCAACTGTCCATCTACGTGGGCTGTGATAAATACCC
ACATGAGAGCCAGCTGCCGAGGAGTGGGAGAATAACCGGAATCTCTGATCGTGTTCATGGAGCAGGTTTCATCG
TGGCATTAAAGGCTTGGTGAGAGATTCATGGAAGGAATCCCAACGCCATTATCTCCGTAGAAGGCATTAA
CCATGACATCCGAACAGCCACGATGGGATTACTGGCGCTCCTGAACCTGGAGAGTATGTGGTCACAGCAAA
GGCCGAAGGTTTCACTGCATCCACCAAGAACTGTATGGTTGGCTATGACATGGGGGCCACAAGGTGTGACTTCAC
ACTTAGCAAAACCAACATGGCCAGGATCCGAGAGATCATGGAGAAGTTTGGGAAGCAGCCCGTCAAGCTGCCAGC
CAGGCGGCTGAAGCTGCGGGGGCGGAAGAGACGACGCTGGGTGACCCCTCTGGGCCCTTGAGACTCGTCTGGG
ACCCATGCAAAATTAACCAACCTGGTAGCTCCATAGTGGACTCACTCACTGTTGTTTCTCTGTAATTCAAG
AAGTGCCTGGAAGAGAGGGTGCATTGTGAGGCAAGTCCCAAAAGGGAAGGCTGGAGGCTGAGGCTGTTTCTTTT
CTTTGTTCCCATTTATCCAAATAACTTGGACAGAGCAGCAGAGAAAAGCTGATGGGAGTGAGAGAATCAGCAAG
CAACCTGGGAATCAGAGAGAGAAGGAGAAGGAGGGGAGCCTGTCCGTTCAAGAGCCTCTGGCTGCATAGAAAAGG
ATTCTGGTGTCTCCCTGTTTGGCTGGCAGCAAGGGTCCACGTGCATTTGCAATTTGCACAGCTAAAATTGCAG
CATTTCCCCAGCTGGGCTGTCCCAATGTTACCATTTGAGATGCTCCAGGCGTCTAAGAGAATCCACCTCTC
TGGCCCTGGGACATTGCAAGCTGCTACAAATAAATTCTGTGTTCTTTTGACAATAGCGTCATTGCCAAGTGCACA
TCAGTGAGCCTCTTGAATCTGTTTAGTCTCTTTTCAACAAAGGAGTGTGTTGAGAAAAGGAGAGAGGCTGA
GATCATTACAGAGTTTGTGGGAGCAAGCATGGAGCTTCTGCAAAATCTGGGTCCATAAACAACCCCCAAA
GTCCCTGCTGATCCAGTAGCCCTGGAGGTTCCCAAGGTAGGAGAGCCAGAGGTGCCAGCCTTCTGAAGGGCCA
GAAAATTTAGCCTGGATCTCCTCTTTTACCTGCTAGGACTGGAAAGAGCCAGAAGTGGGGTGGCCTGAAGCCCTC
TCTCTGCTTGAAGTATTGCCCTGTGTGAATTGAGTGTCTATGGGTGGCCTCATATCAGCCTGGGAGTTATTT
TTGATATGTAAGTGCAGATCTTCCAGATTAGGCTAAATGTAATGAAACCTCTTAGGATTATCTGTGGAGCAT
CAGTTTGGGAAGAATTATTGAATTATCTGCAAGAAAAAGTATGTCTCACTTTTGTAAATGTGCTGCCTCAT
TGACCTGGGAAAAATGAAAAAATAAGCAATGGTAAGACCTTAAAAAATAAAAAAATAAAAAAATAAAAAA
AAAAAATAAAAAAATAAAAAA

392/550

FIGURE 392

MSRPGTATPALALVLLAYTLAGVGAQGALEDPDYYGQEIWSREPYARPEPELETFSPLPA
GPGEWERRPQEPRPPKRATKPKKAPKREKSAPEPPPPGKHSNKKVMRTKSSEKAANDDHSVR
VAREDVRESCPLGLETLKITDFQLHASTVKRYGLGAHRGRNLNIQAGINENDFYDGAWCAGR
DLQQWIEVDARRLTRFTGVITQGRNSLWLSDWVTSYKVMVSNDSTWVTVKNGSGDMIFEGNS
EKEIPVLNELPVPVMVARYIRINPQSWFDNGSICMRMEILGCPLPDPNNYYHRRNEMTTDDLD
FKHHNYKEMRQLMKVVNEMCPNITRIYNIGKSHQGLKLYAVEISDHPGEHEVGEPEFHYIAGA
HGNEVLGRELLLLLVQFVCQEYLARNARIVHLVEETRIHVLP SLNPDGYEKAYEGGSELGGWS
LGRWTHDGDIDNNNFPDLNTLLWEAEDRQNVPRKVPNHYIAIPEWFLSENATVAAETRAVIAW
MEKIPFVLGGNLQGGELVVAYPYDLVRSPWKTQEHTPTPDDHVFRWLAYSASTHRLMTDARR
RVCHTEDFQKEEGTVNGASWHTVAGSLNDFSYLHTNCFELSIYVGCDKYPHESQLPEEWENNR
ESLIVFMEQVHRGIKGLVRDSHGKGIPNAIISVEGINHDIRTANDGDYWRLNPG EYVVTAKA
EGFTASTKNCMVGYDMGATRCDFTLSTNMARI REIMEKFGKQPVSLPARRLKLGRKRRQRG

FIGURE 393

GTCCACATCTCTGCTCAACTGGGTGAGTCCCTCTTAGACAGAGCTCTTGCTCCATCTTGGCTGAAGTGACCAAC
TAGTTCCTCCAGTAGGGGGTCTCCCTGGCAATTCTTGATCGGCGTTTGGACATCTCAGATCGTTCCAATGAAGA
TGCCCTTGCTCTGGGGTCTGCTTGTTCATAATCATCTAACTATGGGACAAGGTTGTGCCGCGAGCTCTGGGGG
AAGGAGCAGCGGGTGATCAAGCCATCCAGGAACACTGGAGGACTTGTCCAGCCTTGAAAGAACTCTAGTGGTT
TCTGAATCTAGCCACTTGGCGGTAAAGCTAGCACTCTGCAACTTCTGTCTGGGGCTTTTGGGGCCAGGTGG
CTACTTATTTCTTTTAGGGGATTGTGAGGAGTGTGACCACTCTCACGGTGAATACCAAGTGTAGAGGAAGTGCC
ATCTGGTACAGTGATCGGGAAGCTGTCCAGGAACCTGGGCGGGAGGAGAGGCGAGGCAAGCTGGGGCGGCTT
CCAGGTGTTGACAGTGCCTCAGGCGCTCCCCATTAGGTGGACTCTGAGGAAGGCTTGCTCAGCACAGGCAGGCG
GCTGGATCGAGAGCAGTGTGCGGACAGTGGGATCCCTGCCTGGTTTCTTTGATGTGCTTGCCACAGGGGATT
GGCTCTGATCCATGTGGAGATCCAAGTGTGGACATCAATGACCACAGCCAGGTTTCCCAAAGGCGGAGGAGGA
GCTGGAATCTCTGAGAGCGCTCTCTGCGAACCCGGATCCCCCTGGACAGAGCTCTTGACCCAGACAGGCGCC
TAACACCTGCACACTACACTCTGTCTCCAGTGAGCACTTTGCCTTGGATGTCAATTGTGGGCCCTGATGAGAC
CAACACTGCAGAACTCATAGTGGTGAAGGAGCTGGACAGGGAATCCATTCAATTTTTGATCTGGTGTTAACTGC
CTATGACAATGGGAACCCCCCAAGTCAGGTACCGATTGGTCAAGGTCACAGTCTTGAGCTCCAATGACAATAG
CCCTGCGTTTGCTGAGAGTTCAGTGGCACTGGAATCCAAGAAGATGCTGCACTGGTAGCTTCTCATAAACT
GACCGCCACAGACCTGACCAAGGCCCCAATGGGAGGTGGAGTTCTTCTCAGTAAGCACATGCTCTCAGAGGT
GCTGGACACCTTCAGTATTGATGCAAGACAGGCGAGGTCAATCTTCCATCCAGCCCAATTGCAAAAGTTCTCATCAA
TCTTCCCAAGGACAGTTTTATTGCTCTTGTGATGCGAGATGACTTGGATTGAGGACACAATGGTTTGGTCCACTG
CTGGTGTAGCCAAAGAGCTGGGCGACTTCAGGCTGAAAAGAATCAATGGCAACACATACATGTTGCTAACCAATGC
CACACTGGACAGAGCAGTGTGCCCCAATATACCTCACTGTGTAGCCCAAGAACAGGACTCCAGCCCTTATC
AGCCAAGAAACAGCTCAGCATTAGATCAGTGACATCAACGACAATGCACTGTGTTGAGAAAAGCAGGTATGA
AGTCTCCACGCGGGGAAAACAATACCTCTCTTACCTCATTACCATCAAGGCTCATGATGAGACTTGGGCAT
TAATGGAAGAAGTCTCATACCGCATCCAGGACTCCCCAGTTGCTCACTTAGTAGCTATTGACTCCAACACAGGAGA
GGTCACTGCTCAGAGGCTCACTGAATCTGAAGAGATGGCCGGCTTTGAGTTCAGGTGATCGAGAGGACAGCGG
GCAACCCATGCTTGCATCCAGTGTCTGTGTGGTGGCTGAGCTTGTGATGCCAATGATAATGCCCCAGGTTGGT
CCAGCTGTGCTCAGCGATGGAAGGCCAGCCTCTCCGTGCTTGTGATGCCCTCACAGGCCACTGCTGGTGCC
CATCGAGACTCCCAATGGCTTGGGCGCAGCGGGCACTGACACACCTCCACTGGCCACTCACAGCTCCCGGCCATT
CCTTTTGACAACATTGTGGCAAGAGATGAGACTCGGGGGCAATGGAGAGCCCTCTACAGCATCCGCAATGG
AAATGAAGCCCACCTCTTATCTCTCAACCTCATAAGGGGCACTGTTCGTCAATGTCCAATGCCAGCAGCT
CATTTGGGAGTGAGTGGGAGCTGGAGATAGTAGTAGAGGACCAGGGAAGCCCCCTTACAGCCGAGCCCTGTT
GAGGGTCATGTTTGTCAACAGTGTGGACCACTGAGGGACTCAGCCCGCAAGCCTGGGGCCTTGAGCATGTGAT
GCTGACGGTGATCTGCCTGGCTGACTGTGGGCACTTTCGGGTTGATCTGGCTTTGTTGATGTCCATCTGCCG
GACAGAAAAGAAGGACCAAGGCGCTACAACGTGTCGGGAGGCCGAGTCCACCTACCGCCAGCAGCCCAAGAGGCC
CCAGAAACACATTGAGAAGGCAGACATCCACCTCGTGCTGTGCTCAGGGTGAAGCAGGTGAGCCTGTGAAGT
CGGCGAGTCCCAAGAGATGTGGACAAGGAGCGATGATGGAAGCAGGCTGGGACCCCTGCCTGCAGGCCCTT
CCACCTCACCCCGACCTGTACAGGACGCTGCGTAATCAAGGCAACAGGGAGCACCGCGGAGAGCCGAGAGGT
GCTGCAAGACAGCGTCAACCTCTTTTCAACCATCCAGGCAAGGAATGCCCTCCCGGGAGAACCTGAACCTTCC
CGAGCCCCAGCCTGCCACAGGCCAGCCAGCTTCCAGCGCTCTGAGGTTGACGGCCAGCCCAAGGAGGCTGGC
TGGAGACCAGGGCAGTGAGGAAGCCCCACAGAGGCCACCAGCCTCCTCTGCAACCTGAGACGGCAGCAGATCT
CAATGGCAAGTGTCCCTGAGAAAAGATCAGGGCCCCGTGAGATCTCTGCGGAGCCTGGTCCGGCTGTCTGTGGC
TGCTTTCGCGGAGCGGAACCCGTGGAGGAGCTCACTGTGGATTCTCTCTTGTTCAGCAAATCTCCAGCTGCT
GTCTTGTGCTGATCAGGGCCAACTTCAGGCCCAACCAACCAAGCAGGAAATAGTACTTGGCCAGCCAGGAGG
CAGCAGGAGTGAATCCAGACACAGATGGCCCAAGTGCAAGGCTGGAGGCCAGACAGACCCAGAACAGGAGGA
AGGGCCTTTGGATCTGCTGAAGAGGACCTCTGTGTGAAGCAACTGCTAGAAGAAGAGCTGTCAAGTCTGCTGGACCC
CAGCAGGCTTCGGCCCTGGACCGGTGAGCGCCCTGACCCGCGCTGGATGGCGAGACTCTCTTTGCCCTCAC
CACCACCTACCTGTGCAATGTGATCTCCCGGATGCTGACGCCAGGAGGAGCCGAGGACCTCCAGACGTTCCG
CAAGGCAGAGGCCACAGAGCTGAGCCCAACAGGCACGAGGCTGGCCAGGACCTTTGTCTCGGATGAGCTCACT
GCTGGAGATGTGCTGGAACAGCGTCCAGCATGCCCGTGGAGGCCGCTCCGAGGCGCTGCGCGGCTCTCGGT
CTCGGGGAGGACCTCAGTTTAGACTTGGCCACCAGTGAGCCTCAGGCATGAAAGTGCAAGGGGACCCAGGTGG
AAAGACGGGAGTGTAGGGCAAGAGCAGGCGAGCAGCAGCAGCAGGTGCTGTAACATACCTCAGACGCTT
CTGGATCCAAGAACCAGGGGCTGAGGATCTGTGACAAGAGCTGGTTTCTATAAATCTTGAATCACTAGCTAG
CGCGCGCTGAGAATTTAGGGTACTGATGCTACCCCCACAGGAGGCAAGAGCCGAGCTAACAGCTGAC
TGACCAAGCAGCCCTTGTGAAGCAGCTCTGAGTCTTTTGGAGGACAGGGACGGTTTGTGGCTGAGATAAGTGT
TCTTGGCAAAACATATGTGGAGCACAAAGGCTCAGTCTCTGGCAGACAGATGCCAGGAGTATCACAGGCAGG
AAAGGTTGGCCTTCTTGGGTAGCAGGAGTCAAGGGCTGTACCCTGGGGGTGCCAGGAATGCTCTGACCTAT
CAATAAAGGAAAAGCAGTAAAAAAGGAAAAAAGGAAAAA

394/550

FIGURE 394

MMQLLQLLLGLLPGGYLFLLGDCQEVTTTLTVKYQVSEEVPSGTVIGKLSQELGREERRRQAG
AAFQVLQLPQALPIQVDSEEGLLSTGRRLDREQLCRQWDPCLVSFDVLATGDLALIHVEIQVL
DINDHQPRFPKGEELEISESASLRTRIPLDRALDPDTGPNTLHTYTLSPSEHFALDVIVGPD
ETKHAELIVVKELDREIHSFFDLVLTAYDNGNPPKSGTSLVKVNVLDSNDNSPAFAESSLALE
IQEDAAPGTLLIKLTATDPDQGPNGEVEFFLSKHPPEVLDTFSIDAKTGQVILRRPLDYEKN
PAYEVDVQARDLGPNPIPAHCKVLIKVLVDVNDNIPSIHVTWASQPSLVSEALPKDSFIALVMA
DDLDSGHNGLVHCWLSQELGHFRLKRTNGNTYMLLTNATLDREQWPKYTLTLLAQDQGLQPLS
AKKQLSIQISDINDNAPVFEKSRYEVSTRENNLPSLHLITIKAHADLGINGKVSYRIQDSPV
AHLVAIDSNTGEVTAQRSLNYYEEMAGFEFQVIAEDSGQPMLASSVSVWVSLLDANDNAPEVVQ
PVLSDGKASLSVLVNASTGHLLVPIETPNGLGPAGTDTPLATHSSRPFLTTIVARDADSGA
NGEPLYSIRNGNEAHLFILNPHTGQLFVNVTNASSLIGSEWELEIIVVEDQGSPPLOTRALLRV
MEVTSVDHLRDSARKPGALSMSMLTVICLAVLLGIFGLILALFMSICRTEKKDNRAYNCREAE
STYRQQPKRPQKHQKADIHLVPVLRGQAGEPCEVGQSHKQVDKEAMMEAGWDPCLOAPFHLLT
PTLYRTRLRNQGNQGAPAESREVLQDTVNLLFNHPRQRNASRENLNLPPEQPATGQPRSRPLKV
AGSPTGRLAGDQGSSEAPQRPPASSATLRRQRHLNGKVSPEKESGPRQILRSLVRLSVAAFAE
RNPVEELTVDSPPVQQISQLLSLLHQGFQPKPNHRGNKYLAKEGGSRSAPDPTDGPSARAGG
QTDPEQEEGPLDPEEDLSVKQLLEELSSLLDPSTGLALDRLSAPDPAWMARLSLPLTTNYRD
NVISPDAAATEEPRTFQTFGKAEAPELSPTGTRLASTFVSEMSSLLEMLLEQRSSMPVEAASE
ALRRLSVCGRTLSDLATSAASGMKVQGDPPGGKTGTGKSRGSSSSSRCL

Important features:**Signal peptide:**

amino acids 1-13

Transmembrane domain:

amino acids 719-739

N-glycosylation site.

amino acids 415-418, 582-585, 659-662, 662-665 and 857-860

Cadherins extracellular repeated domain signature.

amino acids 123-133, 232-242, 340-350, 448-458 and 553-563

395/550

FIGURE 395

CCCAGGCTCTAGTGCAGGAGGAGAAGGAGGAGGAGCAGGAGGTGGAGATTCCCAGTTAAAAGG
CTCCAGAATCGTGTACCAGGCAGAGAACTGAAGTACTGGGGCCTCCTCCACTGGGTCCGAATC
AGTAGGTGACCCCGCCCCTGGATTCTGGAAGACCTCACCATGGGACGCCCCGACCTCGTGCG
GCCAAGACGTGGATGTTCTGCTCTTGCTGGGGGGAGCCTGGGCAGGACACTCCAGGGCACAG
GAGGACAAGGTGCTGGGGGGTCATGAGTGCCAACCCCATTCGCAGCCTTGCGAGGCGGCCTTG
TTCCAGGGCCAGCAACTACTCTGTGGCGGTGTCCTTGTAAGTGGCAACTGGGTCCTTACAGCT
GCCCCACTGTAAAAAACCAGAAATACACAGTACGCCTGGGAGACCACAGCCTACAGAATAAAGAT
GGCCCAGAGCAAGAAATACCTGTGGTTTCAGTCCATCCCACACCCCTGCTACAACAGCAGCGAT
GTGGAGGACCACAACCATGATCTGATGCTTCTTCAACTGCGTGACCAGGCATCCCTGGGGTCC
AAAGTGAAGCCCATCAGCCTGGCAGATCATTGCACCCAGCCTGGCCAGAAGTGCACCGTCTCA
GGCTGGGGCACTGTCACCAGTCCCCGAGAGAATTTTCCTGACACTCTCAACTGTGCAGAAGTA
AAAATCTTTCCCCAGAAGAAGTGTGAGGATGCTTACCCGGGGCAGATCACAGATGGCATGGTC
TGTGCAGGCAGCAGCAAAGGGGCTGACACGTGCCAGGGCGATTCTGGAGGCCCCCTGGTGTGT
GATGGTGCCTCCAGGGCATCACATCCTGGGGCTCAGACCCCTGTGGGAGGTCCGACAAACCT
GGCGTCTATACCAACATCTGCCGCTACCTGGACTGGATCAAGAAGATCATAGGCAGCAAGGGC
TGATTCTAGGATAAGCACTAGATCTCCCTTAATAAACTCACAACCTCTCTGGTTC

396/550

FIGURE 396

MGRPRPRAAKTWMFLLLLGGAWAGHSRAQEDKVLGGHECQPHSQPWQAALFQGQQLLCGGVLV
GGNWVLTAACHCKPKYTVRLGDHSLQNKDGPEQEIPVVQSIPHPCYNSSDVEDHNNHDLMLLQL
RDQASLGSKVKPISLADHCTQPGQKCTVSGWGTVTSPRENFPTLNCAEVKIFPQKKCEDAYP
GQITDGMVCAGSSKGADTCQGDSGGPLVCDGALQGITSWGSDDPCGRSDKPGVYTNICRYLDWI
KKIIGSKG

Important Features:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 51-71

N-glycosylation site.

amino acids 110-113

Serine proteases, trypsin family, histidine active site.

amino acids 69-74 and 207-217

Tyrosine kinase phosphorylation site.

amino acids 182-188

Kringle domain proteins motif

amino acids 205-217

397/550

FIGURE 397

GGCGGCTGCTGAGCTGCCTTGAGGTGCAGTGTTGGGGATCCAGAGCCATGTCGGACCTGCTAC
TACTGGGCCTGATTGGGGGCTGACTCTCTTACTGCTGCTGACGCTGCTGGCCTTTGCCGGGT
ACTCAGGGCTACTGGCTGGGGTGAAGTGAGTGCTGGGTACCCCCCATCCGCAACGTCCTG
TGGCCTACAAGTTCCACATGGGGCTCTATGGTGAGACTGGGCGGCTTTTCACTGAGAGCTGCA
GCATCTCTCCCAAGCTCCGCTCCATCGCTGTCTACTATGACAACCCCCACATGGTGCCCCCTG
ATAAGTGCCGATGTGCCGTGGGCAGCATCCTGAGTGAAGGTGAGGAATCGCCCTCCCCTGAGC
TCATCGACCTCTACCAGAAATTTGGCTTCAAGGTGTTCTCCTTCCCGGCACCCAGCCATGTGG
TGACAGCCACCTTCCCCTACACCACATTCTGTCCATCTGGCTGGCTACCCGCCGTGTCCATC
CTGCCTTGACACCTACATCAAGGAGCGGAAGCTGTGTGCCATCCTCGGCTGGAGATCTACC
AGGAAGACCAGATCCATTTTCATGTGCCACTGGCACGGCAGGGAGACTTCTATGTGCCGTGAGA
TGAAGGAGACAGAGTGGAATGGCGGGGGCTTGTGGAGGCCATTGACACCCAGGTGGATGGCA
CAGGAGCTGACACAATGAGTGACACGAGTTCTGTAAGCTTGGAAGTGAGCCCTGGCAGCCGGG
AGACTTCAGCTGCCACACTGTCACCTGGGGCGAGCAGCCGTGGCTGGGATGACGGTGACACCC
GCAGCGAGCACAGCTACAGCGAGTCAGGTGCCAGCGGCTCCTCTTTTGAGGAGCTGGACTTGG
AGGGCGAGGGGCCCTTAGGGGAGTCACGGCTGGACCCTGGGACTGAGCCCCTGGGGACTACCA
AGTGGCTCTGGGAGCCCACTGCCCCTGAGAAGGGCAAGGAGTAACCCATGGCCTGCACCCTCC
TGCAGTGCAGTTGCTGAGGAACTGAGCAGACTCTCCAGCAGACTCTCCAGCCCTCTTCCTCCT
TCCTCTGGGGGAGGAGGGGTTCTTGAGGGACCTGACTTCCCCTGCTCCAGGCCTCTTGCTAAG
CCTTCTCCTCACTGCCCTTTAGGCTCCCAGGGCCAGAGGAGCCAGGGACTATTTTCTGCACCA
GCCCCAGGGCTGCCGCCCTGTTGTGTCTTTTTTTCAGACTCACAGTGGAGCTTCCAGGACC
CAGAATAAAGCCAATGATTTACTTGTTTCACCTGGAAAAAAAAAAAAAAAAAAAA

398/550

FIGURE 398

MSDLLLLGLIGGLTLLLLLTLLAFAGYSGLLAGVEVSAGSPPIRNVTVAYKFHMGLYGETGRL
FTESCSISPKLRSIIVYYDNPHMVPPDKCRAVGSILSEGEESPSPELIDLYQKFGFKVFSFP
APSHVVTATFPYTTILSIWLATRRVHPALDTYIKERKLCAYPRLEIYQEDQIHFMCLARQGD
FYVPEMKETEWKWRGLVEAIDTQVDGTGADTMSDTSSVSLEVSPGSRETSAAATLSPGASSRGW
DDGDTRSEHSYSESGASGSSFEELDLEGEGLGESRLDPGTEPLGTTKWLWEPTAPEKGKE

400/550

FIGURE 400

MSNSVPLLCFWSLCYCFAAGSPVPFGPEGRLEDKLHKPKATQTEVKPSVRFNLRRTSKDPEHEG
CYLSVGHSQPLEDCSFNMTAKTFFIIHGWTMSGIFENWLHKLVSALHTREKDANVVVDWLPL
AHQLYTDAVNNTRVVGHSIARMLDWLQEKDDFSLGNVHLIGYSLGAHVAGYAGNFVKGTVGRI
TGLDPAGPMFEGADIAHKRLSPDDADFVDVLHTYTRSFGLSIGIQMPVGHIDIYPNGGDFQPGC
GLNDVLGSIAYGTITEVVKCEHERAVHLFVDSLVDKPSFAFQCTDSNRFKKGICLSCRKNR
CNSIGYNAKKMRNKRNSKMYLKTRAGMPFRGNLQSLECP

Important features:

Signal peptide:

amino acids 1-16

Lipases, serine active site.

amino acids 163-172

N-glycosylation sites.

amino acids 80-83 and 136-139

401/550

FIGURE 401

CTTCCCAGCCCTGTGCCCCAAAGCACCTGGAGCATATAGCCTTGCAGAACTTCTACTTGCCTG
CCTCCCTGCCTCTGGCCATGGCCTGCCGGTGCCTCAGCTTCCTTCTGATGGGGACCTTCCTGT
CAGTTTCCCAGACAGTCCTGGCCCAGCTGGATGCACTGCTGGTCTTCCCAGGCCAAGTGGCTC
AACTCTCCTGCACGCTCAGCCCCAGCACGTACCATCAGGGACTACGGTGTGTCTTGGTACC
AGCAGCGGGCAGGCAGTGCCCCCTCGATATCTCCTCTACTACCGCTCGGAGGAGGATCACCACC
GGCCTGCTGACATCCCCGATCGATTCTCGGCAGCCAAGGATGAGGCCACAATGCCTGTGTCC
TCACCATTAGTCCCGTGCAGCCTGAAGACGACGCGGATTACTACTGCTCTGTTGGCTACGGCT
TTAGTCCCCTAGGGGTGGGGTGTGAGATGGGTGCCTCCCCTCTGCCTCCCATTCTGCCCTGA
CCTTGGGTCCCTTTTAAACTTTCTCTGAGCCTTGCTTCCCCTCTGTAAAATGGGTTAATAATA
TTCAACATGTCAACAAC

402/550

FIGURE 402

MACRCLSFLLMGTFLSVSQTVLAQLDALLVFPQVAQLSCTLSPQHVTIRDYGVSWYQQRAGS
APRYLLYYRSEEDHHRPADIPDRFSAKDEAHNACVLTISPVPEDDADYYCSVGYGFSF

403/550

FIGURE 403

CGCGCCGGGCGCAGGGAGCTGAGTGGACGGCTCGAGACGGCGGCGGTGCAGCAGCTCCAGAAAGCAGCGAGTTG
GCAGAGCAGGGTGCAATTTCCAGCAGGAGCTGCGAGCACAGTGTGGCTCACAACAAGATGCTCAAGGTGTGAGC
CGTACTGTGTGTGTGTGCAGCCGCTTGGTGCAGTCAGTCTCTCGCAGCTGCCGCGGCGGTGGCTGCAGCCGGGGG
GCGGTGCGACGGCGGTAATTTTCTGGATGATAACAATGGCTCACCACAATCTCTCAGTATGACAAGGAAGTCGG
ACAGTGAACAAATTCGAGACGAAGTAGAGGATGATTATTTCCGCACTTGGAGTCCAGGAAAACCTTCGATCA
GGCTTTAGATCCAGCTAAGGATCCATGCTTAAAGATGAAATGTAGTCGCCATAAAGTATGCATTGCTCAAGATTC
TCAGACTGCAGTCTGCATTAGTCACCGGAGGCTTACACACAGGATGAAAGAAGCAGGAGTAGACCATAGGCAGTG
GAGGGGTCCCATATTATCCACCTGCAAGCAGTGGCCAGTGGTCTATCCAGCCCTGTTTGTGGTTCAGATGGTCA
TACCTACTCTTTTCAGTGCAAACTAGAATATCAGGCATGTGTCTTAGGAAAACAGATCTCAGTCAAATGTGAAGG
ACATTGCCCATGTCTTCAGATAAGCCCACCAGTACAAGCAGAAATGTTAAGAGAGCATGCAGTGACCTGGAGTT
CAGGGAAGTGGCAAACAGATTGCGGGACTGGTTCAAGGCCCTTCATGAAAGTGGAAGTCAAAACAAGAAGACAAA
AACATTGCTGAGGCTGAGAGAAGCAGATTCGATACCAGCATCTTGCCAATTTGCAAGGACTCACTTGGCTGGAT
GTTTAACAGACTTGATACAACTATGACCTGCTATTGGACCAGTCAGAGCTCAGAAGCATTACCTTGATAAGAA
TGAACAGTGTACCAAGGCATTCTCAATTCTGTGACACATACAAGGACAGTTTAATATCTAATAATGAGTGGTG
CTACTGCTCCAGAGACAGCAAGACCCACCTTGCCAGACTGAGCTCAGCAATATTCAGAAGCGGCAAGGGGTAAA
GAAGCTCCTAGGACAGTATATCCCCCTGTGTGATGAAGATGGTTACTACAAGCCAACACAATGTCATGGCAGTGT
TGGACAGTGTGGTGTGTTGACAGATATGGAAATGAAGTCATGGGATCCAGAATAAATGGTGTGAGATTGTGC
TATAGATTTTGAGATCTCCGGAGATTTTGCTAGTGGCGATTTTCATGAATGGACTGATGATGAGGATGATGAAGA
CGATATTATGAATGATGAAGATGAAATTGAAGATGATGATGAAGATGAAGGGGATGATGATGATGGTGGTATGA
CCATGATGTATACATTGATTGATGACAGTTGAAATCAATAAATTCTACATTTCTAATATTTACAAAAATGATAG
CCTATTTAAATTTATCTTCTTCCCAATAACAAATGATTCTAAACCTCACATATATTTGTATAATTATTTGAA
AAATTGCAGCTAAAGTTATAGAACTTTATGTTTAAATAAGAATCATTGCTTTGAGTTTTATATTCCTTACACA
AAAAGAAAATACATATGCAGTCTAGTCAGACAAAATAAAGTTTGAAGTGCTACTATAATAAATTTTCACGAGA
ACAAACTTTGTAAATCTTCATAAGCAAAATGACAGCTAGTGCTTGGGATCGTACATGTTAATTTTTTGAAAGAT
AATTCTAAGTGAATTTAAATAAATAAATTTTAATGACCTGGGTCTTAAGGATTTAGGAAAAATATGCATGCT
TTAATTGCATTTCCAAAGTAGCATCTTGCTAGACCTAGATGAGTCAGGATAACAGAGAGATACCACATGACTCCA
AAAAAAAAAAAAA

404/550

FIGURE 404

MLKVSAVLCVCAAAWCSQSLAAAAVAAAGGRSDGGNFLDDKQWLTTISQYDKEVGQWNKFRD
EVEDDYFRTWSPGKPFQALDPAKDPCLMKCSRHKVCIAQDSQTAVCISHRRLTHRMKEAGV
DHRQWRGPILSTCKQCPVVYPSPVCGSDGHTYSFQCKLEYQACVLGKQISVKCEGHCPCPSDK
PTSTSRNVKRACSDLEFREVANRLRDFKALHESGSQNKTKTLRPERSRFDTSILPICKDS
LGWMFNRLDTNYDLLDQSELRSIYLDKNEQCTKAFFNSCDTYKDSLISNNEWCYCFQRQDP
PCQTELSNIQKRQGVKLLGQYIPLCDEDEGYKPTQCHGQVCWCVDYRGNEVMGSRINGVA
DCAIDFEISGDFASGDFHEWTDDEDEDDIMNDEDEIEDDDEDEGDDDDGGDDHDVYI

Important features:

Signal peptide:

amino acids 1-16

Leucine zipper pattern.

amino acids 246-267

N-myristoylation sites.

amino acids 357-362, 371-376 and 376-381

Thyroglobulin type-1 repeat proteins

amino acids 353-365 and 339-352

FIGURE 405

[illegible]

406/550

FIGURE 406

MT PQSLLQTTLFLLSLLFLVQGAHGRGHREDFR¹FC SQRNQTHRSSLHYKPTPDLRISIENSEE
ALT VHAPFPAAHPASRSFPDPRGLYHFCLYWNRHAGRLHLLYGKRD²FLLSDKASSLLCFQHQE
ESLAQGPP³LLATSVTSWWSPQNISLPSAASFTFSFHSP⁴PHTAAHNASVDMCELKRD⁵LQLLSQF
LKHPQKASRRPSAAPASQQLQSLESKLT⁶SVRFMGDMVSFEEDRINATVWKLQPTAGLQDLHIH
SRQEEEQSEIMEYSVLLPRTL⁷FQRTKGRSGEAEKRLLLVDFSSQALFQDKNSSQVLGEKVLGI
VVQNTK⁸VANLTEPVVLT⁹FQHQLQPKNVT¹⁰LQCVFWVEDPTLSSPGHWSSAGCETVRRETQTS¹¹CF
CNHLTYFAVLMVSSVEVDAVHKHYLSLLSYVGC¹²VVSALACLV¹³TIAAYLCSRVPLPCRRKPRDY
TIKVH¹⁴MNLLLAVFLDTSFLLSEPVALTGSEAGCRASAI¹⁵FLHFSLLTCLSWMGLEGYNLYRLV
VEVFGTYVPGYLLKLSAMGWGF¹⁶PIFLVTLVALVDVDNYGPIILAVHRTPEGVIYPSMCWIRDS
LVSYITNLGLFS¹⁷LVFLFNMA¹⁸MLATMVVQILRLRPHTQKWSHVL¹⁹TLLGLSLVLGLPWALIFFSF
ASGTFQLVVLYLFSIITSFQGLIFIWYWSMRLQARGGPSPLKSN²⁰SDSARLPISSGSTSSSRI

Important features:**Signal peptide:**

amino acids 1-25

Putative transmembrane domains:amino acids 382-398, 402-420, 445-468, 473-491, 519-537, 568-590
and 634-657**Microbodies C-terminal targeting signal.**

amino acids 691-693

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 198-201 and 370-373

N-glycosylation sites.amino acids 39-42, 148-151, 171-174, 234-237, 303-306, 324-327
and 341-344**G-protein coupled receptors family 2 proteins**

amino acids 475-504

407/550

FIGURE 407

TTGTGACTAAAAGCTGGCCTAGCAGGCCAGGGAGTGCAGCTGCAGGCGTGGGGGTGGCAGGAG
CCGCAGAGCCAGAGCAGACAGCCGAGAAACAGGTGGACAGTGTGAAAGAACCACTGGTCTCGC
TCTGTTGCCCAGGCTAGAGTGTACTGGCGTGATCATAGCTCACTGCAGCCTCAGACTCCTGGA
CTTGAGAAATCCTCCTGCCTTAGCCTCCTGCATATCTGGGACTCCAGGGGTGCACTCAAGCCC
TGTTTCTTCTCCTTCTGTGAGTGGACCACGGAGGCTGGTGAGCTGCCTGTCTATCCCAAAGCTC
AGCTCTGAGCCAGAGTGGTGGTGGCTCCACCTCTGCCGCCGGCATAGAAGCCAGGAGCAGGGC
TCTCAGAAGGCGGTGGTGCCAGCTGGGATCATGTTGTTGGCCCTGGTCTGTCTGCTCAGCTG
CCTGCTACCCTCCAGTGAGGCCAAGCTCTACGGTCGTTGTGAACTGGCCAGAGTGCTACATGA
CTTCGGGCTGGACGGATACCGGGGATACAGCCTGGCTGACTGGGTCTGCCTTGCTTATTTAC
AAGCGGTTTCAACGCAGCTGCTTTGGACTACGAGGCTGATGGGAGCACCAACAACGGGATCTT
CCAGATCAACAGCCGGAGGTGGTGCAGCAACCTCACCCCGAACGTCCCCAACGTGTGCCGGAT
GTA CTGCTCAGATTTGTTGAATCCTAATCTCAAGGATACCGTTATCTGTGCCATGAAGATAAC
CCAAGAGCCTCAGGGTCTGGGTTACTGGGAGGCCTGGAGGCATCACTGCCAGGGAAAAGACCT
CACTGAATGGGTGGATGGCTGTGACTTCTAGGATGGACGGAACCATGCACAGCAGGCTGGGAA
ATGTGGTTTGGTTCCTGACCTAGGCTTGGGAAGACAAGCCAGCGAATAAAGGATGTTGAACG
TGAAA

408/550

FIGURE 408

MLLALVCLLSCLLPSSSEAKLYGRCELARVLHDFGLDGYRGYSLADWVCLAYFTSGFNAAALDY
EADGSTNNGIFQINSRRWCSNLT PNPVNVCRMYCSDLLNP NLKDTVICAMKITQEPQGLGYWE
AWRHHCQGGKDLTEWVDGCDF

Important features:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 67-72

Homologous region to Alpha-lactalbumin / lysozyme C proteins.

amino acids 34-58 (catalytic domain), 111-132 and 66-107

409/550

FIGURE 409

CAGACTCCAGATTTCCCTGTCAACCACGAGGAGTCCAGAGAGGAAACGCGGAGCGGAGACAACAGTACCTGACGC
CTCTTTTCAGCCCGGGATCGCCCCAGCAGGGATGGGCGACAAGATCTGGCTGCCCTTCCCCGTGCTCCTTCTGGCC
GCTCTGCCTCCGGTGCTGCTGCTGCTGGGGCGGCCGCTTACACCTTCCCTCGATAGCGACTTCACCTTTACCCTT
CCCGCCGGCCAGAAGGAGTGCTTCTACCAGCCCATGCCCTGAAGGCCTCGCTGGAGATCGAGTACCAAGTTTA
GATGGAGCAGGATTAGATATTGATTTCCATCTTGCTCTCCAGAAGGCAAAACCTTAGTTTTTGAACAAAGAAAA
TCAGATGGAGTTCACACTGTAGAGACTGAAGTTGGTGATTACATGTTCTGCTTTGACAATACATTGAGCACCATT
TCTGAGAAGGTGATTTTTCTTTGAATTAATCCTGGATAATATGGGAGAACAGGCACAAGAACAAGAGATTGGAAG
AAATATATTACTGGCACAGATATATTGGATATGAAACTGGGAAGACATCCTGGAATCCATCAACAGCATCAAGTCC
AGACTAAGCAAAAGTGGGCACATACAAATTCTGCTTAGAGCATTGGAAGCTCGTGATCGAAACATACAAGAAAGC
AAGTTGATAGAGTCAATTTCTGGTCTATGGTTAATTTAGTGGTCATGGTGGTGGTGTCAGCCATTCAAGTTTAT
ATGCTGAAGAGTCTGTTTGAAGATAAGAGGAAAAGTAGAACTTAAACTCCAACTAGAGTACGTAACATTGAAA
AATGAGGCATAAAAAATGCAATAAACTGTTACAGTCAAGACCATTAAATGGTCTTCTCCAAATATTTTGAGATATA
AAAGTAGGAAACAGGTATAATTTTAAATGTGAAAATTAAGTCTTCACTTTCTGTGCAAGTAATCCTGTGATCCAG
TTGTACTTAAGTGTGTAACAGGAATATTTTGCAAGTCTTAGGTGATTTAAATAAATGAGTATTGGGCCTAATTGCAACACC
TTTCTTAACCTTTGAAAAATTTTGCAATGTCTTAGGTGATTTAAATAAATGAGTATTGGGCCTAATTGCAACACC
AGTCTGTTTTTAAACAGGTTCTATTACCCAGAACTTTTTGTAAATGCGGCAGTTACAAATTAAGTGTGGAGTTT
TCAGTTTTAAGTTATAAATCACCTGAGAATTACCTAATGATGGATTGAATAAATCTTTAGACTACAAAAGCCCAA
CTTTTCTCTATTTACATATGCTCTCTCTATAATGTAATAGAAATAATAGCTTTGAAATACAATTAGGTTTTTG
AGATTTTATAACCAAAATACATTTCAGTGAACATATTAGCAGAAAGCATTAGTCTTTGTACTTTGCTTACATTC
CCAAAGCTGACATTTTACGATTCTTAAAAACACAAAGTTACACTTACTAAAAATAGGACATGTTTTCTCTTTG
AAATGAAGAATATAGTTTAAAGCTTCTCTCCATAGGGACACATTTTCTTAACCCCTAACTAAAGTGTAGGA
TTTTAAATTAATGTGAGGTAATAAGTTTATTTTAAATAGTATCTGTCAAGTTAATATCTGTCAACAGTTAA
TAATCATGTTATGTTAATTTAACATGATTGCTGACTTGGATAATTCATTATTACCAGCAGTTATGAAGGAAATA
TTGCTAAAATGATCTGGGCCTACCATAAATAAATATCTCTTTTCTGAGCTCTAAGAATTATCAGAAAACAGGAA
AGAATTTAGAAAACCTTGAGAAAACCTAATCCAAATAAAATTCACCTAAGTAGAACTATAAATAAATCTAGA
ATCTGACTGGCTCATCATGACATCCTACTCATAACATAAATCAAAGGAGATGATTAATTTCCAGTTAGCTGGAAG
AAACTTTGGCTGATGTTTTTATTTTCTACAAGAATTCTGGTTGAATTTATTTTGAAGCAGGTACATTTTATA
AAATGTAAGCCCTAGTGTAAAGTTTACACTGAGTATTTTATTAATAAATTTTATTATAACAACCTTTTAT
TAAATGGCCTTCTGAACACTTTATTTATTGATGTTGAAGTAAGGATTAGAAACATAGACTCCCAAGTTTAAAA
CACCTAAATGTGAATAACCCATATATACAACAAAGTTTCTGCCATCTAGCTTTTTGAAGTCTATGGGGTCTTAT
TCAAGTACTAGTAATTTAACTTCATCATGAATGAACATAATTTTTAAGTTATGCCATTTATAACGTTGTTTAT
GACTACATTGTGAGTTAGAAACAACTTAAATTTGGGGTATAGAACCCTCAACAGGTTAGTAATGCTGGAATT
CTTGATGAGCAATAATGATAACCAGAGAGTGATTTCATTTACACTCATAGTAGTATAAAAAGAGATACATTTCCC
TCTTAGGCCCTGGGAGAAGAGCAGCTTAGATTTCCCTACTGGCAAGGTTTTTAAAAATGAGGTAAATGCCGTAT
ATGATCAATTACCTTAATTTGGCCAAGAAAATGCTTCAGGTGCTAGGGGTATCCTCTGCAACACTTGCAGAACAA
AGGTCAATAAGATCCTTGCCATATGAATACCCCTCCCTTTTGGCGCTGTTAAATTTGCAATGAGAAGCAAATTTACA
GTACCATAACTAATAAAGCAGGGTACAGATATAAACTACTGCATCTTTCTATAAACTGTGATTAAGAATTCTA
CCTCTCCTGTATGGCTGTACTGTACTGTACTCTGACTCCTTACCTAACAAATGAATTTGTTACATAATCTCT
ACATGTATGATTTGTGCCACTGATCTTAAACCTATGATTAGTAACCTTCTTACCATATAAAAACGATAATTGCTT
TATTTGGAAAAGAAATTTAGGAATACTAAGGACAATATTTTTATAGACAAAGTAAAAAGACAGATATTTAAGAGG
CATAACCAAAAAAGCAAACTTGTAAACAGAGTAATAAATCTTAATATTTCTAAAGACATACTGTTTATCTGCTT
CATATGCTTTTTTTAATTTCACTATTCCATTTCTAAATTAAGTTATGCTAAATTGAGTAAGCTGTTTATCACTT
AACAGCTCATTTTGTCTTTTTCAATATACAAATTTTAAAAATACTACAATATTTAACTAAGGCCCAACCGATTTT
CATAATGTAGCAGTTACCGTGTTACCTCACACTAAGGCCTAGAGTTTGCTCTGATATGCATTTGGATGATTAAT
GTTATGCTGTTCTTTCATGTGAATGTCAAGACATGGAGGCTGTTTGAATTTTATGGTAAATTAATCCTTCTTA
CACATAATGGTGTCTTAAATTGACAAAAATGAGCACTTACAATTGTATGTCTCCTCAATGAAGATTCTTTAT
GTGAATTTTAAAGACATTGATTCGCTATGAAGGATTTTTCATCTGAAGTACAATAATGCACAATCAGTGTTG
CTCAAACTGCTTTATACTTATAAACAGCCATCTTAAATAAGCAACGTATTGTGAGTACTGATATGTATATAATA
AAATTATCAAAGGAAAA

410/550

FIGURE 410

MGDKIWLPPFVLLLAALPPVLLPGAAGFTPSLSDFTFTLPAGQKECFYQPMPLKASLEIEYQ
VLDGAGLDIDFHLASPEGKTLVFEQRKSDGVHTVETEVGDYMFCDNTFSTISEKVIFFELIL
DNMGEQAQEQEDWKKYITGTDILDMKLEDILESINSIKSRLSKSGHIQILLRAFEARDRNIQE
SNFDRVNFWSMVNLVVMVVVSAIQVYMLKSLFEDKRKSRT

Important features:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 195-217

N-myristoylation site.

amino acids 43-48

Tyrosine kinase phosphorylation site.

amino acids 55-62

411/550

FIGURE 411

CCCAGCTGAGGAGCCCTGCTCAAGACACGGTCACTGGATCTGAGAACTTCCCAGGGGACCGCATTCCAGAGTCA
GTGACTCTGTGAAGCACCCACATCTACCTCTTGCCACGTTCCCACGGGCTTGGGGGAAAGATGGTGGGGACCAAG
GCCTGGGTGTTCTCCTTCTGGTCTGGAAGTCAATCTGTGTTGGGGAGACAGACGATGCTCACCCAGTCAGTA
AGAAGAGTCCAGCCTGGGAAGAAGAACCCAGCATCTTGCCAAAGCCTGCCGACACCCTGGAGAGCCCTGGTGAG
TGGACAAACATGGTTCACATCGACTACCCAGGCGGGAAGGGCGACTATGAGCGGCTGGACGCCATTCCGTTCTAC
TATGGGGACCGTGTATGTGCCCGTCCCTGCGGCTAGAGGCTCGGACCCTGACTGGACACCTGCGGGGAGCACT
GGCCAGGTGGTCCATGGTAGTCCCCGTGAGGGTTCTGGTGCCTCAACAGGGAGCAGCGGCTGGCCAGAACTGC
TCTAATTACACCGTACGCTTCCCTCTGCCACCAGGATCCCTGCGCCGAGACACAGAGCGCATCTGGAGCCCATGG
TCTCCCTGGAGCAAGTGTCTGAGTGCCTGTGGTCACTGGGTCCAGACTCGCACACGCAATTTGCTTGGCAGAG
ATGGTGTGCTGTGCACTGAGGCCAGCGAAGAGGGTCAGACTGCATGGGCCAGGACTGTACAGCCTGTGACCTG
ACCTGCCAATGGGCCAGGTGAATGCTGACTGTGATGCTGCTGATGTGCCAGGACTTCATGCTTCATGGGGCTGTC
TCCCTTCCCGGAGGTGCCCCAGCCTCAGGGGCTGCTATCTACCTCCTGACCAAGACGCCGAAGCTGCTGACCCAG
ACAGACAGTGTGGGAGATTCCGAATCCCTGGCTTGTGCTGATGGCAAAAGCATCTGAAGATCAAAAGGTC
AAGTTTGCCCCATTTGACTCACAATGCCCAAGACTAGCCTGAAGGCAGGCCACCATCAAGGCAGAGTTGTGAGG
GCAGAGACTCCATACATGGTGATGAACCTGAGACAAAAGCAGGAGAGCTGGGCAGAGCGTGTCTGTGCTGTG
AAGGCCACAGGGAAGCCAGGCCAGACAAGTATTTTGGTATCATAATGACACATTGCTGGATCCCTTCCTCTAC
AAGCATGAGAGCAAGCTGGTGTGAGGAACTGCGACAGCAGCAGGCTGGGGAGTACTTTTGAAGGCCCAGAGT
GATGCTGGGGCTGTGAAGTCCAAGGTTGCCAGCTGATTGTCTCAGCATCTGATGAGACTCCTTGCACCCAGTT
CCTGAGAGCTATCTTATCCGGCTGCCCATGATTGCTTTTCAAGATGCCACCAACTCCTTCTACTATGACGTGGGA
CGTGCCCTGTTAAGACTTGTGAGGGCAGCAGGATAATGGGATCAGGTGCCGTGATGCTGTGCAAGACTGCTGT
GGCATCTCCAAGACAGAGGAAAGGGAGATCCAGTGCAGTGGCTACACGCTACCCACCAAGGTGGCCAGGAGTGC
AGCTGCCAGCGGTGTACGGAAGCTCGGAGCATCGTGGGGGCGGTGTGCTGCTGCTGACAATGGGGAGCCCATG
CGCTTGGCCATGTGTACATGGGGAACAGCGGTGTAAGCATGACTGGCTACAAGGGCACTTTACCCCTCCATGTC
CCCCAGGACACTGAGAGGCTGGTGTCACATTTTGGGACAGGCTGCAGAACTTGTGCAACACCAAGTGGTA
CCTTTCAACAAGAAGGGGAGTGGCGTGTCCATGAAATCAAGATGCTTCGTGCGAAAGAGCCCATCACTTTGGAA
GCCATGGAGACCAACATCATCCCCCTGGGGGAAGTGGTGGTGAAGACCCCATGGCTGAAGTGGAGATTCCATCC
AGGAGTTTCTACAGGCAGAAATGGGGAGCCCTACATAGGAAAGTGAAGGCCAGTGTGACCTTCTCGGATCCCCGG
AATATTTCCACAGCCACAGCTGCCAGACTGACCTGAACCTCATCAATGACGAAGGAGACACTTTCCCCCTTCGG
ACGTATGGCATGTTCTCTGTGGACTTCAGAGATGAGGTCACTCAGAGCCACTTAATGCTGGCAAAGTGAAGTGC
CACCTTGACTCGACCCAGGTCAAGATGCCAGAGCACATATCCACAGTGAAGTCTGGTCACTCAATCCAGACACA
GGGCTGTGGGAGGAGGAGGTGATTCAAATTTGAAATCAAAGGAGGAACAAAAGAGAAGACAACTTCTCTCT
GTGGGCAACTGGAGATTGCTGAGAGGAGGCTTTAACTTGGATGTTCTTGAAGCAGGCGGTGCTTTGTTAAG
GTGAGGGCTACCGGAGTGAGAGGTTCTTGCTAGTGAGCAGATCCAGGGGTTGTGATCTCCGTGATTAACTG
GAGCCTAGAGTGGCTTCTTGTCAACCCCTAGGGCCTGGGGCCGCTTGCAGTGTGATCAAGGCCCAACGGG
GCTGTGTGCTGCTTCTGTGATGACAGTCCCCCTGATGCTACTTGCCTATGCTTGGCAAGCCTGGCTGGG
GAGGAAGTCAAGCAGTGGAGTCTTCTCCTAAATTAACCCAAATGCAATTGGCGTCCCTCAGCCCTATCTCAAC
AAGCTCACTACCGTCGGACGGACCATGAGGATCCACGGGTTAAAAAGACAGCTTTCCAGATTAGCATGGCCAAAG
CCAAGGCCCAACTCAGCTGAGGAGAGCAATGGGCCCATCTATGCCCTTGAAGACCTCCGGGATGTGAAGAGGCA
CCACCCAGTGCAGCCCACTTCCGTTCTACAGATTGAGGAGTATCTGGCATGGTGGCCAAAGCCGATGGAATTCAAGGCCTGCTAT
GAAGATGACCTATGAGCTGGACTGAAGACTATCTGGCATGGTGGCCAAAGCCGATGGAATTCAAGGCCTGCTAT
ATCAAGGTGAAGATTGTGGGGCACTGGAAGTGAATGTGCGATCCCGCAACATGGGGGGCACTCATCGGCGGACA
GTGGGGAAGCTGTATGGAATCCGAGATGTGAGGAGCACTCGGGACAGGGACAGCCCAATGTCTCAGCTGCCTGT
CTGGAGTTCAAGTGCAGTGGGATGCTCTATGATCAGGACCGTGTGGACCGCACCTGGTGAAGGTGATCCCCAG
GGCAGCTGCCGTGAGCCAGTGTGAACCCCATGCTGATGAGTACCTGGTCAACCACTTGGCACTTGCAGTCAAC
AAGCAGCAGAGTGTGATACCATGCTGGCACCTTGGACCCACTGGGCCACAATATGGCATCTACACTGTCACT
GACCAAGCCCTCGACGGCCAAAGGAGATCGCGCTCGGCCGCTTGTGATGGCACATCCGATGGCTCCTCCAGA
ATCATGAAGAGCAATGTGGGAGTAGCCCTCACTTCAACTGTGTAGAGAGGCAAGTAGGCGCCAGAGTGCCTTC
CAGTACCTCCAAAGCACCCAGCCAGTCCCTGCTGAGGCACTGTCCAAGGAAGAGTGGCTCGAGGAGGCGAG
CAGCGAGCGAGCAGGGGTGGCCAGCGCGGAGTGGTGGCTCTCTGAGATTTCTAGAGTTGCTCAACAG
CCCCTGATCAACTAAGTTTTGTGTTACTTCACTCTTCTGCCCCATTTTCATGTGACAGCCATTGTGAGACTGA
TGCACAACTGTCACTTGGTTAATTTAAGCACTTCTGTTTTCTGTAATTTGCTTGTGTTTCTTCTGCTTTA
CTTACTTGTCCCATGCTACTGATTGGCAGTGGCCCCACAATGGCACAAATAAGCCCTTGTGAACTGTTT
TTTAAATGAAACACAAGAAATTTGGCCACTGGTAAACTCTGCACTTCAACTGTACTTCAATTAATGCCATTAAT
GCAATATACTTCTCTTCTTTTGTGATGTTTGGCCACCTTGCATATAGTGATAATCTGATGCTGAAGATCAA
ATAACCAATATAAGCATATTTCTTGGCCTTGTCTCCAGGACATAGGCAAGCCTTGTATCATAGTTTCATACATAT
AAATGGTGGTGAATAAAGAAATAAAACACAATCTTTACTTGAAATGTAATAACTTATTTATTTCTTGTGCTA
AATTTGGAATTTAGTGACATTCAAAGTTAAGCTATTAATATAGGGTGATCATAGTTCTCTACCAAGCTGG
AAAGAACATCTCTGTTATCCACAATTACACAGGTTGCTAACTGTATTTGTACATTTCCCTTTGCATTGCTT
TGTTCTTGCTAGAAACCACTGTAGCCAGGCGAGATGTCAATAATGCATACTCTGTATTTCCAAAAA

412/550

FIGURE 412

MVGTKAWVFSFLVLEVTSLGRQTMLTQSVRRVQPGKKNPISIFAKPADTLESPGEWTTWFNID
YPGGKGDYERLDAIRFYYGDRVCARPLRLEARTTDWTPAGSTGQVVHGSPREGFWCLNREQRP
GQNCSNYTVRFLCPPGSLRRDTERIWSWPWSKCSAACGQTGVQTRTRICLAEMVSLCSEAS
EEGQHCMGQDCTACDLTCPMGQVNADC DACMCQDFMLHGAVSLPGGAPASGAAYLLTKTPKL
LTQTDS DGRFRIPGLCPDGKSILKITKVKFAPIVLTMPKTS LKAATIKAEFVRAETPYMVMNP
ETKARRAGQSVSLCCATGKPRPDKYFWYHNDTLLDPSLYKHESKLVLRKLQHQAGEYFCKA
QSDAGAVKSKVAQLIVTASDETPCNPVPESYLIRLPHDCFQ NATNSFY YDVGRCPVKTCAGQQ
DNGIRCRDAVQNC CGISKTEEREIQCSGYTLPTKVAKECSCQRC TETR SIVRGRVSAADNGEP
MRFGHVYMGNSRVSM TGYKGTFTLHVPQDTERLVLT FVDRLQKFVNTTKVL PFNKKGSAVFHE
IKMLRRKEPITLEAMETNIIPLGEVVGEDPMAELEIPSR SFYRQNGEPYIGKV KASVTFLDPR
NISTATAAQTDLNF INDEGDTFPLRTYGMFSVDERDEVTSEPLNAGKVKVHLDSTQVKMPEHI
STVKLWSLNPDTGLWEEEGDFKFENQRRNKREDRTFLVGNLEIRERRLE NLDVPESRRCFVKV
RAYRSE RFLPSEQIQGVVISVINLEPRTGFLSNPRAWGRFDSVITGPN GACVPAFCDDQSPDA
YSAYVLASLAGEELQAVESSPKFNPNAIGVPQPYLNKLN YRRTDHEDPRVKKTAFAQISMAKPR
PNSAEESNGPIYAFENLRACEEAPPSAAHFRFYQIEGDRYDYNTVPFNEDDPMSWTEDYLAWW
PKPMEFRACYIKVKIVGPLEVNVR SRNMGGTHRRTVGKLYGIRDVRSTRDRDQPNVSAACLEF
KCSGMLYDQDRVDRTL VKVIPQGSRRASVNPM LHEYLVNHLPLAVNNDTSEYTM LAPLDPLG
HNYGIYTVTDQDPRTAKEIALGRCFDGTSDGSSRIMKSNVGVALTFNCVERQVGRQSAFQYLQ
STPAQSPAAGTVQGRVPSRRQQRASRGGRQGGVVASLRFP RVAQQPLIN

413/550

FIGURE 413

GCCACGTTGTCTTCTTTCTTCACCACCACCCAGGAGCTCAGAGATCTAAGCTGCTTTCCATC
TTTTCTCCCAGCCCCAGGACACTGACTCTGTACAGGATGGGGCCGTCTCTTGCCTCCTTCTC
ATCCTAATCCCCCTTCTCCAGCTGATCAACCCGGGGAGTACTCAGTGTTCCCTTAGACTCCGTT
ATGGATAAGAAGATCAAGGATGTTCTCAACAGTCTAGAGTACAGTCCCTCTCCTATAAGCAAG
AAGCTCTCGTGTGCTAGTGTCAAAAGCCAAGGCAGACCGTCCTCCTGCCCTGCTGGGATGGCT
GTCACTGGCTGTGCTTGTGGCTATGGCTGTGGTTCTGTGGGATGTTTCACTGGAAACCACCTGC
CACTGCCAGTGCAGTGTGGTGGACTGGACCACTGCCCCTGCTGCCACCTGACCTGACAGGGA
GGAGGCTGAGAACTCAGTTTTGTGACCATGACAGTAATGAAACCAGGGTCCCAACCAAGAAAT
CTAACTCAAACGTCCCACTTCATTTGTTCCATTCTGATTCTTGGGTAATAAAGACAACTTT
GTACCTCAAAAAAAAAAAAAAAAAAAAAA

414/550

FIGURE 414

MGPSSCLLLILIPLLQLINPGSTQCSLDSVMDKKIKDVLNSLEYSPSPISKKLSCASVKS
QGRPSSCPAGMAVTGCACGYGCGSWDVQLETTCHCQCSVVDWTTARCCHLT

415/550

FIGURE 415

CAGAAGAGGGGGCTAGCTAGCTGTCTCTGCGGACCAGGGAGACCCCCGCGCCCCCGGTGTG
AGGCGGCCCTCACAGGGCCGGGTGGGCTGGCGAGCCGACGCGGCGGAGGAGGCTGTGAGGA
GTGTGTGGAACAGGACCCGGGACAGAGGAACCATGGCTCCGCAGAACCTGAGCACCTTTTGCC
TGTTGCTGCTATACCTCATCGGGGCGGTGATTGCCGGACGAGATTTCTATAAGATCTTGCGGG
TGCCCTCGAAGTGCCCTCTATAAAGGATATTAAAAAGGCCTATAGGAACTAGCCCTGCAGCTTC
ATCCCGACCGGAACCCCTGATGATCCACAAGCCCAGGAGAAATTCAGGATCTGGGTGCTGCTT
ATGAGGTTCTGTGAGATAGTGAGAAACGGAAACAGTACGATACTTATGGTGAAGAAGGATTAA
AAGATGGTCATCAGAGCTCCCATGGAGACATTTTTTACACTTCTTTGGGGATTTTGGTTTCA
TGTTTGGAGGAACCCCTCGTCAGCAAGACAGAAATATTCCAAGAGGAAGTGATATTATTGTAG
ATCTAGAAGTCACTTTTGAAGAAGTATATGCAGGAAATTTTGTGGAAGTAGTTAGAAACAAAC
CTGTGGCAAGGCAGGCTCCTGGCAAACGGAAGTGCAATTGTGCGCAAGAGATGCGGACCACCC
AGCTGGGCCCTGGGCGCTTCCAAATGACCCAGGAGGTGGTCTGCGACGAATGCCCTAATGTCA
AACTAGTGAATGAAGAACGAACGCTGGAAGTAGAAATAGAGCCTGGGGTGAGAGACGGCATGG
AGTACCCCTTTATTGGAGAAGGTGAGCCTCACGTGGATGGGGAGCCTGGAGATTTACGGTTCC
GAATCAAAGTTGTCAAGCACCCAATATTTGAAAGGAGAGGAGATGATTTGTACACAAATGTGA
CAATCTCATTAGTTGAGTCACTGGTTGGCTTTGAGATGGATATTACTCACTTGGATGGTCACA
AGGTACATATTTCCCGGGATAAGATCACCAGGCCAGGAGCGAAGCTATGGAAGAAAGGGGAAG
GGCTCCCCAACTTTGACAACAACAATATCAAGGGCTCTTTGATAATCACTTTTGATGTGGATT
TTCCAAAAGAACAGTTAACAGAGGAAGCGAGAGAAGGTATCAAACAGCTACTGAAACAAGGGT
CAGTGCAGAAGGTATACAATGGACTGCAAGGATATTGAGAGTGAATAAAATTGGACTTTGTTT
AAAATAAGTGAATAAGCGATATTTATTATCTGCAAGGTTTTTTTGTGTGTGTTTTGTTTTTA
TTTTCAATATGCAAGTTAGGCTTAATTTTTTTATCTAATGATCATCATGAAATGAATAAGAGG
GCTTAAGAATTTGTCCATTTGCATTCGGAAAAGAATGACCAGCAAAGGTTTACTAATACCTC
TCCCTTTGGGGATTTAATGTCTGGTGCTGCCGCCTGAGTTTCAAGAATTAAAGCTGCAAGAGG
ACTCCAGGAGCAAAGAACAACAATATAGAGGGTTGGAGTTGTTAGCAATTTCAATCAAATG
CCAACTGGAGAAGTCTGTTTTTAAATACATTTTGTGTATTATTTTA

416/550

FIGURE 416

MAPQNLSTFCLLLLYLIGAVIAGRDFYKILGVPRASIKDIKKAYRKLALQLHPDRNPDDPQAEKFQDLGAAYE
VLSDSEKRKQYDITYGEEGLKDGHQSSHGDIFSHFFGDFGFMFGGTPRQQDRNIPRGSDIIVDLEVTLEEYAGNF
VEVVRNKPVARQAPGKRKCNCRQEMRTTQLGPGRFQMTQEVVCDPCPNVKLVNEERTLEVEIEPGVRDGMETPFI
GEGEPHVDGEPDGLRFRIKVVKHPIFERRGDDLYTNVTISLVESLVGFEMDITHLDGHKVVHISRDKITRPGAKLW
KKGEGLPNFDNNNIKGLIITFDVDFPKEQLTEEAREGIKQLLKQGSVQKVYNGLQGY

Important features:

Signal peptide:

amino acids 1-22

Cell attachment sequence.

amino acids 254-257

Nt-dnaJ domain signature.

amino acids 67-87

Homologous region to Nt-dnaJ domain proteins.

amino acids 26-58

N-glycosylation site.

amino acids 5-9, 261-265

Tyrosine kinase phosphorylation site.

amino acids 253-260

N-myristoylation site.

amino acids 18-24, 31-37, 93-99, 215-221

Amidation site.

amino acids 164-168

417/550

FIGURE 417

CGGCGGCGGCTGCGGGCGCGAGGTGAGGGGCGCGAGGTGAGGGGCGCGAGGTTCCCAGCAGGA
TGCCCCGGCTCTGCAGGAAGCTGAAGTGAGAGGCCCGGAGAGGGGCCAGCCCGCCCGGGGCGAG
GATGACCAAGGCCCCGGCTGTCCGGCTGTGGCTGGTGCTGGGGTCGGTGTTTCATGATCCTGCT
GATCATCGTGTACTGGGACAGCGCAGGCGCCGCGCACTTCTACTTGACACGTCCTTCTCTAG
GCCGCACACGGGGCCGCGCTGCCACGCCCGGGCCGGACAGGGACAGGGAGCTCACGGCCGA
CTCCGATGTCGACGAGTTTCTGGACAAGTTTCTCAGTGCTGGCGTGAAGCAGAGCGACCTTCC
CAGAAAGGAGACGGAGCAGCCGCTGCGCCGGGGAGCATGGAGGAGAGCGTGAGAGGCTACGA
CTGGTCCCCGCGCAGCCCCGGCGCAGCCAGAGGGCCGGCAGCAGGCGGAGCGGAGGAG
CGTGCTGCGGGGCTTCTGCGCCAACTCCAGCCTGGCCTTCCCCACCAAGGAGCGCGCATTCTGA
CGACATCCCCAACTCGGAGCTGAGCCACCTGATCGTGGACGACCGGCACGGGGCCATCTACTG
CTACGTGCCCAAGGTGGCCTGCACCAACTGGAAGCGCGTGATGATCGTGCTGAGCGGAAGCCT
GCTGCACCGCGGTGCGCCCTACCGCGACCCGCTGCGCATCCCGCGCGAGCACGTGCACAACGC
CAGCGCGCACCTGACCTTCAACAAGTTCTGGCGCCGCTACGGGAAGCTCTCCCGCCACCTCAT
GAAGGTCAAGCTCAAGAAGTACACCAAGTTCCTCTTCGTGCGCGACCCCTTCGTGCGCCTGAT
CTCCGCCTTCCGCAGCAAGTTCGAGCTGGAGAACGAGGAGTTCTACCGCAAGTTCGCCGTGCC
CATGCTGCGGTGTACGCCAACCACACCAGCCTGCCCGCCTCGGCGCGGAGGCCTTCCGCGC
TGGCCTCAAGGTGTCCTTCGCCAACTTCATCCAGTACCTGCTGGACCCGCACACGGAGAAGCT
GGCGCCCTTCAACGAGCACTGGCGGCAGGTGTACCGCCTCTGCCACCCGTGCCAGATCGACTA
CGACTTCGTGGGGAAGCTGGAGACTCTGGACGAGGACGCCGCGCAGCTGCTGCAGCTACTCCA
GGTGGACCGGCAGCTCCGCTTCCCCCGAGCTACCGGAACAGGACCGCCAGCAGCTGGGAGGA
GGACTGGTTCGCCAAGATCCCCCTGGCCTGGAGGCAGCAGCTGTATAAACTCTACGAGGCCGA
CTTTGTTCTCTTCGGCTACCCCAAGCCCCGAAAACCTCCTCCGAGACTTGAAAGCTTTCGCGTTG
CTTTTTCTCGCGTGCCTGGAACCTGACGCACGCGCACTCCAGTTTTTTTTATGACCTACGATTT
TGCAATCTGGGCTTCTTGTTCACTCCACTGCCTCTATCCATTGAGTACTGTATCGATATTGTT
TTTTAAGATTAATATATTTTCAGGTATTTAATACGA

418/550

FIGURE 418

MTKARLFRLWLVLGSVFMILLIIVYWDSAGAAHFYLHTSFSPHTGPPLPTPGPDRDRELTAD
SDVDEFLDKFLSAGVKQSDLPRKETEQPPAPGSMEESVRGYDWSPDARRSPDQGRQQAERRS
VLRGFCANSSLAFFTKERAFDDIPNSELSHLIVDDRHGAIYCYVPKVACTNWKRVMIIVLSGSL
LHRGAPYRDPLRIPREHVHNASAHLTFNKFWRRYGKLSRHLMKVKLKKYTKFLFVRDPFVRLI
SAFRSKFELENEEFYRKFAVPMLRLYANHTSLPASAREAFRAGLKVSFANFIQYLLDPHTEKL
APFNEHWRQVYRLCHPCQIDYDFVGKLETLDDEAAQLLQLLQVDRQLRFPPSYRNRNTASSWEE
DWFAKIPLAWRQQLYKLYEADFVLFGYPKPENLLRD

Important features:**Signal peptide:**

amino acids 1-31

N-glycosylation sites.

amino acids 134-137, 209-212, 280-283 and 370-373

TNFR/NGFR family cysteine-rich region protein

amino acids 329-332

419/550

FIGURE 419

GGCACGAGGCTGAACCCAGCCGGCTCCATCTCAGCTTCTGGTTTCTAAGTCCATGTGCCAAAG
GCTGCCAGGAAGGAGACGCCTTCCTGAGTCTTGATCTTTCTTCCTTCTGGAAATCTTTGACT
GTGGGTAGTTATTTATTTCTGAATAAGAGCGTCCACGCATCATGGACCTCGCGGGACTGCTGA
AGTCTCAGTTCCTGTGCCACCTGGTCTTCTGCTACGTCTTTATTGCCTCAGGGCTAATCATCA
ACACCATTCACTCTTCACTCTCCTCCTCTGGCCCATTAACAAGCAGCTCTTCCGGAAGATCA
ACTGCAGACTGTCTATTGCATCTCAAGCCAGCTGGTGATGCTGCTGGAGTGGTGGTGGGCA
CGGAATGCACCATCTTCACGGACCCGCGCGCCTACCTCAAGTATGGGAAGGAAAATGCCATCG
TGGTTCTCAACCACAAGTTTGAAATTGACTTTCTGTGTGGCTGGAGCCTGTCCGAACGCTTTG
GGCTGTTAGGGGGCTCCAAGGTCTGGCCAAGAAAGAGCTGGCCTATGTCCCAATTATCGGCT
GGATGTGGTACTTCACCGAGATGGTCTTCTGTTCGCGCAAGTGGGAGCAGGATCGCAAGACGG
TTGCCACCAGTTTGACGACCTCCGGGACTACCCCGAGAAGTATTTTTCTGATTCACTGTG
AGGGCACACGGTTCACGGAGAAGAAGCATGAGATCAGCATGCAGGTGGCCCCGGCCAAGGGGC
TGCCCTCGCCTCAAGCATCACCTGTTGCCACGAACCAAGGGCTTCGCCATCACCGTGAGGAGCT
TGAGAAATGTAGTTTCAGCTGTATATGACTGTACACTCAATTCAGAAATAATGAAAATCCAA
CACTGCTGGGAGTCTTAAACGGAAAGAAATACCATGCAGATTTGTATGTTAGGAGGATCCCAC
TGGAAGACATCCCTGAAGACGATGACGAGTGCTCGGCCTGGCTGCACAAGCTCTACCAGGAGA
AGGATGCCTTTTCAGGAGGAGTACTACAGGACGGGCACCTTCCCAGAGACGCCCATGGTGCCCC
CCCGGCGGCCCTGGACCCTCGTGAAGTGGCTGTTTTGGGCCTCGCTGGTGCTCTACCCTTTCT
TCCAGTTCCTGGTCAGCATGATCAGGAGCGGTCTTCCCTGACGCTGGCCAGCTTCATCCTCG
TCTTCTTTGTGGCCTCCGTGGGAGTTCGATGGATGATTGGTGTGACGGAAATTGACAAGGGCT
CTGCCTACGGCAACTCTGACAGCAAGCAGAACTGAATGACTTGACTCAGGGAGGTGTACCAT
CCGAAGGGAACCTTGGGGAACCTGGTGGCCTCTGCATATCCTCCTTAGTGGGACACGGTGACAA
AGGCTGGGTGAGCCCCTGCTGGGCACGGCGGAAGTCACGACCTCTCCAGCCAGGGAGTCTGGT
CTCAAGGCCGGATGGGGAGGAAGATGTTTTGTAATCTTTTTTTCCCATGTGCTTTAGTGGGC
TTTGGTTTTCTTTTTGTGCGAGTGTGTGTGAGAATGGCTGTGTGGTGAGTGTGAACCTTGTTT
TGTGATCATAGAAAGGTATTTTAGGCTGCAGGGGAGGGCAGGGCTGGGGACCGAAGGGGACA
AGTTCCCTTTTCATCCTTTGGTGCTGAGTTTTCTGTAACCTTGGTTGCCAGAGATAAAGTGA
AAAGTGCTTTAGGTGAGATGACTAAATTATGCCTCCAAGAAAAAAATTAAGTGCTTTTCT
GGGTCAAAAAAAAAA

420/550

FIGURE 420

MDLAGLLKSQFLCHLVFCYVFIASGLIINTIQLFTLLLWPINKQLFRKINCRLSYCISSQLVM
LLEWWSGTECTIFTDPRAYLKYGKENAIVVLNHKFEIDFLCGWSLSERFGLLGSKVLAKKEL
AYVPIIGWMWYFTEMVFCSRKWEQDRKTVATSLQHLRDYPEKYFFLIHCEGTRFTEKKHEISM
QVARAKGLPRLKHHLLPRTKGFAITVRSLRNVVSAVYDCTLNFRNNENPTLLGVLNGKKYHAD
LYVRRIPLEDIPEDDDECSAWLHKLYQEKDAFQEEYYRTGTFPETPMVPPRRPWTLVNWLFWA
SLVLYPFFQFLVSMIRSGSSLTLASFILVFFVASVGVRWMIGVTEIDKGSAYGNSDSKQKLND

421/550

FIGURE 421

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGCTGGGTGCCTGCATC
GCCATGGACACCACCAGGTACAGCAAGTGGGGCGGCAGCTCCGAGGAGGTCCCCGGAGGGCCC
TGGGGACGCTGGGTGCACTGGAGCAGGAGACCCCTCTTCTTGGCCCTGGCTGTCCTGGTCACC
ACAGTCCTTTGGGCTGTGATTCTGAGTATCCTATTGTCCAAGGCCTCCACGGAGCGCGCGGCG
CTGCTTGACGGCCACGACCTGCTGAGGACAAACGCCTCGAAGCAGACGGCGGCGCTGGGTGCC
CTGAAGGAGGAGGTCCGAGACTGCCACAGCTGCTGCTCGGGGACGCAGGCGCAGCTGCAGACC
ACGCGCGCGGAGCTTGGGGAGGCGCAGGCGAAGCTGATGGAGCAGGAGAGCGCCCTGCGGGAA
CTGCGTGAGCGCGTGACCCAGGGCTTGGCTGAAGCCGGCAGGGGCCGTGAGGACGTCCGCACT
GAGCTGTTCCGGGCGCTGGAGGCCGTGAGGCTCCAGAACAACTCCTGCGAGCCGTGCCCCACG
TCGTGGCTGTCTTCGAGGGCTCCTGCTACTTTTTCTCTGTGCCAAAGACGACGTGGGCGGCG
GCGCAGGATCACTGCGCAGATGCCAGCGCGCACCTGGTGATCGTTGGGGGCCTGGATGAGCAG
GGCTTCCTCACTCGGAACACGCGTGGCCGTGGTTACTGGCTGGGCCTGAGGGCTGTGCGCCAT
CTGGGCAAGGTTCAAGGCTACCACTGGGTGGACGGAGTCTCTCTCAGCTTCAGCCACTGGAAC
CAGGGAGAGCCCAATGACGCTTGGGGGCGCGAGAACTGTGTCAATGATGCTGCACACGGGGCTG
TGGAACGACGCACCGTGTGACAGCGAGAAGGACGGCTGGATCTGTGAGAAAAGGCACAACCTGC
TGACCCCCGCCCAGTGCCCTGGAGCCGCGCCCATTCAGCATGTCGTATCCTGGGGGCTGCTCA
CCTCCCTGGCTCCTGGAGCTGATTGCCAAAGAGTTTTTTCTTCTCATCCACCGCTGCTGAG
TCTCAGAAACACTTGGCCCAACATAGCCCTGTCCAGCCCAGTGCCTGGGCTCTGGGACCTCCA
TGCCGACCTCATCCTAACTCCACTCACGCAGACCCAACTAACCTCCACTAGCTCCAAAATCC
CTGCTCCTGCGTCCCCGTGATATGCCTCCACTTCTCTCCCTAACCAAGGTTAGGTGACTGAGG
ACTGGAGCTGTTTGGTTTTCTCGCATTTTCCACCAAACCTGGAAGCTGTTTTTGCAGCCTGAGG
AAGCATCAATAAATATTTGAGAAATGAAAAA

422/550

FIGURE 422

MDTTRYSKWGSSEEVPGGPWGRWVHWSRRPLFLALAVLVTTVLWAVILSILLSKASTERAAL
LDGHDLLRTNASKQTAALGALKEEVGDCHSCCSGTQAQLQTTRAEELGEAQAKLMEQESALREL
RERVQTQGLAEAGRGREDEVTELFRALEAVRLQNNSCPCPTSWLSFEGSCYFFSVPKTTWAAA
QDHCADASAHLVIVGGLDEQGFLTRNTRGRGYWLGLRAVRHLGKVQGYQWVDGVSLSFHWNQ
GEPNDAWGRENVCVMMMLHTGLWNDAPCDSEKDGWICEKRHNC

Important features:

Type II transmembrane domain:

amino acids 31-54

N-glycosylation sites.

amino acids 73-76 and 159-162

Leucine zipper pattern.

amino acids 102-123

N-myristoylation sites.

amino acids 18-23, 133-138 and 242-247

C-type lectin domain signature.

amino acids 264-287

423/550

FIGURE 423

GCGCCGCCAGGCGTAGGCGGGGTGGCCCTTGCGTCTCCCGCTTCCTTGAAAAACCCGGCGGGC
GAGCGAGGCTGCGGGCCGGCCGCTGCCCTTCCCCACACTCCCGCCGAGAAGCCTCGCTCGGC
GCCAACATGCGGGTGGGCGCTGCGGCCCGCAGCTAACGGCGCTCCTGGCCGCTGGATCGC
GGCTGTGGCGGCGACGGCAGGCCCGAGGAGGCCGCGCTGCCGCCGAGCAGAGCCGGGTCCA
GCCCATGACCGCCTCCAACCTGGACGCTGGTGATGGAGGGCGAGTGGATGCTGAAATTTTACGC
CCCATGGTGTCCATCCTGCCAGCAGACTGATTCAAGATGGGAGGCTTTTGCAAAGAATGGTGA
AATACTTCAGATCAGTGTGGGAAGGTAGATGTCATTCAAGAACCAGGTTTGAGTGGCCGCTT
CTTTGTCAACACTCTCCAGCATTTTTTCATGCAAAGGATGGGATATTCCGCCGTTATCGTGG
CCCAGGAATCTTCGAAGACCTGCAGAATTATATCTTAGAGAAGAAATGGCAATCAGTCGAGCC
TCTGACTGGCTGGAAATCCCCAGCTTCTCTAACGATGTCTGGAATGGCTGGTCTTTTAGCAT
CTCTGGCAAGATATGGCATCTTCACAACATTTTCACAGTGACTCTTGGAATTCCTGCTTGGTG
TTCTTATGTGTTTTTCGTCATAGCCACCTTGGTTTTTGGCCTTTTATGGGTCTGGTCTGGT
GGTAATATCAGAATGTTTCTATGTGCCACTTCCAAGGCATTTATCTGAGCGTTCTGAGCAGAA
TCGGAGATCAGAGGAGGCTCATAGAGCTGAACAGTTGCAGGATGCGGAGGAGGAAAAAGATGA
TTCAAATGAAGAAGAAAAACAAAGACAGCCTTGTTAGATGATGAAGAAGAGAAAGAAGATCTTGG
CGATGAGGATGAAGCAGAGGAAGAAGAGGAGGAGGACAACCTGGCTGCTGGTGTGGATGAGGA
GAGAAGTGAGGCCAATGATCAGGGGCCCCCAGGAGAGGACGGTGTGACCCGGGAGGAAGTAGA
GCCTGAGGAGGCTGAAGAAGGCATCTCTGAGCAACCCTGCCAGCTGACACAGAGGTGGTGGAA
AGACTCCTTGAGGCAGCGTAAAAGTCAGCATGCTGACAAGGGACTGTAGATTTAATGATGCGT
TTTCAAGAATACACACCAAAAACAATATGTCAGCTTCCCTTTGGCCTGCAGTTTGTACCAAATC
CTTAATTTTTCTGAATGAGCAAGCTTCTCTTAAAGATGCTCTCTAGTCATTTGGTCTCATG
GCAGTAAGCCTCATGTATACTAAGGAGAGTCTTCCAGGTGTGACAATCAGGATATAGAAAAAC
AAACGTAGTGTGGGATCTGTTTGGAGACTGGGATGGGAACAAGTTCATTTACTTAGGGGTCA
GAGAGTCTCGACCAGAGGAGGCCATTCCCAGTCCTAATCAGCACCTTCCAGAGACAAGGCTGC
AGGCCCTGTGAAATGAAAGCCAAGCAGGAGCCTTGGCTCCTGAGCATCCCCAAAGTGTAACGT
AGAAGCCTTGTCATCCTTTTCTGTGTAAAGTATTTATTTTTGTCAAATTGCAGGAAACATCAG
GCACCACAGTGCATGAAAAATCTTTCACAGCTAGAAATTGAAAGGGCCTTGGGTATAGAGAGC
AGCTCAGAAGTCATCCCAGCCCTCTGAATCTCCTGTGCTATGTTTTATTTCTTACCTTTAATT
TTTCCAGCATTTCCACCATGGGCATTTCAGGCTCTCCACACTCTTCACTATTATCTCTTGGTCA
GAGGACTCCAATAACAGCCAGGTTTACATGAACTGTGTTTGTTCATTCTGACCTAAGGGGTTT
AGATAATCAGTAACCATAAACCCTGAAGCTGTGACTGCCAAACATCTCAAATGAAATGTTGTG
GCCATCAGAGACTCAAAAGGAAGTAAGGATTTTACAAGACAGATTAAAAAAAATGTTTTGT
CCAAAATATAGTTGTTGTTGATTTTTTTTTTAAGTTTTCTAAGCAATATTTTCAAGCCAGAAG
TCCTCTAAGTCTTGCCAGTACAAGGTAGTCTTGTGAAGAAAAGTTGAATACTGTTTTGTTTC
ATCTCAAGGGGTTCCCTGGGTCTTGAACACTTTAATAATAACTAAAAAACCCTTCTGATTT
TCCTTCAGTGATGTGCTTTTGGTGAAAGAATTAATGAACTCCAGTACCTGAAAGTGAAAGATT
TGATTTTGTTCATCTTCTGTAATCTTCCAAAGAATTATATCTTTGTAAATCTCTCAATACT
CAATCTACTGTAAGTACCCAGGAGGCTAATTTCTTT

424/550

FIGURE 424

MAGGRCGPQLTALLAAWIAVAATAGPEEAALPPEQSRVQPMASNTLVMEGEWMLKIFYAPW
CPSCQQTDSWEAFKNGEILQISVGKVDVIQEPGLSGRFFVTTLPAFFHAKDGI FRRYRGPG
IFEDLQNYILEKKWQSVEPLTGWKSPASLTMSGMAGLFSISGKIWHLHNYFTVTLGIPAWCSY
VFFVIATLVFGLFMGLVLVVISSECFYVPLPRHLSESEQNRRSEEAHRAEQLQDAEEEEKDDSN
EEENKDSLVDDEEEKEDLGDEDEAEEDNLAAGVDEERSEANDQGPFGEDGVTTREEVEPE
EAEEGISEQPCPADTEVVEDSLRQRKSHADKGL

Important features:

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 191-211

N-glycosylation site.

amino acids 46-49

Thioredoxin family proteins. (homologous region to disulfide
isomerase)

amino acids 56-72

Flavodoxin proteins

amino acids 173-187

425/550

FIGURE 425

GAGGAACCTACCGGTACCGGCCGCGCGCTGGTAGTCGCGGCTGGCTGCACCTCACCAATCCCGTGCGCCGCGG
CTGGGCCGTGCGGAGAGTGCCTGTGCTTCTCTCCTGCACGCGGTGCTTGGGCTCGGCCAGGCGGGGTCCGCCGCCA
GGGTTTGAGGATGGGGAGTAGCTACAGGAAGCGACCCCGCATGGCAAGGTATATTTTGTGGAATGAAAAGGA
AGTATTAGAAATGAGCTGAAGACCATTACAGATTAATATTTTGGGGACAGATTGTGATGCTTATTACCCT
TGAAGTAATGTAGACAGAAGTCTCAAATTTGCATATTACATCAACTGGAACCAGCAGTGAATCTTAATGTTAC
TTAAATCAGAACTTGCTATAAGAAAGAGAAATGGGAGTCTGGTTAAATAAAGATGACTATATCAGAGACTTGAAG
GATCATTTCTCTGTTTTCTGATAGTGTATATGGCCATTTTAGTGGGCACAGATCAGGATTTTACAGTTTACTTGG
AGTGTCCAAACTGCAAGCAGTAGAGAAATAAGACAAGCTTCAAGAAATGGCATTGAAGTTACATCTCTGATAA
AAACCCGAATAACCCAAATGCACATGGCGATTTTTTAAAAATAAATAGAGCATATGAAGTACTCAAAGATGAAGA
TCTACGGAAAAAGTATGACAAATATGGAGAAAAAGGACTTGAGGATAATCAAGGTGGCCAGTATGAAAGCTGGAA
CTATTATCGTTATGATTTTTGATGATGATGATCTGAAATCATAACATTGGAAAGAAGAGATTTGATGC
TGCTGTTAATTCTGGAGAACTGTGGTTTGTAAATTTTACTCCCCAGGCTGTTCACTGCCATGATTTAGTCTCC
CACATGGAGAGACTTTGTAAAGAAAGTGGATGGGTTACTTCAATTTGGAGCTGTTAACTGTGGTGATGATAGAT
GCTTTGCCGAATGAAAGGAGTCAACAGCTATCCAGTCTCTTCATTTTTCGGTCTGGAATGGCCCCAGTGAATA
TCATGGAGACAGATCAAAGGAGAGTTAGTGAGTTTGAATGCAGCATGTTAGAAGTACAGTGACAGAACTTTG
GACAGGAAATTTGTCACTCCATACAACTGCTTTTGGCTGCTGGTATGGCTGGCTGATCACTTTTTGTTCAAA
AGGAGGAGATTTGTTGACTTCACAGACAGCTCAGGCTTAGTGGCATGTTGTTTCTCACTCATTGGATGCTAA
AGAAATATATTTGGAAGTAATACATAATCTTCCAGATTTTGAAGTACTTTCCGCAACACACTAGAGGATCGTTT
GGCTCATCATCGGTGGCTGTTATTTTTCATTTTGGAAAAATGAAATTCAAATGATCCTGAGCTGAAAAAAT
AAAACTCTACTTAAAAATGATCATATTCAGTTGGCAGGTTTGAAGTCTCTGACCCAGACATCTGTAGTAA
TCTGTATGTTTTTCCGCGTCTCTAGCAGTATTTAAAGGACAAGGAACCAAGAAATATGAAATTCATCTGGA
GAAGATTCTATATGATATACTTGCTTTGCCAAAGAAAGTGTGAATCTCATGTTACCACGCTTGGACCTCAAAA
TTTTCTCTGCCAATGACAAAGAACCATGGCTTGTGATTTCTTGGCCCCCTGGTGTCCACCATGTGAGCTTTACT
ACCAGAGTTACGAAGAGCATCAAATCTTCTTATGGTCAGCTTAAAGTTTGGTACACTAGATTGTACAGTTTATGA
GGGACTCTGTAACATGTATAACATTACAGGCTTATCCAACAACAGTGGTATTCAACAGTCCAACATTCTAGTA
TGAAGGACATCACTCTGCTGAACAAATCTTGGAGTTCTAGAGGATCTTATGAATCCTTCAGTGGTCTCCCTTAC
ACCCACCACCTTCAACGAAGTGTACACAAAGAAAAACACAACGAAGTCTGGATGGTTGATTTCTATTCTCCGTG
GTGTATCCTTGCCAAGTCTTAATGCCAGAAATGGAAAAAGAAATGGCCCGGACATTAACTGGAGTATCAACGTGGG
CAGTATAGATTGCCAACAGTATCATTTCTTTGTGCCAGGAAAAACGTTCAAGATACCCTGAGATAAGATTTTT
TCCCCAAAATCAAATAAAGCTTATCAGTATCACAGTTACAATGGTTGGAATAGGGATGCTTATTCCTGAGAA
CTGGGGTCTAGGATTTTTTACCTCAAGTATCCACAGATCAACACCTCAGACTTTTCAAGTAAAAAGTTCTACAAG
GAAAAATCATTGGGTGATTGATTTCTATGCTCCTTGGTGGACCTTGCCAGAAATTTGCTCCAGAAATTTGAGCT
CTTGGCTAGGATGATTAAAGGAAAAAGTGAAGCTGGAAGTGAAGTGTAGACTGTCAGGCTTATGCTCAGACATGCCAGAA
AGCTGGGATCAGGGCCTATCCAAGTGTAAAGTTTATTTCTACGAAAGAGCAAAGAGAAATTTTCAAGAAGAGCA
GATAAATACCAGAGATGCAAAAGCAATCGCTGCCTTAATAAGTGAAGAAATTTGAAACTCTCCGAAATCAAGGCAA
GAGGAATAAGGATGAACTTTGAATGTTGAAGATGAAGAAAAAGTTTAAAGAAATTTCTGACAGATGACATCAG
AAGACACCTATTTAGAATGTTACATTTATGATGGGAATGAATGAACATTATCTTAGACTTGCAGTTGTACTGCCA
GAATTATCTACAGCACTGGTGTAAAGAAAGGCTCTGCAACTTTTTCTGTAAAGGGCCGGTTTATAAATATTTTA
GACTTTTGCAGGCTATAATATATGGTTACACATGAGAACAAGAAATAGAGTCATCATGTATTCTTTGTTATTTGTA
TTTAACAACCTTTAAAAAATATTTAAACGATTCTTAGCTCAGAGCCATACAAAAGTAGGCTGGATTCAAGTCCATG
GACCATAGATTGCTGTCCCCCTCGACGGACTTATAATGTTTTCAGGTGGCTGGCTTGAACATGAGTCTGCTGTGCT
ATCTACATAAATGTCTAAGTTGTATAAAGTCCACTTTCCCTTCACGTTTTTTGGCTGACCTGAAAAGAGGTAAT
TAGTTTTTGGTCACTTGTCTCTTAAAAATGCTATCCCTAACCATATATTTATATTTCTGTTTTAAAAACACCCAT
GATGTGGCACAGTAACAAACCCGTTATGCTGTATTATATGAGGAGATTCTTCATTGTTTCTTTCTCTCA
AAGGTTGAAAAATGCTTTTAAATTTTTCAGCCGAGAAACAGTGCAGCAGTATATGTGCACACAGTAAGTACAC
AAATTTGAGCAACAGTAAGTGCACAAATCTGTAGTTTGTGTATCATCCAGGAAAAACCTGAGGGAAAAAATTA
TAGCAATTAAGTGGCATTGTAGAGTATCTAAATATGTTATCAAGTATTTAGAGTCTATATTTTAAAGATATA
TGTGTTTATGTTTCTGAAATGCTTTCATAGAAATTTCCCACTGATAGTTGATTTTGGGCATCTAATAT
TTACATATTTGCCCTCTGAACCTTTGTTTGGACCTGTATCTCTTATTTACATTGGGTTTTCTTTTATAGTTTGG
TTTTTCACTCCTGTCAGTCTATTTATTTCAATAGGAAAAATTAATTTACAGTTGTTTTTCTTTTATAGTTTGG
AATGATAGTGTATTTTCCAGTTTACTAGTTTACTGTGAGAGGCTGCCTTTTTTCAAGATAAATATGACATAATA
ACTGAAGTTATTTTATAAGAAAAATCAAGTATATAAATCTAGGAAAGGATCTTCTAGTTTCTGTGTTGTTAGA
CTCAAAGATCAAAATTTGTCAGTAACATGTAGTTGTTTAGTTATAATTCAGAGTGTACAGAAATGTTAAAAAT
CCAATCAGTCAAAGAGGTCAATGAATTAAAGGCTTGAACCTTTTTTCAAAAAAAAAAAAAAAAAA

426/550

FIGURE 426

MGVWLNKDDYIROLKRIILCFLIVYMAILVGTDQDFYSLLGVSKTASSREIRQAFKKLALKLH
PDKNPNNPNAHGDFLKINRAYEVLKDEDLRKKYDKYGEKLEDNQGGQYESWNYRYDFGIYD
DDPEIITLERREFDAAVNSGELWFVNFYSPGCSHCHDLAPTWRDFAKEVDGLLRIGAVNCGDD
RMLCRMKGVNSYPSLFIFRSGMAPVKYHGDRSKESLVSFAMQHVRSTVTELWTGNFVNSIQTA
FAAGIGWLITFCSKGGDCLTSQTRLRLSGMLFLNSLDAKEIYLEVIHNLPDFELLSANTLEDR
LAHHRWLLFFHFGKNENSNDPELKKLKTLLKNDHIQVGRFDCSSAPDICSNLYVFQPSLAVFK
GQGTKEYEIHGKILYDILAFAKESVNSHVTTLGPQNFPANDKEPWLVDFFAPWCPPCRALL
PELRRASNLLYGQLKFGTLDCTVHEGLCNMYNIQAYPTTVVFNQSNIEYEGHHSAEQILEFI
EDLMNPSVVSILTPTTFNELVTQRKHNEVWVDFYSPWCHPCQVLMPEWKRMARTLTGLINVGS
IDCQQYHSFCAQENVQRYPEIRFFPPKSNKAYQYHSYNGWNRDAYSLRIWGLGFLPQVSTDLT
PQTFSEKVLQGKNHWVIDFYAPWCGPCQNFAPFELLARMIKGKVKAGKVDCQAYAQTCQKAG
IRAYPTVKFYFYERAKRNFQEEQINTRDAKAIAALISEKLETLRNQGRNKDEL

Important features:**Endoplasmic reticulum targeting sequence.**

amino acids 744-747

Cytochrome c family heme-binding site signature.

amino acids 158-163

Nt-dnaJ domain signature.

amino acids 77-96

N-glycosylation site.

amino acids 484-487

427/550

FIGURE 427

CTGCAGTCAGGACTCTGGGACCGCAGGGGGCTCCCGGACCCTGACTCTGCAGCCGAACCGGCA
CGGTTTCGTGGGGACCCAGGCTTGCAAAGTGACGGTCATTTTCTCTTTCTTTCTCCCTCTTGA
GTCCTTCTGAGATGATGGCTCTGGGCGCAGCGGGAGCTACCCGGGTCTTTGTCGCGATGGTAG
CGGCGGCTCTCGGCGGCCACCCCTCTGCTGGGAGTGAGCGCCACCTTGAACTCGGTTCTCAATT
CCAACGCTATCAAGAACCTGCCCCACCGCTGGGCGGCGCTGCGGGGCACCCAGGCTCTGCAG
TCAGCGCCGCGCCGGAATCCTGTACCCGGGCGGGAATAAGTACCAGACCATTGACAACTACC
AGCCGTACCCGTGCGCAGAGGACGAGGAGTGCGGCACTGATGAGTACTGCGCTAGTCCCACCC
GCGGAGGGGACGCAGGCGTGAAATCTGTCTCGCCTGCAGGAAGCGCCGAAAACGCTGCATGC
GTCACGCTATGTGCTGCCCCGGGAATTACTGCAAAAATGGAATATGTGTGTCTTCTGATCAAA
ATCATTTCCGAGGAGAAATTGAGGAAACCATCACTGAAAGCTTTGGTAATGATCATAGCACCT
TGGATGGGTATTCCAGAAGAACCACCTTGTCTTCAAAAATGTATCACACCAAAGGACAAGAAG
GTTCTGTTTGTCTCCGGTCATCAGACTGTGCCTCAGGATTGTGTTGTGCTAGACACTTCTGGT
CCAAGATCTGTAAACCTGTCCTGAAAGAAGGTCAAGTGTGTACCAAGCATAGGAGAAAAGGCT
CTCATGGACTAGAAATATTCCAGCGTTGTTACTGTGGAGAAGGTCTGTCTTGCCGGATACAGA
AAGATCACCATCAAGCCAGTAATTCTTCTAGGCTTCACACTTGTGAGAGACACTAAACCAGCT
ATCCAAATGCAGTGAACCTCCTTTTATATAATAGATGCTATGAAAACCTTTTATGACCTTCATC
AACTCAATCCTAAGGATATACAAGTTCTGTGGTTTCAGTTAAGCATTCCAATAACACCTTCCA
AAAACCTGGAGTGTAAGAGCTTTGTTTCTTTATGGAACCTCCCTGTGATTGCAGTAAATTACT
GTATTGTAAATTCTCAGTGTGGCACTTACCTGTAAATGCAATGAACTTTTAATTATTTTCT
AAAGGTGCTGCACTGCCTATTTTCTCTTGTATGTAAATTTTGTACACATTGATTGTTAT
CTTGACTGACAAATATTCTATATTGAACTGAAGTAAATCATTTTCAGCTTATAGTTCTTAAAG
CATAACCCTTTACCCCATTTAATTCTAGAGTCTAGAACGCAAGGATCTCTTGGAAATGACAAAT
GATAGGTACCTAAAATGTAACATGAAAATACTAGCTTATTTTCTGAAATGTACTATCTTAATG
CTTAAATTATATTTCCCTTTAGGCTGTGATAGTTTTTGAAATAAAATTTAACATTTAAAAAA
AAAAAA

428/550

FIGURE 428

MMALGAAGATRVFVAMVAAALGGHPLLGVSATLNSVLNSNAIKNLPPPLGGAAGHPGSAVSAA
PGILYPGGNKYQTIIDNYQPYPCAEDEECGTDEYCASPTRGGDAGVQICLACRKRRKRCMRHAM
CCPGNYCKNGICVSSDQNHFRGEIEETITESFGNDHSTLDGYSRRTTLSSKMYHTKGQEGSVC
LRSSDCASGLCCARHFWSKICKPVLKEGQVCTKHRRKGSHGLEIFQRCYCGEGLSCRIQKDDH
QASNSSLHTCQRH

Important features:

Signal peptide:

amino acids 1-23

N-glycosylation site.

amino acids 256-259

Fungal Zn(2)-Cys(6) binuclear cluster domain

amino acids 110-126

429/550

FIGURE 429

GAGAGGACGAGGTGCCGCTGCCTGGAGAATCCTCCGCTGCCGTCGGCTCCCGGAGCCCAGCCC
TTTCCTAACCCAACCCAACCTAGCCCAGTCCCAGCCGCCAGCGCCTGTCCCTGTACGGACCC
CAGCGTTACCAATGCATCCTGCCGTCTTCCTATCCTTACCCGACCTCAGATGCTCCCTTCTGCT
CCTGGTAACTTGGGTTTTTACTCCTGTAACAACTGAAATAACAAGTCTTGCTACAGAGAATAT
AGATGAAATTTTAAACAATGCTGATGTTGCTTTAGTAAATTTTATGCTGACTGGTGTCTGTTT
CAGTCAGATGTTGCATCCAATTTTGGAGGAAGCTTCCGATGTCATTAAGGAAGAATTTCCAAA
TGAAATCAAGTAGTGTTGCCAGAGTTGATTGTGATCAGCACTCTGACATAGCCCAGAGATA
CAGGATAAGCAAATACCCAACCTCAAATTTGTTTCGTAATGGGATGATGATGAAGAGAGAATA
CAGGGGTGAGCGATCAGTGAAAGCATTGGCAGATTACATCAGGCAACAAAAAGTGACCCCAT
TCAAGAAATTCGGGACTTAGCAGAAATCACCCTCTTGATCGCAGCAAAAGAAATATCATTGG
ATATTTTGAGCAAAAGGACTCGGACAACCTATAGAGTTTTTGAACGAGTAGCGAATATTTTGCA
TGATGACTGTGCCTTTCTTTCTGCATTTGGGGATGTTTCAAACCGGAAAGATATAGTGGCGA
CAACATAATCTACAAACCACCAGGGCATTCTGCTCCGATATGGTGTACTTGGGAGCTATGAC
AAATTTTGATGTGACTTACAATTGGATTCAAGATAAATGTGTTCTCTTGTCGGAGAAATAAC
ATTTGAAAATGGAGAGGAATTGACAGAAGAAGGACTGCCTTTTCTCATACTCTTTCACATGAA
AGAAGATACAGAAAGTTTAGAAATATTCCAGAATGAAGTAGCTCGGCAATTAATAAGTGAAAA
AGGTACAATAAACTTTTTACATGCCGATTGTGACAAATTTAGACATCCTCTTCTGCACATACA
GAAACTCCAGCAGATTGTCCTGTAATCGCTATTGACAGCTTTAGGCATATGTATGTGTTTGG
AGACTTCAAAGATGTATTAATTCCTGGAAAACCTCAAGCAATTCGTATTTGACTTACATTCTGG
AAAACCTGCACAGAGAATTCCATCATGGACCTGACCCAACTGATACAGCCCCAGGAGAGCAAGC
CCAAGATGTAGCAAGCAGTCCACCTGAGAGCTCCTTCCAGAACTAGCACCCAGTGAATATAG
GTATACTCTATTGAGGGATCGAGATGAGCTTTAAAAAAGCTTGAAAAACAGTTTGTAAGCCTTTC
AACAGCAGCATCAACCTACGTGGTGGAAATAGTAAACCTATATTTTCATAATTCTATGTGTAT
TTTTATTTTGAATAAACAGAAAGAAATTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAA

430/550

FIGURE 430

MHPAVFLSLPDLRCSLLLLVTWVFTPVTTEITSLATENIDEILNNADVALVNFYADWCRFSQM
LHPIFEEASDVIKEEFPNENQVVFARVDCDQHS DIAQRYRISKYPTLKLFRNGMMM KREYRGQ
RSVKALADYIRQQKSDPIQEIRDLAEITTLDRSKRNIIGYFEQKSDNYRVFERVANILHDDC
AFLSAFGDVSKPERYSGDNIIYKPPGHSAPDMVYLGAMTNFDVTYNWIQDKCVPLVREITFEN
GEELTEEGLPFLILFHMKEDTESLEIFQNEVARQLISEKGTINFLHADCDKFRHPLLHIQKTP
ADCPVIAIDSFRHMYVFGDFKDVLI PGKLKQFVFDLHSGKLHREFHHGPDPTDTAPGEQAQDV
ASSPPESSFQKLAPSEYRYTLLRDRDEL

Important features:**Signal peptide:**

amino acids 1-29

Endoplasmic reticulum targeting sequence:

amino acids 403-406

Tyrosine kinase phosphorylation site.

amino acids 203-211

Thioredoxin family proteins

amino acids 50-66

431/550

FIGURE 431

GAGCAGGACGGAGCCATGGACCCCGCCAGGAAAGCAGGTGCCCAGGCCATGATCTGGACTGCA
GGCTGGCTGCTGCTGCTGCTGCTTCGCGGAGGAGCGCAGGCCCTGGAGTGCTACAGCTGCGTG
CAGAAAGCAGATGACGGATGCTCCCCGAACAAGATGAAGACAGTGAAGTGC GCGCCGGGCGTG
GACGTCTGCACCGAGGCCGTGGGGGCGGTGGAGACCATCCACGGACAATTCTCGCTGGCAGTG
CGGGGTTCGGTTTCGGGACTCCCCGGCAAGAATGACCGCGGCCTGGATCTTCACGGGCTTCTG
GCGTTCATCCAGCTGCAGCAATGCGCTCAGGATCGCTGCAACGCCAAGCTCAACCTCACCTCG
CGGGCGCTCGACCCGGCAGGTAATGAGAGTGCATACCCGCCCAACGGCGTGGAGTGCTACAGC
TGTGTGGGCTGAGCCGGGAGGCGTGCCAGGGTACATCGCCGCCGGTCGTGAGCTGCTACAAC
GCCAGCGATCATGTCTACAAGGGCTGCTTCGACGGCAACGTCACCTTGACGGCAGCTAATGTG
ACTGTGTCCTTGCTGTCCGGGGCTGTGTCCAGGATGAATTCTGCACTCGGGATGGAGTAACA
GGCCAGGGTTACGCTCAGTGGCTCCTGTTGCCAGGGGTCCCGCTGTAACCTTGACCTCCGC
AACAAGACCTACTTCTCCCCCTCGAATCCCACCCCTTGTCGGGTGCCCCCTCCAGAGCCCACG
ACTGTGGCCTCAACCACATCTGTCACCACTTCTACCTCGGCCCCAGTGAGACCCACATCCACC
ACCAAACCCATGCCAGCGCCAACAGTCAGACTCCGAGACAGGGAGTAGAACACGAGGCCTCC
CGGGATGAGGAGCCAGGTTGACTGGAGGCGCCGTGGCCACCAGGACCGCAGCAATTCAGGG
CAGTATCCTGCAAAAGGGGGGCCCCAGCAGCCCCATAATAAAGGCTGTGTGGCTCCCACAGCT
GGATTGGCAGCCCTTCTGTTGGCCGTGGCTGCTGGTGTCTTACTGTGAGCTTCTCCACCTGGA
AATTTCCCTCTCACCTACTTCTCTGGCCCTGGGTACCCCTCTTCTCATCACTTCTGTTCCCA
CCTACTGGACTGGGCTGGCCCAGCCCCTGTTTTTCCAACATTCCTCCAGTATCCCCAGCTTCTGC
TGCGCTGGTTTGCGGCTTTGGGAAATAAAATACCGTTGTATATATTCTGCCAGGGGTGTTCTA
GCTTTTTGAGGACAGCTCCTGTATCCTTCTCATCCTTGTCTCTCCGCTTGTCTCTTGTGATG
TTAGGACAGAGTGAGAGAAGTCAGCTGTCACGGGGAAGGTGAGAGAGAGGATGCTAAGCTTCC
TACTACTTTCTCCTAGCCAGCCTGGACTTTGGAGCGTGGGGTGGGTGGGACAATGGCTCCCC
ACTCTAAGCACTGCCTCCCCTACTCCCCGCATCTTTGGGGAATCGGTTCCCCATATGTCTTCC
TTACTAGACTGTGAGCTCCTCGAGGGGGGGCCCGGTACCCAATTCGCCCTATAGTGAGTCGTA

432/550

FIGURE 432

MDPARKAGAQAMIWTAGWLLLLLLRGGAQALECYSCVQKADDGCSPNKMKTVKCAPGVDVCTE
AVGAVETIHGQFSLAVRGCGLPGKNDRGLDLHGLLAFIQLQQCAQDRCNAKLNLTSRALDP
AGNESAYPPNGVECYSCVGLSREACQGTSPPVVSCYNASDHVYKGCDFGNVTLTAANVTVSLP
VRGCVQDEFCTRDGVTGPGFTLSGSCCQGSRCNSDLRNKTYFSPRIPLVRLPPPEPTTVAST
TSVTTSTSAVVRPTSTTKMPAPTSQTPRQVEHEASRDEEPRLTGGAAGHQDRSNSGQYPAK
GGPQQPHNKGCVAPTAGLAALLLAVAAGVLL

433/550

FIGURE 433

CGGGACTCGGCGGGTCTCCTGGGAGTCTCGGAGGGGACCGGCTGTGCAGACGCC**ATG**GAGTT
GGTGCTGGTCTTCCTCTGCAGCCTGCTGGCCCCCATGGTCCTGGCCAGTGCAGCTGAAAAGGA
GAAGGAAATGGACCCTTTTCATTATGATTACCAGACCCTGAGGATTGGGGGACTGGTGTTCGC
TGTGGTCTCTTCTCGGTTGGGATCCTCCTTATCCTAAGTCGCAGGTGCAAGTGCAGTTTCAA
TCAGAAGCCCCGGGCCCCAGGAGATGAGGAAGCCCAGGTGGAGAACCCTCATCACCGCCAATGC
AACAGAGCCCCAGAAGCAGAGAACTGAAGTGCAGCCATCAGGTGGAAGCCTCTGGAACCTGAG
GCGGCTGCTTGAACCTTTGGATGCAAATGTCGATGCT**TAA**GAAAACCGGCCACTTCAGCAACA
GCCCTTTCCCCAGGAGAAGCCAAGAACTTGTGTGTCCCCACCCTATCCCCCTAACACCATT
CCTCCACCTGATGATGCAACTAACACTTGCCTCCCCACTGCAGCCTGCGGTCTGCCACCTC
CCGTGATGTGTGTGTGTGTGTGTGTGTGACTGTGTGTGTTTGCTAACTGTGGTCTTTGTGG
CTACTTGTGTGTGGATGGTATTGTGTTTGTAGTGAAGTGTGGACTCGCTTTCCCAGGCAGGG
GCTGAGCCACATGGCCATCTGCTCCTCCCTGCCCCGTGGCCCTCCATCACCTTCTGCTCCTA
GGAGGCTGCTTGTGTCGAGACCAGCCCCCTCCCCTGATTTAGGGATGCGTAGGGTAAGAGC
ACGGGCAGTGGTCTTCAGTCGTCTTGGGACCTGGGAAGGTTTGCAGCACTTTGTCATCATTTCT
TCATGGACTCCTTTCACCTCTTTAACAAAAACCTTGCTTCCTTATCCCACCTGATCCCAGTCT
GAAGGTCTCTTAGCAACTGGAGATACAAAGCAAGGAGCTGGTGAGCCCAGCGTTGACGTCAGG
CAGGCTATGCCCTTCCGTGGTTAATTTCTTCCCAGGGGCTTCCACGAGGAGTCCCCATCTGCC
CCGCCCCCTTACAGAGCGCCCGGGGATTCCAGGCCAGGGCTTCTACTCTGCCCCCTGGGGAAT
GTGTCCCCTGCATATCTTCTCAGCAATAACTCCATGGGCTCTGGGACCCTACCCCTTCCAACC
TTCCCTGCTTCTGAGACTTCAATCTACAGCCCAGCTCATCCAGATGCAGACTACAGTCCCTGC
AATTGGGTCTCTGGCAGGCAATAGTTGAAGGACTCCTGTTCCGTTGGGGCCAGCACACCGGGA
TGGATGGAGGGAGAGCAGAGGCCCTTGTCTCTGCCTACGTCCCCTTAGATGGGCAGCAGAG
GCAACTCCCGCATCCTTTGCTCTGCCTGTGCGTGGTCAGAGCGGTGAGCGAGGTGGGTGGAG
ACTCAGCAGGCTCCGTGCAGCCCTTGGGAACAGTGAGAGGTTGAAGGTCATAACGAGAGTGGG
AACTCAACCCAGATCCCGCCCCCTCCTGTCTCTGTGTTCCCGCGGAAACCAACCAAACCGTGC
GCTGTGACCCATTGCTGTTCTCTGTATCGTGATCTATCCTCAACAACAACAGAAAAAGGAAT
AAAATATCCTTTGTTTCCT

434/550

FIGURE 434

MELVLVFLCSLLAPMVLASAAEKEKEMDPFHYDYQTLRIGGLVFAVVLFSVGILLILSRRCKC
SFNQKPRAPGDDEEAQVENLITANATEPQKQRTevQPSGGSLWNLRRLLLEPLDANVDA

435/550

FIGURE 435

GGTCCTTAATGGCAGCAGCCGCCGCTACCAAGATCCTTCTGTGCCTCCCGCTTCTGCTCCTGC
TGTCCGGCTGGTCCCGGGCTGGGCGAGCCGACCCTCACTCTCTTTGCTATGACATCACCGTCA
TCCCTAAGTTCAGACCTGGACCACGGTGGTGTGCGTTCAAGGCCAGGTGGATGAAAAGACTT
TTCTTCACTATGACTGTGGCAACAAGACAGTCACACCTGTCAGTCCCCTGGGGAAGAACTAA
ATGTCACAACGGCCTGGAAAGCACAGAACCCAGTACTGAGAGAGGTGGTGGACATACTTACAG
AGCAACTGCGTGACATTGAGCTGGAGAATTACACACCCAAGGAACCCCTCACCTGCAGGCAA
GGATGTCTTGTGAGCAGAAAGCTGAAGGACACAGCAGTGGATCTTGGCAGTTCAGTTTCGATG
GGCAGATCTTCCTCCTCTTTGACTCAGAGAAGAGAATGTGGACAACGGTTCATCCTGGAGCCA
GAAAGATGAAAGAAAAGTGGGAGAATGACAAGGTTGTGGCCATGTCCTTCCATTACTTCTCAA
TGGGAGACTGTATAGGATGGCTTGAGGACTTCTTGATGGGCATGGACAGCACCCCTGGAGCCAA
GTGCAGGAGCACCCTCGCCATGTCCTCAGGCACAACCCAACCTCAGGGCCACAGCCACCACCC
TCATCCTTTGCTGCCTCCTCATCATCCTCCCCTGCTTCATCCTCCCTGGCATCTGAGGAGAGT
CCTTTAGAGTGACAGGTTAAAGCTGATACCAAAAGGCTCCTGTGAGCACGGTCTTGATCAAAC
TCGCCCTTCTGTCTGGCCAGCTGCCCACGACCTACGGTGTATGTCCAGTGGCCTCCAGCAGAT
CATGATGACATCATGGACCCAATAGCTCATTCACTGCCTTGATTCTTTTGCCAACAATTTTA
CCAGCAGTTATACCTAACATATTATGCAATTTTCTCTTGGTGCTACCTGATGGAATTCCTGCA
CTTAAAGTTCTGGCTGACTAAACAAGATATATCATTTTCTTTCTTCTTTTTGTTTGGA^{AAA}
TCAAGTACTTCTTTGAATGATGATCTCTTTCTTGCAAATGATATTGTCAGTAAATAATCACG
TTAGACTTCAGACCTCTGGGGATTCTTTCCGTGTCCTGAAAGAGAATTTTAAATTATTTAAT
AAGAAAAAATTTATATTAATGATTGTTTCCTTTAGTAATTTATTGTTCTGTACTGATATTTAA
ATAAAGAGTTCTATTTCCCAAAAAAAAAAAAAAAAAA

436/550

FIGURE 436

MAAAAATKILLCLPLLLLLSGWSRAGRADPHSLCYDITVIPKFRPGPRWC AVQGQVDEKTF LH
YDCGNKTVTPVSP LGKKLNVTTAWKAQNPVLREVVDILTEQLRDIQLENYTPKEPLTLQARMS
CEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMSFHYFSMGD
CIGWLEDFLMGMDSTLEPSAGAPLAMSSGTTQLRATATTLILCCLLIILPCFILPGI

437/550

FIGURE 437

GTTCCTCTTCCGAGCCAAAATCCCAGGCGATGGTGAATTATGAACGTGCCACACCATGAAGCTCTTGTGGCAGG
TAACTGTGCACCACCACACCTGGAATGCCATCCTGCTCCCGTTCGTCTACCTCACGGCGCAAGTGTGGATTCTGT
GTGCAGCCATCGCTGCTGCCGCCTCAGCCGGGCCCCAGAAGTGGCCCTCCGTTTGCTCGTGCAGTAACCAGTTCA
GCAAGGTGGTGTGCACGCGCCGGGGCCTCTCCGAGGTCCCGCAGGGTATTCCCTCGAACACCCGGTACCTCAACC
TCATGGAGAACAACATCCAGATGATCCAGGCCGACACCTTCCGCCACCTCCACCACCTGGAGGTCTGCAGTTGG
GCAGGAACTCCATCCGGCAGATTGAGGTGGGGGCCCTTCAACGGCCTGGCCAGCCTCAACACCCTGGAGCTGTTCCG
ACAACCTGGCTGACAGTCATCCCTAGCGGGGCCCTTGAATACCTGTCCAAGCTGCGGGAGCTCTGGCTTCGCAACA
ACCCCATCGAAAGCATCCCTCTTACGCCTTCAACCGGTGCCCTCCCTCATGCGCCTGGACTTGGGGGAGCTCA
AGAAGCTGGAGTATATCTCTGAGGGAGCTTTTGAGGGGCTGTTCAACCTCAAGTATCTGAACTTGGGCATGTGCA
ACATTAAAGACATGCCCAATCTCACCCCTGGTGGGGCTGGAGGAGCTGGAGATGTCAGGGAACCACTTCCCTG
AGATCAGGCCTGGCTCCTTCCATGGCCTGAGCTCCCTCAAGAAGCTCTGGGTCTGAACTCACAGGTGAGCCTGA
TTGAGCGGAATGCTTTTGACGGGCTGGCTTCACTTGTGGAAGTCAACTTGGCCACAATAACCTCTCTTCTTTCG
CCCATGACCTCTTTACCCCGCTGAGGTACCTGGTGGAGTTGCATCTACACCACAACCTTGGAACTGTGATTGTG
ACATTCTGTGGCTAGCCTGGTGGCTTCGAGAGTATATACCACCAATTCACCTGCTGTGGCCGCTGTCATGCTC
CCATGCACATGCGAGGCCGCTACCTCGTGGAGGTGGACCAGGCCTCCTTCCAGTGTCTGCCCCCTTCATCATGG
ACGCACCTCGAGACCTCAACATTTCTGAGGGTGGATGGCAGAACTTAAGTGTGGACTCCCCCTATGTCCTCCG
TGAAGTGGTTGCTGCCCAATGGGACAGTGCTCAGCCACGCCTCCCGCCACCAAGGATCTCTGTCTCAACGACG
GCACCTTGAACCTTTTCCACGTGCTGCTTTCAGACACTGGGGTGTACACATGCATGGTGACCAATGTTGCAGGCA
ACTCCAACGCCTCGGCCTACCTCAATGTGAGCACGGCTGAGCTTAACACCTCCAACCTACAGCTTCTTCACCACAG
TAACAGTGGAGACCACGGAGATCTCGCCTGAGGACACAACGCGAAAGTACAAGCCTGTTCCCTACCACGTCCACTG
GTTACCAGCCGGCATATACCACCTCTACCACGGTGTCTATTGAGACTACCCGTGTGCCAAGCAGGTGGCAGTAC
CCGCGACAGACACCACTGACAAGATGCAGACCAGCCTGGATGAAGTCATGAAGACCACCAAGATCATCATTGGCT
GCTTTGTGGCAGTGACTCTGCTAGCTGCCGCCATGTTGATTGTCTTCTATAAACTTCGTAAGCGGCACCAGCAGC
GGAGTACAGTCACAGCCGCCCGGACTGTTGAGATAATCCAGGTGGACGAAGACATCCCAGCAGCAACATCCGCAG
CAGCAACAGCAGCTCCGTCCGGTGTATCAGGTGAGGGGGCAGTAGTGCTGCCACAATTTCATGACCATATTAAC
ACAACACCTACAAACCAGCACATGGGGCCCACTGGACAGAAAACAGCCTGGGGAACTCTCTGCACCCACAGTCA
CCACTATCTCTGAACCTTATATAATTCAGACCCATACCAAGGACAAGGTACAGGAACTCAAATATGACTCCCCCT
CCCCAAAAAACTTATAAAATGCAATAGAATGCACAAAGACAGCAACTTTTGTACAGAGTGGGGAGAGACTTT
TTCTTGATATGCTTATATATTAAGTCTATGGGCTGGTTAAAAAAACAGATTATATTAATAATTTAAAGACAAAA
AGTCAAAACA

438/550

FIGURE 438

MKLLWQVTVHHHTWNAILLPFVYLTAQVWILCAAIAAAASAGPQNCPSVCSCSNQFSKVVCTR
RGLSEVPQGIPSNTTRYLNLMENNIQMIQADTFRHLHHLEVLQLGRNSIRQIEVGAFNGLASLN
TLELFDNWLTVIPSGAFEYLSKLRELWLRNNPIESIPSYAFNRVPSLMRLDLGELKKLEYISE
GAFEGLFNLKYLNLGMCNIKDMPNLTPLVGLEEELEMSGNHFPEIRPGSFHGLSSLKKLWVMNS
QVSLIERNAFDGLASLVELNLAHNNLSSLPHDLFTPLRYLVELHLHHPWNCDILWLAWWL
REYIPTNSTCCGRCHAPMHRGRYLVEVDQASFQCSAPFIMDAPRDLNISEGRMAELKCRTTP
MSSVKWLLPNGTVLSHASRHPRISVLNDGTLNFSHVLLSDTGVYTCMVTNVAGNSNASAYLNV
STAEINTSNYSFFTTVTVETTEISPEDTTRKYKPVPTTSTGYQPAYTTSTTVLIQTTRVPKQV
AVPATDITDKMQTSLDEVMTTKIIIGCFVAVTLLAAAMLIVFYKLRKRHQQRSTVTAARTVE
IIQVDEDIPAATSAAATAAPSGVSGEGAVVLPTIHDHINYNTYKPAHGAHWTEENSLGNSLHPT
VTTISEPYIIQTHTKDKVQETQI

439/550

FIGURE 439

GTCGAATCCAAATCACTCATTGTGAAAGCTGAGCTCACAGCCGAATAAGCCACCATGAGGCTG
TCAGTGTGTCTCCTGATGGTCTCGCTGGCCCTTTGCTGCTACCAGGCCCATGCTCTTGTCTGC
CCAGCTGTTGCTTCTGAGATCACAGTCTTCTTATTCTTAAGTGACGCTGCGGTAAACCTCCAA
GTTGCCAAACTTAATCCACCTCCAGAAGCTCTTGCAGCCAAGTTGGAAGTGAAGCACTGCACC
GATCAGATATCTTTTAAGAAACGACTCTCATTGAAAAAGTCCTGGTGGAATTAGTAAAAAAT
GTGGTGTGTGACATGTAAAAATGCTCAACCTGGTTTCCAAAGTCTTCAACGACACCCTGATC
TTCATAAAAAATTGTAAAGGTTTCAACACGTTGCTTTAATAAATCACTTGCCCTGC

440/550

FIGURE 440

MRLSVCLLMVSLALCCYQAHALVCPAVASEITVFLFLSDAAVNLQVAKLNPPPEALAAKLEVK
HCTDQISFKKRLSLKKSWWK

441/550

FIGURE 441

GAACATTTTTAGTTCCCAAGGAATGTACATCAGCCCCACGGAAGCTAGGCCACCTCTGGGATG
GGGTTGCTGGTTTTAAACAAACGCCAGTCATCCTATATAAGGACCTGACAGCCACCAGGCACC
ACCTCCGCCAGGAAGTGCAGGCCACCTGTCTGCAACCCAGCTGAGGCCATGCCCTCCCCAGG
GACCGTCTGCAGCCTCCTGCTCCTCGGCATGCTCTGGCTGGACTTGGCCATGGCAGGCTCCAG
CTTCCTGAGCCCTGAACACCAGAGAGTCCAGCAGAGAAAGGAGTCGAAGAAGCCACCAGCCAA
GCTGCAGCCCCGAGCTCTAGCAGGCTGGCTCCGCCCGGAAGATGGAGGTCAAGCAGAAGGGGC
AGAGGATGAACTGGAAGTCCGGTTCAACGCCCCCTTTGATGTTGGAATCAAGCTGTCAGGGGT
TCAGTACCAGCAGCACAGCCAGGCCCTGGGGAAGTTTCTTCAGGACATCCTCTGGGAAGAGGC
CAAAGAGGCCCCAGCCGACAAGTGATCGCCCACAAGCCTTACTCACCTCTCTCTAAGTTTAGA
AGCGCTCATCTGGCTTTTCGCTTGCTTCTGCAGCAACTCCCACGACTGTTGTACAAGCTCAGG
AGGCGAATAAATGTTCAAACGTGA

442/550

FIGURE 442

MPSPGTVCSELLLGLWLDLAMAGSSFLSPEHQRVQQRKESKKPPAKLQPRALAGWLRPEDGG
QAEGAEDELEVRFNAPFDVGIKLSGVQYQQHSQALGKFLQDILWEEAKEAPADKO

443/550

FIGURE 443

CGGCCACAGCTGGCATGCTCTGCCTGATCGCCATCCTGCTGTATGTCCTCGTCCAGTACCTCG
TGAACCCCGGGGTGCTCCGCACGGACCCAGATGTCAAGAATATGAACACGTGGCTGCTGTTT
CTCCCCCTGTTCCCGGTGCAGGTGCAGACCCTGATAGTCGTGATCATCGGGATGCTCGTGCTC
CTGCTGGACTTTCTTGGCTTGGTGCACCTGGGCCAGCTGCTCATCTTCCACATCTACCTGAGT
ATGTCCCCCACCCTAAGCCCCGATCCCCCAAGGCTGGGTGGTCAGAGCTGCTCATCTTACA
CCTCTACTTGAGTATGTCCCTAACCTGAGCCCCCAGCCTGGGGCCAGAGTCTTTGTCCCC
CGTGTGCGCATGTGTTTCAAGGTGAGCCTCTCCCAGAAGTGAGATCATGGACAAAAGGGCAAA
TCACAGGAAGAAATTAAATCCATGAGGACCCAGCAGGCCAGCAAGAAGCTGAACTCACGCCG
AGACCTGCAGGAGTGGTGCCAGGTGCTTGAAGTAACAAGTTTAAAATGTTTCAAGACAATGGA
ATGGAATCTATTAGGCAAGAACAGGACATTATGAAATAAGGACAGGTGGACTTCCAAAACAC
AAGTAGAAATTCTAACAATGAAATATATTACAGGCAGGTCACCCACTAACCACAACTGAAG
CGAGAGCTGTGGTCTTGCTTGGTCTCACAGTGGGCACAGCGGTAGGCGGTGAGTCATGTTGCT
GAACGACGGAGGGTAAACTCCCCAGCCCCAAGAAAACCTGTGTTGGAAGTAACAACAACCTCC
CTGCTCCTGGCACCAGCCGTTTTGGTCTATGGTGGGCCAGCTGCAAAGCGTCTTCCATTCTCTG
GGCAGTGGTGGCCCCGAGGCTGTGGCCTCTCAGGGGGTTTCTGTGGACACGGGCAGCAGAGTG
TGTCAGGCCAGCCCCAAGAATGCCCTGCTCCTGACAGCTTGGCCAACCCCTGGTCAGGGCA
GAGGGAGTTGGGTGGGTGAGGCTCTGGGCTCACCTCCATCTCCAGAGCATCCCCTGCCTGCAG
TTGTGGCAAGAACGCCCAGCTCAGAATGAACACACCCCAAGAGCCTCCTTGTTTATAACC
ACAGGTTACCCTACAAACCACTGTCCCCACACAACCTGGGGATGTTTTAAACACACACCTC
TAACGCATATCTTACAGTCACTGTTGTCTTGCCTGAGGGTTGAATTTTTTTTAAATGAAAGTGC
AATGAAAATCACTGGATTAAATCCTACGGACACAGAGCTGAAAAAAAAAAAAAAAAAAAAA
AAAAAAA

444/550

FIGURE 444

MNTWLLFLPLFPVQVQTLIVVIIGMLVLLLDLGLVHLGQLLIFHIYLSMSPTLSPRSPOGWV
VRAAHLTPLLEYVPNPEPPTPGARVFVPRVRMCSGSASPRSEIMDKKGKSQEEIKSMRTQQAQ
QEAELTPRPAGVVPGA

445/550

FIGURE 445

AGGCGGGCAGCAGCTGCAGGCTGACCTTGCAGCTTGGCGGAATGGA CTGGCCTCACAACCTGC
TGTTTCTTCTTACCATTTCATCTTCCTGGGGCTGGGCCAGCCCAGGAGCCCCAAAAGCAAGA
GGAAGGGGCAAGGGCGGCCTGGGCCCCCTGGCCCCTGGCCCCTACCAGGTGCCACTGGACCTGG
TGTCACGGATGAAACCGTATGCCCCGATGGAGGAGTATGAGAGGAACATCGAGGAGATGGTGG
CCCAGCTGAGGAACAGCTCAGAGCTGGCCCAGAGAAAGTGTGAGGTCAACTTGCAGCTGTGGA
TGTCCAACAAGAGGAGCCTGTCTCCCTGGGGCTACAGCATCAACCACGACCCAGCCGTATCC
CCGTGGACCTGCCGGAGGCACGGTGCCTGTGTCTGGGCTGTGTGAACCCCTTCACCATGCAGG
AGGACCGCAGCATGGTGAGCGTGCCGGTGTTCAGCCAGGTTCCCTGTGCGCCGCCGCCTCTGCC
CGCCACCGCCCCGCACAGGGCCTTGCCGCCAGCGCGCAGTCATGGAGACCATCGCTGTGGGCT
GCACCTGCATCTTCTGAATCACCTGGCCCAGAAGCCAGGCCAGCAGCCCCGAGACCATCCTCCT
TGCACCTTTGTGCCAAGAAAGGCCTATGAAAAGTAAACACTGACTTTTGAAAGCAAG

446/550

FIGURE 446

MDWPHNLLFLLTISIFLGLGQPRSPKSKRKGQGRPGPLAPGPHQVPLDLVSRMKPYARMEEYE
RNIEEMVAQLRNSSELAQRKCEVNLQLWMSNKRSLSPWGYSINHDPRI PVDLPEARCLCLGC
VNPFTMQEDRSMVSPVFSQVPVRRRLCPPPPRTGPCRQRAVMETI AVGCTCIF

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation site.

amino acids 75-78

Homologous region to IL-17

amino acids 96-180.

447/550

FIGURE 447

GGAGTGCAGATGGCATCCTTCGGTTCTTCCAGACAAGCTGCAAGACGCTGACCATGGGCCAAGA
TGGAGCTCTCGAAGGCCTTCTCTGGCCAGCGGACACTCCTATCTGCCATCCTCAGCATGCTAT
CACTCAGCTTCTCCACAACATCCCTGCTCAGCAACTACTGGTTTGTGGGCACACAGAAGGTGC
CCAAGCCCCCTGTGCGAGAAAGGTCTGGCAGCCAAGTGCTTTGACATGCCAGTGTCCCTGGATG
GAGATACCAACACATCCACCCAGGAGGTGGTACAATACTGGGAGACTGGGGATGACCGGT
TCTCCTTCCGGAGCTTCCGGAGTGGCATGTGGCTATCCTGTGAGGAACTGTGGAAGAACCAG
GGGAGAGGTGCCGAAGTTTCATTGAACCTACACCAGCCAAGAGAGGTGAGAAAGGACTAC
TGGAATTTGCCACGTTGCAAGGCCCATGTCACCCCACTCTCCGATTTGGAGGGAAGCGGTTGA
TGGAGAAGGCTTCCCTCCCCCTCCCCCTCCCTTGGGGCTTTGTGGCAAAAATCCTATGGTTATCC
CTGGGAACGCAGATCACCTACATCGGACTTCAATTCATCAGCTTCCTCCTGCTACTAACAGAC
TTGCTACTCACTGGGAACCCCTGCCTGTGGGCTCAAACCTGAGCGCCTTTGCTGCTGTTTCCTCT
GTCCTGTCAGGTCTCCTGGGGATGGTGGCCACATGATGTATTACAAGTCTTCCAAGCGACT
GTCAACTTGGGTCCAGAAGACTGGAGACCACATGTTTGAATTATGGCTGGGCCTTCTACATG
GCCTGGCTCTCCTTCACCTGCTGCATGGCGTCGGCTGTCACCACCTTCAACACGTACACCAGG
ATGGTGCTGGAGTTCAAGTGCAAGCATAGTAAGAGCTTCAAGGAAAACCCGAACCTGCCTACCA
CATCACCATCAGTGTTCCTCGGCGGCTGTCAAGTGCAAGCCCCCACCCTGGGTCCCTTTGACC
AGCTACCACCAGTATCATAATCAGCCCATCCACTCTGTCTCTGAGGGAGTCGACTTCTACTCC
GAGCTGCGGAACAAGGGATTTCAAAGAGGGGCCAGCCAGGAGCTGAAAGAAGCAGTTAGGTCA
TCTGTAGAGGAAGAGCAGTGTTAGGAGTTAAGCGGGTTTGGGGAGTAGGCTTGAGCCCTACCT
TACACGTCTGCTGATTATCAACATGTGCTTAAGCCAACATCCGTCTCTTGAGCATGGTTTTTA
GAGGCTACGAATAAGGCTATGAATAAGGGTTATCTTTAAGTCCTAAGGGATTCCTGGGTGCCA
CTGCTCTCTTTTCTCTACAGCTCCATCTTGTTTACCCACCCACATCTCACACATCCAGAA
TTCCCTTCTTTACTGATAGTTTCTGTGCCAGGTTCTGGGCTAAACCATGGAGATAAAAAGAAG
AGTAAATACACTTCCCGACCTTAAGGATCTGAAA

448/550

FIGURE 448

MAKMELSKAFSGQRTLLSAILSMLSLSFSTTSLLSNYWFVGTQKVPKPLCEKGLAAKCFDMPV
SLDGDNTNSTQEVVQYNWETGDDRFSSFRSGMWLSCEETVEEPGERCRSFIELTPPAKRGE
KGLLEFATLQGPCHPTLRFGGKRLMEKASLPSPPLGLCGKNPMVIPGNADHLHRTSIHQLPFA
TNRLATHWEPCLWAQTERLCCCFLCPVRSPGDGGPHDVFTSLPSDCQLGSRRLLETTCLELWL
LLHGLALLHLLHGVGCHHLQHVVHVDGAGVQVQA

FIGURE 449

[illegible]

450/550

FIGURE 450

MDFLLGLCLYWLLRRPSGVVLCLLGACFQMLPAAPSGCPQLCRCEGRLLYCEALNLTEAPHN
LSGLLGLSLRYNSLSELRAGQFTGLMQLTWLYLDHNNHICSVQGDAFQKLRRVKELTLSSNQIT
QLPNTTFRMPNLRSDLSYNKLQALAPDLFHGLRKLTTLHMRANAIQFVPVRIFQDCRSLKF
LDIGYNQLKSLARNSFAGLFKLTELHLEHNDLVKVNFAHFPRILSLHSLCLRRNKVAIVVSSL
DWVWNLEKMDLSGNEIEYMEPHVFETVPHLQSLQLDSNRLTYIEPRIILNSWKSLSITLAGNL
WDCGRNVCALASWLSNFQGRYDGNLQCASPEYAQGEDVLDVYAFHLCEDGAEPTSGHLLSAV
TNRSDLGPPASSATTLADGGEGQHDGTFEPATVALPGGEHAENAVQIHKVVTGTMALIFSFLI
VVLVLYVSWKCFPASLRQLRQCFVTQRRKQKQKQTMHQMAAMSAQEYYVDYKPNHIEGALVII
NEYGSTCHQQPARECEV

451/550

FIGURE 451

TTGAGCGCAGGTGAGCTCCTGCGCGTTCCGGGGGCGTTCCTCCAGTCACCCTCCCGCCGTTAC
CCGCGGCGCGCCCCGAGGGAGTCTCCTCCAGACCCTCCCTCCCGTTGCTCCAACTAATACGGA
CTGAACGGATCGCTGCGAGGGTGGGAGAGAAAATTAGGGGGAGAAAGGACAGAGAGAGCAACT
ACCATCCATAGCCAGATAGATTATCTTACACTGAACTGATCAAGTACTTTGAAAATGACTTCG
AAATTTATCTTGGTGTCTTCATACTTGCTGCACTGAGTCTTTCAACCACCTTTTCTCTCCAA
CTAGACCAGCAAAAGGTTCTACTAGTTTCTTTTGATGGATTCCGTTGGGATTACTTATATAAA
GTTCCAACGCCCATTTTCATTATATTATGAAATATGGTGTTCACGTGAAGCAAGTTACTAAT
GTTTTTATTACAAAAACCTACCCTAACCTATTACTTTGGTAACTGGCCTCTTTGCAGAGAAT
CATGGGATTGTTGCAAATGATATGTTTGATCCTATTCCGGAACAAATCTTTCTCCTTGGATCAC
ATGAATATTTATGATTCCAAGTTTGGGAAGAAGCGACACCAATATGGATCACAACCAGAGG
GCAGGACATACTAGTGGTGCAGCCATGTGGCCCGGAACAGATGTAAAAATACATAAGCGCTTT
CCTACTCATTACATGCCTTACAATGAGTCAGTTTCATTTGAAGATAGAGTTGCCAAAATTGTT
GAATGGTTTACGTCAAAAGAGCCCATAAATCTTGGTCTTCTCTATTGGGAAGACCCTGATGAC
ATGGGCCACCATTTGGGACCTGACAGTCCGCTCATGGGGCTGTCATTTAGATATTGACAAG
AAGTTAGGATATCTCATACAAATGCTGAAAAGGCAAAGTTGTGGAACACTCTGAACCTAATC
ATCACAAGTGATCATGGAATGACGCGAGTGCTCTGAGGAAAGGTTAATAGAACTTGACCAGTAC
CTGGATAAAGACCACTATACCTTGATTGATCAATCTCCAGTAGCAGCCATCTTGCCAAAAGAA
GGTAAATTTGATGAAGTCTATGAAGCACTAATCAGCTCATCCTAATCTTACTGTTTACAAA
AAAGAAGACGTTCCAGAAAGGTGGCATTACAAATACAACAGTCGAATTCACCAATCATAGCA
GTGGCTGATGAAGGGTGGCAGATTTTACAGAATAAGTCAGATGACTTTCTGTTAGGCAACCAC
GGTTACGATAATGCGTTAGCAGATATGCATCCAATATTTTAGCCCATGGTCTGCCTTCAGA
AAGAATTTCTCAAAAGAAGCCATGAACTCCACAGATTTGTACCCACTACTATGCCACCTCCTC
AATATCACTGCCATGCCACACAATGGATCATTTCTGGAATGTCCAGGATCTGCTCAATTCAGCA
ATGCCAAGGGTGGTCCCTTATACACAGAGTACTATACTCCTCCCTGGTAGTGTTAAACCAGCA
GAATATGACCAAGAGGGGTCATACCTTATTTATAGGGGTCTCTCTTGGCAGCATTATAGTG
ATTGTATTTTTTGTAAATTTTCATTAAGCATTTAATTCACAGTCAAATACCTGCCTTACAAGAT
ATGCATGCTGAAATAGCTCAACCATTATTACAAGCCTAATGTTACTTTGAAGTGGATTGTCAT
ATTGAAGTGGAGATTCCATAATTATGTCAAGTGTTTAAAGGTTTCAAATCTGGGAAACCAGTT
CCAAACATCTGCAGAAACCATTAAAGCAGTTACATATTTAGGTATACACACACACACACACA
CACATACACACACGACCAAAATACTTACACCTGCAAAGGAATAAAGATGTGAGAGTATGT
CTCCATTGTTCACTGTAGCATAGGGATAGATAAGATCCTGCTTTATTTGGACTTGGCGCAGAT
AATGTATATATTTAGCAACTTTGCACTATGTAAAGTACCTTATATATTGCACTTTAAATTTCT
CTCCTGATGGGTACTTTAATTTGAAATGCACCTTATGGACAGTTATGTCTTATAACTTGATTG
AAAATGACAACTTTTTGCACCCATGTACAGAATACTTGTACGCATTGTTCAAACCTGAAGGA
AATTTCTAATAATCCCGAATAATGAACATAGAAATCTATCTCCATAAATTGAGAGAAGAAGAA
GGTGATAAGTGTGAAAATTAAATGTGATAACCTTTGAACCTTGAATTTTGGAGATGTATTCC
CAACAGCAGAATGCAACTGTGGGCATTTCTTGCTTATTTCTTTCCAGAGAACGTGGTTTTCA
TTTATTTTTTCCCTCAAAAGAGAGTCAAATACTGACAGATTGCTTCTAAATATATTGTTTCTGT
CATAAAATTATTGTGATTTCTGATGAGTCATATTACTGTGATTTTCATAATAATGAAGACAC
CATGAATATACTTTTCTTCTATATAGTTCAGCAATGGCCTGAATAGAAAGCAACCAGGCACCAT
CTCAGCAATGTTTTCTTGTGTTGTAATTTGCTCCTTTGAAAATTAAATCACTATTAATT
ACATTAATAATCAAATTGGATAAAAAAAAAAAAAAAAAAAAAA

452/550

FIGURE 452

MTSKFILVSFILAAALSLSTTFSLQLDQQKVLVVSFDGFRWDYLYKVPTPHFHYIMKYGVHVKQ
VTNVFITKTYPNHYTLVTGLFAENHGIVANDMFDPIRKNKSFSLDHMNIYDSKFWEEATPIWIT
NQRAGHTSGAAMWPGTDVVKIHKRFPTHYMPYNESVSFEDRVAKIVEWETSKEPINLGLLYWED
PDDMGHHLGPDSPLMGPVISDIDKKLGYLIQMLKKAKLWNTLNLIITSDHGMTQCSEERLIEL
DQYLDKDHYTELIDQSPVAAILPKEGKFDEVYEALTHAHPNLTVYKKEDVPERWHYKYNRIQP
IIA VADEGWHILQNKSDDFLLGNHGYDNALADMHPIFLAHGPAFRKNFSKEAMNSTDLYPLLC
HLLNITAMPHNGSFWNVQDLLNSAMPRVVPYTQSTILLPGSVKPAEYDQEGSYPYFIGVSLGS
IIVIVFFVIFIKHLIHSQIPALQDMHAEIAQPLLQA

Important features:

Signal Peptide:

amino acids 1-22

Transmembrane Domain:

amino acids 429-452

N-glycosylation sites:

amino acids 101-104, 158-161, 292-295, 329-332, 362-365, 369-372,
382-385, 389-392

Somatomedin B Domain:

amino acids 69-85

Sulfatase protein Region:

amino acids 212-241

453/550

FIGURE 453

GGCCGCCTGGAATTGTGGGAGTTGTGTCTGCCACTCGGCTGCCGGAGGCCGAAGGTCCGTGAC
TATGGCTCCCCAGAGCCTGCCTTCATCTAGGATGGCTCCTCTGGGCATGCTGCTTGGGCTGCT
GATGGCCGCCTGCTTCACCTTCTGCCTCAGTCATCAGAACCTGAAGGAGTTTGCCCTGACCAA
CCCAGAGAAGAGCAGCACCAAAGAAACGGAGAGAAAAAGAAACCAAAGCCGAGGAGGAGCTGGA
TGCCGAAGTCCTGGAGGTGTTCCACCCGACGCATGAGTGGCAGGCCCTTCAGCCAGGGCAGGC
TGTCCCTGCAGGATCCCACGTACGGCTGAATCTTCAGACTGGGGAAAGAGAGGCAAAACTCCA
ATATGAGGACAAGTTCCGAAATAATTTGAAAGGCAAAAGGCTGGATATCAACACCAACACCTA
CACATCTCAGGATCTCAAGAGTGCCTGGCAAATTCAGGAGGGGGCAGAGATGGAGAGTTCT
AAAGGAAGACAAGGCAAGGCAGGCTGAGGTAAAGCGGCTCTTCCGCCCCATTGAGGAACTGAA
GAAAGACTTTGATGAGCTGAATGTTGTCATTGAGACTGACATGCAGATCATGGTACGGCTGAT
CAACAAGTTCAATAGTTCCAGCTCCAGTTTGGAAAGAGAAGATTGCTGCGCTCTTTGATCTTGA
ATATTATGTCCATCAGATGGACAATGCGCAGGACCTGCTTTCCTTTGGTGGTCTTCAAGTGGT
GATCAATGGGCTGAACAGCACAGAGCCCCCTCGTGAAGGAGTATGCTGCGTTTGTGCTGGGCGC
TGCTTTTCCAGCAACCCCAAGGTCCAGGTGGAGGCCATCGAAGGGGGAGCCCTGCAGAAGCT
GCTGGTCATCCTGGCCACGGAGCAGCCGCTCACTGCAAAGAAGAAGGTCCTGTTGCACTGTG
CTCCCTGCTGCGCCACTTCCCCTATGCCCAGCGGCAGTTCCTGAAGCTCGGGGGGCTGCAGGT
CCTGAGGACCTGGTGCAGGAGAAGGGCACGGAGGTGCTCGCCGTGCGCGTGGTCACACTGCT
CTACGACCTGGTCACGGAGAAGATGTTGCGCGAGGAGGAGGCTGAGCTGACCCAGGAGATGTC
CCCAGAGAAGCTGCAGCAGTATCGCCAGGTACACCTCCTGCCAGGCCTGTGGGAACAGGGCTG
GTGCGAGATCACGGCCCACCTCCTGGCGCTGCCCCGAGCATGATGCCCCGTGAGAAGGTGCTGCA
GACACTGGGCGTCTCCTGACCACCTGCCGGGACCGCTACCGTCAGGACCCCCAGCTCGGCAG
GACACTGGCCAGCCTGCAGGCTGAGTACCAGGTGCTGGCCAGCCTGGAGCTGCAGGATGGTGA
GGACGAGGGCTACTTCCAGGAGCTGCTGGGCTCTGTCAACAGCTTGCTGAAGGAGCTGAGATG
AGGCCCCACACCAGGACTGGACTGGGATGCCGCTAGTGAGGCTGAGGGGTGCCAGCGTGGGTG
GGCTTCTCAGGCAGGAGGACATCTTGGCAGTGCTGGCTTGGCCATTAAATGGAAACCTGAAGG
CCAAA
AAA

454/550

FIGURE 454

MAPQSLPSSRMAPLGMLLGLLMAACFTFCLSHQNLKEFALTNPEKSSTKETERKETKAEELD
 AEVLEVFPHTHEWQALQPGQAVPAGSHVRLNLQTGEREAKLQYEDKFRNNLKGKRLDINTNTY
 TSQDLKSALAKFKEGAEMESSKEDKARQAEVKRLFRPIEELKKDFDELNVVIETDMQIMVRLI
 NKFNSSSSSLEEKIAALFDLEYVHQM DNAQDLLSFGGLQVVINGLNSTEPLVKEYAAFVLGA
 AFSSNPVKVQVEAIEGGALQKLLVILATEQPLTAKKKVLFALCSLLRHFPYAQRQFLKLGGGLQV
 LRTLQVEKGTAVLAVRVVTLTYDLVTEKMFEEEEAEELTQEMSPEKLQYRQVHLLPGLWEQGW
 CEITALLALPEHDAREKVLQTLGVLLTTCRDRYRQDPQLGRTLASLQAEYQVLASLELDGE
 DEGYFQELLGVSNSLLKELR

Important features:

Signal peptide:

amino acids 1-29

Hypothetical YJL126w/YLR351c/yhcX family protein.

amino acids 364-373

N-glycosylation site.

amino acids 193-197, 236-240

N-myristoylation site.

amino acids 15-21, 19-25, 234-240, 251-257, 402-408, 451-457

Homologous region SLS1 protein.

amino acids 68-340

455/550

FIGURE 455

GCCCCAGGGAGCAGTGGGTGGTTATAACTCAGGCCCGGTGCCCAGAGCCCAGGAGGAGGCAGT
GGCCAGGAAGGCACAGGCCTGAGAAGTCTGCGGCTGAGCTGGGAGCAAATCCCCACCCCCTA
CCTGGGGGACAGGGCAAGTGAGACCTGGTGAGGGTGGCTCAGCAGGCAGGGAAGGAGAGGTGT
CTGTGCGTCCTGCACCCACATCTTTCTCTGTCCCCTCCTTGCCCTGTCTGGAGGCTGCTAGAC
TCCTATCTTCTGAATTCTATAGTGCCTGGGTCTCAGCGCAGTGCCGATGGTGGCCCGTCCCTG
TGTTTCCTCTCTACCTGGGGAAATAAGGTGCAGCGGCCATGGCTACAGCAAGACCCCCCTGGA
TGTGGGTGCTCTGTGCTCTGATCACAGCCTTGCTTCTGGGGGTACAGAGCATGTTCTCGCCA
ACAATGATGTTTTCTGTGACCACCCCTCTAACACCGTGCCCTCTGGGAGCAACCAGGACCTGG
GAGCTGGGGCCGGGGAAGACGCCCCGGTCGGATGACAGCAGCAGCCGCATCATCAATGGATCCG
ACTGCGATATGCACACCCAGCCGTGGCAGGCCGCGCTGTTGCTAAGGCCCAACCAGCTCTACT
GCGGGGCGGTGTTGGTGCATCCACAGTGGCTGCTCACGGCCGCCACTGCAGGAAGAAAGTTT
TCAGAGTCCGTCTCGGCCACTACTCCCTGTCACCAGTTTATGAATCTGGGCAGCAGATGTTCC
AGGGGGTCAAATCCATCCCCACCCCTGGCTACTCCACCCCTGGCCACTCTAACGACCTCATGC
TCATCAAATGAACAGAAGAATTCGTCCCACTAAAGATGTCAGACCCATCAACGTCTCCTCTC
ATTGTCCCTCTGCTGGGACAAAGTGCTTGGTGTCTGGCTGGGGGACAACCAAGAGCCCCCAAG
TGCACTTCCCTAAGGTCCCTCCAGTGCTTGAATATCAGCGTGCTAAGTCAGAAAAGGTGCGAGG
ATGCTTACCCGAGACAGATAGATGACACCATGTTCTGCGCCGGTGACAAAGCAGGTAGAGACT
CCTGCCAGGGTGATTCTGGGGGGCCTGTGGTCTGCAATGGCTCCCTGCAGGGACTCGTGTCCT
GGGGAGATTACCCTTGTCGCCCGGCCAACAGACCGGGTGCTACACGAACCTCTGCAAGTTCA
CCAAGTGGATCCAGGAAACCATCCAGGCCAACTCCTGAGTCATCCAGGACTCAGCACACCGG
CATCCCCACCTGCTGCAGGGACAGCCCTGACACTCCTTTCAGACCCCTCATTCCTTCCCAGAGA
TGTTGAGAATGTTTCATCTCTCCAGCCCCTGACCCCATGTCTCCTGGACTCAGGGTCTGCTTCC
CCCACATTGGGCTGACCGTGTCTCTCTAGTTGAACCCTGGGAACAATTTCCAAAACGTCCAG
GGCGGGGGTGGCTCTCAATCTCCCTGGGGCACTTTCATCCTCAAGCTCAGGGCCCATCCCTT
CTCTGCAGCTCTGACCCAAATTTAGTCCCAGAAATAAACTGAGAAGTGGAATAAAAAA

456/550

FIGURE 456

MATARPPWMWVLCALITALLGVTEHVLANNVSCDHPSNTVPSGSNQDLGAGAGEDARSDDS
SSRIINGSDCDMHTQPWQAALLLRPNQLYCGAVLVHPQWLLTAAHCRKKVFRVRLGHYSLSPV
YESGQQMFQGVKSIPHPGYSHPGHSNDLMLIKLNRRIRPTKDVRPINVSSHCP SAGTKCLVSG
WGTTKSPQVHF PKVLQCLNISVLSQKRCE DAYPRQIDDTMFCAGDKAGR DSCQGD SGGPVVCN
GSLQGLVSWGDYPCARPNRPGVYTNLCKFTKWIQETIQANS

457/550

FIGURE 457

GCAGTCAGAGACTTCCCCTGCCCCCTCGCTGGGAAAGAACATTAGGAATGCCTTTTAGTGCCTTGCTTCCTGAACT
AGCTCACAGTAGCCCGGGCGGCCAGGGCAATCCGACCACATTTCACTCTCACCGCTGTAGGAATCCAGATGCAGG
CCAAGTACAGCAGCACGAGGGACATGCTGGATGATGATGGGGACACCACCATGAGCCTGCATTCTCAAGCCTCTG
CCACAACCTCGGCATCCAGAGCCCCGGCGCACAGAGCACAGGGCTCCCTCTTCAACGTGGCGACCAGTGGCCCTGA
CCCTGCTGACTTTGTGCTTGGTGCTGCTGATAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTTCAGTACTACCAGC
TCTCCAATACTGGTCAAGACACCATTTCTCAAATGGAAGAAAGATTAGGAAATACGTCCCAAGAGTTGCAATCTC
TTCAAGTCCAGAATATAAAGCTTGCAGGAAGTCTGCAGCATGTGGCTGAAAACTCTGTCGTGAGCTGTATAACA
AAGCTGGAGCACACAGGTGCAGCCCTTGTACAGAACAATGGAATGGCATGGAGACAATTGCTACCAGTTCTATA
AAGACAGCAAAAGTTGGGAGGACTGTAAATATTTCTGCCTTAGTGAAAACTCTACCATGCTGAAGATAAACAAAC
AAGAAGACCTGGAATTTGCCGCGTCTCAGAGCTACTCTGAGTTTTTCTACTCTTATTGGACAGGGCTTTTGGCC
CTGACAGTGGCAAGGCCTGGCTGTGGATGGATGGAACCCCTTTCACTTCTGAACTGTTCCATATTATAATAGATG
TCACCAGCCCAAGAAGCAGAGACTGTGTGGCCATCCTCAATGGGATGATCTTCTCAAAGGACTGCAAAGAATTGA
AGCGTTGTGTCTGTGAGAGAAGGGCAGGAATGGTGAAGCCAGAGAGCCTCCATGTCCCCCTGAAACATTAGGCG
AAGGTGACTGATTCGCCCTCTGCAACTACAAATAGCAGAGTGAGCCAGGCGGTGCCAAAGCAAGGGCTAGTTGAG
ACATTGGGAAATGGAACATAATCAGGAAAGACTATCTCTGACTAGTACAAAATGGGTTCTCGTGTTTCTGTT
CAGGATCACCAGCATTTCTGAGCTTGGGTTTATGCACGTATTTAACAGTCACAAGAAGTCTTATTACATGCCAC
CAECCAACCTCAGAAACCCATAATGTCATCTGCCTTCTTGGCTTAGAGATAACTTTTAGCTCTCTTTCTCTCAA
TGTCTAATATCACCTCCCTGTTTTCATGTCTTCCTTACACTTGGTGAATAAGAACTTTTGAAGTAGAGGAAA
TACATTGAGGTAACATCCTTTTCTCTGACAGTCAAGTAGTCCATCAGAAATTGGCAGTCACTTCCCAGATTGTAC
CAGCAAATACACAAGGAATCTTTTGTGTTTTCAGTTTACTACTAGTCCCTTCCCAATCCATCAGTAAAGACCC
CATCTGCCTTGTCATGCGGTTTCCCAACAGGGATGTCACTTGATATGAGAATCTCAAATCTCAATGCCTTATAA
GCATTCCTTCCTGTGTCCATTAAGACTCTGATAATTGTCTCCCTCCATAGGAATTTCTCCAGGAAAGAAATAT
ATCCCCATCTCCGTTTCATATCAGAACTACCGTCCCCGATATTCCTTCAGAGAGATTAAAGACCAGAAAAAAGT
GAGCCTCTTCATCTGCACCTGTAATAGTTTCAGTTCCTATTTTCTTCATTGACCCATATTTATACCTTTCAGGT
ACTGAAGATTTAATAATAATAAATGTAAATACTGTGAAAAA

458/550

FIGURE 458

MQAKYSSTRDMLDDDGDTTMSLHSQASATTRHPEPRRTEHRAPSSTWRPVALTLLTLCLVLLI
GLAALGLLFFQYYQLSNTGQDTISQMEERLGNTSQELQSLQVQNIKLAGSLQHVAEKLCRELY
NKAGAHRCSPCTEQWKWHGDNQCYQFYKDSKSWEDCKYFCLSENSTMLKINKQEDLEFAASQSY
SEFFYSYWTGLLRPD SGKAWLWMDGTPFTSELFHIIIDVTS PRSRDCVAILNGMIFSKDCKEL
KRCVCERRAGMVKPESLHVPPETLGEGD

459/550

FIGURE 459

GTTGATGGCAAACCTTCCTCAAAGGAGGGGCAGAGCCTGCGCAGGGCAGGAGCAGCTGGCCCCAC
TGGCGGCCCCGCAACACTCCGTCTCACCCTCTGGGCCCCACTGCATCTAGAGGAGGGCCGTCTGT
GAGGCCACTACCCCTCCAGCAACTGGGAGGTGGGACTGTCAGAAGCTGGCCCAGGGTGGTGGT
CAGCTGGGTGAGGGACCTACGGCACCTGCTGGACCACCTCGCCTTCTCCATCGAAGCAGGGAA
GTGGGAGCCTCGAGCCCTCGGGTGGAAGCTGACCCCAAGCCACCCTTCACCTGGACAGGATGA
GAGTGTGAGGTGTGCTTCGCCTCCTGGCCCTCATCTTTGCCATAGTCACGACATGGATGTTTA
TTCGAAGCTACATGAGCTTCAGCATGAAAACCATCCGTCTGCCACGCTGGCTGGCAGCCTCGC
CCACCAAGGAGATCCAGGTTAAAAAGTACAAGTGTGGCCTCATCAAGCCCTGCCAGCCAACT
ACTTTGCGTTTAAATCTGCAGTGGGGCCGCAACGTCTGGGCCCTACTATGTGCTTTGAAG
ACCGCATGATCATGAGTCTGTGAAAAACAATGTGGGCAGAGGCCTAAACATCGCCCTGGTGA
ATGGAACCACGGGAGCTGTGCTGGGACAGAAGGCATTTGACATGTACTCTGGAGATGTTATGC
ACCTAGTGAAATTCCTTAAAGAAATTCCGGGGGGTGCCTGGTGCTGGTGGCCTCCTACGACG
ATCCAGGGACCAAAATGAACGATGAAAGCAGGAACTCTTCTCTGACTTGGGGAGTTCCTACG
CAAAACAACCTGGGCTTCCGGGACAGCTGGGTCTTCATAGGAGCCAAAGACCTCAGGGGTAAAA
GCCCCCTTTGAGCAGTTCTTAAAGAACAGCCAGACACAAACAAATACGAGGGATGGCCAGAGC
TGCTGGAGATGGAGGGCTGCATGCCCCGAAGCCATTTTAGGGTGGCTGTGGCTCTTCCTCAG
CCAGGGGCCTGAAGAAGCTCCTGCCTGACTTAGGAGTCAGAGCCCGGCAGGGGCTGAGGAGGA
GGAGCAGGGGGTGTGCGTGGAAGGTGCTGCAGGTCCTTGACGCTGTGTGCGCCTCTCCTC
CTCGGAAACAGAACCCTCCACAGCACATCCTACCCGGAAGACCAGCCTCAGAGGGTCCTTCT
GGAACCAGCTGTCTGTGGAGAGAATGGGGTGCTTTCGTCAGGGACTGCTGACGGCTGGTCCTG
AGGAAGGACAACTGCCAGACTTGAGCCCAATTAAATTTTATTTTGTGTTTTGAAAAAA
AAAAAAAAAAAAAA

460/550

FIGURE 460

MRVSGVLRLLALIFAIVTTWMFIRSYSFSMKTIRLPRWLAASPTKEIQVKKYKCGLIKPCPA
NYFAFKICSGAANVVGPTMCFEDRMIMSPVKNNVGRGLNIALVNGTTGAVLGQKAFDMYSGDV
MHLVKFLKEIPGGALVLVASYDDPGTKMNDESRKLFSDLGSSYAKQLGFRDSWVFIGAKDLRG
KSPFEQFLKNSPDTNKEYEGWPELLEMEGCMPPKPF

Important features:

Signal peptide:

amino acids 1-15

ATP/GTP-binding site motif A (P-loop).

amino acids 184-191

N-glycosylation site.

amino acids 107-110

461/550

FIGURE 461

AAACTCAGCACTTGCCGGAGTGGCTCATTGTTAAGACAAAGGGTGTGCACTTCCTGGCCAGGA
AACCTGAGCGGTGAGACTCCCAGCTGCCTACATCAAGGCCCCAGGACATGCAGAACCTTCCTC
TAGAACCCGACCCACCACCATGAGGTCTGCCTGTGGAGATGCAGGCACCTGAGCCAAGGCGT
CCAGTGGTCTTGCTTCTGGCTGTCTGGTCTTCTTTCTCTTCGCCTTGCCCTCTTTTATTAA
GGAGCCTCAAACAAAGCCTTCCAGGCATCAACGCACAGAGAACATTAAAGAAAGGTCTCTACA
GTCCCTGGCAAAGCCTAAGTCCCAGGCACCCACAAGGGCGAGGAGGACAACCATCTATGCAGA
GCCAGCGCCAGAGAACAATGCCCTCAACACACAAACCCAGCCCAAGGCCACACCACCGGAGA
CAGAGGAAAGGAGGCCAACCAGGCACCGCCGGAGGAGCAGGACAAGGTGCCCCACACAGCACA
GAGGGCAGCATGGAAGAGCCCAGAAAAAGAGAAAAACCATGGTGAACACACTGTCACCCAGAGG
GCAAGATGCAGGGATGGCCTCTGGCAGGACAGAGGCACAATCATGGAAGAGCCAGGACACAAA
GACGACCCAAAGGAAATGGGGGCCAGACCAGGAAGCTGACGGCCTCCAGGACGGTGTGAGAGAA
GCACCAGGGCAAAGCGGCAACCACAGCCAAGACGCTCATTCCCAAAGTCAGCACAGAATGCT
GGCTCCACAGGAGCAGTGTCAACAAGGACGAGACAGAAAGGAGTGACCACAGCAGTCATCCC
ACCTAAGGAGAAGAAACCTCAGGCCACCCACCCCTGCCCTTTCCAGAGCCCCACAGCGCA
GAGAAACCAAAGACTGAAGGCCGCCAATTCAAATCTGAGCCTCGGTGGGATTTTGAGGAAAA
ATACAGCTTCGAAATAGGAGGCCCTCAGACGACTTGCCCTGACTCTGTGAAGATCAAAGCCTC
CAAGTCGCTGTGGCTCCAGAAACTCTTTCTGCCCAACCTCACTCTCTTCTGGACTCCAGACA
CTTCAACCAGAGTGAGTGGGACCGCCTGGAACACTTTGCACCACCCTTTGGCTTCATGGAGCT
CAACTACTCCTTGGTGCAGAAGGTGCTGACACGCTTCCCTCCAGTGCCCCAGCAGCAGCTGCT
CCTGGCCAGCCTCCCCGCTGGGAGCCTCCGGTGCATCACCTGTGCCGTGGTGGGCAACGGGGG
CATCCTGAACAACTCCCATGAGGCCAGGAGATAGACAGTCACGACTACGTGTTCCGATTGAG
CGGAGCTCTCATTAAAGGCTACGAACAGGATGTGGGGACTCGGACATCCTTCTACGGCTTTAC
CGCCTTCTCCCTGACCCAGTCACCTCCTTATATTGGGCAATCGGGGTTTCAAGAACGTGCCTCT
TGGGAAGGACGTCCGCTACTTGCACTTCCCTGGAAGGCACCCGGGACTATGAGTGGCTGGAAGC
ACTGCTTATGAATCAGACGGTGATGTCAAAAAACCTTTTCTGGTTCAGGCACAGACCCAGGA
AGCTTTTCGGGAAGCCCTGCACATGGACAGGTACCTGTTGCTGCACCCAGACTTTCTCCGATA
CATGAAGAACAGGTTTCTGAGGTCTAAGACCCTGGATGGTGCCCACTGGAGGATATACCGCCC
CACCCTGGGGCCCTCCTGCTGCTCACTGCCCTTCAGCTCTGTGACCAGGTGAGTGCTTATGG
CTTCATCACTGAGGGCCATGAGCGCTTTTCTGATCACTACTATGATACATCATGGAAGCGGCT
GATCTTTTACATAAACCATGACTTCAAGCTGGAGAGAGAAGTCTGGAAGCGGCTACACGATGA
AGGGATAATCCGGCTGTACCAGCGTCCTGGTCCCGGAACTGCCAAAGCCAAGAACTGAACCGGG
GCCAGGGCTGCCATGGTCTCCTTGCTGCTCCAAGGCACAGGATACAGTGGGAATCTTGAGAC
TCTTTGGCCATTTCCCATGGCTCAGACTAAGCTCCAAGCCCTTCAGGAGTTCCAAGGGAACAC
TTGAACCATGGACAAGACTCTCTCAAGATGGCAAATGGCTAATTGAGGTCTGAAGTTCTTCA
GTACATTGCTGTAGGTCTGAGGCCAGGGATTTTAAATTAAATGGGGTGATGGGTGGCCAATA
CCACAATTCTGCTGAAAAAACACTCTTCCAGTCCAAAAGCTTCTTGATACAGAAAAAAGAGCC
TGGATTTACAGAAACATATAGATCTGGTTTGAATTCCAGATCGAGTTTACAGTTGTGAAATCT
TGAAGGTATTACTTAACTTCACTACAGATTGTCTAGAAGACCTTTCTAGGAGTTATCTGATTC
TAGAAGGGTCTATACTTGTCTTGAAGCTATTTGACAACTCTACGTGTTGTAGAAAAC
TGATAATAATACAAATGATTGTTGTCCATGGAAAGGCAAATAAATTTTCTACAGTGAAAAAA
AAAAAAA

462/550

FIGURE 462

MRSCWRCRHL SQGVQWSLL LAVLVFFLFALPSFIKEPQTKPSRHQRTENIKERSLQSLAKPK
SQAPTRARRTTIYAEPAPENNALNTQTQPKAHTTGDRGKEANQAPPEEQDKVPHTAQRAAWKS
PEKEKTMVNTLS PRGQDAGMASGRTEAQSWKSQDTKTTQGNGGQTRKLTASRTVSEKHQGKAA
TTAKTLIPKSQHRMLAPTGA VSTRTRQKGVTTAVIPPEKKPQATPPPAPFQSPTTQRNQRLK
AANFKSEPRWDFEEKYSFEIGGLQTTCPDSVKIKASKSLWLQKLFLPNLTLFLDSRHFNQSEW
DRLEHFAPPFGFMELNYSLVQKVVTFRPPVPQQQLLLASLPAGSLRCITCAVVGNGGILNNSH
MGQEIDSHDYVFRLSGALIKGYEQDVGTRTSFYGFATFSLTQSLILGNRGFKNVPLGKDVRV
LHFLEGTROYEWLEALLMNQTVMSKNLFWFRHRPQEA FREALHMDRYLLHPDFLR YMKNRFL
RSKTL DGAHWRIYRPTTGALLLLTALQLCDQVSAYGFITEGHERFSDHYDTSWKRLIFYINH
DFKLEREVWKRLHDEGIIRLYQRPGPGTAKAKN

Important features:**Cytoplasmic Domain:**

amino acids 1-10

Type II Transmembrane Domain:

amino acids 11-35

Lumenal catalytic Domain:

amino acids 36-600

Ribonucleotide Reductase small subunit Signature:

amino acids 481-496

N-glycosylation Sites:

amino acids 300-303, 311-314, 331-334, 375-378, 460-463

463/550

FIGURE 463

GGGGGAGCTAGGCCGGCGGCAGTGGTGGTGGCGGCGGCGCAAGGGTGAGGGCGGCCCCAGAAC
CCCAGGTAGGTAGAGCAAGAAGATGGTGTCTTCTGCCCCCTCAAATGGTCCCTTGCAACCATGTC
ATTTCTACTTTTCTCACTGTTGGCTCTCTTAACCTGTGTCCACTCCTTCATGGTGTGAGAGCAC
TGAAGCATCTCCAAAACGTAGTGATGGGACACCATTTCTTGGAAATAAAATACGACTTCTCTG
GTACGTATCCCAGTTCATTATGATCTCTTGATCCATGCAAACCTTACCACGCTGACCTTCTG
GGGAACCACGAAAGTAGAAATCACAGCCAGTCAGCCCCACCAGCACCATCATCCTGCATAGTCA
CCACCTGCAGATATCTAGGGCCACCCTCAGGAAGGGAGCTGGAGAGAGGGCTATCGGAAGAACC
CCTGCAGGTCTTGGAAACACCCCCCTCAGGAGCAAAATTGCACTGCTGGCTCCCGAGCCCCCTCT
TGTCGGGCTCCCGTACACAGTTGTCACTTACTATGCTGGCAATCTTTCGGAGACTTTCCACGG
ATTTTACAAAAGCACCTACAGAACCAAGGAAGGGGAAGTGGAGTACTAGCATCAACACAATT
TGAACCCACTGCAGCTAGAATGGCCTTTCCCTGCTTTGATGAACCTGCCTTCAAAGCAAGTTT
CTCAATCAAAATTAGAAGAGAGCCAAAGGCATAGCCATCTCCAATATGCCATTGGTGAAATC
TGTGACTGTTGCTGAAGGACTCATAGAAGACCATTTTGTGATGTCAGTGTGAAGATGAGCAGCTA
TCTGGTGGCCTTCATCATTTTCAAGTTTTGAGTCTGTGAGCAAGATAACCAAGAGTGGAGTCAA
GGTTTCTGTTTATGCTGTGCCAGACAAGATAAAATCAAGCAGATTATGCACTGGATGCTGGCGT
GACTCTTCTAGAATTTTATGAGGATTATTTTCAAGTATACCGTATCCCTTACCCAAACAAGATCT
TGCTGCTATTCCCGACTTTCAGTCTGGTGTCTATGGAAAAGTGGGGACTGACAACATATAGAGA
ATCTGCTCTGTTGTTTGTATGCAGAAAAGTCTTCTGCATCAAGTAAGCTTGGCATCACAGTGAC
TGTGGCCCATGAACTGGCCCAACAGTGGTGGTGGGAACTGGTCACTATGGAATGGTGGAAATGA
TCTTTGGCTAAATGAAGGATTTGCCAAATTTTATGGAGTTTGTGTCTGTCACTGTGACCCATCC
TGAACCTGAAAGTTGGAGATTATTTCTTTGGCAAATGTTTTGACGCAATGGAGGTAGATGCTTT
AAATTCCTCACACCCTGTGTCTACACCTGTGGAAAATCCTGCTCAGATCCGGGAGATGTTTGA
TGATGTTTCTTTATGATAAGGGAGCTTGATTTCTGAATATGCTAAGGGAGTATCTTAGCGCTGA
CGCATTTAAAAGTGGTATTGTACAGTATCTCCAGAAGCATAGCTATAAAAAATACAAAAACGA
GGACCTGTGGGATAGTATGGCAAGTATTTGCCCTACAGATGGTGTAAAAGGGATGGATGGCTT
TTGCTCTAGAAGTCAACATTCATCTTCACATTGGCATCAGGAAGGGGTGGATGTGAA
AACCATGATGAACACTTGGACACTGCAGAGGGGTTTTCCCTAATAACCATCACAGTGAGGGG
GAGGAATGTACACATGAAGCAAGAGCACTACATGAAGGGCTCTGACGGCGCCCCGGACACTGG
GTACCTGTGGCATGTTCCATTGACATTCATCACCAGCAAATCCAACATGGTCCATCGATTTTT
GCTAAAAACAAAAACAGATGTGCTCATCCTCCAGAAAGAGGTGGAATGGATCAAATTTAATGT
GGGCATGAATGGCTATTACATTGTGCATTACGAGGATGATGGATGGGACTCTTTGACTGGCCT
TTTAAAAGGAACACACACAGCAGTCAGCAGTAATGATCGGGCAAGTCTCATTAACAATGCATT
TCAGCTCGTCAGCATTGGGAAGCTGTCCATTGAAAAGGCCTTGGATTTATCCCTGTACTTGAA
ACATGAAACTGAAATTATGCCCGTGTTCAGGTTTGAATGAGCTGATTCCCTATGTATAAGTT
AATGGAGAAAAGAGATATGAATGAAGTGGAAACTCAATTCAAGGCCTTCCCTCATCAGGCTGCT
AAGGGACCTCATTGATAAGCAGACATGGACAGACGAGGGCTCAGTCTCAGAGCAAATGCTGCG
GAGTGAACCTACTACTCCTCGCCTGTGTGCACAACATATCAGCCGTGCGTACAGAGGGCAGAAAGG
CTATTTTCAAGAAAGTGGAAAGGAATCCAATGGAAACTTGAGCCTGCCTGTGACGTGACCTTGGC
AGTGTGTTGCTGTGGGGGCCAGAGCACAGAAGGCTGGGATTTTCTTTATAGTAAATATCAGTT
TTCTTTGTCCAGTACTGAGAAAAGCCAAATTGAATTTGCCCTCTGCAGAACCCAAAATAAGGA
AAAGCTTCAATGGCTACTAGATGAAAGCTTTAAGGGAGATAAAATAAAACTCAGGAGTTTCC
ACAAATTCTTACACTCATTGGCAGGAACCCAGTAGGATACCCACTGGCCTGGCAATTTCTGAG
GAAAAACTGGAACAAACTTGTACAAAAGTTGAACTTGGCTCATCTTCCATAGCCACATGGT
AATGGGTACAACAAATCAATTCTCCACAAGAACACGGCTTGAAGAGGTAAAAGGATTCTTCAG
CTCTTTGAAAAGAAAATGGTTCTCAGTCCGTTGTGTCCAACAGACAATTGAAACCATGGAAGA
AAACATCGGTTGGATGGATAAGAATTTTGATAAAATCAGAGTGTGGCTGCAAAGTGAAAAGCT
TGAACGTATGTAATAATTCCTCCCTTGCCCGGTTCTGTATCTCTAATCACCACATTTTGT
TGAGTGTATTTTCAAACCTAGAGATGGCTGTTTTGGCTCCAACCTGGAGATACTTTTTTCCCTTC
AACTCATTTTTTGAATATCCCTGTGAAAAGAAATAGCTGTTAGTTTTTTCATGAATGGGCTTTTT
CATGAATGGGCTATCGCTACCATGTGTTTTGTTTCATCACAGGTGTGCCCCTGCAACGTAAACC
CAAGTGTGGGTTCCCTGCCACAGAAGAATAAAGTACCTTATTCTTCTCAAAAAAAAAAAAAA
AAAAAAAAAAAAA

464/550

FIGURE 464

MVFLPLKWSLATMSFLLSSLLALLTVSTPSWCQSTEASPKRSDGTPFPWNKIRLPEYVIPVHY
DLLIHANLTTLTFWGTTKVEITASQPTSTIILHSHHLQISRATLRKGAGERLSEEPLQVLEHP
PQEQIALLAPEPLLVLGYPTVVIHYAGNLSETFHGFYKSTYRTKEGELRILASTQFEPTAARM
AFPCFDEPAFKASF SIKIRREPRHLAISNMPLVKSVTVAEGLIEDHFDVTVKMSTYLVAFIIS
DFESVSKITKSGVKVSVYAVPDKINQADYALDAAVTLLFEYEDYFSIPYPLPKQDLAAIPDFQ
SGAMENWGLTTYRESALLFDAEKSSASSKLGITVTVAHELHQWFGNLVTMEWWNDLWLNELG
AKFMEFVSVSVTHPELVGDYFFGKCFDAMEVDALNSSHPVSTPVENPAQIREMFDDVSYDKG
ACILNMLREYLSADAFKSGIVQYLQKHSYKNTKNEDLWDSMASICPTDGVKGMDFGCSRSQHS
SSSSHWHQEGVDVKMTMMNTWTLQRGFPLITITVRGRNVHMKQEHYMKGSDGAPDTGYLWHVPL
TFITSKSNMVHREFLLKTKTDVLILPEEVEWIKFNVGMNGYYIVHYEDDGWDSLTGLLKGTHTA
VSSNDRASLINNAFQLV SIGKLSIEKALDLSLYLKHETEIMPVFQGLNELIPMYKLMEKRDMN
EVETQFKAFLIRLLRLDIDKQWTWDEGSVSEQMLRSELLLLACVHNYQPCVQRAEGYFRKWKE
SNGNLSLPVDVTLAVFAVGAQSTEGWDFLYSKYQFSLSSSTEKSQIEFALCRTQNKEKLQWLLD
ESFKGDKIKTQEFQPQILT LIGRNPVGYPLAWQFLRKNWNKLQVKFELGSSSIAHMVMGTTNQF
STRTRLEEVKGFFSSLKENGSQLRCVQQTITETIEENIGWMDKNFDKIRVWLQSEKLERM

Important features:**Signal peptide:**

amino acids 1-34

N-glycosylation sites:

amino acids 70-74, 154-158, 414-418, 760-764, 901-905

Neutral zinc metallopeptidases, zinc-binding region signature:

amino acids 350-360

465/550

FIGURE 465

CAGCCACAGACGGGTC**ATG**AGCGGGTATTACTGCTGGCCCTCCTGGGGTTCATCCTCCCACT
GCCAGGAGTGCAGGCGCTGCTCTGCCAGTTTGGGACAGTTCAGCATGTGTGGAAGGTGTCCGA
CCTACCCCGGCAATGGACCCCTAAGAACACCAGCTGCGACAGCGGCTTGGGGTGCCAGGACAC
GTTGATGCTCATTGAGAGCGGACCCCAAGTGAGCCTGGTGCTCTCCAAGGGCTGCACGGAGGC
CAAGGACCAGGAGCCCCGCGTCACTGAGCACCAGGATGGGCCCCGGCCTCTCCCTGATCTCCTA
CACCTTCGTGTGCCGCCAGGAGGACTTCTGCAACAACCTCGTTAACTCCCTCCCGCTTTGGGC
CCCACAGCCCCCAGCAGACCCAGGATCCTTGAGGTGCCCAGTCTGCTTGTCTATGGAAGGCTG
TCTGGAGGGGACAACAGAAGAGATCTGCCCAAGGGGACCACACACTGTTATGATGGCCTCCT
CAGGCTCAGGGGAGGAGGCATCTTCTCCAATCTGAGAGTCCAGGGATGCATGCCCCAGCCAGG
TTGCAACCTGCTCAATGGGACACAGGAAATTGGGCCCCGTGGGTATGACTGAGAACTGCAATAG
GAAAGATTTTCTGACCTGTCATCGGGGGACCACCATTATGACACACGGAAACTTGGCTCAAGA
ACCCACTGATTGGACCACATCGAATACCGAGATGTGCGAGGTGGGGCAGGTGTGTCAGGAGAC
GCTGCTGCTCATAGATGTAGGACTCACATCAACCCTGGTGGGGACAAAAGGCTGCAGCACTGT
TGGGGCTCAAATTTCCAGAAGACCACCATCCACTCAGCCCCTCCTGGGGTGCTTGTGGCCTC
CTATACCCACTTCTGCTCCTCGGACCTGTGCAATAGTGCCAGCAGCAGCAGCGTTCTGCTGAA
CTCCCTCCCTCCTCAAGCTGCCCCTGTCCCAGGAGACCGGCAGTGTCTTACCTGTGTGCAGCC
CCTTGGAACCTGTTCAAGTGGCTCCCCCGAATGACCTGCCCCAGGGGCGCCACTCATTGTTA
TGATGGGTACATTCATCTCTCAGGAGGTGGGCTGTCCACCAAATGAGCATTCAAGGCTGCGT
GGCCCAACCTTCCAGCTTCTTGTGAACCACACCAGACAAATCGGGATCTTCTCTGCGCGTGA
GAAGCGTGATGTGCAGCCTCCTGCCTCTCAGCATGAGGGAGGTGGGGCTGAGGGCCTGGAGTC
TCTCACTTGGGGGGTGGGGCTGGCACTGGCCCCAGCGCTGTGGTGGGGAGTGGTTTGCCCTTC
CTGCT**TAA**CTCTATTACCCCCACGATTCTTCACCGCTGCTGACCACCCACACTCAACCTCCCTC
TGACCTCATAACCTAATGGCCTTGGACACCAGATTCTTTCCATTCTGTCCATGAATCATCTT
CCCCACACACAATCATTCATATCTACTCACCTAACAGCAACACTGGGGAGAGCCTGGAGCATC
CGGACTTGCCCTATGGGAGAGGGGACGCTGGAGGAGTGGCTGCATGTATCTGATAATACAGAC
CCTGTCCTTTCA

466/550

FIGURE 466

MSAVLLLALLGFILPLPGVQALLCQFGTVQHVKVSDLPQWTPKNTSCDSGLGCQDTLMLIE
SGPQVSLVLSKGCTEAKDQEPRVTEHRMGPGLSLISYTFVCRQEDFCNNLVNSLPLWAPQPPA
DPGSLRCPVCLSMEGCLEGTTEEICPKGTTHCYDGLLRRLRGGGIFSNLRVQGCMPPQPGCNLLN
GTQEIGPVGMTENCNRKDFLTCHRGTTIMTHGNLAQEPTDWTTSENTEMCEVGQVCQETLLID
VGLTSTLVGKGCSTVGAQNSQKTTIHSAPPGVLVASYTHFCSSDLCNSASSSSVLLNSLPPQ
AAPVPGDRQCPTCVQPLGTCSSGSPRMTCPRGATHCYDGYIHLSGGGLSTKMSIQGCVAQPSS
FLLNHTRQIGIFSAREKRDVQPPASQHEGGGAEGLES LTWGVGLALAPALWWGVVCPSC

467/550

FIGURE 467

GAGGATTTGCCACAGCAGCGGATAGAGCAGGAGAGCACCACCGGAGCCCTTGAGACATCCTTG
AGAAGAGCCACAGCATAAGAGACTGCCCTGCTTGGTGTGTTTGCAGGATGATGGTGGCCCTTCG
AGGAGCTTCTGCATTGCTGGTTCTGTTCTTGCAGCTTTTCTGCCCCGCCGAGTGTACCCA
GGACCCAGCCATGGTGCATTACATCTACCAGCGCTTTCGAGTCTTGGAGCAAGGGCTGGAAAA
ATGTACCCAAGCAACGAGGGCATAACATTCAAGAATCCAAGAGTTCTCAAAAAATATATCTGT
CATGCTGGGAAGATGTCAGACCTACACAAGTGAGTACAAGAGTGCAGTGGGTAACCTGGCACT
GAGAGTTGAACGTGCCCCAACGGGAGATTGACTACATAACAATACCTTCGAGAGGCTGACGAGTG
CATCGTATCAGAGGACAAGACACTGGCAGAAATGTTGCTCCAAGAAGCTGAAGAAGAGAAAAA
GATCCGGACTCTGCTGAATGCAAGCTGTGACAACATGCTGATGGGCATAAAGTCTTTGAAAAA
AGTGAAGAAGATGATGGACACACATGGCTCTTGGATGAAAGATGCTGTCTATAACTCTCCAAA
GGTGTACTTATTAATTGGATCCAGAAACAACACTGTTTGGGAATTTGCAAACATACGGGCATT
CATGGAGGATAACACCAAGCCAGCTCCCCGGAAGCAAATCCTAACACTTTCTGGCAGGGAAC
AGGCCAAGTGATCTACAAAGGTTTTCTATTTTTTTCATAACCAAGCAACTTCTAATGAGATAAT
CAATATAACCTGCAGAAGAGGACTGTGGAAGATCGAATGCTGCTCCAGGAGGGGTAGGCCG
AGCATTGGTTTTACCAGCACTCCCCCTCAACTTACATTGACCTGGCTGTGGATGAGCATGGGCT
CTGGGCCATCCACTCTGGGCCAGGCACCCATAGCCATTTGGTTCTCACAAAGATTGAGCCGGG
CACACTGGGAGTGGAGCATTGATGGGATACCCCATGCAGAAGCCAGGATGCTGAAGCCTCATT
CCTCTTGTGTGGGGTTCTCTATGTGGTCTACAGTACTGGGGGCCAGGGCCCTCATCGCATCAC
CTGCATCTATGATCCACTGGGCACTATCAGTGAGGAGGACTTGCCCAACTTGTCTTCCCCAA
GAGACCAAGAAGTCACTCCATGATCCATTACAACCCCAAGAGATAAGCAGCTCTATGCCTGGAA
TGAAGGAAACCAGATCATTACAAACTCCAGACAAAGAGAAAGCTGCCTCTGAAGTAAATGCAT
TACAGCTGTGAGAAAGAGCACTGTGGCTTTGGCAGCTGTTCTACAGGACAGTGAGGCTATAGC
CCCTTCACAATATAGTATCCCTCTAATCACACACAGGAAGAGTGTGTAGAAGTGGAAATACGT
ATGCCTCCTTTCCCAAATGTCACTGCCTTAGGTATCTTCCAAGAGCTTAGATGAGAGCATATC
ATCAGGAAAGTTTCAACAATGTCCATTACTCCCCAAACCTCCTGGCTCTCAAGGATGACCAC
ATTCTGATACAGCCTACTTCAAGCCTTTTGTGTTTACTGCTCCCCAGCATTACTGTAACCTG
CCATCTTCCCTCCCACAATTAGAGTTGTATGCCAGCCCCAATATTACCACTGGCTTTTCTC
TCCCCTGGCCTTTGCTGAAGCTCTTCCCTCTTTTCAAATGTCTATTGATATTCTCCATTTT
CACTGCCCCAACTAAAATACTATTAATATTTCTTTCTTTTCTTTTCTTTTGTGAGACAAGGT
CTCACTATGTTGCCAGGCTGGTCTCAAACCTCCAGAGCTCAAGAGATCCTCCTGCCTCAGCCT
CCTAAGTACCTGGGATTACAGGCATGTGCCACCACACCTGGCTTAAAATACTATTTCTTATTG
AGGTTTAACTCTATTTCCCTAGCCCTGTCCTTCCACTAAGCTTGGTAGATGTAATAATAAA
GTGAAATATTAACATTTGAATATCGCTTTCCAGGTGTGGAGTGTGTCACATCATTGAATTC
TCGTTTACCTTTGTGAAACATGCACAAGTCTTTACAGCTGTCATTCTAGAGTTTAGGTGAGT
AACACAATTACAAAGTGAAAGATACAGCTAGAAAATACTACAAATCCCATAGTTTTTCCATTG
CCCAAGGAAGCATCAAATACGTATGTTGTTTACCTACTCTTATAGTCAATGCGTTTCATCGTT
TCAGCCTAAAAATAATAGTCTGTCCCTTTAGCCAGTTTTTCTGTCTGCACAAGACCTTTCAAT
AGGCCTTTCAAATGATAATTCCTCCAGAAAACAGTCTAAGGGTGAGGACCCCAACTCTAGCC
TCCTCTTGTCTTGCTGTCTCTGTTTCTCTTTCTGCTTTAAATTCAATAAAAGTGACACTG
AGCAAAAAAAAAAAAAA

468/550

FIGURE 468

MMVALRGASALLVLFLLAFLPPPQCTQDPAMVHYIYQRFVLEQGLEKCTQATRAYIQEFQEF
SKNISVMLGRCQTYTSEYKSAVGNLALRVERAQREIDYIQYLREADECIVSEDKTLAEMLLQE
AEEKKIRTLLNASCDNMLMGIKSLKIVKKMMDTHGSMKDAVYNSPKVYLLIGSRNNTVWEF
ANIRAFMEDNTKPAPRKQILTLWQGTGQVIYKGFLEFFHNQATSNEIIKYNLQKRTVEDRMLL
PGGVGRALVYQHSPSTYIDLAVDEHGLWAIHSGPGTHSHLVLTKEPGTLGVEHSWDTPCRSQ
DAEASFLLCGVLYVVYSTGGQGPFRITCIYDPLGTISEEDLPNLFFPKRPRSHSMIHYNPRDK
QLYAWNEGNQIIYKLQTKRKLPLK

469/550

FIGURE 469

TGGCCTCCCCAGCTTGCCAGGCACAAGGCTGAGCGGGAGGAAGCGAGAGGCATCTAAGCAGGC
AGTGTTTTGCCTTCACCCCAAGTGACCATGAGAGGTGCCACGCGAGTCTCAATCATGCTCCTC
CTAGTAACTGTGTCTGACTGTGCTGTGATCACAGGGGCCTGTGAGCGGGATGTCCAGTGTGGG
GCAGGCACCTGTGTGCCATCAGCCTGTGGCTTCGAGGGCTGCGGATGTGCACCCCGCTGGGG
CGGGAAGGCGAGGAGTGCCACCCCGGCAGCCACAAGGTCCCCTTCTTCAGGAAACGCAAGCAC
CACACCTGTCCTTGCTTGCCCAACCTGCTGTGCTCCAGGTTCCCGGACGGCAGGTACCGCTGC
TCCATGGACTTGAAGAACATCAATTTTTAGGCGCTTGCTGGTCTCAGGATACCCACCATCCT
TTTCCTGAGCACAGCCTGGATTTTTATTCTGCCATGAAACCCAGCTCCCATGACTCTCCAG
TCCCTACACTGACTACCTGATCTCTTGTCTAGTACGCACATATGCACACAGGCAGACATA
CCTCCCATCATGACATGGTCCCCAGGCTGGCCTGAGGATGTCACAGCTTGAGGCTGTGGTGTG
AAAGGTGGCCAGCCTGGTTCTCTTCCCTGCTCAGGCTGCCAGAGAGGTGGTAAATGGCAGAAA
GGACATTCCCCCTCCCCTCCCCAGGTGACCTGCTCTCTTTCCTGGGCCCTGCCCCCTCTCCCCA
CATGTATCCCTCGGTCTGAATTAGACATTCCCTGGGCACAGGCTCTTGGGTGCATTGCTCAGAG
TCCCAGGTCTGGCCTGACCCTCAGGCCCTTCACGTGAGGTCTGTGAGGACCAATTTGTGGGT
AGTTCATCTTCCCTCGATTGGTTAACTCCTTAGTTTCAGACCACAGACTCAAGATTGGCTCTT
CCCAGAGGGCAGCAGACAGTCACCCCAAGGCAGGTGTAGGGAGCCAGGGAGGCCAATCAGCC
CCCTGAAGACTCTGGTCCCAGTCAGCCTGTGGCTTGTGGCCTGTGACCTGTGACCTTCTGCCA
GAATTGTCATGCCTCTGAGGCCCTCTTACCACACTTTACCAGTTAACCCTGAAGCCCCCA
ATTCCCACAGCTTTTCCATTAAATGCAATGGTGGTGGTTCAATCTAATCTGATATTGACAT
ATTAGAAGGCAATTAGGGTGTTCCTTAAACAACCTCTTCCAAGGATCAGCCCTGAGAGCAG
GTTGGTGACTTTGAGGAGGGCAGTCCTCTGTCCAGATTGGGGTGGGAGCAAGGGACAGGGAGC
AGGGCAGGGGCTGAAAGGGGCACTGATTAGACCAGGGAGGCAACTACACACCAACATGCTGG
CTTTAGAATAAAAGCACCAACTGAAAAA

470/550

FIGURE 470

MRGATRVSIMLLLVTVSDCAVITGACERDVQCGAGTCCAISLWLRGLRMCTPLGREGECHPG
SHKVPFFRKRKHHTCPCLPNLLCSRFPDGRYRCSMDLKNINF

Important feratures:

Signal peptide:

amino acids 1-19

Tyrosine kinase phosphorylation site:

amino acids 88-95

N-myristoylation sites:

amino acids 33-39, 35-41, 46-52

471/550

FIGURE 471

AGCGCCCGGGCGTCGGGGCGGTAAAAGGCCGGCAGAAGGGAGGCACTTGAGAAATGTCCTTTCC
TCCAGGACCCAAGTTTCTTACCATGGGGATGTGGTCCATTGGTGCAGGAGCCCTGGGGGCTG
CTGCCTTGGCATTGCTGCTTGCCAACACAGACGTGTTTCTGTCCAAGCCCCAGAAAGCGGCC
TGGAGTACCTGGAGGATATAGACCTGAAAACACTGGAGAAGGAACCAAGGACTTTCAAAGCAA
AGGAGCTATGGGAAAAAATGGAGCTGTGATTATGGCCGTGCGGAGGCCAGGCTGTTTCCTCT
GTCGAGAGGAAGCTGCGGATCTGTCCTCCCTGAAAAGCATGTTGGACCAGCTGGGCGTCCCC
TCTATGCAGTGGTAAAGGAGCACATCAGGACTGAAGTGAAGGATTTCCAGCCTTATTTCAAAG
GAGAAATCTTCTGGATGAAAAGAAAAAGTTCTATGGTCCACAAAGGCGGAAGATGATGTTTA
TGGGATTTATCCGTCTGGGAGTGTGGTACAACCTTCTCCGAGCCTGGAACGGAGGCTTCTCTG
GAAACCTGGAAGGAGAAGGCTTCATCCTTGGGGGAGTTTTCGTGGTGGGATCAGGAAAGCAGG
GCATTCTTCTTGAGCACCGAGAAAAAGAATTTGGAGACAAAGTAAACCTACTTTCTGTTCTGG
AAGCTGCTAAGATGATCAAACCACAGACTTTGGCCTCAGAGAAAAAATGATTGTGTGAAACTG
CCCAGCTCAGGGATAACCAGGGACATTCACCTGTGTTTCATGGGATGTATTGTTTCCACTCGTG
TCCCTAAGGAGTGAGAAACCCATTTATACTCTACTCTCAGTATGGATTATTAATGTATTTTAA
TATTCTGTTTAGGCCCCACTAAGGCAAAATAGCCCCAAACAAGACTGACAAAAATCTGAAAAA
CTAATGAGGATTATTAAGCTAAAACCTGGGAAATAGGAGGCTTAAAATTGACTGCCAGGCTGG
GTGCAGTGGCTCACACCTGTAATCCCAGCACTTTGGGAGGCCAAGGTGAGCAAGTCACTTGAG
GTCGGGAGTTCGAGACCAGCCTGAGCAACATGGCGAAACCCGTCTCTACTAAAAATACAAAA
ATCACCCGGGTGTGGTGGCAGGCACCTGTAGTCCCAGCTACCCGGGAGGCTGAGGCAGGAGAA
TCACTTGAACCTGGGAGGTGGAGGTTGCGGTGAGCTGAGATCACACCACTGTATTCCAGCCTG
GGTGA CTGAGACTCTAACTAA

472/550

FIGURE 472

MSFLQDPSFFTGMWWSIGAGALGAAALALLLANTDVFLSKPQKALEYLEDIDLKTLEKEPRT
FKAKELWEKNGAVIMAVRRPGCFLCREEAADLSSLKSMLDQLGVPLYAVVKEHIRTEVKDFQP
YFKGEIFLDEKKKFYGPQRRKMMFMGFIRLGWYNFFRAWNGGFSGNLEGEFILGGVFVVG
GKQGILLEHREKEFGDKVNLLSVLEAAKMIKPQTLASEKK

473/550

FIGURE 473

AATATATCATCTATTTATCATTAATCAATAATGTATTCTTTTATTCCAATAACATTTGGGTTT
TGGGATTTTAATTTTCAAACACAGCAGAAATGACATTTTTCTGTCACTATTATTATTGTTGGT
ATGTGAAGCTATTTGGAGATCCAATTCAGGAAGCAACACATTGGAGAATGGCTACTTTCTATC
AAGAAATAAAGAGAACCACAGTCAACCCACACAATCATCTTTAGAAGACAGTGTGACTCCTAC
CAAAGCTGTCAAACCACAGGCAAGGGCATAGTTAAAGGACGGAATCTTGACTCAAGAGGGTT
AATTCTTGGTGCTGAAGCCTGGGGCAGGGGTGTAAAGAAAAACACTTAGATTCAATGATTGTA
AATTTAAGGCAAATACACATATTAGTATTACCTTAGTGTAATGTATCCCTGTCATATATACAA
TAAGGTGAAATTATAAGTACCCTATGCAGTTGGCTGGACAGTTCTAAATTGGACTTTATTAAT
TTTTAAATCAGTAACTGATTTATCACTGGCTATGTGCTTAGATCTACAGGAGATCATATAAT
TTGATACAAATAAAAGAAAAGTGTCTCTCCCTTACAGAATTGACATTTTAAATGCGATACA
GTTAGAATAGGAAATATGACATTAGAAAGGAAGAATGACAGGGAGAAAGGAAAGAAGGGAAAA
TGTTGCCAAGGAAAAAAAAA

474/550

FIGURE 474

MTFFLSLLLLLVCEAIWRSNSGSNTLENGYFLSRNKENHSQPTQSSLEDSVTPTKAVKTTGKG
IVKGRNLDSRGLILGAEAWGRGVKKNT

FIGURE 475

GACAGTTGAGGGCAGTGGAGAGGACCGCGCTGTCCTGCTGTACCAAGAGCTGGAGACACCAT
CTCCCACCGAGAGTCAATGGCCCCATTGGCCCTGCACCTCCTCGTCTCGTCCCCATCCTCCTC
AGCCTGGTGGCCTCCCAGGACTGGAAGGCTGAACGCAGCCAAGACCCCTTCGAGAAATGCATG
CAGGATCCTGACTATGAGCAGCTGCTCAAGGTGGTGACCTGGGGGCTCAATCGGACCCCTGAAG
CCCCAGAGGGTGATTGTGGTTGGCGCTGGTGTGGCCGGGCTGGTGGCCGCCAAGGTGCTCAGC
GATGCTGGACACAAGGTCACCATCCTGGAGGCAGATAACAGGATCGGGGGCCGCATCTTCACC
TACCGGGACCAGAACACGGGCTGGATTGGGGAGCTGGGAGCCATGCGCATGCCAGCTCTCAC
AGGATCCTCCACAAGCTCTGCCAGGGCCTGGGGCTCAACCTGACCAAGTTCACCCAGTACGAC
AAGAACACGTGGACGGAGGTGCACGAAGTGAAGCTGCGCAACTATGTGGTGGAGAAGGTGCCC
GAGAAGCTGGGCTACGCCTTGCGTCCCCAGGAAAAGGGCCACTCGCCCGAAGACATCTACCAG
ATGGCTCTCAACCAGGCCCTCAAAGACCTCAAGGCACTGGGCTGCAGAAAGGCGATGAAGAAG
TTTGAAAGGCACACGCTCTTGGAATATCTTCTCGGGGAGGGGAACCTGAGCCGGCCGGCCGTG
CAGCTTCTGGGAGACGTGATGTCCGAGGATGGCTTCTTCTATCTCAGCTTCGCCGAGGCCCTC
CGGGCCACAGCTGCCTCAGCGACAGACTCCAGTACAGCCGCATCGTGGGTGGCTGGGACCTG
CTGCCGCGCGCTGCTGAGCTCGCTGTCCGGGCTTGTGCTGTTGAACGCGCCCGTGGTGGCG
ATGACCCAGGGACCGCACGATGTGCACGTGCAGATCGAGACCTCTCCCCCGCGCGGAATCTG
AAGGTGCTGAAGGCCGACGTGGTGCTGCTGACGGCGAGCGGACCGGCGGTGAAGCGCATCACC
TTCTCGCCGCGCTGCCCCGCCACATGCAGGAGGCGCTGCGGAGGCTGCACTACGTGCCGGCC
ACCAAGGTGTTCTTAAGCTTCCGCAGGCCCTTCTGGCGCGAGGAGCACATTGAAGGCGGCCAC
TCAAACACCGATCGCCCGTCGCGCATGATTTTCTACCCGCGCCGCGCGAGGGCGCGCTGCTG
CTGGCCTCGTACACGTGGTGGACGCGGCGGCAGCGTTCGCCGGCTTGAGCCGGAAGAGGCG
TTGCGCTTGGCGCTCGACGACGTGGCGGCATTGCACGGGCCTGTCGTGCGCCAGCTCTGGGAC
GGCACCGGCGTCGTCAAGCGTTGGGCGGAGGACCAGCACAGCCAGGCTGGCTTTGTGGTACAG
CCGCCGGCGCTCTGGCAAACCGAAAAGGATGACTGGACGGTCCCTTATGGCCGCATCTACTTT
GCCGGCGAGCACACCGCCTACCCGCACGGCTGGGTGGAGACGGCGGTCAAGTCGGCGCTGCGC
GCCGCCATCAAGATCAACAGCCGGAAGGGGCTGCATCGGACACGGCCAGCCCCGAGGGGCAC
GCATCTGACATGGAGGGGAGGGGCATGTGCATGGGGTGGCCAGCAGCCCCCTCGCATGACCTG
GCAAAGGAAGAAGGCAGCCACCCCTCCAGTCCAAGGCCAGTTATCTCTCCAAAACACGACCCAC
ACGAGGACCTCGCATTAAAGTATTTTCGGAIAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAA

476/550

FIGURE 476

MAPLALHLLVLPILLSLVASQDWKAERSQDPFEKCMQDPDYEQLLKVVVTWGLNRTLKPQRVI
VVGAGVAGLVAAKVLSDAGHKVTILEADNRIGGRIFTYRDQNTGWIGELGAMRMPSSHRILHK
LCQGLGLNLTKFTQYDKNTWTEVHEVKLRNYVVEKVPEKLGALRPQEKGHSPEDIYQMALNQ
ALKDLKALGCRKAMKKFERHTLLEYLLGEGNLSRPAVQLLGDVMSDGGFFYLSFAEALRAHSC
LSDRLQYSRIVGGWDLPRALLSSLSGLVLLNAPVVAMTQGPHDVHVQIETSPPARNLKVLKA
DVVLLTASGPAVKRITFSPPLPRHMQEALRRLHYVPATKVFLSFRRPFWREEHIEGGHSNTDR
PSRMIFYPPPREGALLASYTWSDAFAAGLSREEALRLALDDVAALHGPVVRQLWDGTGVV
KRWAEHQHSQGGFVVQPPALWQTEKDDWTVPYGRIYFAGEHTAYPHGWVETAVKSALRAAIKI
NSRKGPDSTASPEGHASDMEGQGHVHGVASSPSHDLAKEEGSHPPVQGQLSLQNTTHTRTSH

Important features:**Signal peptide:**

amino acids 1-21

477/550

FIGURE 477

CTGACATGGCCTGACTCGGGACAGCTCAGAGCAGGGCAGAACTGGGGACACTCTGGGCCGGCCTTCTGCCTGCAT
GGACGCTCTGAAGCCACCCTGTCTCTGGAGGAACCACGAGCGAGGGAAGAAGGACAGGGACTCGTGTGGCAGGAA
GAACTCAGAGCCGGGAAGCCCCATTCACTAGAAAGCACTGAGAGATGCGGCCCCCTCGCAGGGTCTGAATTTCTT
GCTGCTGTTTCAAAAGATGCTTTTATCTTTAACTTTTGTGTTTCCCACTTCCGACCCCGGGCTTGATCTGCAT
CCTGACATTTGGAGCTGCCATCTTCTGTGGCTGATCACCAGACCTCAACCCGCTTACCTCTTCTTGACCTGAA
CAATCAGTCTGTGGGAATTGAGGGAGGAGCACGGAAGGGGTTTCCAGAAGAACAATGACCTAACAAAGTTGCTG
CTTCTCAGATGCCAAGACTATGTATGAGGTTTCCAAAGAGGACTCGCTGTGTCTGACAATGGGCCTGCTTGGG
ATATAGAAAACCAAACCAGCCCTACAGATGGCTATCTTACAAACAGGTGTCTGATAGAGCAGAGTACCTGGGTTC
CTGTCTCTTGACATAAAGGTTATAAATCATCACCAGACCACTTGTGCGCATCTTTGCTCAGAATAGGCCAGAGTG
GATCATCTCCGAATTGGCTTGTACACGTAATCTATGTTAGTGTACCTCTGTATGACACCTTGGGACCAAGC
CATCGTACATATTGTCAACAAGGCTGATATCGCCATGGTGATCTGTGACACACCCCAAGGCATTTGGTGCTGAT
AGGGAATGTAGAGAAAGGCTTACCCCGAGCCTGAAGGTGATCATCTTATGGACCCCTTTGATGATGACCTGAA
GCAAAGAGGGGAGAAGAGTGGAAATTGAGATCTTATCCCTATATGATGCTGAGAACCTAGGCAAGAGCACTTCA
AAAACCTGTGCTCTAGCCCAGAAGACCTGAGCGTATCTGCTTACCAGTGGGACCAAGGTGACCCAAAGG
AGCCATGATAACCCATCAAAATATGTTTCAAATGCTGCTGCCTTTCTCAAATGTGTGGAGCATGCTTATGAGCC
CACTCTGTGATGTGGCCATATCCTACCTCCCTCTGGCTCATATGTTTGAAGGATTGTACAGGCTGTTGTGTA
CAGCTGTGGAGCCAGAGTTGGATTCTTCCAAGGGATATTCGGTTGCTGGCTGACGACATGAAGACTTTGAAGCC
CACATTGTTTCCCGCGGTGCTCGACTCCTTAACAGGATCTACGATAAGGTACAAAATGAGGCCAAGACCCCTT
GAAGAAGTTCTTGTGAAGCTGGCTGTTTCCAGTAAATTCAAAGAGCTTCAAAGGGTATCATCAGGCATGATAG
TTTCTGGGACAAGCTCATCTTGTCAAAGATCCAGGACAGCCTGGGCGGAAGGGTTCTGTGTAATTGTCACTGGAGC
TGCCCCCATGTCCACTTCAGTCATGACATTCTTCCGGGACAGCAATGGGATGTCAAGGTGTATGAAGCTTATGGTCA
AACAGAATGCACAGGTGGCTGTACATTTACATTACCTGGGACTGGACATCAGGTACGTTGGGGTGCCCTGCG
TTGCAATTACGTGAAGCTGGAAGATGTGGCTGACATGAATACTTTACAGTGAATAATGAAGGAGAGGTCTGCAT
CAAGGGTACAAACGTGTTCAAAGGATACCTGAAGGACCTGAGAAGACACAGGAAGCCCTGGACAGTGTGGCTG
GCTTACACAGGAGACATTGGTCGCTGGCTCCCGAATGGAATCTGAAGATCATCGACCGTAAAAAGAACATTTT
CAAGCTGGCCCAAGGAGAATACATTGCACCAGAGAAGATAGAAAATATCTACAACAGGAGTCAACCACTTTACA
AATTTTGTACACGGGAGAGCTTACGGTCATCCTTAGTAGGAGTGGTGGTTCTGACACAGATGTACTTCCCTC
ATTTGCAGCCAAGCTTGGGGTGAAGGGCTCCTTTGAGGAACTGTGCCAAAACCAAGTTGTAAGGGAAGCCATTTT
AGAAGACTTGCAGAAAATTGGGAAAGAAAGTGGCCTTAAACTTTGAACAGGTCAAAGCCATTTTCTTCTATCC
AGAGCCATTTTCCATTGAAAATGGGCTCTTGACACCAACATTGAAAGCAAAGCGAGGAGAGCTTTCCAAATACTT
TCGGACCCAAATTGACAGCCTGTATGAGCACATCCAGGATTAGGATAAGGTACTTAAGTACCTGCCGGCCCACTG
TGCACTGCTTGTGAGAAAATGGATTAAAACTATTCTTACATTTGTTTGCCTTTCCTCCTATTTTTTTTAAACC
TGTTAAACTCTAAAGCCATAGCTTTTGTGTTTATATTGAGACATATAATGTGTAACTTAGTTCCCAAATAAATCA
ATCCTGTCTTTCCCATCTTCGATGTTGCTAATATTAAAGGCTTCAGGGCTACTTTTATCAACATGCCTGTCTTCAA
GATCCCAAGTTTATGTTCTGTGCTCTTCCCTCATGATTTCCAACCTTAATACTATTAGTAACCACAAGTTCAAGGGT
CAAAGGACCCCTCTGTGCCTTCTTCTTTGTTTGTGATAAACATAACTTGCCAACAGTCTCTATGCTTATTTACA
TCTTCTACTGTTCAAATAAGAGATTTTAAATTTGAAAACTGCTTACAATTATGTTTCTAGCCACTCCAC
AAACCACTAAAAATTTAGTTTATAGCTATCACTCATGTCAATCATATCTATGAGACAAATGTCTCCGATGCTCTT
CTGCGTAAATTAATTTGTGTACTGAAGGGAAAAGTTGATCATACCAAACATTTCTAAACTCTCTAGTTAGATA
TCTGACTTGGGAGTATTAATAAATTTGGGTCTATGACATACTGTCCAAAGGAATGCTGTTCTTAAAGCATTATTTA
CAGTAGGAAGTGGGAGTAAATCTGTTCCCTACAGTTTGTGCTGAGCTGGAAGCTGTGGGGGAAGGAGTTGACA
GGTGGGCCAGTGAACCTTTCCAGTAAATGAAGCAAGCACTGAATAAAACCTCCTGAACTGGGAACAAAGATCT
ACAGGCAAGCAAGATGCCACACAACAGGCTTATTTCTGTGAAGGAACCACTGATCTCCCCACCCCTTGATT
AGAGTTCCTGCTTACCTTACCCACAGATAACACATGTTGTTTCTACTTGTAATGTAAAGTCTTTAAATAAAC
TATTACAGATAAAAAA

478/550

FIGURE 478

MDALKPPCLWRNHERGKKDRDSCGRKNSEPGSPHSLEALRDAAPSQGLNLLLLFTKMLFIFNF
LFSPLPTPALICILTFGAAIFLWLITRPQPVLPDLLNNSVGIEGGARKGVSQKNNDLTSCC
FSDAKTMYEVFQRLAVSDNGPCLGYRKPNQPYRWLSYKQVSDRAEYLGSCLLHKGYSKSSPDQ
FVGIFAQNRPEWIISELACYTYSMVAVPLYDTLGPEAIVHIVNKADIAMVICDTPQKALVLIG
NVEKGFTPSLKVIIIMDPFDDDLKQRGEKSGIEILSLYDAENLGKEHFRKPVPPSPEDLSVIC
FTSGTTGDPKGAMITHQNIVSNAAAFKLCVEHAYEPTPDDVAISYLPLAHMFERIVQAVVYSC
GARVGFFQGDIRLLADDMKTLKPTLFPVPRLNRIYDKVQNEAKTPLKKFLLKLAVSSKFKE
LQKGIIRHDSFWDKLIFAKIQDSLGGVRVIVTGAAPMSTSVMTFFRAAMGCQVYEAYGQTEC
TGGCTFTLPGDWTSGHVGVPACNYVKLEDVADMNYFTVNNEGEVCIKGTNVFKGYLKDPEKT
QEALDSDGWLHTGDIGRWLPNGTLKIIDRKKNIFKLAQGEYIAPEKIENIYNRSQPVQLIFVH
GESLRSSSLVGVVVPD TDVLP SFAAKLG VKGSFEELCQNQVVREAILEDLQKIGKESGLKTFEQ
VKAIFLHPEPFPSIENGLLTPTLKAKRGELSKYFRTQIDSLYEHIQD

Important features:**Type II transmembrane domain:**

amino acids 61-80

Putative AMP-binding domain signature.

amino acids 314-325

N-glycosylation site.

amino acids 102-105, 588-591 and 619-622

479/550

FIGURE 479

GGAGGCGGAGGCGCGGCGAGCCGGGCGGAGCAGTGAGGGCCCTAGCGGGGCGGAGCGGGGC
CCGGGGCCCCCTAAGCCATTCCCTGAAGTCATGGGCTGGCCAGGACATTGGTGACCCGCCAATCC
GGTATGAGACGACTGGAAGCCCAGCCCCCTCATCAAGCCCTTTGGGGCTCGGAAGAAGCGGAGC
TGGTACCTTACCTGGAAGTATAAACTGACAAACCAGCGGGCCCTGCGGAGATTCTGTGACACA
GGGGCCGTGCTTTTCTGCTGGTGACTGTCAATTGTCAATATCAAGTTGATCCTGGACACTCGG
CGAGCCATCAGTGAAGCCAATGAAGACCCAGAGCCAGAGCAAGACTATGATGAGGCCCTAGGC
CGCCTGGAGCCCCACGGCGCAGAGGCAGTGGTCCCCGGCGGGTCTGAGCGTAGAGGTGTAT
TCAAGTCGCAGCAAAGTATATGTGGCAGTGGATGGCACCACGGTGTGAGGATGAGGCCCGG
GAGCAGGGCCGGGGCATCCATGTCAATTGTCTCAACCAGGCCACGGGCCACGTGATGGCAAAA
CGTGTGTTTGACACGTACTCACCTCATGAGGATGAGGGCTCCTTCCACCTCAAGGACACA
GCGCCCCGGCGAGTGCTCATCTGCACTGTCAAGGATGAGGGCTCCTTCCACCTCAAGGACACA
GCCAAGGCTCTGCTGAGGAGCCTGGGCAGCCAGGCTGGCCCTGCCCTGGGCTGGAGGGACACA
TGGGCCTTCGTGGGACGAAAAGGAGGTCTGTCTTCGGGGAGAAACATTCTAAGTCACCTGCC
CTCTCTTCTGAGGGGACCCAGTCTGCTGAAGACAGATGTGCCATTGAGCTCAGCAGAAGAG
GCAGAGTGCCACTGGGCAGACACAGAGCTGAACCGTCGCCGCCGGCGCTTCTGCAGCAAAGTT
GAGGGCTATGGAAGTGATGCAGCTGCAAGGACCCACACCCATCGAGTTCAGCCCTGACCCA
CTCCAGACAACAAGGTCTCAATGTGCCTGTGGCTGTCAATTGCAGGGAACCGACCCAATTAC
CTGTACAGGATGCTGCGCTCTGCTTTAGCCAGGGGGTGTCTCCTCAGATGATAACAGTT
TTCATTGACGGCTACTATGAGGAACCCATGGATGTGGTGGCACTGTTTGGTCTGAGGGGCATC
CAGCATACTCCCATCAGCATCAAGAATGCCCGCTGTCTCAGCACTACAAGGCCAGCCTCACT
GCCACTTTCAACCTGTTTCCGGAGGCCAAGTTTGTGTGGTTCTGGAAGAGGACCTGGACATT
GCTGTGGATTTTTTTCAGTTTCTGAGCCAATCCATCCACCTACTGGAGGAGGATGACAGCCTG
TACTGCATCTCTGCCTGGAATGACCAGGGGTATGAACACACGGCTGAGGACCCAGCACTACTG
TACCGTGTGGAGACCATGCCTGGGCTGGGCTGGGTGCTCAGGAGGTCCTTGTACAAGGAGGAG
CTTGAGCCCAAGTGGCCTACACCGGAAAAGCTCTGGGATTGGGACATGTGGATGCGGATGCCCT
GAACAACGCGGGGCGGAGAGTGATCATCCCTGACGTTTCCCGATCCTACCACTTTGGCATC
GTCGGCCTCAACATGAATGGCTACTTTCAGGAGGCTACTTCAAGAAGCACAAGTTCAACACG
GTTCCAGGTGTCCAGCTCAGGAATGTGGACAGTCTGAAGAAAGAAGCTTATGAAGTGGAAGTT
CACAGGCTGCTCAGTGAGGCTGAGGTTCTGGACCACAGCAAGAACCCTTGTGAAGACTCTTTC
CTGCCAGACACAGAGGGCCACACCTACGTGGCCTTTATTCGAATGGAGAAAGATGATGACTTC
ACCACCTGGACCCAGCTTGCCAAGTGCCTCCATATCTGGGACCTGGATGTGCGTGGCAACCAT
CGGGGCTGTGGAGATTGTTTCGGAAGAAGAACCCTTCTGGTGGTGGGGTCCCGGCTTCC
CCCTACTCAGTGAAGAAGCCACCCTCAGTCACCCCAATTTTCTGGAGCCACCCCAAGGAG
GAGGGAGCCCCAGGAGCCCCAGAACAGACATGAGACCTCCTCCAGGACCTGCGGGGCTGGGT
ACTGTGTACCCCCAGGCTGGCTAGCCCTTCCCTCCATCCTGTAGGATTTGTAGATGCTGGTA
GGGGCTGGGGCTACCTTGTTTTAACATGAGACTTAATTACTAACTCCAAGGGGAGGGTTCCC
CTGCTCCAACACCCCGTTCCCTGAGTTAAAAGTCTATTTATTTACTTCTTGTGGAGAAGGGC
AGGAGAGTACCTGGGAATCATTACGATCCCTAGCAGCTCATCCTGCCCTTTGAATACCCTCAC
TTTCCAGGCCTGGCTCAGAATCTAACCTATTTATTTGACTGTCTGAGGGCCTTGAAAACAGGC
CGAACCTGGAGGGCCTGGATTTCTTTTGGGCTGGAATGCTGCCCTGAGGGTGGGGCTGGCTC
TTACTCAGGAACTGCTGTGCCCAACCCATGGACAGGCCAGCTGGGGCCACATGCTGACAC
AGACTCACTCAGAGACCCTTAGACACTGGACAGGCCCTCCTCTCAGCCTTCTCTTTGTCCAGA
TTTCCAAGCTGGATAAGTTGGTCATTGATTAAGGAGAGCCCTCTGGGAAAAA
AAAAAAAAAAAAAAAAA

480/550

FIGURE 480

MDDWKPSPLIKPFGARKKRSWYLTWKYKLTNQALRRFCQTGAVLFLLVTIVIVNIKLILDTRR
AISEANEDPEPEQDYDEALGRLEPPRRRGSGPRRVLDVEVYSSRSKVYVAVDGTTVLEDEARE
QGRGIHVIVLNQATGHVMAKRVEDTYSPEHEAMVLFNLMVAPGRVLICTVKDEGSFHLKDTA
KALLRSLGSQAGPALGWRDTWAFVGRKGGPVFGEKHSKSPALSSWGDPVLLKTDVPLSSAEEA
ECHWADTELNRFFFFRCSKVEGYGSVCCKDPTPIEFSPDPLPDNKVLNVPVAVIAGNRPNYL
YRMLRSLLSAQGVSPQMITVFIDGYEEPMDEVVALFGLRGIQHTPISIKNARVSQHYKASLTA
TFNLFPEAKFAVVLEEDLDIAVDFFSFLSQSIHLLEEDDSLYCISAWNDAQYEHTAEDPALLY
RVETMPGLGWVLRRLSYKEELEPKWPTPEKLWDWDMWMRMPEQRRGRECIIPDVSRSYHFGIV
GLNMNGYFHEAYFKKHKFNTVPGVQLRNVDSLKKEAYEVEVHRLLEAEVLDHSKNPCEDSFL
PDTEGHTYVAFIRMEKDDDDFTTWTQLAKCLHIWDLVVRGNHRGLWRLFRKKNHFLVVGVPASP
YSVKKPPSVTPIFLEPPPKEEGAPGAPEQT

Important features:**Transmembrane domain:**

amino acids 38-55

Homologous region to Mouse GNT1

amino acids 229-660

481/550

FIGURE 481

GAAAGAATGTTGTGGCTGCTCTTTTTCTGGTGACTGCCATTCATGCTGAACTCTGTCAACCA
GGTGCAGAAAATGCTTTTAAAGTGAGACTTAGTATCAGAACAGCTCTGGGAGATAAAGCATAT
GCCTGGGATACCAATGAAGAATACCTCTTCAAAGCGATGGTAGCTTTCTCCATGAGAAAAGTT
CCCAACAGAGAAGCAACAGAAATTTCCCATGTCCTACTTTGCAATGTAACCCAGAGGGTATCA
TTCTGGTTTGTGGTTACAGACCCTTCAAAAAATCACACCCTTCCTGCTGTTGAGGTGCAATCA
GCCATAAGAATGAACAAGAACCGGATCAACAATGCCTTCTTTCTAAATGACCAAACCTCTGGAA
TTTTTAAAAATCCCTTCCACACTTGCACCACCCATGGACCCATCTGTGCCCATCTGGATTATT
ATATTTGGTGTGATATTTTGCATCATCATAGTTGCAATTGCACTACTGATTTTATCAGGGATC
TGGCAACGTAGAAGAAAGAACAAAGAACCATCTGAAGTGGATGACGCTGAAGATAAGTGTGAA
AACATGATCACAATTGAAAATGGCATCCCTCTGATCCCTGGACATGAAGGGGGGCATATTA
ATGATGCCTTCATTGACAGAGGATGAGAGGCTCACCCCTCTCTGAAGGGCTGTTGTTCTGCTTC
CTCAAGAAATTAAACATTTGTTTCTGTGTGACTGCTGAGCATCCTGAAATACCAAGAGCAGAT
CATATATTTTGTTCACCATTCTTCTTTTGTAATAAATTTTGAATGTGCTTGAAAGTGAAAAG
CAATCAATTATACCCACCAACACCACTGAAATCATAAGCTATTCACGACTCAAATATTCTAA
AATATTTTCTGACAGTATAGTGTATAAATGTGGTCATGTGGTATTTGTAGTTATTGATTTAA
GCATTTTGTAGAAATAAGATCAGGCATATGTATATATTTTCACTTCAAAGACCTAAGGAAAA
ATAAATTTTCCAGTGGAGAATACATATAATATGGTGTAGAAATCATTGAAAATGGATCCTTTT
TGACGATCACTTATATCACTCTGTATATGACTAAGTAAACAAAAGTGAGAAGTAATTATTGTA
AATGGATGGATAAAAATGGAATTACTCATATACAGGGTGAATTTTATCCTGTTATCACACCA
ACAGTTGATTATATATTTTCTGAATATCAGCCCCTAATAGGACAATTCTATTTGTTGACCATT
TCTACAATTTGTAAAAGTCCAATCTGTGCTAACTTAATAAAGTAATAATCATCTCTTTTAA
AAAAAAAAAAAAAAAAAAAAA

482/550

FIGURE 482

MLWLLFFLVTAIHAELCQPGAENAFKVRLSIRTALGDKAYAWDTNEEYLFKAMVAFSMRKVPN
REATEISHVLLCNVTQRVSEWFVVTDP SKNHTLP AVEVQSAIRMNKNRINNAFFLNDQTLEFL
KIPSTLAPPMDPSVPIWIIIFGVIFCIIIVAIALLLSGIWQRRRKNKEPSEVDDAEDKCENM
ITIENGIPSDPLDMKGGILMMP S

483/550

FIGURE 483

CGTCTCTGCGTTTCGCCATGCGTCCCGGGGCGCCAGGGCCACTCTGGCCTCTGCCCTGGGGGGC
CCTGGCTTGGGGCGTGGGCTTCGTGAGCTCCATGGGCTCGGGGAACCCCGCGCCGGTGGTGT
TTGCTGGCTCCAGCAGGGCCAGGAGGCCACCTGCAGCCTGGTGTCTCAGACTGATGTCACCCG
GGCCGAGTGTGTGCTCCGGCAACATTGACACCGCTGGTCCAACCTCACCCACCCGGGGAA
CAAGATCAACCTCCTCGGCTTCTTGGGCCTTGTCCACTGCCTTCCCTGCAAAGATTCTGTGCGA
CGGCGTGGAGTGC GGCCCGGGCAAGGCGTGCCGATGCTGGGGGGCGCCCGCGCTGCGAGTG
CGCGCCGACTGCTCGGGGCTCCCGGCGCGGCTGCAGGTCTGCGGCTCAGACGGCGCCACCTA
CCGCGACGAGTGCAGCTGCGCGCCGCGCTGCCGCGGCCACCCGGACCTGAGCGTCATGTA
CCGGGGCGGCTGCCGCAAGTCCTGTGAGCACGTGGTGTGCCCGCGGCCACAGTCGTGCGTCGT
GGACCAGACGGGCAGCGCCACTGCGTGGTGTGTGTCGAGCGGCGCCCTGCCCTGTGCCCTCCAG
CCCCGGCCAGGAGCTTTGCGGCAACAACAACGTACCTACATCTCTCGTGCCACATGCGCCA
GGCCACCTGCTTCTGGGCGCTCCATCGGCGTGCGCCACGCGGGCAGCTGCGCAGGCACCCC
TGAGGAGCCGCCAGGTGGTGAGTCTGCAGAAGAGGAAGAGAAGTTCGTGTGAGCGCTGCAGGAC
AGGCCTGGGCCTGGTGCCGAGGCCCCCCATCATCCCCTGTTATTTATTGCCACAGCAGAGTC
TAATTTATATGCCACGGACACTCCTTAGAGCCCGGATTTCGGACCACTTGGGGATCCAGAACC
TCCCTGACGATATCCTGGAAGGACTGAGGAAGGGAGGCCTGGGGGCGGCTGGTGGGTGGGAT
AGACCTGCGTTCGGACACTGAGCGCCTGATTTAGGGCCCTTCTCTAGGATGCCCCAGCCCCCT
ACCTAAGACCTATTGCCGGGGAGGATTCCACACTTCCGCTCCTTTGGGGATAAACCTATTAA
TTATTGCTACTATCAAGAGGGCTGGGCATTCTCTGCTGGTAATTCCTGAAGAGGCATGACTGC
TTTTCTCAGCCCCAAGCCTCTAGTCTGGGTGTGTACGGAGGGTCTAGCCTGGGTGTGTACGGA
GGGTCTAGCCTGGGTGAGTACGGAGGGTCTAGCCTGGGTGAGTACGGAGGGTCTAGCCTGGGT
GAGTACGGAGGGTCTAGCCTGGGTGTGTATGGAGGATCTAGCCTGGGTGAGTATGGAGGGTCT
AGCCTGGGTGAGTATGGAGGGTCTAGCCTGGGTGTGTATGGAGGGTCTAGCCTGGGTGAGTAT
GGAGGGTCTAGCCTGGGTGTGTATGGAGGGTCTAGCCTGGGTGAGTATGGAGGGTCTAGCCTG
GGTGTGTACGGAGGGTCTAGTCTGAGTGCGTGTGGGGACCTCAGAACACTGTGACCTTAGCCC
AGCAAGCCAGGCCCTTCATGAAGGCCAAGAAGGCTGCCACCATTCCCTGCCAGCCCCAAGAACT
CCAGCTTCCCCACTGCCTCTGTGTGCCCCCTTTGCGTCTGTGAAGGCCATTGAGAAATGCCCA
GTGTGCCCCCTGGGAAAGGGCACGGCCTGTGCTCCTGACACGGGCTGTGCTTGGCCACAGAAC
CACCCAGCGTCTCCCTGCTGCTGTCCACGTCACTTCATGAGGCAACGTGCGTGGTCTCAGA
CGTGGAGCAGCCAGCGCAGCTCAGAGCAGGGCACTGTGTCCGGCGGAGCCAAGTCCACTCTG
GGGGAGCTCTGGCGGGGACCACGGGCCACTGCTCACCCACTGGCCCCGAGGGGGGTGTAGACG
CCAAGACTCACGCATGTGTGACATCCGGAGTCCCTGGAGCCGGGTGTCCAGTGGCACCACTAG
GTGCTGTGCTCCACAGTGGGGTTACACCCAGGGCTCCTTGGTCCCCACAACCTGCCCC
GGCCAGGCCTGCAGACCCAGACTCCAGCCAGACCTGCCTCACCCACCAATGCAGCCGGGGCTG
GCGACACCAGCCAGGTGCTGGTCTTGGGCCAGTTCTCCACGACGGCTCACCTCCCCTCCAT
CTGCGTTGATGCTCAGAATCGCTACCTGTGCTGCGTGTAACACAGCCTCAGACCAGCTA
TGGGGAGAGGACAACACGGAGGATATCCAGCTTCCCCGGTCTGGGGTGAGGAATGTGGGGAGC
TTGGGCATCCTCCTCCAGCCTCCTCCAGCCCCAGGCAGTGCCTTACCTGTGGTGCCAGAAA
AGTGCCCCCTAGGTTGGTGGGTCTACAGGAGCCTCAGCCAGGCAGCCACCCACCCTGGGGCC
CTGCCTCACCAAGGAAATAAAGACTCAAGCCATAAAAAAA

484/550

FIGURE 484

MRPGAPGPLWPLPWGALAWAVGFVSSMSGGNPAPGGVCWLQQGQEATCSLVLQTDVTRAEC
SGNIDTAWSNLTHPGNKINLLGFLGLVHCLPCKDSCDGVCEGPGKACRMLGGRPRCECAPDCS
GLPARLQVCGSDGATYRDECELRAARCRGHPDLSVMYRGRCRKSCEHVVCPRPQSCVVDQTGS
AHCVVCRAAPCPVPSSPGQELCGNNVTYIISCHMRQATCFLGRSIGVRHAGSCAGTPEEPPG
GESAEEEENFV

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation sites.

amino acids 73-77, 215-219

Osteonectin domain proteins.

amino acids 97-130, 169-202

485/550

FIGURE 485

GCTCGAGGCCGGCGGGCGGGAGAGCGACCCGGGCGGCCTCGTAGCGGGGCCCCGGATCCCC
GAGTGGCGGCCGGAGCCTCGAAAAGAGATTCTCAGCGCTGATTTTGAGATGATGGGCTTGGGA
AACGGGCGTCGCAGCATGAAGTCGCCGCCCTCGTGTGGCCGCCCTGGTGGCTGCATCATC
GTCTTGGGCTTCAACTACTGGATTGCGAGCTCCCGGAGCGTGGACCTCCAGACACGGATCATG
GAGCTGGAAGGCAGGGTCCGCAGGGCGGCTGCAGAGAGAGGCGCCGTGGAGCTGAAGAAGAAC
GAGTTCCAGGGAGAGCTGGAGAAGCAGCGGGAGCAGCTTGACAAAATCCAGTCCAGCCACAAC
TTCCAGCTGGAGAGCGTCAACAAGCTGTACCAGGACGAAAAGGCGGTTTTGGTGAATAACATC
ACCACAGGTGAGAGGCTCATCCGAGTGCTGCAAGACCAGTTAAAGACCCTGCAGAGGAATTAC
GGCAGGCTGCAGCAGGATGTCCTCCAGTTTCAGAAGAACCAGACCAACCTGGAGAGGAAGTTC
TCCTACGACCTGAGCCAGTGCATCAATCAGATGAAGGAGGTGAAGGAACAGTGTGAGGAGCGA
ATAGAAGAGGTACCAAAAAGGGGAATGAAGCTGTAGCTTCCAGAGACCTGAGTGAAAACAAC
GACCAGAGACAGCAGCTCCAAGCCCTCAGTGAGCCTCAGCCCAGGCTGCAGGCAGCAGGCCTG
CCACACACAGAGGTGCCACAAGGGAAGGGAACGTGCTTGGTAACAGCAAGTCCCAGACACCA
GCCCCAGTTCGGAAGTGGTTTTGGATTCAAAGAGACAAGTTGAGAAAGAGGAAACCAATGAG
ATCCAGGTGGTGAATGAGGAGCCTCAGAGGGACAGGCTGCCGCAGGAGCCAGGCCGGGAGCAG
GTGGTGGAAGACAGACCTGTAGGTGGAAGAGGCTTCGGGGGAGCCGGAGAACTGGGGCCAGACC
CCACAGGTGCAGGCTGCCCTGTCAGTGAGCCAGGAAAATCCAGAGATGGAGGGCCCTGAGCGA
GACCAGCTTGTATCCCCGACGGACAGGAGGAGGAGCAGGAAGCTGCCGGGGAAGGGAGAAAC
CAGCAGAACTGAGAGGAGAAGATGACTACAACATGGATGAAAATGAAGCAGAATCTGAGACA
GACAAGCAAGCAGCCCTGGCAGGGAATGACAGAAACATAGATGTTTTTAATGTTGAAGATCAG
AAAAGAGACACCATAAATTTACTTGATCAGCGTGAAAAGCGGAATCATACACTCTGAATTGAA
CTGGAATCACATATTTACAACAGGGCCGAAGAGATGACTATAAAATGTTTCATGAGGGACTGA
ATACTGAAAACGTGAAATGTACTAAATAAAATGTACATCTGA

486/550

FIGURE 486

MMGLNGRRSMKSPPLVLAALVACIIIVLGFNYWIIASSRSVDLQTRIMELEGRVRRAAAERGAV
ELKKNEFQGELEKQREQLDKIQSSHNFQLESVNKLYQDEKAVLVNNITTGERLIRVLQDQLKT
LQRNYGRLQQDVLQFQKNQTNLERKFSYDLSQCINQMKEVKEQCEERIEEVTKKGNEAVASRD
LSENNDQRQQLQALSEPQPRLQAAGLPHTTEVPQGKGNVLGNSKSQTPAPSSEVVLDSKRQVEK
EETNEIQVVNEEPQRDRLPQEPGREQVVEDRPVGGRGFGGAGELGQTPQVQAALSVSQENPEM
EGPERDQLVIPDGQEEEQEAAGEGRNQQLRGEDDYNMDENEAESETDKQAALAGNDRNIDVF
NVEDQKRDTINLLDQREKRNHTL

Important features:**Signal peptide:**

amino acids 1-29

487/550

FIGURE 487

AACTCAAACCTCTCTCTCTGGGAAAACGCGGTGCTTGCTCCTCCCGGAGTGGCCTTGGCAGGG
TGTTGGAGCCCTCGGTCTGCCCCGTCCGGTCTCTGGGGCCAAGGCTGGGTTTCCCTCATGTAT
GGCAAGAGCTCTACTCGTGCGGTGCTTCTTCTCCTTGGCATAACAGCTCACAGCTCTTTGGCCT
ATAGCAGCTGTGGAAATTTATACCTCCCGGTGCTGGAGGCTGTTAATGGGACAGATGCTCGG
TTAAATGCACTTTCTCCAGCTTTGCCCCGTGGGTGATGCTCTAACAGTGACCTGGAATTTT
CGTCCTCTAGACGGGGGACCTGAGCAGTTTGTATTCTACTACCACATAGATCCCTTCCAACCC
ATGAGTGGGCGGTTTAAGGACCGGTGTCTTGGGATGGGAATCCTGAGCGGTACGATGCCTCC
ATCCTTCTCTGGAACTGCAGTTCGACGACAATGGGACATACACCTGCCAGGTGAAGAACCCA
CCTGATGTTGATGGGGTGATAGGGGAGATCCGGCTCAGCGTCGTGCACACTGTACGCTTCTCT
GAGATCCACTTCTGGCTCTGGCCATTGGCTCTGCCTGTGCACTGATGATCATAATAGTAATT
GTAGTGGTCTCTTCCAGCATTACCGGAAAAAGCGATGGGCCGAAAGAGCTCATAAAGTGGTG
GAGATAAAATCAAAAGAAGAGGAAAGGCTCAACCAAGAGAAAAAGGTCTCTGTTTATTTAGAA
GACACAGACTTAACAATTTTAGATGGAAGCTGAGATGATTTCCAAGAACAAGAACCCTAGTATT
TCTTGAAGTTAATGGAACTTTTCTTTGGCTTTTCCAGTTGTGACCCGTTTCCAACCAGTTC
TGCAGCATATTAGATTCTAGACAAGCAACACCCCTCTGGAGCCAGCACAGTGCTCCTCCATAT
CACCAGTCATACACAGCCTCATTATTAAGGTCTTATTTAATTTTCAAGAGTGTAATTTTTTCAA
GTGCTCATTAGGTTTTATAAACAAGAAGCTACATTTTTGCCCTTAAGACACTACTTACAGTGT
TATGACTTGTATACACATATATTGGTATCAAAGGGGATAAAAGCCAATTTGTCTGTTACATTT
CCTTTCACGTATTTCTTTTAGCAGCACTTCTGCTACTAAAGTTAATGTGTTTACTCTCTTCC
TTCCCACATTCTCAATTAAAAGGTGAGCTAAGCCTCCTCGGTGTTTCTGATTAAACAGTAAATC
CTAAATTCAAACGTGTTAAATGACATTTTTATTTTATGTCTCTCCTTAACATATGAGACACATC
TTGTTTTACTGAATTTCTTTCAATATTCCAGGTGATAGATTTTTGTCTG

488/550

FIGURE 488

MYGKSSTRAVLLLLGIQLTALWPAAVEIYTSRVLEAVNGTDARLKCTFSSFAPVGDALTVTW
NFRPLDGGPEQFVFYYHIDPFQPMSEGRFKDRVSWDGNPERYDASILLWKLQFDDNGTYTCQVK
NPPDVGGVIGEIRLSVVHTVRFSEIHFLALAIGSACALMIIIVIVVVLQHYRKKRWAERAHK
VVEIKSKEERLNQEKKVSVYLEDTD

FIGURE 489

[illegible]

490/550

FIGURE 490

MLLLWVSVVAALALAVLAPGAGEQRRRAAKAPNVVLVVSDFSDFGRLTFHPGSQVVKLPPINFM
KTRGTSFLNAYTNSPICCPSRAAMWSGLFTHLTESWNNFKGLDPNYTTWMDVMERHGYRTQKF
GKLDYTSGHHSISNRVEAWTRDVAFLLRQEGRPMVNLIRNRTKVRVMERDWQNTDKAVNWLRLK
EAINYTEPFVIYLG LNLPHYPSPSSGENFGSSTFHTSLYWLEKVS HDAIKIPKWSPLSEMHP
VDYYSSYTKNCTGRFTKKEIKNIRAFYYAMCAETDAMLGEIILALHQDLLQKTIVIIYSSDHG
ELAMEHRQFYKMSMYEASAHVPLLMMGPGIKAGLQVSNVVS LVDIYPTMLDIAGIPLPQNLSG
YSLPLSSETFKNEHKVKNLHPPWILSEFHGCNVNASTYMLRTNHWKYIAYS DGASILPQLFD
LSSDPDEL TNVAVKFPEITYSLDQKLHSIINYPKVSASVHQYNKEQFIKWKQSIGQNYSNVIA
NLRWHQDWQKEPRKYENAI DQWLKTHMNPRAV

Important features:**Signal peptide:**

amino acids 1-15

N-glycosylation sites.amino acids 108-111, 166-169, 193-196, 262-265, 375-378, 413-416,
498-501**Sulfatases proteins:**

amino acids 286-315, 359-369, 78-97

491/550

FIGURE 491

GAGAGAAGTCAGCCTGGCAGAGAGACTCTGAAATGAGGGATTAGAGGTGTTCAAGGAGCAAGA
GCTTCAGCCTGAAGACAAGGGAGCAGTCCCTGAAGACGCTTCTACTGAGAGGTCTGCCATGGC
CTCTCTTGGCCTCCAACCTTGTGGGCTACATCCTAGGCCTTCTGGGGCTTTTGGGCACACTGGT
TGCCATGCTGCTCCCCAGCTGGAAAACAAGTTCTTATGTCGGTGCCAGCATTGTGACAGCAGT
TGGCTTCTCCAAGGGCCTCTGGATGGAATGTGCCACACACAGCACAGGCATCACCCAGTGTGA
CATCTATAGCACCCCTTCTGGGCCTGCCCCGCTGACATCCAGGCTGCCCAGGCCATGATGGTGAC
ATCCAGTGCAATCTCCTCCCTGGCCTGCATTATCTCTGTGGTGGGCATGAGATGCACAGTCTT
CTGCCAGGAATCCCAGCCAAAGACAGAGTGGCGGTAGCAGGTGGAGTCTTTTTTCATCCTGG
AGGCCTCCTGGGATTCAATCCTGTGCTGGAATCTTCATGGGATCCTACGGGACTTCTACTC
ACCACTGGTGCCTGACAGCATGAAATTTGAGATTGGAGAGGCTCTTTACTTGGGCATTATTTT
TTCCCTGTTCTCCCTGATAGCTGGAATCATCCTCTGCTTTTCTGCTCATCCCAGAGAAATCG
CTCCAATACTACGATGCCTACCAAGCCCAACCTCTTGCCACAAGGAGCTCTCCAAGGCCTGG
TCAACCTCCCAAAGTCAAGAGTGAGTTCAATTCCTACAGCCTGACAGGGTATGTGTGAAGAAC
CAGGGGCCAGAGCTGGGGGGTGGCTGGGTCTGTGAAAAACAGTGGACAGCACCCCGAGGGCCA
CAGGTGAGGGACACTACCACTGGATCGTGTGAGAAGGTGCTGCTGAGGATAGACTGACTTTGG
CCATTGGATTGAGCAAAGGCAGAAATGGGGGCTAGTGTAAACAGCATGCAGGTTGAATTGCCAA
GGATGCTCGCCATGCCAGCCTTTCTGTTTTCTCACCTTGCTGCTCCCCTGCCCTAAGTCCCC
AACCCTCAACTTGAAACCCCATTCCTTAAGCCAGGACTCAGAGGATCCCTTTGCCCTCTGGT
TTACCTGGGACTCCATCCCCAAACCCACTAATCACATCCCCTGACTGACCCTCTGTGATCAA
AGACCTCTCTCTGGCTGAGGTTGGCTCTTAGCTCATTGCTGGGGATGGGAAGGAGAAGCAGT
GGCTTTTGTGGGCATTGCTCTAACCTACTTCTCAAGCTTCCCTCCAAAGAACTGATTGGCCC
TGGAACCTCCATCCCCTCTTGTATGACTCCACAGTGTCCAGACTAATTTGTGCATGAACTG
AAATAAAACCATCCTACGGTATCCAGGGAACAGAAAGCAGGATGCAGGATGGGAGGACAGGAA
GGCAGCCTGGGACATTTAAAAAATA

492/550

FIGURE 492

MASLGLQLVGYYLGLLGLLGLTLVAMLLPSWKTSSYVGASIVTAVGFSKGLWMECATHSTGITQ
CDIYSTLLGLPADIQAAQAMMVTSSAIISSLACIISVVGMRCTVFCQESRAKDRVAVAGGVFFI
LGGLLGFI PVAWNLHGILRDFYSPLVPDSMKFEIGEALYLGIISSLFSLIAGIILCFSCSSQR
NRSNYYDAYQAQPLATRSSPRPGQPPKVKSEFNSSYSLTGYV

Important features:

Signal peptide:

amino acids 1-24

Transmembrane domains:

amino acids 82-102, 117-140, 163-182

N-glycosylation site.

amino acids 190-193

PMP-22 / EMP / MP20 family proteins.

amino acids 46-59

493/550

FIGURE 493

GCACTGCTGCTGTCCCATCAGCTGCTCTGAAGCTCCATGGTGCCCAGAATCTTCGCTCCTGCT
TATGTGTCAGTCTGTCTCCTCCTCTTGTGTCCAAGGGAAGTCATCGCTCCCGCTGGCTCAGAA
CCATGGCTGTGCCAGCCGGCAGGTGTGGAGACAAGATCTACAACCCCTTGGAGCAGTGC
TGTTACAATGACGCCATCGTGTCCCTGAGCGAGACCCGCCAATGTGGTCCCCCTGCACCTTC
TGGCCCTGCTTTGAGCTCTGCTGTCTTGATTCCTTTGGCCTCACAAACGATTTTGTGTGAAG
CTGAAGGTTTCAGGGTGTGAATTCCCAGTGCCACTCATCTCCCATCTCCAGTAAATGTGAAAGC
AGAAGACGTTTTCCCTTGAAGAAGACATAGAAAGAAAATCAACTTTCACTAAGGCATCTCAGAAA
CATAGGCTAAGGTAATATGTGTACCAGTAGAGAAAGCCTGAGGAATTTACAAAATGATGCAGCT
CCAAGCCATTGTATGGCCCATGTGGGAGACTGATGGGACATGGAGAATGACAGTAGATTATCA
GGAAATAAATAAAGTGGTTTTTCCAATGTACACACCTGTAAAA

494/550

FIGURE 494

MVPRIFAPAYVSVCLLLCPREVIAPAGSEPWLCQPAPRCGDKIYNPLEQCCYNDAIVSLSET
RQCGPPCTFWPCFELCCLDSFGLTNDFFVVKLVQGVNSQCHSSPISSKCESRRRFP

Important features:

Signal peptide:

amino acids 1-25

495/550

FIGURE 495

CTCCACTGCAACCACCCAGAGCCATGGCTCCCCGAGGCTGCATCGTAGCTGTCTTTGCCATTT
TCTGCATCTCCAGGCTCCTCTGCTCACACGGAGCCCCAGTGGCCCCCATGACTCCTTACCTGA
TGCTGTGCCAGCCACACAAGAGATGTGGGGACAAGTTCTACGACCCCCTGCAGCACTGTTGCT
ATGATGATGCCGTCGTGCCCTTGGCCAGGACCCAGACGTGTGGAACTGCACCTTCAGAGTCT
GCTTTGAGCAGTGCTGCCCCCTGGACCTTCATGGTGAAGCTGATAAACCAGAACTGCGACTCAG
CCCGGACCTCGGATGACAGGCTTTGTGCGCAGTGTGAGCTAATGGAACATCAGGGGAACGATGA
CTCCTGGATTCTCCTTCCTGGGTGGGCCTGGAGAAAGAGGCTGGTGTTACCTGAGATCTGGGA
TGCTGAGTGGCTGTTTGGGGGCCAGAGAAACACACACTCAACTGCCCACCTTCATTCTGTGACC
TGTCTGAGGCCCACCCTGCAGCTGCCCTGAGGAGGCCACAGGTCCCCTTCTAGAATTCTGGA
CAGCATGAGATGCGTGTGCTGATGGGGGCCAGGGACTCTGAACCCTCCTGATGACCCCTATG
GCCAACATCAACCCGGCACCACCCCAAGGCTGGCTGGGGAACCCTTCACCCTTCTGTGAGATT
TTCCATCATCTCAAGTTCTTCTATCCAGGAGCAAAGCACAGGATCATAATAAATTTATGTA
CTTTATAAATGAAAA

496/550

FIGURE 496

MAPRGCIVAVFAIFCISRLLC SHGAPVAPMTPYLMLCQPHKRCGDKFYDPLQHCCYDDAVVPL
ARTQTCGNCTFRVCFEQCCPWTFMVKLINQNCDSARTSDDRLCRSVS

Important features:

Signal peptide:

amino acids 1-24

497/550

FIGURE 497

TGAAGGACTTTTCCAGGACCCAAGGCCACACACTGGAAGTCTTGCAGCTGAAGGGAGGCACTC
CTTGGCCTCCGCAGCCGATCACATGAAGGTGGTGCCAAGTCTCCTGCTCTCCGTCTCTGGC
ACAGGTGTGGCTGGTACCCGGCTTGGCCCCAGTCTCAGTCGCCAGAGACCCCAGCCCCCTCA
GAACCAGACCAGCAGGGTAGTGCAGGCTCCCAGGGAGGAAGAGGAAGATGAGCAGGAGGCCAG
CGAGGAGAAGGCCGGTGAGGAAGAGAAAGCCTGGCTGATGGCCAGCAGGCAGCAGCTTGCCAA
GGAGACTTCAAACCTTCGGATTTCAGCCTGCTGCGAAAGATCTCCATGAGGCACGATGGCAACAT
GGTCTTCTCTCCATTTGGCATGTCTTGGCCATGACAGGCTTGATGCTGGGGGCCACAGGGCC
GACTGAAACCCAGATCAAGAGAGGGCTCCACTTGACAGGCCCTGAAGCCCACCAAGCCCCGGGCT
CCTGCCTTCCCTCTTTAAGGGACTCAGAGAGACCTCTCCCGCAACCTGGAACCTGGGCCTCTC
ACAGGGGAGTTTTGCCTTCATCCACAAGGATTTTGATGTCAAAGAGACTTTCTTCAATTTATC
CAAGAGGTATTTTGATACAGAGTGCCTGCTATGAATTTTCGCAATGCCTCACAGGCCAAAAG
GCTCATGAATCATTACATTAACAAAGAGACTCGGGGAAAATTTCCCAAACCTGTTTGATGAGAT
TAATCCTGAAACCAAATTAATTTCTTGTGGATTACATCTTGTTCAAAGGGAAATGGTTGACCCC
ATTTGACCCTGTCTTCACCGAAGTCGACACTTTCCACCTGGACAAGTACAAGACCATTAAGGT
GCCCATGATGTACGGTGCAGGCAAGTTTGCCTCCACCTTTGACAAGAATTTTCGTTGTCATGT
CCTCAAACCTGCCCTACCAAGGAAATGCCACCATGCTGGTGGTCTCATGGAGAAAATGGGTGA
CCACCTCGCCCTTGAAGACTACCTGACCACAGACTTGGTGGAGACATGGCTCAGAAACATGAA
AACCAGAAACATGGAAGTTTTCTTTCCGAAGTTCAAGCTAGATCAGAAGTATGAGATGCATGA
GCTGCTTAGGCAGATGGGAATCAGAAGAATCTTCTCACCCTTTGCTGACCTTAGTGAACCTCTC
AGCTACTGGAAGAAATCTCCAAGTATCCAGGGTTTTACGAAGAACAGTGATTGAAGTTGATGA
AAGGGGCACTGAGGCAGTGGCAGGAATCTTGTCAGAAATTACTGCTTATTCCATGCCTCCTGT
CATCAAAGTGGACCGGCCATTTCAATTCATGATCTATGAAGAAACCTCTGGAATGCTTCTGTT
TCTGGGCAGGGTGGTGAATCCGACTCTCCTATAATTCAGGACATGCATAAGCACTTCGTGCTG
TAGTAGATGCTGAATCTGAGGTATCAAACACACACAGGATACCAGCAATGGATGGCAGGGGAG
AGTGTTCCCTTTTGTTCCTTAAGTATTTAGGGTGTCTCAAATAAATACAGTAGTCCCCACTTA
TCTGAGGGGGATACATTCAAAGACCCCCAGCAGATGCCTGAAACGGTGGACAGTGCTGAACCT
TATATATATTTTTCTACACATACATACCTATGATAAAGTTTAAATTTATAAATTAGGCACAG
TAAGAGATTAACAATAATAACAACATTAAGTAAATGAGTTACTTGAACGCAAGCACTGCAAT
ACCATAACAGTCAAACCTGATTATAGAGAAGGCTACTAAGTGACTCATGGGCGAGGAGCATAGA
CAGTGTGGAGACATTGGGCAAGGGGAGAATTCACATCCTGGGTGGGACAGAGCAGGACGATGC
AAGATTCCATCCCCTACTCAGAATGGCATGCTGCTTAAGACTTTTAGATTGTTTATTTCTGG
AATTTTTTCATTTAATGTTTTTGGACCATGGTTGACCATGGTTAACTGAGACTGCAGAAAGCAA
AACCATGGATAAGGGAGGACTACTACAAAAGCATTAAATTGATACATATTTTTTAAAAA
AAAAA

498/550

FIGURE 498

MKVVPSLLLSVLLAQVWLVPG LAPSPQSPETPAPQNQTSRVVQAPREEEDEQEASEEKAGEE
EKAWLMASRQQLAKETSNFGFSLLRKISMRHDGNMVFSFPGMSLAMTGLMLGATGPTETQIKR
GLHLQALKPTKPGLLPSLFKGLRETL SRNLELGLSQGSFAFIHKDFDVKETFFNLSKRYFDTE
CVP MNFRNASQAKRLMNHYINKETRGKIPKLFDEINPETKLILVDYILFKGKWLT PFD PVFTE
VDTFHLDKYKTIKVPMMYGAGKFASTFDKNFRCHVLKLPYQGNATMLVVLMEKMGDHLALEDY
LTTDLVETWLRNMKTRNMEVFFPKFKLDQKYEMHELLRQMGIRRI FSPFADLSELSATGRNLQ
VSRVLRRTVIEVDERGTEAVAGILSEITAYSMPPVIKVDRPFHFMIEETSGMLLFLGRV VNP
TLL

499/550

FIGURE 499

[illegible]

500/550

FIGURE 500

MDSLRLKMLISVAMLGAGAGVGYALLVIVTPGERRKQEMLKEMPLQDPRSREEAARTQQLLAT
LQEAATTQENVAWRKNNMVGEGGASGRSP

Important features:

Signal peptide:

amino acids 1-18

502/550

FIGURE 502

MGPSTPLLILFLLSWGPLQGQHHLVEYMERRLAALERLAQCQDQSSRHAAELRDFKNKML
PLLEVAEKEREALRTEADTISGRVDRLEREVDYLETQNPALPCVEFDEKVTGGPGTKGKGRRN
EKYDMVTDCGYTISQVRSMKILKRFGGPAGLWTKDPLGQTEKIYVLDGTQNDTAEVFPRLRDF
TLAMAARKASRVVPFPWVGTLVYGGFLYFARRPPGRPGGGEMENTLQLIKFHLANRTVV
DSSVFPAEGLIPPYGLTADTYIDLVADEEGLWAVYATREDDRHLCCLAKLDPQTLDTQQWDTP
CPRENAEAAFVICGTLV VYNTRPASRARIQCSFDASGTLTPERAALPYFPRRYGAHASLRYN
PRERQLYAWDDGYQIVYKLEMRKKEEEV

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 177-180, 248-251

503/550

FIGURE 503

TGCGGCGCAGTGTAGACCTGGGAGG**ATG**GGCGGCCTGCTGCTGGCTGCTTTTCTGGCTTTGGT
CTCGGTGCCCAGGGCCCAGGCCGTGTGGTTGGGAAGACTGGACCCTGAGCAGCTTCTTGGGCC
CTGGTACGTGCTTGCGGTGGCCTCCCGGGAAAAGGGCTTTGCCATGGAGAAGGACATGAAGAA
CGTCGTGGGGGTGGTGGTGACCCTCACTCCAGAAAACAACCTGCGGACGCTGTCCTCTCAGCA
CGGGCTGGGAGGGTGTGACCAGAGTGTGATGGACCTGATAAAGCGAACTCCGGATGGGTGTT
TGAGAATCCCTCAATAGGCGTGCTGGAGCTCTGGGTGCTGGCCACCAACTTCAGAGACTATGC
CATCATCTTCACTCAGCTGGAGTTCGGGGACGAGCCCTTCAACACCGTGGAGCTGTACAGTCT
GACGGAGACAGCCAGCCAGGAGGCCATGGGGCTCTTACCAAGTGGAGCAGGAGCCTGGGGCTT
CCTGTCACAG**TAG**CAGGCCCAGCTGCAGAAGGACCTCACCTGTGCTCACAAGATCCTTCTGTG
AGTGCTGCGTCCCCAGTAGGGATGGCGCCCACAGGGTCCTGTGACCTCGGCCAGTGTCCACCC
ACCTCGCTCAGCGGCTCCCGGGGGCCAGCACCAGCTCAGAATAAAGCGATTCCACAGCA

504/550

FIGURE 504

MGGLLLAFLALVSVPRQAVWLGRLDPEQLLGPWYVLAVASREKGFAMEKDMKNVVGVVVTL
TPENNLRTLSSQHGLGGCDQSVMDLIKRNSGWVFENPSIGVLELWVLATNFRDYAIIFTQLEF
GDEPFNTVELYSLTETASQEAMGLFTKWSRSLGFLSQ

Important features:

Signal peptide:

amino acids 1-20

505/550

FIGURE 505

GTTCCGCAGATGCAGAGGTTGAGGTGGCTGCGGGACTGGAAGTCATCGGGCAGAGGTCTCACA
GCAGCCAAGGAACCTGGGGCCCGCTCCTCCCCCTCCAGGCC**ATG**AGGATTCTGCAGTTAATC
CTGCTTGCTCTGGCAACAGGGCTTGTAGGGGGAGAGACCAGGATCATCAAGGGGTTTCGAGTGC
AAGCCTCACTCCCAGCCCTGGCAGGCAGCCCTGTTTCGAGAAGACGCGGCTACTCTGTGGGGCG
ACGCTCATCGCCCCAGATGGCTCCTGACAGCAGCCCACTGCCTCAAGCCCCGCTACATAGTT
CACCTGGGGCAGCACAACTCCAGAAGGAGGAGGGCTGTGAGCAGACCCGGACAGCCACTGAG
TCCTTCCCCCACCCTGGCTTCAACAACAGCCTCCCCAACAAAGACCACCGCAATGACATCATG
CTGGTGAAGATGGCATCGCCAGTCTCCATCACCTGGGCTGTGCGACCCCTCACCTCTCTCTCA
CGCTGTGTCACTGCTGGCACCAGCTGCCTCATTTCCGGCTGGGGCAGCACGTCCAGCCCCAG
TTACGCCTGCCTCACACCTTGCGATGCGCCAACATCACCATCATTGAGCACCAGAAGTGTGAG
AACGCCTACCCCGGCAACATCACAGACACCATGGTGTGTGCCAGCGTGCAGGAAGGGGGCAAG
GACTCCTGCCAGGGTGACTCCGGGGGCCCTCTGGTCTGTAACCAGTCTCTTCAAGGCATTATC
TCCTGGGGCCAGGATCCGTGTGCGATCACCCGAAAGCCTGGTGTCTACACGAAAGTCTGCAAA
TATGTGGACTGGATCCAGGAGACGATGAAGAACAAT**TAG**ACTGGACCCACCCACCACAGCCCA
TCACCTCCATTTCCACTTGGTGTGTTGGTTCCTGTTCACTCTGTTAATAAGAAACCCTAAGCC
AAGACCTCTACGAACATTCTTTGGGCCTCCTGGACTACAGGAGATGCTGTCACTTAATAATC
AACCTGGGGTTCGAAATCAGTGAGACCTGGATTCAAATTCTGCCTTGAAATATTGTGACTCTG
GGAATGACAACACCTGGTTTGTCTCTGTTGTATCCCCAGCCCCAAAGACAGCTCCTGGCCAT
ATATCAAGGTTTCAATAAATATTTGCTAAATGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAA

506/550

FIGURE 506

MRILQLILLALATGLVGGETRIIKGFECKPHSQPWQAALFEKTRLLCGATLIAPRWLLTAHC
LKPRYIVHLGQHNLQKEEGCEQTRTATESFPHPGFNNSLPNKDHRNDIMLVKMASPVSITWAV
RPLTLSSRCVTAGTSCSLISGWGSTSSPQLRLPHTLRCANITIIHQKCENAYPGNITDTMVCA
SVQEGGKDSCQGDSSGGLVCNQSLSQGIISWGQDPCAITRKPGVYTKVCKYVDWIQETMKNN

Important features:

Signal peptide:

amino acids 1-18

Serine proteases, trypsin family, histidine active site.

amino acids 58-63

N-glycosylation sites.

amino acids 99-102, 165-168, 181-184, 210-213

Glycosaminoglycan attachment site.

amino acids 145-148

Kringle domain proteins.

amino acids 197-209, 47-64

Serine proteases, trypsin family, histidine protein

amino acids 199-209, 47-63, 220-243

Apple domain proteins

amino acids 222-249, 189-222

507/550

FIGURE 507

CTGGGATCAGCCACTGCAGCTCCCTGAGCACTCTCTACAGAGACGCGGACCCCAGACATGAGG
AGGCTCCTCCTGGTCACCAGCCTGGTGGTTGTGCTGCTGTGGGAGGCAGGTGCAGTCCCAGCA
CCCAAGGTCCCTATCAAGATGCAAGTCAAACACTGGCCCTCAGAGCAGGACCCAGAGAAGGCC
TGGGGCGCCCGTGTGGTGGAGCCTCCGGAGAAGGACGACCAGCTGGTGGTGTGCTGTTCCCTGTC
CAGAAGCCGAAACTCTTGACCACCGAGGAGAAGCCACGAGGTCAGGGCAGGGGGCCCCATCCTT
CCAGGCACCAAGGCCTGGATGGAGACCGAGGACACCCTGGGCCGTGTCCTGAGTCCCGAGCCC
GACCATGACAGCCTGTACCACCCTCCGCCTGAGGAGGACCAGGGCGAGGAGAGGCCCCGGTTG
TGGGTGATGCCAAATCACCAGGTGCTCCTGGGACCGGAGGAAGACCAAGACCACATCTACCAC
CCCCAGTAGGGCTCCAGGGGGCCATCACTGCCCCCGCCCTGTCCCAAGGCCCCAGGCTGTTGGGA
CTGGGACCCTCCCTACCCTGCCCCAGCTAGACAAATAAACCCACAGCAGGCAAAAAAAAAAAAAA
AAAAAA

508/550

FIGURE 508

MRRLLLVTSLVVLLWEAGAVPAKVPKMQVKHWPSEQDPEKAWGARVVEPPEKDDQLVVL
F
PVQKPKLLTTEKPRGQGRGPILPGTKAWMETEDTLGRVLSPEPDHDSLYHPPPEEDQGEER
P
RLWVMPNHQVLLGPEEDQDHIYHPQ

509/550

FIGURE 509

GCGGAGCCGGCGCCGGCTGCGCAGAGGAGCCGCTCTCGCCGCCGCCACCTCGGCTGGGAGCCC
ACGAGGCTGCCGCATCCTGCCCTCGGAACA**AT**GGGACTCGGCGCGCGAGGTGCTTGGGCCGCG
CTGCTCCTGGGGACGCTGCAGGTGCTAGCGCTGCTGGGGGCCGCCCATGAAAGCGCAGCCATG
GCGGCATCTGCAAACATAGAGAATTCTGGGCTTCCACACAACCTCCAGTGCTAACTCAACAGAG
ACTCTCCAACATGTGCCTTCTGACCATACAAATGAAACTTCCAACAGTACTGTGAAACCACCA
ACTTCAGTTGCCTCAGACTCCAGTAATACAACGGTCACCACCATGAAACCTACAGCGGCATCT
AATACAACAACACCAGGGATGGTCTCAACAAATATGACTTCTACCACCTTAAAGTCTACACCC
AAAACAACAAGTGTTTTACAGAACACATCTCAGATATCAACATCCACAATGACCGTAACCCAC
AATAGTTCAGTGACATCTGCTGCTTCATCAGTAACAATCACAACAACATATGCATTCTGAAGCA
AAGAAAGGATCAAAATTTGATACTGGGAGCTTTGTTGGTGGTATTGTATTAACGCTGGGAGTT
TTATCTATTCTTTACATTGGATGCAAAATGTATTACTCAAGAAGAGGCATTCGGTATCGAACC
ATAGATGAACATGATGCCATCATT**TA**AGGAAATCCATGGACCAAGGATGGAATACAGATTGAT
GCTGCCCTATCAATTAATTTTGGTTTATTAATAGTTTAAACAATATTCTCTTTTGGAAATA
GTATAAACAGGCCATGCATATAATGTACAGTGTATTACGTAAATATGTAAAGATTCTTCAAGG
TAACAAGGGTTTGGGTTTTGAAATAAACATCTGGATCTTATAGACCGTTCATACAATGGTTTT
AGCAAGTTCATAGTAAGACAAACAAGTCCTATCTTTTTTTTTTGGCTGGGGTGGGGGCATTGG
TCACATATGACCAGTAATTGAAAGACGTCATCACTGAAAGACAGAATGCCATCTGGGCATACA
AATAAGAAGTTTGTACAGCACTCAGGATTTTGGGTATCTTTTGTAGCTCACATAAAGAACTT
CAGTGCTTTTCAGAGCTGGATATATCTTAATTACTAATGCCACACAGAAATTATACAATCAAA
CTAGATCTGAAGCATAATTTAAGAAAACATCAACATTTTTTGTGCTTTAAACTGTAGTAGTT
GGTCTAGAAACAAAATACTCC

510/550

FIGURE 510

MGLGARGAWAALLLGLTLQVLALLGAAHESAAMAASANIENSGLPNSSANSTETLQHVPSDHT
NETSNSTVKPPTSVASDSSNTTVTTMKPTAASNTTTPGMVSTNMTSTTLKSTPKTTSVSQNTS
QISTSTMTVTHNSSVTSAASSVTITTTMHSEAKKGSKFDTGSFVGGIVLTLGVLSILYIGCKM
YYSRRGIRYRTIDEHDAII

511/550

FIGURE 511

GACTTTGCTTGAATGTTTACATTTTCTGCTCGCTGTCCTACATATCACAATATAGTGTTACGTTTTGTTAAAC
TTTGGGGTGTGAGGAGTTGAGCTTGCTCAGCAAGCCAGCATGGCTAGGATGAGCTTTGTTATAGCAGCTTGCCAA
TTGGTGCTGGGCCTACTAATGACTTCATTAACCGAGTCTTCCATACAGAATAGTGAGTGCCACAACCTTTGCGTA
TGTGAAATTCGTCCCTGGTTTACCCACAGTCAACTTACAGAGAAGCCACCCTGTTGATTGCAATGACCTCCGC
TTAACAAGGATTTCCAGTAACCTCTCTAGTGACACACAAGTGCTTCTCTTACAGAGCAATAACATCGCGAAGACT
GTGGATGAGCTGCAGCAGCTTTTCAACTTGACTGAAGTAGATTTCTCCAAAACAACCTTTACTAACATTAAGGAG
GTCGGGCTGGCAAACCTAACCCAGCTCACAACGCTGCATTGAGGAGAAAATCAGATTACCGAGATGACTGATTAC
TGTCTACAAGACCTCAGCAACCTTCAAGAACTCTACATCAACCACAACCAAAATTAGCACTATTTCTGCTCATGCT
TTTGCAGGCTTAAAAATCTATTAAGGCTCCACCTGAAGTCCAACAAATTGAAAGTTATTGATAGTCGCTGGTTT
GATTCTACACCAACCTGGAAATTCATGATCGGAGAAAACCTGTGATTGGAATTCGGATATGAAGTTCAAA
CCCCTCGCAAATTTGAGAAGCTTAGTTTTGGCAGGAATGTATCTCACTGATATTCCTGGAAATGCTTTGGTGGGT
CTGGATAGCCTTGAGAGCCTGTCTTTTATGATAACAACTGGTTAAAGTCCCTCAACTTGCCCTGCAAAAAGTT
CCAAATTTGAAATTCCTAGACCTCAACAAAAACCCATTCAAAAATCCAAGAAGGGGACTTCAAAAATATGCTT
CGGTTAAAGAAGCTGGGAATCAACAATATGGGCGAGCTCGTTTCTGTCGACCGCTATGCCCTGGATAACTTGCCT
GAAGTCAAAAAGCTGGAAGCCACCAATAACCCTAACTCTCTTACATCCACCGCTTGGCTTTCCGAAGTGTCCT
GCTCTGGAAGCTTGATGCTGAACAACAATGCCTTGAATGCCATTTACCAAAAGACAGTCGAATCCCTCCCAAT
CTGCGTGAGATCAGTATCCATAGCAATCCCTCAGGTGTGACTGTGTGATCCACTGGATTAACTCCAACAAAACC
AACATCCGCTTTCATGGAGCCCCGTCCATGTTCTGTGCCATGCCGCCCCGAATATAAAGGGCACCAGGTGAAGGAA
GTTTTAATCCAGGATTTCGAGTGAACAGTGCTCCCAATGATATCTCAGCAGCTTCCCAAATCGTTTAAACGTG
GATATCGGCACGACGGTTTTCTAGACTGTGAGCCATGGCTGAGCCAGAACCTGAAATTTACTGGGTCACTCCC
ATTGGAATAAGATAACTGTGGAAACCTTTCAGATAAATAACAAGCTAAGTAGCGAAGGTACCTTGGAATATCT
AACATACAAATTGAAGACTCAGGAAGATACATGTGTTGCCAGAAATGTCCAAGGGGCAGACACTCGGGTGGCA
ACAATTAAGGTTAACGGGACCCTTCTGGATGGTACCAGGTGCTAAAAATATACGTCAAGCAGACAGAATCCCAT
TCCATCTTAGTGCTCCTGGAAGTTAATCCAATGTCATGACGTCAAACCTTAAATGGTCGTCTGCCACCATGAAG
ATTGATAACCTCACATAACATATACTGCCAGGGTCCCAGTCGATGTCCATGAATACAACCTAACGCATCTGCAG
CCTTCCACAGATTATGAAGTGTGTCTCACAGTGTCCAATATTCATCAGCAGACTCAAAGTCATGCGTAAATGTC
ACAACCAAAAATGCCGCTTCGCAGTGGACATCTCTGATCAAGAAACAGTACAGCCCTTGCTGCAGTAATGGGG
TCTATGTTTGCCGTATTAGCCTTGCGTCCATTGCTGTGTACTTTGCCAAAAGATTTAAGAGAAAAAACTACCAC
CACTCATTAATAAAGTATATGCAAAAAACCTCTTAATCCCACTAAATGAGCTGTACCCACCCTCATTAACCTC
TGGGAAGGTGACAGCGAGAAAGACAAAGATGGTTCTGCAGACCAAGCCAACCCAGGTGACACATCCAGAAGC
TATTACATGTGGTAACTCAGAGGATATTTGCTTCTGGTAGTAAGGAGCACAAAGACGTTTTTGCTTTATTCTGC
AAAAGTGAACAAGTTGAAGACTTTTGTATTTTGTACTTTGCTAGTTTGTGGCAGAGTGGAGAGGACGGGTGGATA
TTTCAAATTTTTTTAGTATAGCGTATCGCAAGGGTTTGACACGGCTGCCAGCGACTCTAGGCTTCCAGTCTGTGT
TTGGTTTTTATTCTTATCATTATTATGATTGTTATTATATTATTTTATTTAGTTGTTGTGCTAAACTCAAT
AATGCTGTTCTAACTACAGTGCTCAATAAATGATTAATGACAGGAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AA

512/550

FIGURE 512

MARMSFVIAACQLVLGLLMTSLTESSIONSECPQLCVCEIRPWFTPQSTYREATTVDCNDLRL
TRIPSNLSSDTQVLLLQSNNIAKTVDELQQLFNLTELDQSQNNFTNIKEVGLANLTQLTTLHL
EENQITEMTDYCLQDLSNLQELYINHNQISTISAHAFAGLKNLLRLHLNSNKLKVIDSRWFDS
TPNLEILMIGENPVIGILDMNFKPLANLRSLVLAGMYLTDIPGNALVGLDSLESLSFYDNKLV
KVPQALALQKVPNLKFLDLNKNPIHKIQEGDFKNMLRLKELGINNMGELVSVDRYALDNLPELT
KLEATNNPKLSYIHRLAFRSVPALSLMLNNAALNAIYQKTVESLPNLREISIHNSNPLRCDCV
IHWINSNKTNIRFMEPLSMFCAMPPEYKGHQVKEVLIQDSSEQCLPMISHDSFPNRLNVDIGT
TVFLDCRAMAEPEPEIYWVTPIGNKITVETLSDKYKLSSEGTLEISNIQIEDSGRYTCVAQNV
QGADTRVATIKVNGTLLDGTQVLKIYVKQTESHSILVSWKVNSNVMTSNLKWSSATMKIDNPH
ITYTARVPVDVHEYNLTHLQPDYEVCLTVSNIHQQTQKSCVNVTTKNAAFVADISDQETST
ALAAVMGSMFAVISLASIAVYFAKRFKRKNYHSLKKYMQKTSSIPLNELYPPLINLWEGDSE
KDKDGSADTKPTQVDTSRSYYMW

Important features:**Signal peptide:**

Amino acids 1-25

Transmembrane domain:

Amino acids 508-530

N-glycosylation sites:Amino acids 69-73;96-100;106-110;117-121;385-389;517-521;
582-586;611-615**Tyrosine kinase phosphorylation site:**

Amino acids 573-582

N-myristoylation sites:

Amino acids 16-22;224-230;464-470;637-643;698-704

513/550

FIGURE 513

GGGAGAGAGGATAAAATAGCAGCGTGGCTTCCCTGGCTCCTCTCTGCATCCTTCCCGACCTTCC
CAGCAAT**ATG**CATCTTGACGTCTGGTCGGCTCCTGCTCCCTCCTTCTGCTACTGGGGGCCCT
GTCTGGATGGGCGGCCAGCGATGACCCCATTTAGAAGGTCATTGAAGGGATCAACCGAGGGCT
GAGCAATGCAGAGAGAGAGGTGGGCAAGGCCCTGGATGGCATCAACAGTGGGAATCACGCATGC
CGGAAGGGAAGTGGAGAAGGTTTTCAACGGACTTAGCAACATGGGGAGCCACACCGGCAAGGA
GTTGGACAAAGGCGTCCAGGGGCTCAACCACGGCATGGACAAGGTTGCCCATGAGATCAACCA
TGGTATTGGACAAGCAGGAAAGGAAGCAGAGAAGCTTGGCCATGGGGTCAACAACGCTGCTGG
ACAGGCCGGAAGGAAGCAGACAAAGCGGTCCAAGGGTTCCACACTGGGGTCCACCAGGCTGG
GAAGGAAGCAGAGAACTTGGCCAAGGGGTCAACCATGCTGCTGACCAGGCTGGAAAGGAAGT
GGAGAAGCTTGGCCAAGGTGCCCAACCATGCTGCTGGCCAGGCCGGAAGGAGCTGCAGAATGC
TCATAATGGGGTCAACCAAGCCAGCAAGGAGGCCAACCAGCTGCTGAATGGCAACCATCAAAG
CGGATCTTCCAGCCATCAAGGAGGGGCCACAACCACGCCGTTAGCCTCTGGGGCCTCAGTCAA
CACGCCTTTCATCAACCTTCCCGCCCTGTGGAGGAGCGTCGCCAACATCATGCCCT**TAA**ACTGG
CATCCGGCCTTGCTGGGAGAATAATGTCGCCGTTGTCACATCAGCTGACATGACCTGGAGGGG
TTGGGGGTGGGGGACAGGTTTCTGAAATCCCTGAAGGGGGTTGTACTGGGATTTGTGAATAAA
CTTGATACACCA

514/550

FIGURE 514

MHLARLVGSCSLLLLLGALSGWAASDDPIEKVIEGINRGLSNAEREVGKALDGINSGITHAGR
EVEKVFNGLSNMGSHGTGKELDKGVQGLNHGMDKVAHEINHGIGQAGKEAEKLGHGVNNAAGQA
GKEADKAVQGFHTGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAGKELQNAHN
GVNQASKEANQLLNGNHQSGSSSHQGGATTTPLASGASVNTPFINLPALWRSVANIMP

Important features:

Signal peptide:

amino acids 1-25

Homologous region to circumsporozoite (CS). repeats:

amino acids 35-225

515/550

FIGURE 515

CCCACGCGTCCGCCCACGCGTCCGGGTGCCACTCGCGCGCCGGCCGCGCTCCGGGCTTCTCTT
TTCCCTCCGACGCGCCACGGCTGCCCAGACATTCCGGCTGCCGGGTCTGGAGAGCTCCCCGAA
CCCCTCGCGGAGAGGAGCGAGGCGGCCAGGGTGGCCCCCGGGGCGCGCTTGGTCTCGGAG
AAGCGGGGACGAGGCCGAGGATGAGCGACTGAGGGCGACGCGGGCACTGACGCGAGTTGGGG
CCGCGACTACCGGCAGCTGACAGCGGATGAGCGACTCCCCAGAGACGCCCTAGCCCCGTGTG
CGCGCCAGGCGGAGCGCGCAGGTGGGGCTGGGCTGTTAGTGGTCCGCCCCACGCGGGTCGCCG
GCCGGCCCAGGATGGGCGCTGGCAACCCGGGCCCCGCGCCCGCGCTGCTACCCCTGCGCCCCG
TGCGAGCCCGGCGTCCGGCCCCGCGCCCTGCGCTCATGGACGGCGGCTCCCGGCTGGCGGCGGC
GCGCCCCCGGGCTGTGAATGCGACTCGCCCCCTCGGCCGCGCTCCCCGCCCCCGCCCGCGG
GACGTGGTAGGGGATGCCAGCTCCACTGCGATGGCAGTTGGCGCGCTCTCCAGTTCCCTCCT
GGTCACCTGCTGCCTGATGGTGGCTCTGTGCAGTCCGAGCATCCCGCTGGAGAAGCTGGCCCCA
GGCACCAGAGCAGCCGGGCCAGGAGAAGCGTGAGCACGCCACTCGGGACGGCCCCGGGGCGGGT
GAACGAGCTCGGGCGCCCGGCGAGGGACGAGGGCGGCAGCGCCGGGACTGGAAGAGCAAGAG
CGGCCGTGGGCTCGCCGGCCGTGAGCCGTGGAGCAAGCTGAAGCAGGCCTGGGTCTCCAGGG
CGGGGGCGCAAGGCCGGGGATCTGCAGGTCCGGCCCCGCGGGGACACCCCGCAGGCGGAAGC
CCTGGCCGAGCCGCCAGGACGCGATTGGCCCCGGAACCTCGCGCCCACGCCGAGCCACCCGA
GGAGTACGTGTACCCGGACTACCGTGGCAAGGGCTGCGTGGACGAGAGCGGCTTCGTGTACGC
GATCGGGGAGAAGTTTCGCGCCGGGCCCCCTCGGCCTGCCCGTGCCTGTGCACCGAGGAGGGGCC
GCTGTGCGCGCAGCCCGAGTGCCCCGAGGCTGCACCCGCGCTGCATCCACGTCGACACGAGCCA
GTGCTGCCCCGAGTGCAAGGAGAGGAAGAACTACTGCGAGTTCCGGGGCAAGACCTATCAGAC
TTTGAGGAGTTTCGTGGTGTCTCCATGCGAGAGGTGTCGCTGTGAAGCCAACGGTGAGGTGCT
ATGCACAGTGTACGCGTGTCCCCAGACGGAGTGTGTGGACCCTGTGTACGAGCCTGATCAGTG
CTGTCCCCTCTGCAAAAATGGTCCAACTGCTTTGCAGAAACCGCGGTGATCCCTGCTGGCAG
AGAAGTGAAGACTGACGAGTGCACCATATGCCACTGTACTTATGAGGAAGGCACATGGAGAAT
CGAGCGGCAGGCCATGTGCACGAGACATGAATGCAGGCAAATGTAGACGCTTCCCAGAACACA
AACTCTGACTTTTTCTAGAACATTTTACTGATGTGAACATTCTAGATGACTCTGGGAACATATC
AGTCAAAGAAGACTTTTGATGAGGAATAATGGAAAATTGTTGGTACTTTTCCTTTTCTTGATA
ACAGTTACTACAACAGAAGGAAATGGATATATTTCAAAACATCAACAAGAACTTTGGGCATAA
AATCCTTCTCTAAATAAATGTGCTATTTTCACAGTAAGTACACAAAAGTACACTATTATATAT
CAAATGTATTTCTATAATCCCTCCATTAGAGAGCTTATATAAGTGTTCCTATAGATGCAGAT
TAAAAATGCTGTGTTGTCAACCGTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

516/550

FIGURE 516

MPSSTAMAVGALSSSLLVTCCLMVALCSPSIPLEKLAQAPEQPGQEKREHATRDGPGRVNELG
RPARDEGGSGRDWKSksGRGLAGREPWSKLKQAWVSQGGGAKAGDLQVRPRGDTPOAEALAAA
AQDAIGPELAPTPEPPEEYVYPDYRGKGCVDSESGFVYAIGKFAFGPSACPCLCTEEGPLCAQ
PECPRLHPRCIHVDTSQCCPQCKERKNYCEFRGKTYQTLEEFVVSPCERCRCCEANGEVLCTVS
ACPQTECVDPVYEPPDQCCPICKNGPNCFAETAVIPAGREVKTDECTICHCTYEETWRIERQA
MCTRHECRQM

Important features:

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 11-30

Glycosaminoglycan attachment site.

amino acids 80-83

N-myristoylation sites.

amino acids 10-15, 102-107, 103-108

Cell attachment sequence.

amino acids 114-117

EGF-like domain cysteine pattern signature.

amino acids 176-187

517/550

FIGURE 517

GGACAACCGTTGCTGGGTGTCCAGGGCCTGAGGCAGGACGGTACTCCGCTGACACCTTCCCT
TTCGGCCTTGAGGTTCCCAGCCTGGTGGCCCCAGGACGTTCCGGTCGCATGGCAGAGTGCTAC
GGACGACGCCTATGAAGCCCTTAGTCCTTCTAGTTGCGCTTTTGCTATGGCCTTCGTCTGTGC
CGGCTTATCCGAGCATAACTGTGACACCTGATGAAGAGCAAACTTGAATCATTATATACAAG
TTTTAGAGAACCTAGTACGAAGTGTTCCCTCTGGGGAGCCAGGTCGTGAGAAAAAATCTAACT
CTCCAAAACATGTTTATTCTATAGCATCAAAGGGATCAAAATTTAAGGAGCTAGTTACACATG
GAGACGCTTCAACTGAGAATGATGTTTTAACCAATCCTATCAGTGAAGAACTACAACCTTCC
CTACAGGAGGCTTCACACCGGAAATAGGAAAGAAAAACACACGGAAAGTACCCCATCTGGT
CGATCAAACCAACAATGTTTCCATTGTTTTGCATGCAGAGGAACCTTATATTGAAAATGAAG
AGCCAGAGCCAGAGCCGGAGCCAGCTGCAAAACAACTGAGGCACCAAGAATGTTGCCAGTTG
TTACTGAATCATCTACAAGTCCATATGTTACCTCATAACAAGTCACCTGTCACCACTTTAGATA
AGAGCACTGGCATTGAGATCTCTACAGAATCAGAAGATGTTCCCTCAGCTCTCAGGTGAACTG
CGATAGAAAAACCCGAAGAGTTTGAAAGCACCCAGAGAGTTGGAATAATGATGACATTTTGA
AAAAAATTTTAGATATTAATTCACAAGTGCAACAGGCACTTCTTAGTGACACCAGCAACCCAG
CATATAGAGAAGATATTGAAGCCTCTAAAGATCACCTAAAACGAAGCCTTGCTCTAGCAGCAG
CAGCAGAACATAAATTA AAAACAATGTATAAGTCCCAGTTATTGCCAGTAGGACGAACAAGTA
ATAAAATTGATGACATCGAAACTGTTATTAACATGCTGTGTAATTCTAGATCTAACTCTATG
AATATTTAGATATTAAATGTGTTCCACCAGAGATGAGAGAAAAAGCTGCTACAGTATTCAATA
CATTAAAAAATATGTGTAGATCAAGGAGAGTCACAGCCTTATTAAAAGTTTATTAACAATAA
TATAAAAATTTTAAACCTACTTGATATTCATAACAAAGCTGATTTAAGCAAACCTGCATTTTT
TCACAGGAGAAATAATCATATTCGTAATTTCAAAGTTGTATAAAAAATATTTTCTATTGTAGT
TCAATGTGCCAACATCTTTATGTGTCATGTGTTATGAACAATTTTCATATGCACTAAAAACC
TAATTTAAAATAAAATTTTGGTTCAGGAAAAAA

518/550

FIGURE 518

MKPLVLLVALLLWPSSVPAYPSITVTPDEEQNLNHYIQVLENLVRVPSGEPGREKKSNSPKH
VYSIASKGSKFKELVTHGDASTENDVLNPISEETTTFTPTGGFTPEIGKKKHTSTPFWSIKP
NNVSIVLHAEOPYIENEEPEPEPEPAAKQTEAPRMLPVVTSSTSPYVTSYKSPVTTLDKSTG
IEISTESEDVPQLSGETAIEKPEEFGKHPESWNDDILKKILDINSQVQQALLSDTSNPAYRE
DIEASKDHLKRSLALAAAAEHKLKTMYSQLLPVGRTSNKIDDIETVINMLCNSRSKLYEYLD
IKCVPPEMREKAATVFNTLKNMCRSRRVTALLKVY

Important features:

Signal peptide:

amino acids 1-19

519/550

FIGURE 519

CGGCTCGAGTGCAGCTGTGGGGAGATTTTCAGTGCATTGCCTCCCCTGGGTGCTCTTCATCTTG
GATTTGAAAGTTGAGAGCAGCATGTTTTGCCCACTGAACTCATCCTGCTGCCAGTGTTACTG
GATTATTCCTTGGGCCTGAATGACTTGAATGTTTCCCCGCCTGAGCTAACAGTCCATGTGGGT
GATTCAGCTCTGATGGGATGTGTTTTCCAGAGCACAGAAGACAAATGTATATTCAAGATAGAC
TGGACTCTGTCACCAGGAGAGCACGCCAAGGACGAATATGTGCTATACTATTACTCCAATCTC
AGTGTGCCTATTGGGCGCTTCCAGAACCGGTACACTTGATGGGGGACATCTTATGCAATGAT
GGCTCTCTCCTGCTCCAAGATGTGCAAGAGGCTGACCAGGGAACCTATATCTGTGAAATCCGC
CTCAAAGGGGAGAGCCAGGTGTTCAAGAAGGCGGTGGTACTGCATGTGCTTCCAGAGGAGCCC
AAAGAGCTCATGGTCCATGTGGGTGGATTGATTTCAGATGGGATGTGTTTTCCAGAGCACAGAA
GTGAAACACGTGACCAAGGTAGATGGATATTTTCAGGACGGCGCGCAAAGGAGGAGATTGTA
TTTCGTTACTACCACAACTCAGGATGTCTGTGGAGTACTCCCAGAGCTGGGGCCACTTCCAG
AATCGTGTGAACCTGGTGGGGGACATTTTCCGCAATGACGGTTCATCATGCTTCAAGGAGTG
AGGGAGTCAGATGGAGGAACTACACCTGCAGTATCCACCTAGGGAACCTGGTGTTCAGAAA
ACCATTGTGCTGCATGTCAGCCCGAAGAGCCTCGAACACTGGTGACCCCGGCAGCCCTGAGG
CCTCTGGTCTTGGGTGGTAATCAGTTGGTGATCATTGTGGGAATTGTCTGTGCCACAATCCTG
CTGCTCCCTGTTCTGATATTGATCGTGAAGAAGACCTGTGGAAATAAGAGTTCAGTGAATTCT
ACAGTCTTGGTGAAGAACACGAAGAAGACTAATCCAGAGATAAAAGAAAAACCCTGCCATTTT
GAAAGATGTGAAGGGGAGAAACACATTTACTCCCCAATAATTGTACGGGAGGTGATCGAGGAA
GAAGAACCAAGTGAAAAATCAGAGGCCACCTACATGACCATGCACCCAGTTTGGCCTTCTCTG
AGGTCAGATCGGAACAACCTCACTTGAAAAAAGTCAGGTGGGGGAATGCCAAAAACACAGCAA
GCCTTTTGAGAGAAGATGGAGAGTCCCTTCATCTCAGCAGCGGTGGAGACTCTCTCCTGTGTGT
GTCCTGGGCCACTCTACCAGTGATTTTCAGACTCCCGCTCTCCAGCTGTCCTCCTGTCTCATT
GTTTGGTCAATACACTGAAGATGGAGAATTTGGAGCCTGGCAGAGAGACTGGACAGCTCTGGA
GGAACAGGCCTGCTGAGGGGAGGGGAGCATGGACTTGGCCTCTGGAGTGGGACACTGGCCCTG
GGAACCAGGCTGAGCTGAGTGGCCTCAAACCCCCGTTGGATCAGACCCTCCTGTGGGCAGGG
TTCTTAGTGGATGAGTTACTGGGAAGAATCAGAGATAAAAACCAACCCAAATCAA

520/550

FIGURE 520

MFCPLKLILLPVLLDYSLGLNDLNVSPPELTVHVGDSALMGCVFQSTEDKCIFKIDWTLSPE
HAKDEYVLYYYSNLSVPIGRFQNRVHLMGDILCNDGSLLLQDVQEADQGTIYICEIRLKGESQV
FKKAVVLHVLPEEPKELMVHVGGLIQMGCVFQSTEVKHVTKVEWIFSGRRAKEEIVFRYYHKL
RMSVEYSQSWGHFQNRVNLVGDI FRNDGSIMLQGVRES DGGNYTCSIHLGNLVFKKTIVLHVS
PEEPRTLVT PAALRPLVLGGNQLV IIVGIVCATILLLPVLILIVKKT CGNKSSVNSTVLVKNT
KKTNPEIKEKPCHFERCEGEKHIYSPIIVREVI EEEEPSEKSEATYMTMHPVWPSLRSDRNNS
LEKKS GGGMPKTQQAF

521/550

FIGURE 521

CTATGAAGAAGCTTCCTGGAAAACAATAAGCAAAGGAAAACAAATGTGTCCCATCTCACATGG
TTCTACCCTACTAAAGACAGGAAGATCATAACTGACAGATACTGAAATTGTAAGAGTTGGAA
ACTACATTTTGCAAAGTCATTGAACTCTGAGCTCAGTTGCAGTACTCGGGAAGCCATGCAGGA
TGAAGATGGATACATCACCTTAAATATTAAAACCTCGGAAACCAGCTCTCGTCTCCGTTGGCCC
TGCATCCTCCTCCTGGTGGCGTGTGATGGCTTTGATTCTGCTGATCCTGTGCGTGGGGATGGT
TGTCGGGCTGGTGGCTCTGGGGATTTGGTCTGTGCATGCAGCGCAATTACCTACAAGATGAGAA
TGAAATCGCACAGGAACCTGCAACAATTAGCAAAGCGCTTCTGTCAATATGTGGTAAAACA
ATCAGAACTAAAGGGCACTTTCAAAGGTCATAAATGCAGCCCCTGTGACACAACTGGAGATA
TTATGGAGATAGCTGCTATGGGTCTTCAGGCACAACCTAACATGGGAAGAGAGTAAGCAGTA
CTGCACTGACATGAATGCTACTCTCCTGAAGATTGACAACCGGAACATTGTGGAGTACATCAA
AGCCAGGACTCATTTAATTCGTTGGGTCGGATTATCTCGCCAGAAGTCGAATGAGGTCTGGAA
GTGGGAGGATGGCTCGGTTATCTCAGAAAATATGTTTGAGTTTTTGGGAAGATGGAAAAGGAAA
TATGAATTGTGCTTATTTTCATAATGGGAAAATGCACCCTACCTTCTGTGAGAACAAACATTA
TTAATGTGTGAGAGGAAGGCTGGCATGACCAAGGTGGACCAACTACCTTAATGCAAAGAGGT
GGACAGGATAACACAGATAAGGGCTTTATTGTACAATAAAAGATATGTATGAATGCATCAGTA
GCTGAAAAAAAAAAAAA

522/550

FIGURE 522

MQDEGGYITLNIKTRKPALVSVGPASSSWWRVMALILLILCVGMVVGLVALGIWSVMQRNYLQ
DENENRTGTLQQLAKRFCQYVVKQSELKGTFKGHKCSPCDTNWRYYGDSCYGFFRHNLTWEES
KQYCTDMNATLLKIDNRNIVEYIKARTHLIRWVGLSRQKSNEVWKWEDGSVISENMFEFLEDG
KGNMNCAYFHNGKMHPTFCENKHYLMCERKAGMTKVDQLP

523/550

FIGURE 523

CAGCAGTGGTCTCTCAGTCCTCTCAAAGCAAGGAAAGAGTACTGTGTGCTGAGAGACCATGGC
AAAGAATCCTCCAGAGAATTGTGAAGACTGTCACATTCTAAATGCAGAAGCTTTTAAATCCAA
GAAAATATGTAAATCACTTAAGATTTGTGGACTGGTGTGGTATCCTGGCCCTAACTCTAAT
TGTCTGTGTTTTGGGGGAGCAAGCACTTCTGGCCGGAGGTACCCAAAAAGCCTATGACATGGA
GCACACTTTCTACAGCAATGGAGAGAAGAAGAAGATTTACATGGAAATTGATCCTGTGACCAG
AACTGAAATATTCAGAAGCGGAAATGGCACTGATGAAACATTGGAAGTGCACGACTTTAAAA
CGGATACACTGGCATCTACTTCGTGGGTCTTCAAAAATGTTTTATCAAACTCAGATTAAAGT
GATTCCTGAATTTTCTGAACCAGAAGAGGAAATAGATGAGAATGAAGAAATTACCACAACTTT
CTTTGAACAGTCAGTGATTTGGGTCCCAGCAGAAAAGCCTATTGAAAACCGAGATTTTCTTAA
AAATTCCAAAATTCTGGAGATTTGTGATAACGTGACCATGTATTGGATCAATCCCACTCTAAT
ATCAGTTTCTGAGTTACAAGACTTTGAGGAGGAGGGAGAAGATCTTCACTTTCTGCCAACGA
AAAAAAGGGATTGAACAAAATGAACAGTGGGTGGTCCCTCAAGTGAAAGTAGAGAAGACCCG
TCACGCCAGACAAGCAAGTGAGGAAGAACTTCCAATAAATGACTATACTGAAAATGGAATAGA
ATTTGATCCCATGCTGGATGAGAGAGGTTATTGTTGTATTTACTGCCGTCGAGGCAACCGCTA
TTGCCGCCGCGTCTGTGAACCTTTACTAGGCTACTACCCATATCCATACTGCTACCAAGGAGG
ACGAGTCATCTGTGCTGTCATCATGCCTTGTAAGTGGTGGGTGGCCCGCATGCTGGGGAGGGT
CTAATAGGAGGTTTGAGCTCAAATGCTTAACTGCTGGCAACATATAATAAATGCATGCTATT
CAATGAATTTCTGCCTATGAGGCATCTGGCCCTGGTAGCCAGCTCTCCAGAATTACTTGTAG
GTAATTCCTCTCTTCATGTTCTAATAAACTTCTACATTATCACCAAAAAAAAAAAAAAAAAA

524/550

FIGURE 524

MAKNPPENCEDCHILNAEAFKSKKICKSLKICGLVFGILALTILIVLFWGSKHFWPEVPPKAYD
MEHTFYSNGEKKKIYMEIDPVTRTEIFRSGNGTDETLVHDFKNGYTGIIYFVGLQKCFIKTQI
KVIPEFSEPEEEIDENEEITTTFFEQSVIWWPAEKPIENRDFLKNKILEICDNVTMYWINPT
LISVSELQDFEEEGEDLHFPANEKKGIEQNEQWVVPQVKVEKTRHARQASEEELPINDYTENG
IEFDPMlderGYCCIIYCRGNRYCRRVCEPLLGYYPYPYCYQGGRVICRVIMPCNWWVARMLGRV

Important features:

Signal peptide:

amino acids 1-40

Transmembrane domain:

amino acids 25-47 (type II)

N-glycosylation sites.

amino acids 94-97, 180-183

Glycosaminoglycan attachment sites.

amino acids 92-95, 70-73, 85-88, 133-136, 148-151, 192-195, 239-
242

N-myristoylation sites.

amino acids 33-38, 95-100, 116-121, 215-220, 272-277

Microbodies C-terminal targeting signal.

amino acids 315-317

Cytochrome c family heme-binding site signature.

amino acids 9-14

525/550

FIGURE 525

AGTGACAATCTCAGAGCAGCTTCTACACCACAGCCATTTCCAGCATGAAAGATCACTGGGGGTC
TCCTTCTGCTCTGTACAGTGGTCTATTTCTGTAGCAGCTCAGAAGCTGCTAGTCTGTCTCCAA
AAAAAGTGGACTGCAGCATTTACAAGAAGTATCCAGTGGTGGCCATCCCCTGCCCCATCACAT
ACCTACCAGTTTGTGGTTCTGACTACATCACCTATGGGAATGAATGTCACCTTGTGTACCGAGA
GCTTGAAAAGTAATGGAAGAGTTCAGTTTCTTCACGATGGAAGTTGCTTAAATTCTCCATGGAC
ATAGAGAGAAAGGAATGATATTCTCATCATCATCTTCATCATCCCAGGCTCTGACTGAGTTTC
TTTCAGTTTTACTGATGTTCTGGGTGGGGGACAGAGCCAGATTCAGAGTAATCTTGACTGAAT
GGAGAAAGTTTCTGTGCTACCCCTACAAACCCATGCCTCACTGACAGACCAGCATTTTTTTTTT
TAACACGTCAATAAAAAAATAATCTCCCAGA

526/550

FIGURE 526

MKITGGLLLLCTVVYFCSSSEAASLSPKKVDCSIYKKYPVVAIPCPITYLPVCGSDYITYGNE
CHLCTESLKSNRQVFLHDGSC

Important features:

Signal peptide:

amino acids 1-19

527/550

FIGURE 527

CGACGATGCTACGCGCGCCCGGCTGCCTCCTCCGGACCTCCGTAGCGCCTGCCGCGGCCCTGG
CTGCGGCGCTGCTCTCGTCGCTTGCGCGCTGCTCTCTTAGAGCCGAGGGACCCGGTGGCCT
CGTCGCTCAGCCCCATTTTCGGCACCAAGACTCGCTACGAGGATGTCAACCCCGTGCTATTGT
CGGGCCCCGAGGCTCCGTGGCGGGACCTGAGCTGCTGGAGGGGACCTGCACCCCGGTGCAGC
TGGTCGCCCCTCATTCGCCACGGCACCCGCTACCCACGGTCAAACAGATCCGCAAGCTGAGGC
AGCTGCACGGGTTGCTGCAGGCCCGCGGGTCCAGGGATGGCGGGGCTAGTAGTACCGGCAGCC
CGACCTGGGTGCAGCGCTGGCCGACTGGCCTTTGTGGTACGCGGACTGGATGGACGGGCAGC
TAGTAGAGAAGGGACGGCAGGATATGCGACAGCTGGCGCTGCGTCTGGCCTCGCTCTTCCCGG
CCTTTTTCAGCCGTGAGAACTACGGCCGCTGCGGCTCATCACCAGTTCCAAGCACCGCTGCA
TGGATAGCAGCGCCGCTTCTGTCAGGGGCTGTGGCAGCACTACCACCTGGCTTGCCGCCGC
CGGACGTCGCAGATATGGAGTTTGGACCTCCAACAGTTAATGATAAACTAATGAGATTTTTTG
ATCACTGTGAGAAGTTTTTAACTGAAGTAGAAAAAATGCTACAGCTCTTATCACGTGGAAG
CCTTCAAACTGGACCAGAAATGCAGAACATTTTAAAAAAGTTGCAGCTACTTTGCAAGTGC
CAGTAAATGATTTAAATGCAGATTTAATTCAAGTAGCCTTTTTACCTGTTTCAATTTGACCTGG
CAATTAAAGGTGTTAAATCTCCTTGGTGTGATGTTTTTGACATAGATGATGCAAGGTATTAG
AATATTTAAATGATCTGAAACAATATTGAAAAAGAGGATATGGGTATACTATTAACAGTCGAT
CCAGCTGCACCTTGTTCAGGATATCTTTCAGCACTTGGACAAAGCAGTTGAACAGAAAAACAA
GGTCTCAGCCAATTTCTTCTCCAGTCATCTCCAGTTTGGTCATGCAGAGACTCTTCTTCCAC
TGCTTCTCTCAAGGCTACTTCAAAGACAAGGAACCCCTAACAGCGTACAATTACAAAAAAC
AAATGCATCGGAAGTTCCGAAGTGGTCTCATTGTACCTTATGCCTCGAACCTGATATTTGTGC
TTTACCAGTGTGAAATGCTAAGACTCCTAAAGAACAAATCCGAGTGCAGATGTTATTAAATG
AAAAGGTGTTACCTTTGGCTTACTCACAAGAACTGTTTCATTTTTATGAAGATCTGAAGAACC
ACTACAAGGACATCCTTCAGAGTTGTCAAACCAGTGAAGAATGTGAATTAGCAAGGGCTAACA
GTACATCTGATGAACATTGAGTAAGTGAAGAACATTTTTAATTCTTTAGGAATCTGCAATGAG
TGATTACATGCTTGTAAATAGGTAGGCAATTCCTTGATTACAGGAAGCTTTTATATTACTTGAG
TATTTCTGTCTTTTTCAGAAAAACATTGGGTTTCTCTCTGGGTTTGGACATGAAATGTAAGA
AAAGATTTTTCACTGGAGCAGCTCTCTTAAGGAGAAACAAATCTATTTAGAGAAACAGCTGGC
CCTGCAAATGTTTACAGAAATGAAATTCCTTCTACTTATATAAGAAATCTCACACTGAGATAG
AATTGTGATTTTATAATAACACTTGAAAAGTGCTGGAGTAACAAAATATCTCAGTTGGACCAT
CCTTAACTTGATTGAACTGTCTAGGAACTTTACAGATTGTTCTGCAGTTCTCTCTTCTTTTCC
TCAGGTAGGACAGCTCTAGCATTTTCTTAATCAGGAATATTGTGGTAAGCTGGGAGTATCACT
CTGGAAGAAAGTAACATCTCCAGATGAGAATTTGAAACAAGAAACAGAGTGTGTAAGGAC
ACCTTCACTGAAGCAAGTCGGAAGTACAATGAAAATAAATATTTTTGGTATTTATTTATGAA
ATATTTGAACATTTTTTCAATAATTCCTTTTTACTTCTAGGAAGTCTCAAAGACCATCTTAA
ATTATTATATGTTTGGACAATTAGCAACAAGTCAGATAGTTAGAATCGAAGTTTTTCAAATCC
ATTGCTTAGCTAACTTTTTTATTCTGTCACTTGGCTTCGATTTTTATATTTTCTATTATATG
AAATGTATCTTTTGGTTGTTTGATTTTTCTTTCTTTCTTTGTAAATAGTTCTGAGTTCTGTCA
AATGCCGTGAAAGTATTTGCTATAATAAGAAAATTCCTGTGACTTTAAAAA

528/550

FIGURE 528

MLRAPGCLLRTSVAPAAALAAALLSSLARCSLLEPRDPVASSLSFYFGTKTRYEDVNPVLLSG
PEAPWRDPELLEGTCTPVQLVALIRHGTRYPTVKQIRKLRQLHGLLQARGSRDGGASSTGSRD
LGAALADWPLWYADWMDGQLVEKGRQDMRQLALRLASLFPALFSRENYGRLRLITSSKHRCMD
SSAAFLQGLWQHYHPGLPPPDVADMEFGPPTVNDKLMRFFDHCEKFLTEVEKNATALYHVEAF
KTGPEMQNILKKVAATLQVPVNDLNADLIQVAFFTCSEFDLAIKGVKSPWCDVFDIDDAKVLEY
LNDLKQYWKRGYGYTINSRSSCTLFQDIFQHLDKAVEQKQRSQPISSPVILQFGHAETLLPLL
SLMGYFKDKEPLTAYNYKKQMRKFRSGLIVPYASNLI FVLYHCENAKTPKEQFRVQMLLNEK
VLPLAYSQETVSFYEDLKNHYKDILQSCQTSEECELARANSTSDEL

Important features:**Signal sequence**

amino acids 1-30

N-glycosylation sites.

amino acids 242-246, 481-485

N-myristoylation sites.

amino acids 107-113, 113-119, 117-123, 118-124, 128-134

Endoplasmic reticulum targeting sequence.

amino acids 484-489

529/550

FIGURE 529

GGAGAGCCGCGGCTGGGACCGGAGTGGGGAGCGCGGCGTGGAGGTGCCACCCGGCGCGGGTGG
CGGAGAGATCAGAAGCCTCTTCCCCAAGCCGAGCCAACCTCAGCGGGGACCCGGGCTCAGGGA
CGCGGCGGCGGCGGCGGCGACTGCAGTGGCTGGACGATGGCAGCGTCCGCCGAGCCGGGGCG
GTGATTGCAGCCCCAGACAGCCGGCGCTGGCTGTGGTGGTGGTGGCGGCGGCGCTTGGGCTC
TTGACAGCTGGAGTATCAGCCTTGGAAGTATATACGCCAAAAGAAATCTTCGTGGCAAATGGT
ACACAAGGGAAGCTGACCTGCAAGTTCAAGTCTACTAGTACGACTGGCGGGTTGACCTCAGTC
TCCTGGAGCTTCCAGCCAGAGGGGGCCGACACTACTGTGTCTGTTTTTCCACTACTCCCAAGGG
CAAGTGTACCTTGGGAATTATCCACCATTTAAAGACAGAATCAGCTGGGCTGGAGACCTTGAC
AAGAAAGATGCATCAATCAACATAGAAAATATGCAGTTTATACACAATGGCACCTATATCTGT
GATGTCAAAAACCTCCTGACATCGTTGTCCAGCCTGGACACATTAGGCTCTATGTCTGTAGAA
AAAGAGAATTTGCCTGTGTTTTCCAGTTTGGGTAGTGGTGGGCATAGTTACTGTCTGTGGTCTTA
GGTCTCACTCTGCTCATCAGCATGATTCTGGCTGTCTCTATAGAAGGAAAACTCTAAACGG
GATTACACTGGCTGCAGTACATCAGAGAGTTTGTCAACAGTTAAGCAGGCTCCTCGGAAGTCC
CCCTCCGACACTGAGGGTCTTGTAAGAGTCTGCCTTCTGGATCTCACCAGGGGCCAGTCATA
TATGCACAGTTAGACCACTCCGGCGGACATCACAGTGACAAGATTAACAAGTCAGAGTCTGTG
GTGTATGCGGATATCCGAAAGAATTAAGAGAATACCTAGAACATATCCTCAGCAAGAAACAAA
ACCAAACCTGGACTCTCGTGCAGAAAATGTAGCCATTACCACATGTAGCCTTGGAGACCCAGG
CAAGGACAAGTACACGTGTACTCACAGAGGGAGAGAAAGATGTGTACAAAGGATATGTATAAA
TATCTATTTAGTCATCCTGATATGAGGAGCCAGTGTTGCATGATGAAAAGATGGTATGATTC
TACATATGTACCCATTGTCTTGCTGTTTTTGTACTTTCTTTTCAGGTCATTTACAATTGGGAG
ATTCAGAAACATTCCTTTACCATCATTTAGAAATGGTTTGCCTTAATGGAGACAATAGCAG
ATCCTGTAGTATTTCCAGTAGACATGGCCTTTTAATCTAAGGGCTTAAGACTGATTAGTCTTA
GCATTTACTGTAGTTGGAGGATGGAGATGCTATGATGGAAGCATACCCAGGGTGGCCTTTAGC
ACAGTATCAGTACCATTTATTTGTCTGCCGCTTTTAAAAAATACCCATTGGCTATGCCACTTG
AAAACAATTTGAGAAGTTTTTTTGAAGTTTTTCTCACTAAAATATGGGGCAATTGTTAGCCTT
ACATGTTGTGTAGACTTACTTTAAGTTTGCACCCTTGAAATGTGTATATCAATTTCTGGATT
CATAATAGCAAGATTAGCAAAGGATAAATGCCGAAGGTCACTTCATTCTGGACACAGTTGGAT
CAATACTGATTAAGTAGAAAATCCAAGCTTTGCTTGAGAACTTTTGTAACGTGGAGAGTAAAA
AGTATCGGTTTTTA

530/550

FIGURE 530

MAASAGAGAVIAAPDSRRWLWSVLAAALGLLTAGVSALEVYTPKEIFVANGTQGKLTCKFKST
STTGGLTSVSWSFQPEGADTTVSFFHYSQGQVYLGNYPPFKDRISWAGDLDKKDASINIENMQ
FIHNGTYICDVKNPPDIVVQPGHIRLYVVEKENLPVFPVWVVVGIVTAVVLGLTLLISMILAV
LYRRKNSKRDTGCGSTSESLSPVKQAPRKSPDTEGLVKSLPSGSHQGPVIYAQLDHSGGHHS
DKINKSESVVYADIRKN

Important features:

Signal peptide:

amino acids 1-37

Transmembrane domain:

amino acids 161-183

531/550

FIGURE 531

GTGACACTATAGAAGAGCTATGACGTCGCATGCACGCGTACGTAAGCTCGGAATTCGGCTCGA
GGCTGGTGGGAAGAAGCCGAGATGGCGGCAGCCAGCGCTGGGGCAACCCGGCTGCTCCTGCTC
TTGCTGATGGCGGTAGCAGCGCCAGTCGAGCCCGGGGCAGCGGCTGCCGGGCCGGGACTGGT
GCGCGAGGGGCTGGGGCGGAAGGTCGAGAGGGCGAGGCCTGTGGCACGGTGGGGCTGCTGCTG
GAGCACTCATTGAGATCGATGACAGTGCCAACTTCCGGAAGCGGGGCTCACTGCTCTGGAAC
CAGCAGGATGGTACCTTGTCCTGTACAGCGGCAGCTCAGCGAGGAGGAGCGGGGCCGACTC
CGGGATGTGGCAGCCCTGAATGGCCTGTACCGGGTCCGGATCCCAAGGCGACCCGGGGCCCTG
GATGGCCTGGAAGCTGGTGGCTATGTCTCCTCCTTTGTCCCTGCGTGCTCCCTGGTGGAGTCG
CACCTGTCGGACCAGCTGACCCTGCACGTGGATGTGGCCGGCAACGTGGTGGGCGTGTGCGGTG
GTGACGCACCCCGGGGGCTGCCGGGGCCATGAGGTGGAGGACGTGGACCTGGAGCTGTTCAAC
ACCTCGGTGCAGCTGCAGCCGCCACCACAGCCCCAGGCCCTGAGACGGCGGCCTTCATTGAG
CGCCTGGAGATGGAACAGGCCCAGAAGGCCAAGAACCCCCAGGAGCAGAAGTCCTTCTTCGCC
AAATACTGGATGTACATCATTCCCGTCGTCCTGTTCTCATGATGTCAGGAGCGCCAGACACC
GGGGGCCAGGGTGGGGGTGGGGGTGGGGGTGGTGGTGGGGGTAGTGGCCTTTGCTGTGTGCCA
CCCTCCCTGTAAAGTCTATTTAAAAACATCGACGATACATTGAAATGTGTGAACGTTTTGAAAA
GCTACAGCTTCCAGCAGCCAAAAGCAACTGTTGTTTTGGCAAGACGGTCCTGATGTACAAGCT
TGATTGAAATTCAGTGTCACTTGATACGTTATTCAGAAACCAAGGAATGGCTGTCCCCATC
CTCATGTGGCTGTGTGGAGCTCAGCTGTGTTGTGTGGCAGTTTATTAACTGTCCCCCAGATC
GACACGCAAAAAAAAAA

532/550

FIGURE 532

MAAASAGATRLLLLLLMAVAAPSRARGSGCRAGTGARGAGAEGREGEACGTVGLLLEHSFEID
DSANFRKRGSLLWNQQDGTLSLSQRQLSEEERGLRDVAALNGLYRVRIPRRPGALDGLEAGG
YVSSFVPACSLVESHLSQDLTLHVDVAGNVVGVSVVTHPGGCRGHEVEDVDLELFNTSVQLQP
PTTAPGPETAAFIERLEMEQAQKAKNPQEOKSFFAKYWMYIIPVVLFLMMSGAPDTGGQGGGG
GGGGGGGSGLCCVPPSL

Important features:

Signal peptide:

amino acids 1-24

Transmembrane domain:

amino acids 226-243

534/550

FIGURE 534

MELALLCGLVVMAGVPIPIQGGILNLNKMVKQVTGKMPILSYWPYGCHCGLGGRGQPKDATDWC
CQTHDCCYDHLKTQGCGIYKDNKSSIHCMDSLQRYCLMAVFNVIIYLEDSE

Important features:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 1-24

N-glycosylation site.

amino acids 86-89

N-myristoylation sites.

amino acids 20-25, 45-50

Phospholipase A2 histidine active site.

amino acids 63-70

535/550

FIGURE 535

GCTGAGCGTGTGCGCGGTACGGGGCTCTCCTGCCTTCTGGGCTCCAACGCAGCTCTGTGGCTG
AACTGGGTGCTCATCACGGGAACCTGCTGGGCTATGGAATACAGATGTGGCAGCTCAGGTAGCC
CCAAATTGCCTGGAAGAATACATCATGTTTTTCGATAAGAAGAAATTGTAGGATCCAGTTTTT
TTTTTAACCGCCCCCTCCCCACCCCCCAAAAACTGTAAAGATGCAAAAACGTAATATCCAT
GAAGATCCTATTACCTAGGAAGATTTTGATGTTTTGCTGCGAATGCGGTGTTGGGATTTATTT
GTTCTTGGAGTGTTCTGCGTGGCTGGCAAAGAATAATGTTCCAAAATCGGTCCATCTCCCAAG
GGGTCCAATTTTTCTTCTGGGTGTCAGCGAGCCCTGACTCACTACAGTGCAGCTGACAGGGG
CTGTCATGCAACTGGCCCCCTAAGCCAAAGCAAAAGACCTAAGGACGACCTTTGAACAATACAA
AGGATGGGTTTTCAATGTAATTAGGCTACTGAGCGGATCAGCTGTAGCACTGGTTATAGCCCCC
ACTGTCTTACFGACAATGCTTTTCTTCTGCCGAACGAGGATGCCCTAAGGGCTGTAGGTGTGAA
GGCAAAATGGTATATTGTGAATCTCAGAAATTACAGGAGATACCCTCAAGTATATCTGCTGGT
TGCTTAGGTTTTGTCCCTTCGCTATAACAGCCTTCAAAAACTTAAGTATAATCAATTTAAAGGG
CTCAACCAGCTCACCTGGCTATACCTTGACCATAACCATATCAGCAATATTGACGAAAATGCT
TTAATGGAATACGCAGACTCAAAGAGCTGATTCTTAGTTCCAATAGAATCTCCTATTTTCTT
AACAATACCTTCAGACCTGTGACAAATTTACGGAACCTGGATCTGTCCTATAATCAGCTGCAT
TCTCTGGGATCTGAACAGTTTCGGGGCTTGCGGAAGCTGCTGAGTTTACATTTACGGTCTAAC
TCCCTGAGAACCATCCCTGTGCGAATATTCCAAGACTGCCGCAACCTGGAACCTTTTGGACCTG
GGATATAACCGGATCCGAAGTTTAGCCAGGAATGTCTTTGCTGGCATGATCAGACTCAAAGAA
CTTCACCTGGAGCACAATCAATTTCCAAGCTCAACCTGGCCCTTTTCCAAGGTTGGTCAGC
CTTCAGAACCTTTACTTGCAGTGGAATAAAATCAGTGTATAGGACAGACCATGTCTGGACC
TGGAGCTCCTTACAAAGGCTTGATTTATCAGGCAATGAGATCGAAGCTTTCAGTGGACCCAGT
GTTTTCCAGTGTGTCCGAATCTGCAGCGCCTCAACCTGGATTCCAACAAGCTCACATTTATT
GGTCAAGAGATTTTGGATTCTTGGATATCCCTCAATGACATCAGTCTTGCTGGGAATATATGG
GAATGCAGCAGAAATATTTGCTCCCTGTAAACTGGCTGAAAAGTTTTAAAGGTCTAAGGGAG
AATACAATTATCTGTGCCAGTCCCAAAGAGCTGCAAGGAGTAAATGTGATCGATGCAGTGAAG
AACTACAGCATCTGTGGCAAAAGTACTACAGAGAGGTTTGATCTGGCCAGGGCTCTCCCAAAG
CCGACGTTTAAGCCCAAGCTCCCCAGGCCGAAGCATGAGAGCAAACCCCTTTGCCCCGACG
GTGGGAGCCACAGAGCCCGGCCAGAGACCGATGCTGACGCCGAGCACATCTCTTTCCATAAA
ATCATCGCGGGCAGCGTGGCGCTTTTCTGTCCGTGCTCGTCATCCTGCTGGTTATCTACGTG
TCATGGAAGCGGTACCCTGCGAGCATGAAGCAGCTGCAGCAGCGCTCCCTCATGCGAAGGCAC
AGGAAAAAGAAAAGACAGTCCCTAAAGCAAATGACTCCCAGCACCCAGGAATTTTATGTAGAT
TATAAACCCACCAACACGGAGACCAGCGAGATGCTGCTGAATGGGACGGGACCCTGCACCTAT
AACAAATCGGGCTCCAGGGAGTGTGAGGTATGAACCATTGTGATAAAAAGAGCTCTTAAAGC
TGGGAAATAAGTGGTGCTTTATTGAACTCTGGTGAATCAAGGGAACGCGATGCCCCCCTC
CCCTTCCCTCTCCCTCTCACTTTGGTGGCAAGATCCTTCTTGTCCGTTTTAGTGCATTATA
ATACTGGTCATTTTCTCTCATACATAATCAACCCATTGAAATTTAAATACCACAATCAATGT
GAAGCTTGAACCTCGGTTTAATATAATACCTATTGTATAAGACCCTTTACTGATTCCATTAAT
GTCGCATTTGTTTTAAGATAAAACTTCTTTCATAGGTAAAAA

536/550

FIGURE 536

MGFNVIRLLSGSAVALVIAPT VLLTMLSSAERGCPKGCRCEGKMVYCESQKLQEIPSSISAGC
LGLSLRYNSLQKLKYNQFKGLNQLTWLYLDHNNHISNIDENAFNGIRRLKELILSSNRISYFLN
NTFRPVTNLRNLDLSYNQLHSLGSEQFRGLRKLLSLHLRSNSLRTIPVRI FQDCRNLELLDLG
YNRIRSLARNVFAGMIRLKEHLEHNQFSKLNALFPRLVSLQONLYLQWNKISVIGQTMSWTW
SSLQRLDLSGNEIEAFSGPSVFQCVPNLQRLNLD SNKLTFIGQEILDSWISLNDISLAGNIWE
CSRNICSLVNWLKSFKGLRENTIICASPKELOQGVNVIDAVKNYSICGKSTTERFDLARALPKP
TFKPKLPRPKHESKPPLPPTVGATEPGPETDADA EHSFHKIIAGSVALFLSVLVILLVIYVS
WKRYPASMKQLQQRSLMRRHRKKKRQSLKQMPSTQEFYVDYKPTNTETSEMLLNGTGPCTYN
KSGSRECEV

Important features:**Signal peptide:**

amino acids 1-33

Transmembrane domain:

amino acids 420-442

N-glycosylation sites.

amino acids 126-129, 357-360, 496-499, 504-507

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 465-468

Tyrosine kinase phosphorylation site.

amino acids 136-142

N-myristoylation sites.

amino acids 11-16, 33-38, 245-250, 332-337, 497-502, 507-512

537/550

FIGURE 537

GGGACTACAAGCCGCGCGCGCTGCCGCTGCCCTCAGCAACCTCGACATGGCGCTGAGGCGGCCACCGCGAC
TCCGGCTCTGCGCTCGGCTGCCTGACTTCTTCTGCTGCTGCTTTTCAGGGGCTGCCTGATAGGGGCTGTAAATC
TCAAATCCAGCAATCGAACCCAGTGGTACAGGAATTGAAAGTGTGGAAGTGTCTTGCATCATTACGGATTCCG
AGACAAGTGACCCAGGATCGAGTGGAGAAAATTCAAGATGAACAAACCACATATGTGTTTTTGACAACAAA
TTCAGGGAGACTTGGCGGGTCGTGCAGAAATACTGGGAAGACATCCCTGAAGATCTGGAATGTGACACGGAGAG
ACTCAGCCCTTTATCGCTGTGAGGTCGTTGCTCGAAATGACCGCAAGGAAATTGATGAGATTGTGATCGAGTTAA
CTGTGCAAGTGAAGCCAGTGACCCCTGTCTGTAGAGTGCCGAAGGCTGTACCAGTAGGCAAGATGGCAACACTGC
ACTGCCAGGAGAGTGAGGGCCACCCCGGCTCCTACAGCTGGTATCGCAATGATGTACCACTGCCACCGATT
CCAGAGCCAATCCAGATTTCGCAATTCTTCTTCCACTTAACTCTGAAACAGGCACTTTGGTGTCTACTGCTG
TTCACAAGGACGACTCTGGGCAGTACTACTGCAATTGCTTCCAATGACGCAGGCTCAGCCAGGTGTGAGGAGCAGG
AGATGGAAGTCTATGACCTGAACATTGGCGGAATTATTGGGGGGGTTCTGGTTGTCTTGTCTGCTGCTGCTGCTG
TCACGTTGGGCATCTGCTGTGCATACAGACGTGGCTCATCAACAATAAACAGGATGGAGAAAGTTACAAGA
ACCCAGGGAAACCAGATGGAGTTAACTACATCCGCACTGACGAGGAGGGCGACTTCAGACACAAGTCATCGTTG
TGATCTGAGACCCGCGGTGTGGCTGAGAGCGCAGAGCGCAGCTGCACATACCTCTGCTAGAACTCCTGTCAA
GGCAGCGAGAGCTGATGCACTCGGACAGAGCTAGACACTCATTGAGAAGCTTTTCGTTTTGGCCAAAGTTGACCA
CTACTCTTCTTACTCTAACAAGCCACATGAATAGAAGAAATTTCTCAAGATGGACCCGGTAAATATAACCACAA
GGAAGCGAAACTGGGTGCGTTCACTGAGTTGGGTTCTTAATCTGTTCTGGCCTGATTCCCGCATGAGTATTAGG
GTGATCTTAAAGAGTTTGTCTCACGTAAACGCCGCTGCTGGGCCCTGTGAAGCCAGCATGTTACCACTGGTCGTT
CAGCAGCCACGACAGCACCATGTGAGATGGCGAGGTGGCTGGACAGCACCAGCAGCGCATCCCGCGGGAACCCA
GAAAAGGCTTCTTACACAGCAGCCTTACTTCATCGGCCACAGACACCACCGCAGTTTCTTCTAAAGGCTCTGC
TGATCGGTGTTGCAGTGTCCATTGTGGAGAAGCTTTTGGATCAGCATTTTGTAAAAACAACCAAAATCAGGAAG
GTAAATTTGGTTGCTGGAGAGGGATCTTGCTGAGGAACCTGCTTGTCCAACAGGGTGTGAGGATTTAAGGAAA
ACCTTCGCTTAGGCTAAGTCTGAAATGGTACTGAAATATGCTTTTCTATGGGTCTGTTTATTTTATAAAATTT
TACATCTAAATTTTGTCTAAGGATGATTTTGTATTATGAAAAGAAAATTTCTATTTAACTGTAAATATATTGT
CATACAATGTTAAATAACCTATTTTAAAAAAGTTCAACTTAAGGTAGAAGTTCCAAGTACTAGTGTAAAT
TGGAAATATCAATAATTAAGAGTATTTTACCCAAGGAATCCTCTCATGGAAGTTTACTGTGATGTTCCCTTTCT
CACACAAGTTTTCAGCTTTTTCACAAGGGAATCATACTGTCTACACATCAGACCATAGTTGCTTAGGAAACCTT
TAAAAATTCCAGTTAAGCAATGTTGAAATCAGTTTGCATCTCTTCAAAAGAAACCTCTCAGGTTAGCTTTGAACT
GCCTCTTCTGAGATGACTAGGACAGTCTGTACCCAGAGGCCACCCAGAAGCCCTCAGATGTACATACACAGATG
CCAGTCAGCTCCTGGGGTTGCGCCAGGCGCCCGCTCTAGCTCACTGTTGCCTCGCTGTCTGCCAGGAGGCCCT
GCCATCCTTGGGCCCTGGCAGTGGCTGTGTCCAGTGAGCTTTACTCACGTGGCCCTTGCTTCATCCAGCACAGC
TCTCAGGTGGGCACTGCAGGGACACTGGTGTCTCCATGTAGCGTCCAGCTTTGGGCTCCTGTAACAGACCTCT
TTTTGGTTATGGATGGCTCACAAAATAGGGCCCCCAATGCTATTTTTTTTTTTTAAAGTTGTTAATTATTTGTT
AAGATTGTCTAAGGCCAAAGCAATTGCGAAATCAAGTCTGTCAAGTACAATAACATTTTAAAAAGAAAATGGAT
CCCACTGTTCTCTTTGCCACAGAGAAAGCACCCAGACGCCACAGGCTCTGTGCGATTTCAAACAAACCATGAT
GGAGTGGCGGCCAGTCCAGCCTTTTAAAGAAGCTCAGGTGGAGCAGCCAGGTGAAAGGCCTGGCGGGGAGGAAAG
TGAAACGCCTGAATCAAAAGCAGTTTCTAATTTTGAATTTTAAATTTTTCATCCGCCGAGACACTGCTCCCAT
TGTGGGGGACATTAGCAACATCACTCAGAAGCCTGTGTTCTTCAAGAGCAGGTGTTCTCAGCCTCAGTCCCT
GCCGTGCTGGACTCAGGACTGAAGTCTGTAAAGCAAGGAGCTGCTGAGAAGGAGCACTCCACTGTGTGCTTGGG
GAATGGCTCTCACTACTCACCTTGTCTTTCAGCTTCCAGTGTCTTGGGTTTTTATACTTTGACAGCTTTTTTT
AATTGCATACATGAGACTGTGTTGACTTTTTTTAGTTATGTGAAACACTTTGCCGAGGCGCCCTGGCAGAGGCA
GGAAATGCTCCAGCAGTGGCTCAGTGTCTCCCTGGTGTCTGCTGCATGGCATCCTGGATGCTTAGCATGCAAGTTC
CCTCCATCATTGCCACCTTGGTAGAGAGGATGGCTCCCCACCCTCAGCGTTGGGGATTACAGCTCCAGCCTCCT
TCTTGGTTGTATAGTGTAGGGTAGCCTTATTGCCCCCTCTTCTTATACCCTAAAACCTTCTACACTAGTGCCA
TGGGAACCAAGTCTGAAAAAGTAGAGAGAAGTGAAGTAGAGTCTGGGAAGTAGCTGCCATAACTGAGACTAGA
CGGAAAAGGAATACTCGTGTATTTTAAAGATATGAATGTGACTCAAGACTCGAGGCGGATACGAGGCTGTGATTCT
GCCTTTGGATGGATGTTGCTGTACACAGATGTACAGACTGTACTAACACACCGTAATTTGGCATTGTTTAAAC
CTCATTTATAAAAGCTTCAAAAAACCCA

538/550

FIGURE 538

MALRRPPRLRLCARLPDFFLLLLFRGCLIGAVNLKSSNRTPVVQEFESVELSCIITDSQTS DP
RIEWKKIQDEQTTYVFFDNKIQGDLAGRAEILGKTS LKIWNVTRRDSALYRCEVVARNDRKEI
DEIVIELTVQVKPVTVPVCRVPKAVPVGKMATLHCQES EGHPRPHYSWYRNDVPLPTDSRANPR
FRNSSFHLNSETGTLVFTAVHKDDSGQYYCIASNDAGSARCEEQEMEVDL NIGGIIGGVLVV
LAVLALITLGICCAYYRGYFINNKQDGESYKNPGKPDGVNYIRTDEEGDFRHKSSFVI

Important features:**Signal peptide:**

amino acids 1-30

Transmembrane domain:

amino acids 243-263

N-glycosylation sites.

amino acids 104-107, 192-195

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 107-110

Casein kinase II phosphorylation site.

amino acids 106-109, 296-299

Tyrosine kinase phosphorylation site.

amino acids 69-77

N-myristoylation sites.

amino acids 26-31, 215-220, 226-231, 243-248, 244-249, 262-267

539/550

FIGURE 539

CCAGGACCAGGGCGCACCGGCTCAGCCTCTCACTTGTCAGAGGCCGGGGAAGAGAAGCAAAGC
GCAACGGTGTGGTCCAAGCCGGGGCTTCTGCTTCGCCTCTAGGACATACACGGGACCCCTAA
CTTCAGTCCCCCAAACGCGCACCCCTCGAAGTCTTGAACCTCCAGCCCCGCACATCCACGCGCGG
CACAGGCGCGGCAGGCGGCAGGTCCCGGCCGAAGGCGATGCGCGCAGGGGGTCGGGCAGCTGG
GCTCGGGCGGCGGGAGTAGGGCCCCGGCAGGGAGGCAGGGAGGCTGCATATTCAGAGTCGCGGG
CTGCGCCCTGGGCAGAGGCCGCCCTCGCTCCACGCAACACCTGCTGCTGCCACCGCGCCGCGA
TGAGCCGCGTGGTCTCGCTGCTGCTGGGCGCCGCGCTGCTCTGCGGCCACGGAGCCTTCTGCC
GCCGCGTGGTCAGCGGCCAAAAGGTGTGTTTTGCTGACTTCAAGCATCCCTGCTACAAAATGG
CCTACTTCCATGAACTGTCCAGCCGAGTGAGCTTTCAGGAGGCACGCCTGGCTTGTGAGAGTG
AGGGAGGAGTCCCTCCTCAGCCTTGAGAATGAAGCAGAACAGAAGTTAATAGAGAGCATGTTGC
AAAACCTGACAAAACCCGGGACAGGGATTTCTGATGGTGATTTCTGGATAGGGCTTTGGAGGA
ATGGAGATGGGCAAACATCTGGTGCCTGCCAGATCTCTACCAGTGGTCTGATGGAAGCAATT
CCCAGTACCGAACTGGTACACAGATGAACCTTCTGCGGAAGTGAAGAGTGTGTTGTGATGT
ATCACCACCAACTGCCAATCCTGGCCTTGGGGGTCCCTACCTTTACCAGTGGAATGATGACA
GGTGTAAACATGAAGCACAATTATATTTGCAAGTATGAACCAGAGATTAATCCAACAGCCCCTG
TAGAAAAGCCTTATCTTACAAATCAACCAGGAGACACCCATCAGAATGTGGTTGTTACTGAAG
CAGGTATAATTCCCAATCTAATTTATGTTGTTATACCAACAATAACCCCTGCTCTTACTGATAC
TGGTTGCTTTTGGAACCTGTTGTTTCCAGATGCTGCATAAAAGTAAAGGAAGAACAAAACTA
GTCCAAACCAGTCTACACTGTGGATTTCAAAGAGTACCAGAAAAGAAAGTGGCATGGAAGTAT
ATAACTCATTGACTTGGTTCCAGAATTTTGTAATCTGGATCTGTATAAGGAATGGCATCAG
AACAATAGCTTGGAATGGCTTGAAATCACAAAGGATCTGCAAGATGAACTGTAAGCTCCCCCT
TGAGGCAAAATATTAAAGTAATTTTATATGTCTATTATTTTCAATTTAAAGAATATGCTGTGCTA
ATAATGGAGTGAGACATGCTTATTTTGCTAAAGGATGCACCCAACTTCAAACCTCAAGCAAA
TGAAATGGACAATGCAGATAAAGTTGTTATCAACACGTCGGGAGTATGTGTGTTAGAAGCAAT
TCCTTTTATTTCTTTACCTTTTATAAGTTGTTATCTAGTCAATGTAATGTATATTGTATTGA
AATTTACAGTGTGCAAAAGTATTTTACCTTTGCATAAGTGTGTTGATAAAAAATGAACTGTTCTA
ATATTTATTTTATGGCATCTCATTTTTCAATACATGCTCTTTTGATTAAAGAACTTATTAC
TGTTGTCAACTGAATTCACACACACACAAATATAGTACCATAGAAAAAGTTTGTCTCTCGAA
ATAATTCATCTTTCAGCTTCTCTGCTTTTGGTCAATGTCTAGGAAATCTCTTCAGAAATAAGA
AGCTATTTTCATTAAGTGTGATATAAACCTCCTCAAACATTTTACTTAGAGGCAAGGATTGTCT
AATTTCAATTGTGCAAGACATGTGCCTTATAATTATTTTGTAGCTTAAATTAACAGATTTTG
TAATAATGTAACCTTGTAAATAGGTGCATAAACACTAATGCAGTCAATTTGAACAAAAGAAGT
GACATACACAATATAAATCATATGTCTTCACACGTTGCCTATATAATGAGAAGCAGCTCTCTG
AGGGTTCTGAAATCAATGTGGTCCCTCTCTTGCCCACTAAACAAAGATGGTTGTTTCGGGGTTT
GGGATTGACACTGGAGGCAGATAGTTGCAAAGTTAGTCTAAGGTTTCCCTAGCTGTATTTAGC
CTCTGACTATATTAGTATACAAAGAGGTGATGTGGTTGAGACCAGGTGAATAGTCACTATCAG
TGTGGAGACAAGCACAGCACACAGACATTTTAGGAAGGAAAGGAACCTACGAAATCGTGTGAAA
ATGGGTTGGAACCCATCAGTGATCGCATATTCATTGATGAGGGTTTGCTTGAGATAGAAAATG
GTGGCTCCTTTCTGTCTTATCTCCTAGTTTCTTCAATGCTTACGCCTTGTCTCTCAAGAGA
AAGTTGTAACCTCTCTGGTCTTCATATGTCCCTGTGCTCCTTTTAACCAAATAAAGAGTTCTTG
TTTCTGGGGGAA

540/550

FIGURE 540

MSRVVSLLLGAALLCGHGAFCRRVVSQGKVCFADFKHPCYKMAYFHELSSRVSFQEARLACES
EGGVLLSLENEAEQKLIESMLQNLTKPGTGISDGDWIGLWRNGDGQTSACPDLYQWSDGSN
SQYRNWYTDEPSCGSEKCVVMYHQPTANPGLGGPYLYQWDDRCNMKHNICKYEPEINPTAP
VEKPYLTNQPGDTHQNVVVTEAGIIPNLIYVVIPTIPLLLLILVAFGTCCFQMLHKSCKGRTKT
SPNQSTLWISKSTRKESGMEV

Important features:

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 214-235

N-glycosylation sites.

amino acids 86-89 and 255-258

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 266-269

N-myristoylation sites.

amino acids 27-32, 66-71, 91-96, 93-98, 102-107, 109-114, 140-145
and 212-217

541/550

FIGURE 541

GGAGAAATGGAGAGAGCAGTGAGAGTGGAGTCCGGGGTCTGGTCCGGGGTGGTCTGTCTGCTCCTGGCATGCCCTG
CCACAGCCACTGGGCCCCGAAGTTGCTCAGCCTGAAGTAGACACCACCCTGGGTGCTGTGCGAGGCCGGCAGGTGG
GCGTGAAGGGCAGACACCCCTTGTGAATGTCTTTCTGGGCATTCCATTGGCCAGCCGCCACTGGGCCCCGACTGACC
GGTTCTCAGCCCCACACCCAGCACAGCCCTGGGAGGGTGTGCGGGATGCCAGCACTGCGCCCCCAATGTGCTAC
AAGACGTGGAGAGCATGAACAGCAGCAGATTTGCTCTCAACGGAACAGCAGATCTTCTCCGTTTCAGAGGACT
GCCTGGTCTCAACGTCTATAGCCAGCTGAGGTCCCCGAGGGTCCGGTAGGCCGGTCTATGGTATGGGTCCATG
GAGGCGCTCTGATAACTGGCGCTGCCACCTCCTACGATGGATCAGCTCTGGCTGCCATGAGGGATGTGGTCTGG
TTACAGTCCAGTACCGCCTTGGGGTCTTGGCTTCTCAGCACTGGAGATGAGCATGCACCTGGCAACCAGGGCT
TCCTAGATGTGGTAGCTGCTTTGCGCTGGGTGCAAAACATCGCCCCCTTCGGGGGTGACCTCAACTGTGTCA
CTGTCTTTGGTGGATCTGCCGGTGGGAGCATCATCTCTGGCCTGGTCTGTCCCCAGTGGCTGCAGGGCTGTTC
ACAGAGCCATCACACAGAGTGGGGTCTACACACCCAGGGATCATCGACTCTCACCTTGGCCCTAGCTCAGA
AAATCGCAAAACACCTTGGCCTGCAGTCCAGTCCCCGGCTGAGATGGTGCAGTGCCTTCAGCAGAAAGAGGAG
AAGAGCTGGTCTTAGCAAGAAGCTGAAAAATACTATCTATCTCTCACCGTTGATGGCACTGTCTCCCAAGAA
GCCCAAGGAACTCCTGAAGGAGAAGCCCTTCCACTCTGTGCCCTTCTCATGGGTGTCAACAACCATGAGTTCA
GCTGGCTCATCCCCAGGGGCTGGGGTCTCTGGATACAATGGAGCAGATGAGCCGGGAGGACATGCTGGCCATCT
CAACACCCGCTTGAACAGTCTGGATGTGCCCTGAGATGATGCCACCGTCATAGATGAATACCTAGGAAGCA
ACTCGGACGCACAAGCCAAATGCCAGGCTTCCAGGAATCATGGGTGACGTATTCAATGTTCCACCGTCA
GTTTTTCAAGATACCTTCGAGATTCTGGAAGCCCTGTCTTTTCTATGAGTTCAGCATCGACCCAGTCTTTTG
CGAAGATCAAACTGCCTGGGTGAAGCTGATCATGGGGCCGAGGGTGTCTTTGTGTTGCGAGGTCCCTTCTCA
TGGACGAGAGCTCCCGCTGGCCTTTCAGAGGCCACAGAGGAGGAGAAGCAGCTAAGCCTCACCATGATGGCCC
AGTGGACCCACTTTGCCCGGACAGGGGACCCCAATAGCAAGGCTCTGCCCTCTTGGCCCCAATTCAACAGCGCG
AACATATCTGGAGATCAACCCAGTGCCACGGGCCGACAGAAGTTCAGGGAGGCCCTGGATGCAGTCTGTGTCAG
AGACGCTCCCCAGCAAGATACAACAGTGGCACCAGAAGCAGAAGAAGCAGGAAGGCCAGGAGGACCTCTAGAGGCC
AGGCTGAACCTTCTTGGCTGGGGCAAACTCTTCAAGTGGTGGCAGAGTCCCAGCACGGCAGCCCGCTCTC
CCCTGCTGAGAGCTTAACTCTCCACAGCCCTTAAAGTGTGCGCGCTCTGTGACTGGAGTTATGCTCTTTTGA
ATGTACACAAGGCCGCTCCACCTCTGGGGCATTGTACAAGTCTTCCCTCTCCCTGAAGTGCCTTTCCCTGCTT
CTTCGTGGTAGGTTCTAGACATTCTCTAGCTTCTGGAGGACTCACTCCCAGGAAGCCTTCCCTGCCTTCTC
TGGGCTGTGCGGCCCCGAGTCTGCGTCCATTAGAGCAGATCCACCCGAGGCTAGCACCGTGTCTGTGTCTGTCT
CCCTCAGAGAGCTCTCTCAAAATGGGGATTAGCCTAACCCCACTGTGTACCCACACAGGATCGGGTGGGA
CCTGGAGCTAGGGGGTGTTTGCTGAGTGAAGTGAACACAGAATATGGGAATGGCAGTCTGTAACCTTGAAC
CCAGAGCCTTCAGGTGCCAAAGCCATACTAGGCCCCACCGACATTGTCCACCTGGCCAGAAGGGTGCATGCC
AATGGCAGAGACCTGGGATGGGAGAAGTCTGGGGCGCCAGGGGATCCAGCCTAGAGCAGACCTTAGCCCTGAC
TAAGGCTCAGACTAGGGCGGGAGGGGTCTCTCTCTCTGCTGCCAGTCTGGCCCCCTGCACAAGACAACAGA
ATCCATCAGGGCCATGAGTGTACCCAGACCTGACCCCTACCAATTCCAGCCCCGACCTCAGGACGCTGGATG
CCAGCTCCCAGCCCCAGTGCCGGTCTCTCTCTCTCTGGCTTGGGGAGACCAGTTTCTGGGGAGCTTCCAAG
AGCACCCACCAAGACACAGCAGGACAGGCCAGGGGAGGGCATCTGGACAGGGCATCCGTCGGGCTATTGTCA
GAGAAAAGAAGAGACCCACCTCGGGCTGCAAAAGGTGAAAGCACCAGAGGTTTTAGATGGAAGTGAAG
GTGACAGTGTGCTGGCAGCCCTCAGAGCCCTCGCTTGTCTCTGCTGCCGCTCTGCTGGGCTCCCACTTTGGCA
GCACTTGAGGAGCCCTCAACCCGCCGTGCACTGTAGGAGCCCTTTCTGGGCTGGCCAAGGCCGAGCCAGCT
CCCTCAGCTTGGGGGAGGTGCGGAGGGAGAGGGGCGGGCAGGAACCGGGGCTGCGCGCAGCGCTTGGCGGCCAG
AGTGAGTTCCGGGTGGGCTGGGCTCGGCGGGGCCCCACTCAGAGCAGCTGGCCGGCCCCAGGCAGTGAAGGCTT
TAGCACCTGGGCAGCAGCTGCTGTGCTCGATTCTCGTGGGCTTGTGCTTCCCGCGGGGAGGGCTCGG
GACCTGCAGCCCTCCATGCCTGACCTCCCCCACCCCGTGGGCTCTGTGCGGCGGAGCCTCCCCAAGGAG
CGCCGCCCTCTGCTCCACAGCGCCAGTCCCATCGACCACCAAGGGCTGAGGAGTGGGGTGCACAGCGCGGA
CTGGCAGGCAGCTCCACCTGCTGCCCCAGTGTGATCCACTGGGTGAAGCCAGCTGGGCTCTGAGTCTGGTGG
GGACTTGGAGAACCCTTATGTCTAGCTAAGGATTGTAATAACCCGATGGGCACTCTGTATCTAGCTCAAGGTT
TGTAACACACCAATCAGCACCCTGTGTCTAGCTCAGTGTGTGTGAATGCACCAATCCACACTCTGTATCTGGCT
ACTCTGGTGGGACTTGGAGAACCCTTGTGTCCACACTCTGTATCTAGCTAATCTAGTGGGATGTGGAGAACCCT
TTGTGTCTAGCTCAGGGATCGTAAACGCACCAATCAGCACCCTGTCAAAACAGACCACTTGAATCTCTGTAAAT
GGACCAATCAGCAGGATGTGGGTGGGGCGAGACAAGAGAATAAAGCAGGCTGCTGAGCCAGCAGTGACAACCC
CCCTCGGGTCCCCTCCACGCGGTGGAAGCTTTGCTTCTGCTCTTGTCAATAAATCTTGCTACTGCCCAAAA

542/550

FIGURE 542

MERAVRVESGVLVGVVCLLLACPATATGPEVAQPEVDTTLGRVRGRQVGKGTDRLVNVFLGI
PFAQPPLGPD RFSAPHPAQPWEGVRDASTAPPMCLQDVESMNSSRFVLNGKQQIFSVSEDCLV
LNVYSPA EVPAGSGRPVMVWVHGGALITGAATSYDGSALAA YGDVVVTVQYRLGVLGFFSTG
DEHAPGNQGF L DVVAALRWVQENIAPFGGDLNCVTVFGGSAGGSIISGLVLS PVAAGLFHRAI
TQSGVITTPGIIDSHPWPLAQKIAN TLACSSSSPAEMVQCLQQKEGEELVLSKKLKNTIYPLT
VDGTVFPKSPKELLKEKPFHSPFLMGVNNHEFSWLI PRGWGLLDTMEQMSREDMLAISTPVL
TSLDVPPEMMPTVIDEYLG SNSDAQAKCQAFQEFMGDVFINVPTVSFSRYLRDSGSPVFFYEF
QHRPSSF AKIKPAWVKADHGAEGAFVFGGPFLMDESSRLAFPEATEEEKQLSLTMM AQWTHFA
RTGDPNSKALPPWPQFNQAEQYLEINPVPRAGQKFREAWMQFWSETLP SKIQQWHQKQKNRKA
QEDL

Important features:**Signal peptide:**

amino acids 1-27

Transmembrane domain:

amino acids 226-245

N-glycosylation site.

amino acids 105-109

N-myristoylation sites.

amino acids 10-16, 49-55, 62-68, 86-92, 150-156, 155-161,
162-168, 217-223, 227-233, 228-234, 232-238, 262-268, 357-363,
461-467

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 12-23

Carboxylesterases type-B serine active site.

amino acids 216-232

543/550

FIGURE 543

TGTCGCCTGGCCCTCGCCATGCAGACCCCGGAGCGTCCCCTCCCCGCCCCGGCCCTCTGCTTCTGCTGCTGCTA
CTGGGGGGCGCCACGGCCTCTTCTCTGAGGAGCCGCGCCGCTTAGCGTGGCCCCAGGGACTACCTGAACCAC
TATCCCGTGTGTTGTGGGCGAGCGGGCCCGGACGCTGACCCCGCAGAAGGTGCTGACGACCTCAACATCCAGCGA
GTCTGCGGGTCAACAGGACGCTGTTTATTGGGGACAGGGACAACCTCTACCGGTAGAGCTGGAGCCCCACG
TCCACGGAGCTGCGGTACCAGAGGAAGCTGACCTGGAGATCTAACCCAGCGACATAAACGTGTGTGGATGAAG
GGCAAACAGGAGGGCGAGTGTGAAACTTCGTAAAGGTGCTGCTCCTTCGGGACGAGTCCACGCTCTTTGTGTGC
GGTTCCAACGCCTTCAACCCGCTGTGCGCAACTACAGCATAGACACCTGCAGCCCGTGGAGACAACATCAGC
GGTATGGCCCGCTGCCGTACGACCCCAAGCAGCCCAATGTTGCCCTCTTCTCTGACGGGATGCTCTTACAGCT
ACTGTTACCGACTTCAAGACCATGTGATGCTGTACCTTACCGCAGCCTCGGGGACAGGCCACCTGCGCACCGTG
AAACATGACTCCAAGTGGTTCAAAGAGCCTTACTTTGTCCATGCGGTGGAGTGGGGCAGCCATGTCTACTTCTT
TTCCGGGAGATTGCGATGGAGTTAACTACTGGAGAGGTGGTGGTGTCCCGCTGGCCCGAGTGTGCAAGAAC
GACGTGGGAGGCTCCCCCGCTGCTGGAGAAGCAGTGGACGTCCTTCTGAAGGCGCGGCTCAACTGCTCTGTA
CCCGGAGACTCCCATTTCTACTTCAACGTGCTGCAGCTGTACGCGCGTGGTACGCTCGGGGCGGCGCCGCTG
GTCCTGGCCGTTTTTTCCACGCCCAGCAACAGCATCCCTGGCTCGGCTGTCTGCGCCTTTGACCTGACACAGGTG
GCAGCTGTGTTTGAAGGCGGCTCCGAGAGCAGAAGTCCCCGAGTCCATCTGGACGCGCGGTGCCGGAGGATCAG
GTGCTCGACCCCGCGCGGTGCTGCGCAGCCCCCGGGATGCAGTACAATGCCCTCCAGCGCCTTGCCGGATGAC
ATCCTGAACCTTGTCAAGACCCACCTCTGATGGACGAGCGGTGCCCTCGCTGGGCCATGCCCGCTGGATCGTG
CGGACCTGATGAGGCACAGCTGACTCGAGTGGCTGTGGACGTGGGAGCGCGCCCTGGGGCAACCAGACCGTT
GTCTTCTCGGGTCTGAGGCGGGGACGCTCCTCAAGTCTCTCGTCCGGCCCAATGCCAGCACCTCAGGGACGCTCT
GGGCTCAGTGTCTTCTGGAGGAGTTTGAAGCTACCGGCGGACAGGTGTGGACGGCCCGCGGTGGCGAGACA
GGGACGCGCTGCTGAGCTTGGAGCTGGACGCACTTCGGGGGGCTGCTGGCTGCCTTCCCGCTGCGTGGTGC
CGAGTGCCTGTGGCTCGCTGCCAGCAGTACTCGGGGTGTATGAAGAACTGTATCGGCAGTCAGGACCCCTACTGC
GGGTGGGCCCCGACGGCTCCTGCATCTTCTCAGCCCGGGCACCAGAGCCGCTTTGAGCAGGACGTGTCCGGG
GCCAGCACCTCAGGCTTAGGGGACTGCACAGGACTCCTGCGGGCCAGCCTCTCCGAGGACCGCGCGGGCTGGTG
TCGGTGAACCTGCTGGTAACGTGCTCGGTGGCGGCTTCGTGGTGGGAGCCGTGGTGTCCGGCTTACGCTGGG
TGGTTCGTGGGCTCCGTGAGCGGCGGGAGCTGGCCCGGCGCAAGGACAAGGAGGCCATCCTGGCGCACGGGGCG
GGCGAGGCGGTGCTGAGCGTACGCGCCTGGGCGAGGCGAGGGCGCAGGGTCCCGGGGGCGGGGCGGAGGCGGT
GGCGGTGGCGCGGGGTTCGCCCGGAGGCCCTGCTGGCGCCCTGATGCAGAACGGCTGGGCCAAGGCCACGCTG
CTGCGAGCGGGCCCCACGACTGGACTCGGGCTTCGCCACGCGCGAGCAGACCGCTGCGCGCAGAACGCG
CTGCCACTTCGCAACCGCACCCCGCCTGGGCCCCCGCGCTGGGACCAGGGCACCCCTGCTCCCGGCC
TCCGCTTATCTCTCTCTGCTGCTGGCGCCCCCGGGCCCCGAGCAGCCCCCGCGCTGGGGAGCCGACC
CCCCAGGCGCGCTTATGCTGCCCGGCCGCGCGCTCCACGCGCACTTCCCGCTCACCCCCACGCCAGC
CCGACCGCGCGGGGTGGTGTCCGCGCCACGGGCCCTTGGACCCAGCCTCAGCCGCGATGGCCTCCCGCG
CCCTGGAGCCCGCCCCGACGGGACGCTGAGGAGGCACTGGGCCCCACGCCCTCCGGCCGCCACCTGCGC
CGCACCCACAGTTCAACAGCGGCGAGGCCCGGCTGGGGACCGCACCGCGGTGCCACGCCCGCGCGGCGACA
GACTTGGCCACCTCCTCCCTATGGGGGGCGGACAGGACTGCGCCCCCGTGGCTAGGCCGGGGGCCCGCG
ATGCCTTGGCAGTGCCAGCCACGGGAACAGGAGCGAGAGCGGTGCCAGAACGCCGGGGCGGGGCAACTCCG
AGTGGGTGCTCAAGTCCCCCGCGACCCACCGCGGAGTGGGGGGCCCCCTCCGCCACAAGGAAGCAACACAG
CTCGCCCTCCCCCTACCCGGGGCGCAGGACGCTGAGACGGTTTGGGGGTGGGTGGGCGGGAGGACTTTGCTATG
GATTTGAGTTGACCTTATGCGCGTAGGTTTGGTTTTTTTTTGCAGTTTGGTTTCTTTTGGGTTTTCTAACC
AATTGCACAACTCCGTTCTCGGGGTGGCGGCAGGACGGGAGGCTTGGACGCCGGTGGGGAATGGGGGGCCACAG
CTGCAGACCTAAGCCCTCCCCACCCCTGGAAGGTCCCTCCCAACCCAGGCCCTGGCGTGTGTGGGTGTGCG
TGCGTGTGCGTGGCTGTTCTGTGTGAAGGGCGGGGAGGTGGGCGTGTGTGTGCGTGCCAGCGAAGGCTGCTG
TGGGCGTGTGTGAAGTGGGCCACGCTGCAGGTGTGTGTCCACGAGCGACGATCGTGGTGGCCCCAGCGGCC
TGGGCGTTGGCTGAGCCGACGCTGGGGCTTCCAGAAGCGCCGGGGTCTCCGAGGTGCCGTTAGGAGTTTGAAC
CCCCCCTCTGCAAGGGGAGCGGGGACAATGCCGGGTTCAGGCAGGAGACAGAGGAGGCGCTGCCCGGA
AGTCACATCGGCAGCAGCTGTCTAAAGGGCTTGGGGGCTGGGGGGCGGCGAAGGTGGGTGGGGCCCCCTCTGTAA
ATACGGCCCCAGGTTGGTGAAGAGTCCCATGCCACCCGTCCTTGTGACCTCCCCCTATGACCTCCAGCTGA
CCATGCATGCCACGTGGCTGGGTCCCTGCGCCTCTTGGAGTTGCCTCCCCAGCCCCCTCCCCATCAAT
AAAACCTCTGTTTACAACCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

544/550

FIGURE 544

MQTPRASPPRPALLLLLLLLGGAGHLFPPEPPPLSVAPRDYLNHYPVFVSGSPGRLTPAEGAD
DLNIQRVLRVNRTLFIGDRDNLRYVELEPPTSTELRYQRKLTWRSNPSDINVCRMKGKQEGEC
RNFVKVLLLRDESTLFVCGSNAFNPCANYSIDTLQPVGDNISGMARCPYDPKHANVALFSDG
MLFTATVTDFLAIDAVIYRSLGDRPTLRTVKHDSKWFKEPYFVHAVEWGS HVYFFFREIAMEF
NYLEKVVVSRVARVCKNDVGGSPRVLEKQWTSFLKARLNCSVPGDSHFYFNVLQAVTG VVSLG
GRPVVLAVFSTPSNSIPGSAVCAFDLTQVAAVFEGRFREQKSPESI WTPVPEDQVPRPRPGCC
AAPGMQYNASSALPDDILNFVKTHPLMDEAVPSLGHPWILRTLMRHQLTRVAVDVGAGPWGN
QTVVFLGSEAGTVLKFLVRPNASTSGTSGLSVFLEEFETYRPDRCGRPGGGETGQRLLSLELD
AASGGLLAAPRCVVRVPVARCQQYSGCMKNCIGSQDPYCGWAPDGSCIFLSPGTRAAFEQDV
SGASTSGLGDCGTGLLRASLSEDRAGLVSVNLLVTSSVAAFVVGAVVSGFSVGVFGLRERREL
ARRKDKEAILAHGAGEAVLSVSR LGERRAQGPGGGGGGGGAGVPPEALLAPLMQNGWAKAT
LLQGGPHDLDSGLLPTPEQTPLPQKRLPTPHPHPHALGPRAWDHGHPLLPASASSSLLLLAPA
RAPEQPPAPGEPTPDGRLYAARPGRASHGDFPLTPHASPDRRRVVSAPTGPLDPASAADGLPR
PWSPPPTGSLRRPLGPHAPPAATLRRTHTFNSGEARPGDRHRGCHARPGTDLAHL LPYGGADR
TAPPVP

Important features:**Signal peptide:**

amino acids 1-25

Transmembrane domains:

amino acids 318-339, 598-617

N-glycosylation sites:amino acids 74-78, 155-159, 167-171, 291-295, 386-390, 441-445,
462-466**Glycosaminoglycan attachment sites.**

amino acids 51-55, 573-577

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 102-106

N-myristoylation sites.amino acids 21-27, 50-56, 189-195, 333-339, 382-388, 448-454,
490-496, 491-497, 508-514, 509-515, 531-537, 558-564, 569-575,
574-580, 580-586, 610-616, 643-649, 663-669, 666-672, 667-673,
668-674, 669-675, 670-676, 868-874, 879-885

545/550

FIGURE 545

GATGGCGCAGCCACAGCTTCTGTGAGATTCGATTTCTCCCCAGTCCCCTGTGGGTCTGAGGG
GACCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCCCAAA
ACAAGTTTTGACATTTCCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTT
CCAGGCCTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACG
ACCTGTGCCACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAG
GCTTGGCAGTTTTTCTTACTCCTGTGGTCTCCAGATTTTCAGGCCTAAGATGAAAGCCTCTAGT
CTTGCCCTTCAGCCTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAG
ACACTCAATTTGGGAAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCT
GAGATACGGGGCAGTGTCGAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACT
GAGTCTTTGCAAGACACAAAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTC
TATCTGGACAGGGTATTTAAAAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGC
AGCCTCGCCAATTCCTTTCTTACCATCAAGAAGGACCTCCGGCTCTCTCATGCCCACATGACA
TGCCATTGTGGGGAGGAAGCAATGAAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTG
GAACCTCAGGCAGCAGTTGTGAAGGCTTTGGGGGAAGTAGACATTCTTCTGCAATGGATGGAG
GAGACAGAAATAGGAGGAAAGTGATGCTGCTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCT
TCAATACCTGCAGAGGAGGCATGACCCCAAACCACCATCTCTTTACTGTACTAGTCTTGTGCT
GGTCACAGTGTATCTTATTTATGCATTACTTGCTTCCTTGATGATTGTCTTTATGCATCCCC
AATCTTAATTGAGACCATACTTGTATAAGATTTTGTAAATATCTTCTGCTATTGGATATATT
TATTAGTTAATATATTTATTTATTTTTTGCTATTTAATGTATTTATTTTTTACTTGGACATG
AACTTTAAAAAAATTCACAGATTATATTTATAACCTGACTAGAGCAGGTGATGTATTTTAT
ACAGTAAAAAATAACCTTGTAATTTCTAGAAGAGTGGCTAGGGGGGTATTTCATTTGTAT
TCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGATATTTGAAATTGAACCAATGAC
TACTTAGGATGGGTTGTGGAATAAGTTTTGATGTGGAATTGCACATCTACCTTACAATTACTG
ACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAGCCAGGAATCCTACACGG
CCAGCATGTATTTCTACAAATAAAGTTTTCTTGCATACCAAAAAAAAAAAAAAAAAAAAAA

546/550

FIGURE 546

MRQFPKTSFDISPEMSFSIYSLQVPAVPGLTCWALTAEPGWGQNGGATTCATNSHSDSELRPE
IFSSREAWQFFLLWSPDFRPKMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVIATNLQE
IRNGFSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVFKNYQTPDHY
TLRKISSLANSELTIKKDLRLSHAHMTCHCGEEAMKKYSQILSHFEKLEPQAAVVKALGELDI
LLQWMEETE

Important features:

Signal peptide:

amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 192-195, 225-228

N-myristoylation sites.

amino acids 42-47, 46-51, 136-141

547/550

FIGURE 547

AGCAACTCAAGTTCATCATTGTCCTGAGAGAGAGGAGCAGCGCGGTCTCGGCCGGGACAGCA
GAACGCCAGGGGACCCTCACCTGGGCGCGCCGGGGCACGGGCTTTGATTGTCTGGGGTCGCG
GAGACCCGCGCGCCTGCCCTGCACGCCGGGCGGCAACCTTTGCAGTCGCGTTGGCTGCTGCGA
TCGGCCGGCGGGTCCCTGCCGAAGGCTCGGCTGCTTCTGTCCACCTCTTACACTTCTTCATTT
ATCGGTGGATCATTTTCGAGAGTCCGTCTTGTAATGTTTGGCACTTTGCTACTTTATTGCTTC
TTTCTGGCGACAGTTCCAGCACTCGCCGAGACCGGCGGAGAAAGGCAGCTGAGCCCGGAGAAG
AGCGAAATATGGGGACCCGGGCTAAAAGCAGACGTCGTCCTTCCCGCCCGCTATTTCTATATT
CAGGCAGTGGATACATCAGGAATAAATTCACATCTTCTCCAGGCGAAAAGGTCTTCCAGGTG
AAAGTCTCAGCACCAGAGGAGCAATTCAGTAGAGTTGGAGTCCAGGTTTTAGACCGAAAAGAT
GGGTCCTTCATAGTAAGATACAGAATGTATGCAAGCTACAAAAATCTGAAGGTGGAAATTAAA
TTCCAAGGGCAACATGTGGCCAAATCCCCATATATTTTAAAAGGGCCGGTTTACCATGAGAAC
TGTGACTGTCTCTGCAAGATAGTGCAGCCTGGCTACGGGAGATGAACTGCCCTGAAACCATT
GCTCAGATTCAGAGAGATCTGGCACATTTCCCTGCTGTGGATCCAGAAAAGATTGCAGTAGAA
ATCCCCAAAAGATTTGGACAGAGGCAGAGCCTATGTCCTACACCTTAAAGGATAACAAGGTT
TATATCAAGACTCATGGTGAACATGTAGGTTTTAGAATTTTCATGGATGCCATACTACTTTCT
TTGACTAGAAAAGGTGAAGATGCCAGATGTGGAGCTCTTTGTTAATTTGGGAGACTGGCCTTTG
GAAAAAAGAAATCCAATTCAAACATCCATCCGATCTTTTCCTGGTGTGGCTCCACAGATTCC
AAGGATATCGTGATGCCTACGTACGATTTGACTGATTCTGTTCTGGAAACCATGGGCCGGGTA
AGTCTGGATATGATGTCCGTGCAAGCTAACACGGGTCTCCCTGGGAAAGCAAAAATTCCACT
GCCGTCTGGAGAGGGCGAGACAGCCGCAAGAGAGACTCGAGCTGGTTAAACTCAGTAGAAAA
CACCCAGAACTCATAGACGCTGCTTTCACCAACTTTTTCTTCTTTAAACACGATGAAAACCTG
TATGGTCCCATTGTGAAACATATTTCATTTTTTGATTTCTTCAAGCATAAGTATCAAATAAAT
ATCGATGGCACTGTAGCAGCTTATCGCCTGCCATATTTGCTAGTTGGTGACAGTGTTGTGCTG
AAGCAGGATTCCATCTACTATGAACATTTTTACAATGAGCTGCAGCCCTGGAAACACTACATT
CCAGTTAAGAGCAACCTGAGCGATCTGCTAGAAAACTTAAATGGGCGAAAGATCACGATGAA
GAGGCCAAAAAGATAGCAAAAAGCAGGACAAGAATTTGCAAGAAATAATCTCATGGGCGATGAC
ATATTCTGTTATTATTTCAAACCTTTCCAGGAATATGCCAATTTACAAGTGAGTGAGCCCCAA
ATCCGAGAGGGCATGAAAAGGGTAGAACCACAGACTGAGGACGACCTCTTCCCTTGTA

548/550

FIGURE 548

MFGTLLLYCFFLATVPALAETGGERQLSPEKSEIWGPGLKADVVLPAFYFYIQAVDTSGNKFT
SSPGEKVFQVKVSAPEEQFTRVGVQVLDKDGSFIVRYRMYASYKNLKVEIKFQQQHVAKSPY
ILKGPVYHENCDCPLQDSAOWLREMNCPETIAQIQRDLAHFPAVDPEKIAVEIPKREGQRQSL
CHYTLKDNKVYIKTHGEHVGFRIFMDAILLSLTRKVKMPDVELFVNLGDWPLEKKKSNSNIHP
IFSWCGSTDSKDIVMPTYDLTDSVLETMGRVSLDMMSVQANTGPPWESKNSTAVWRGRDSRKE
RLELVKLSRKHPOLIDAAFTNFFFFKH DENLYGPIVKHISFFDFFKHKYQINIDGTVAAYRLP
YLLVGDSVVLKQDSIYYEHFYNELQPWKHYIPVKS NLSDLLEKLKWAKDHDEEAKKIAKAGQE
FARNNLMGDDIFCYYFKLFQEYANLQVSEPQIREGMKRVEPQTEDDLFPCTCHRRKTKDEL

Important features:**Signal peptide:**

amino acids 1-17

N-glycosylation sites.

amino acids 302-306, 414-418

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 243-247, 495-499

Tyrosine kinase phosphorylation site.

amino acids 341-348

N-myristoylation sites.

amino acids 59-65, 118-124, 184-190, 258-264, 370-376, 439-445

Endoplasmic reticulum targeting sequence.

amino acids 499-504

549/550

FIGURE 549

GGGTGATTGAACTAAACCTTCGCCGCACCGAGTTTGCAGTACGGCCGTCACCCGCACCGCTGC
CTGCTTGCGGTTGGAGAAATCAAGGCCCTACCGGGCCTCCGTAGTCACCTCTCTATAGTGGGC
GTGGCCGAGGCCGGGGTGACCCTGCCGGAGCCTCCGCTGCCAGCGACATGTTCAAGGTAATTC
AGAGGTCCGTGGGGCCAGCCAGCCTGAGCTTGCTCACCTTCAAAGTCTATGCAGCACCAAAAA
AGGACTCACCTCCCAAAAATTCCGTGAAGGTTGATGAGCTTTCCTCTACTCAGTTCCTGAGG
GTCAATCGAAGTATGTGGAGGAGGCAAGGAGCCAGCTTGAAGAAAGCATCTCACAGCTCCGAC
ACTATTGCGAGCCATACACAACCTGGTGTGTCAGGAAACGTACTCCCAAACTAAGCCCAAGATGC
AAAGTTTGGTTCAATGGGGGTTAGACAGCTATGACTATCTCCAAAATGCACCTCCTGGATTTT
TTCCGAGACTTGGTGTTATTGGTTTTGCTGGCCTTATTGGACTCCTTTTGGCTAGAGGTTCAA
AAATAAAGAAGCTAGTGTATCCGCCTGGTTTCATGGGATTAGCTGCCTCCCTCTATTATCCAC
AACAAGCCATCGTGTGTTGCCAGGTGAGTGGGGAGAGATTATATGACTGGGGTTTACGAGGAT
ATATAGTCATAGAAGATTTGTGGAAGGAGAACTTCAAAGCCAGGAAATGTGAAGAATTCAC
CTGGAACCTAAGTAGAAAACTCCATGCTCTGCCATCTTAATCAGTTATAGGTAAACATTGGAAA
CTCCATAGAATAAATCAGTATTTCTACAGAAAAATGGCATAGAAGTCAGTATTGAATGTATTA
AATTGGCTTTCTTCTTCAGGAAAACTAGACCAGACCTCTGTTATCTTCTGTGAAATCATCCT
ACAAGCAAACCTGGAATCCCTTCACCTAGAGATAATGTACAAGCCTTAGAACTCCTCAT
TCTCATGTGCTATTTATGTACCTAATTAACCCCAAGTTTAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAA

550/550

FIGURE 550

MFKVIQRSVGPASLSLLTFKVYAAPKKDSPPKNSVKVDELSLYSVPEGQSKYVEEARSQLEES
ISQLRHYCEPYTTWCQETYSQTKPKMQSLVQWGLDSYDYLQNAPPGFFPRLGVIGFAGLIGLL
LARGSKIKKLVYPPGFMGLAASLYYPQQAIVFAQVSGERLYDWGLRGYIVIEDLWKENFQKPG
NVKNSPGTK

Important features:

Signal peptide:

Amino acids 1-23

Transmembrane domain:

Amino acids 111-130

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 26-30

Tyrosine kinase phosphorylation site:

Amino acids 36-44

N-myristoylation sites:

Amino acids 124-130;144-150;189-195

THIS PAGE BLANK (USPTO)